

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49942	⁵ Pool Name COTTONWOOD DRAW; BONE SPRING	⁶ Pool Code 97494
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 152H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	25S	26E	-	639	SOUTH	1161	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	25S	26E	-	249	NORTH	1866	WEST	EDDY
¹² Lse Code F, S, P	¹³ Producing Method Code F	¹⁴ Gas Connection Date 3/17/2023	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
9/20/2022	3/8/2023	17695'	17573'	7684 ft to 17558 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	541'	495 sks		
12.25"	9.625"	1999'	580 sks		
8.75"/7.875"	5.5"	17676'	2110 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
3/17/2023	3/17/2023	4/8/2023	24 hrs.		850
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	1115	3584	2636		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Specialist			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/20/2023		
Date: 4/19/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

AS-DRILLED PLAT

¹ API Number 30-015-49942	² Pool Code 97494	³ Pool Name COTTONWOOD DRAW; BONE SPRING
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 152H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3426'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	16	25-S	26-E	-	639'	SOUTH	1161'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	25-S	26-E	-	249'	NORTH	1866'	WEST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)

639' FSL - SEC. 16
1161' FWL - SEC. 16
X=550854 Y=409071
LAT.: N 32.1246111
LONG.: W 104.3025908

KICK OFF POINT (KOP)

124' FSL - SEC. 16
1683' FWL - SEC. 16
X=551386 Y=408575
LAT.: N 32.1232471
LONG.: W 104.3008748
MD=7183.8' TVD=7130.3'

FIRST TAKE POINT (HEEL)

331' FSL - SEC. 16
1767' FWL - SEC. 16
X=551466 Y=408785
LAT.: N 32.1238244
LONG.: W 104.3006152
MD=7664.7' TVD=7538.1'

LAST TAKE POINT (TOE)

329' FNL - SEC. 9
1865' FWL - SEC. 9
X=551503 Y=418695
LAT.: N 32.1510668
LONG.: W 104.3004859
MD=17613.9' TVD=7682.8'

BOTTOM HOLE LOCATION (BHL)

249' FNL - SEC. 9
1866' FWL - SEC. 9
X=551504 Y=418774
LAT.: N 32.1512852
LONG.: W 104.3004837
MD=17693.4' TVD=7679.9'

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

 3/17/2023

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.


01/26/2023

Date of Survey

Signature and Seal of Professional Surveyor



Certificate Number

SECTION 16, TOWNSHIP 25-S, RANGE 26-E, N.M.P.M.
EDDY COUNTY, NEW MEXICONEW MEXICO EAST
NAD 1983SURFACE LOCATION (SHL)639' FSL - SEC. 16
1161' FWL - SEC. 16
X=550854 Y=409071
LAT.: N 32.1246111
LONG.: W 104.3025908KICK OFF POINT (KOP)124' FSL - SEC. 16
1683' FWL - SEC. 16
X=551386 Y=408755
LAT.: N 32.1232471
LONG.: W 104.3008748
MD=7183.8' TVD=7130.3'FIRST TAKE POINT (HEEL)331' FSL - SEC. 16
1767' FWL - SEC. 16
X=551466 Y=408785
LAT.: N 32.1238244
LONG.: W 104.3006152
MD=7664.7' TVD=7538.1'LAST TAKE POINT (TOE)329' FNL - SEC. 9
1865' FWL - SEC. 9
X=551503 Y=418695
LAT.: N 32.1510668
LONG.: W 104.3004859
MD=17613.9' TVD=7682.8'BOTTOM HOLE LOCATION (BHL)249' FNL - SEC. 9
1866' FWL - SEC. 9
X=551504 Y=418774
LAT.: N 32.1512852
LONG.: W 104.3004837
MD=17693.4' TVD=7679.9'

LEASE NAME & WELL NO.: SCHLITZ FED COM 152H

SECTION 16 TWP 25-S RGE 26-E SURVEY N.M.P.M.

COUNTY EDDY STATE NM ELEVATION 3426'

DESCRIPTION 639' FSL & 1161' FWL

SCALE: 1" = 2000'

0' 1000' 2000'

TAP
ROCK

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

481 WINSOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM



Ramon A. Dominguez, P.S. No. 24508
March 08, 2023

SCHLITZ FED COM 152H
AS-DRILLED

REVISION:

MML

03/02/23

DATE: 02/15/23

FILE: AD_SCHLITZ_FED_COM_152H_REV1

DRAWN BY: SAR

SHEET: 2 OF 2

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com 152H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-49942

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 181' MD – 17,638' MD
Projection to Bit: 17,695' MD
Dates Performed: 09/20/2022 – 10/09/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Schlitz Fed Com 152H**
 Job Number: **ID3662**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 312**

Target KBTVD: **7623.20**
 Target Inclination: **90.40°**
 Declination Correction: **6.98°**
 DF Elevation: **3453**

Vertical Section Calculated Along Azimuth: **359.65°**
 Survey Calculation Method: **Minimum Curvature**

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
MWD	1	181.00	2.51	170.37	181	180.94	-3.91	-3.91	0.66	1.39
MWD	2	242.00	2.46	164.48	61	241.88	-6.49	-6.49	1.24	0.43
MWD	3	334.00	2.29	159.65	92	333.81	-10.13	-10.11	2.40	0.29
MWD	4	426.00	2.24	145.32	92	425.73	-13.34	-13.31	4.07	0.62
MWD	5	482.00	2.37	146.29	56	481.69	-15.21	-15.18	5.33	0.24
MWD	6	602.00	2.20	137.15	120	601.59	-18.98	-18.93	8.28	0.33
MWD	7	694.00	2.07	126.51	92	693.53	-21.28	-21.21	10.81	0.45
MWD	8	786.00	2.07	109.81	92	785.47	-22.85	-22.76	13.71	0.65
MWD	9	879.00	1.45	87.84	93	878.43	-23.39	-23.29	16.47	0.97
MWD	10	971.00	1.14	74.83	92	970.40	-23.12	-23.01	18.51	0.46
MWD	11	1063.00	0.70	98.65	92	1062.39	-22.97	-22.85	19.95	0.62
MWD	12	1155.00	1.14	103.66	92	1154.38	-23.28	-23.15	21.40	0.49
MWD	13	1247.00	2.68	105.77	92	1246.33	-24.10	-23.95	24.36	1.68
MWD	14	1340.00	2.64	106.38	93	1339.23	-25.32	-25.15	28.50	0.05
MWD	15	1432.00	2.11	101.90	92	1431.15	-26.29	-26.09	32.19	0.61
MWD	16	1525.00	2.37	91.97	93	1524.08	-26.73	-26.51	35.79	0.50
MWD	17	1618.00	2.77	101.99	93	1616.98	-27.29	-27.05	39.91	0.65
MWD	18	1713.00	2.15	96.89	95	1711.90	-28.00	-27.74	43.93	0.69
MWD	19	1809.00	0.88	59.27	96	1807.86	-27.86	-27.58	46.35	1.61
MWD	20	1904.00	0.75	11.02	95	1902.85	-26.88	-26.59	47.09	0.71
MWD	21	1943.00	0.70	359.69	39	1941.85	-26.39	-26.10	47.14	0.39
MWD	22	2089.00	0.62	333.05	146	2087.84	-24.79	-24.51	46.78	0.22
MWD	23	2184.00	0.92	294.29	95	2182.83	-24.02	-23.74	45.85	0.61
MWD	24	2279.00	0.70	258.96	95	2277.82	-23.81	-23.53	44.58	0.56
MWD	25	2375.00	4.22	135.56	96	2373.74	-26.45	-26.17	46.48	4.84
MWD	26	2470.00	7.34	133.19	95	2468.25	-33.15	-32.82	53.36	3.29
MWD	27	2565.00	6.37	133.63	95	2562.57	-40.99	-40.61	61.60	1.02
MWD	28	2661.00	5.89	133.10	96	2658.02	-48.07	-47.65	69.05	0.50
MWD	29	2756.00	6.77	132.49	95	2752.44	-55.23	-54.76	76.74	0.93
MWD	30	2852.00	8.44	129.68	96	2847.59	-63.61	-63.08	86.33	1.78
MWD	31	2947.00	10.55	129.06	95	2941.28	-73.62	-73.02	98.45	2.22
MWD	32	3042.00	10.59	128.53	95	3034.67	-84.62	-83.94	112.03	0.11
MWD	33	3138.00	10.02	127.74	96	3129.12	-95.31	-94.54	125.54	0.61
MWD	34	3233.00	8.84	124.05	95	3222.84	-104.53	-103.69	138.12	1.40
MWD	35	3328.00	9.23	127.65	95	3316.66	-113.34	-112.43	150.20	0.72
MWD	36	3423.00	9.41	130.55	95	3410.41	-123.12	-122.13	162.14	0.53
MWD	37	3519.00	8.57	128.71	96	3505.23	-132.77	-131.71	173.68	0.92
MWD	38	3614.00	8.84	134.60	95	3599.13	-142.38	-141.26	184.40	0.98
MWD	39	3710.00	9.49	138.64	96	3693.91	-153.57	-152.38	194.88	0.95
MWD	40	3804.00	8.75	139.52	94	3786.72	-164.88	-163.63	204.65	0.80
MWD	41	3900.00	10.02	139.43	96	3881.43	-176.84	-175.53	214.82	1.32
MWD	42	3995.00	10.20	139.34	95	3974.96	-189.57	-188.19	225.67	0.19
MWD	43	4090.00	9.23	137.23	95	4068.60	-201.61	-200.17	236.33	1.09
MWD	44	4185.00	10.11	134.16	95	4162.25	-213.08	-211.57	247.48	1.07
MWD	45	4280.00	12.00	130.73	95	4255.48	-225.41	-223.82	260.95	2.11
MWD	46	4375.00	10.59	130.91	95	4348.64	-237.66	-235.98	275.03	1.48
MWD	47	4471.00	9.14	131.43	96	4443.22	-248.56	-246.81	287.42	1.51

MWD	48	4566.00	9.71	128.71	95	4536.93	-258.63	-256.81	299.33	0.76
MWD	49	4661.00	10.24	126.77	95	4630.50	-268.78	-266.87	312.34	0.66
MWD	50	4756.00	10.55	139.96	95	4723.95	-280.57	-278.59	324.70	2.52
MWD	51	4852.00	10.15	142.33	96	4818.39	-294.06	-292.01	335.53	0.61
MWD	52	4947.00	9.05	141.72	95	4912.06	-306.61	-304.50	345.27	1.16
MWD	53	5043.00	10.33	136.36	96	5006.69	-318.83	-316.66	355.89	1.63
MWD	54	5138.00	9.63	132.75	95	5100.25	-330.46	-328.22	367.60	0.99
MWD	55	5234.00	8.92	133.37	96	5194.99	-341.09	-338.78	378.91	0.75
MWD	56	5329.00	10.55	134.16	95	5288.62	-352.28	-349.90	390.50	1.72
MWD	57	5425.00	11.03	135.04	96	5382.93	-364.98	-362.52	403.30	0.53
MWD	58	5519.00	8.18	128.44	94	5475.60	-375.57	-373.04	414.89	3.25
MWD	59	5614.00	9.32	128.62	95	5569.49	-384.64	-382.05	426.20	1.20
MWD	60	5710.00	8.97	129.85	96	5664.27	-394.36	-391.69	438.02	0.42
MWD	61	5805.00	7.52	131.17	95	5758.29	-403.26	-400.53	448.38	1.54
MWD	62	5900.00	7.47	132.05	95	5852.48	-411.55	-408.76	457.65	0.13
MWD	63	5995.00	5.98	132.58	95	5946.82	-419.08	-416.24	465.88	1.57
MWD	64	6090.00	6.73	144.18	95	6041.24	-426.99	-424.11	472.78	1.56
MWD	65	6185.00	7.25	140.49	95	6135.54	-436.17	-433.25	479.85	0.72
MWD	66	6280.00	8.35	134.42	95	6229.66	-445.67	-442.70	488.59	1.45
MWD	67	6376.00	7.52	135.74	96	6324.74	-455.11	-452.08	497.95	0.89
MWD	68	6471.00	5.93	136.62	95	6419.08	-463.18	-460.10	505.66	1.68
MWD	69	6566.00	4.31	137.15	95	6513.70	-469.40	-466.28	511.46	1.71
MWD	70	6662.00	4.97	133.89	96	6609.38	-474.96	-471.81	516.91	0.74
MWD	71	6758.00	5.58	137.76	96	6704.98	-481.33	-478.15	523.05	0.74
MWD	72	6853.00	4.53	145.41	95	6799.61	-487.87	-484.65	528.28	1.31
MWD	73	6948.00	2.29	168.70	95	6894.44	-492.84	-489.60	530.78	2.73
MWD	74	7043.00	1.41	192.69	95	6989.39	-495.84	-492.61	530.90	1.21
MWD	75	7107.00	1.23	174.85	64	7053.37	-497.29	-494.06	530.79	0.70
MWD	76	7184.00	1.85	156.83	77	7130.34	-499.26	-496.02	531.35	1.01
MWD	77	7279.00	14.42	33.44	95	7224.40	-490.79	-487.51	538.52	16.33
MWD	78	7375.00	26.24	24.12	96	7314.28	-461.43	-458.06	553.83	12.73
MWD	79	7470.00	34.33	18.14	95	7396.26	-416.83	-413.35	570.79	9.08
MWD	80	7566.00	44.04	16.38	96	7470.59	-359.06	-355.47	588.67	10.18
MWD	81	7661.00	50.20	19.90	95	7535.21	-293.12	-289.40	610.43	7.03
MWD	82	7756.00	62.73	18.58	95	7587.59	-218.65	-214.76	636.41	13.24
MWD	83	7851.00	73.80	12.69	95	7622.74	-133.95	-129.92	659.97	12.99
MWD	84	7947.00	76.53	9.44	96	7647.33	-43.00	-38.86	677.76	4.34
MWD	85	8042.00	86.33	7.24	95	7661.47	49.75	53.97	691.35	10.57
MWD	86	8081.00	90.55	4.26	39	7662.53	88.50	92.75	695.25	13.24
MWD	87	8176.00	91.30	3.73	95	7661.00	183.21	187.50	701.87	0.97
MWD	88	8272.00	88.09	2.85	96	7661.51	279.00	283.33	707.38	3.47
MWD	89	8367.00	87.56	359.77	95	7665.11	373.88	378.22	709.55	3.29
MWD	90	8462.00	87.60	359.95	95	7669.13	468.80	473.14	709.31	0.19
MWD	91	8557.00	89.19	359.69	95	7671.79	563.76	568.10	709.02	1.70
MWD	92	8653.00	89.76	0.04	96	7672.67	659.75	664.09	708.79	0.70
MWD	93	8748.00	89.80	0.74	95	7673.03	754.74	759.09	709.44	0.74
MWD	94	8843.00	89.93	1.44	95	7673.25	849.71	854.07	711.24	0.75
MWD	95	8938.00	90.46	1.18	95	7672.93	944.67	949.05	713.41	0.62
MWD	96	9034.00	89.98	1.62	96	7672.56	1040.62	1045.02	715.76	0.68
MWD	97	9129.00	88.97	0.39	95	7673.43	1135.59	1139.99	717.43	1.68
MWD	98	9224.00	89.36	359.77	95	7674.82	1230.58	1234.98	717.56	0.77
MWD	99	9319.00	89.80	359.95	95	7675.51	1325.57	1329.98	717.33	0.50
MWD	100	9414.00	90.42	359.77	95	7675.33	1420.57	1424.98	717.09	0.68
MWD	101	9510.00	90.42	0.48	96	7674.63	1516.57	1520.98	717.30	0.74
MWD	102	9605.00	90.73	0.74	95	7673.67	1611.55	1615.96	718.32	0.43
MWD	103	9700.00	91.12	0.83	95	7672.14	1706.52	1710.94	719.62	0.42
MWD	104	9795.00	90.24	359.33	95	7671.01	1801.50	1805.93	719.75	1.83
MWD	105	9890.00	90.15	358.98	95	7670.69	1896.50	1900.92	718.35	0.38
MWD	106	9985.00	91.30	359.77	95	7669.49	1991.49	1995.91	717.31	1.47
MWD	107	10081.00	89.19	0.30	96	7669.08	2087.48	2091.90	717.37	2.27
MWD	108	10176.00	89.45	0.56	95	7670.20	2182.46	2186.89	718.08	0.39

MWD	109	10271.00	89.41	0.48	95	7671.15	2277.45	2281.88	718.95	0.09
MWD	110	10366.00	89.93	0.92	95	7671.70	2372.43	2376.87	720.11	0.72
MWD	111	10461.00	88.44	1.36	95	7673.05	2467.38	2471.84	722.00	1.64
MWD	112	10556.00	88.66	1.09	95	7675.45	2562.32	2566.79	724.03	0.37
MWD	113	10652.00	88.35	358.89	96	7677.96	2658.28	2662.75	724.01	2.31
MWD	114	10747.00	88.70	358.45	95	7680.40	2753.23	2757.69	721.81	0.59
MWD	115	10839.00	88.88	358.54	92	7682.34	2845.19	2849.64	719.39	0.22
MWD	116	10931.00	89.01	359.25	92	7684.04	2937.17	2941.61	717.62	0.78
MWD	117	11023.00	89.27	359.95	92	7685.42	3029.16	3033.59	716.97	0.81
MWD	118	11115.00	89.54	359.51	92	7686.38	3121.15	3125.59	716.54	0.56
MWD	119	11208.00	89.63	359.51	93	7687.05	3214.15	3218.58	715.74	0.10
MWD	120	11300.00	89.45	359.25	92	7687.79	3306.15	3310.57	714.75	0.34
MWD	121	11392.00	91.74	359.60	92	7686.83	3398.13	3402.56	713.83	2.52
MWD	122	11484.00	93.10	359.95	92	7682.95	3490.05	3494.47	713.47	1.53
MWD	123	11576.00	92.66	359.95	92	7678.33	3581.93	3586.36	713.39	0.48
MWD	124	11668.00	90.42	0.39	92	7675.85	3673.89	3678.32	713.66	2.48
MWD	125	11761.00	90.07	0.65	93	7675.46	3766.88	3771.31	714.50	0.47
MWD	126	11853.00	89.67	0.65	92	7675.66	3858.86	3863.30	715.55	0.43
MWD	127	11946.00	90.15	0.92	93	7675.81	3951.84	3956.30	716.82	0.59
MWD	128	12037.00	90.24	359.16	91	7675.50	4042.84	4047.29	716.88	1.94
MWD	129	12133.00	89.67	358.98	96	7675.58	4138.83	4143.28	715.33	0.62
MWD	130	12228.00	89.85	358.81	95	7675.97	4233.82	4238.26	713.49	0.26
MWD	131	12323.00	89.14	358.28	95	7676.81	4328.80	4333.22	711.08	0.93
MWD	132	12418.00	89.41	358.19	95	7678.01	4423.76	4428.17	708.16	0.30
MWD	133	12512.00	89.98	357.84	94	7678.51	4517.72	4522.11	704.90	0.71
MWD	134	12608.00	90.64	357.14	96	7677.99	4613.65	4618.02	700.70	1.00
MWD	135	12703.00	91.65	356.87	95	7676.10	4708.53	4712.87	695.73	1.10
MWD	136	12798.00	90.59	358.72	95	7674.24	4803.46	4807.77	692.08	2.24
MWD	137	12893.00	90.73	358.81	95	7673.14	4898.44	4902.75	690.03	0.18
MWD	138	12988.00	91.69	359.33	95	7671.14	4993.41	4997.71	688.49	1.15
MWD	139	13083.00	89.67	359.33	95	7670.01	5088.40	5092.69	687.38	2.13
MWD	140	13178.00	90.68	359.86	95	7669.72	5183.40	5187.69	686.71	1.20
MWD	141	13274.00	89.54	359.51	96	7669.54	5279.40	5283.69	686.18	1.24
MWD	142	13369.00	89.36	359.51	95	7670.45	5374.39	5378.68	685.37	0.19
MWD	143	13464.00	89.67	359.51	95	7671.25	5469.39	5473.67	684.56	0.33
MWD	144	13558.00	90.20	359.60	94	7671.36	5563.39	5567.67	683.82	0.57
MWD	145	13653.00	89.71	358.19	95	7671.43	5658.38	5662.65	681.99	1.57
MWD	146	13749.00	90.46	358.54	96	7671.29	5754.35	5758.61	679.25	0.86
MWD	147	13844.00	90.11	358.28	95	7670.82	5849.33	5853.57	676.62	0.46
MWD	148	13940.00	89.63	358.45	96	7671.04	5945.30	5949.53	673.88	0.53
MWD	149	14035.00	90.46	358.19	95	7670.96	6040.28	6044.49	671.09	0.92
MWD	150	14130.00	90.77	358.02	95	7669.94	6135.24	6139.43	667.95	0.37
MWD	151	14226.00	89.14	359.33	96	7670.02	6231.22	6235.40	665.73	2.18
MWD	152	14321.00	88.97	359.77	95	7671.58	6326.20	6330.38	664.99	0.50
MWD	153	14416.00	89.01	359.33	95	7673.26	6421.19	6425.36	664.24	0.46
MWD	154	14511.00	89.19	359.16	95	7674.75	6516.17	6520.34	662.99	0.26
MWD	155	14606.00	89.71	359.51	95	7675.66	6611.17	6615.33	661.89	0.66
MWD	156	14702.00	89.98	358.63	96	7675.92	6707.16	6711.32	660.33	0.96
MWD	157	14797.00	90.20	358.45	95	7675.77	6802.14	6806.29	657.91	0.30
MWD	158	14892.00	91.08	358.45	95	7674.71	6897.11	6901.25	655.34	0.93
MWD	159	14988.00	90.33	0.83	96	7673.53	6993.10	6997.23	654.74	2.60
MWD	160	15083.00	89.89	1.36	95	7673.35	7088.07	7092.21	656.55	0.73
MWD	161	15179.00	90.42	0.56	96	7673.09	7184.04	7188.20	658.16	1.00
MWD	162	15274.00	90.95	0.92	95	7671.95	7279.02	7283.18	659.39	0.67
MWD	163	15369.00	89.27	0.21	95	7671.77	7374.00	7378.17	660.32	1.92
MWD	164	15465.00	89.41	359.95	96	7672.88	7469.99	7474.17	660.46	0.31
MWD	165	15560.00	89.67	359.77	95	7673.64	7564.99	7569.16	660.22	0.33
MWD	166	15655.00	89.89	359.42	95	7674.00	7659.99	7664.16	659.55	0.44
MWD	167	15751.00	90.24	358.98	96	7673.90	7755.98	7760.15	658.21	0.59
MWD	168	15846.00	88.35	359.07	95	7675.06	7850.97	7855.12	656.60	1.99
MWD	169	15942.00	88.62	358.45	96	7677.60	7946.92	7951.07	654.52	0.70

MWD	170	16037.00	89.10	358.45	95	7679.49	8041.88	8046.01	651.95	0.51
MWD	171	16133.00	89.54	357.93	96	7680.63	8137.84	8141.96	648.92	0.71
MWD	172	16228.00	90.73	357.84	95	7680.41	8232.80	8236.89	645.41	1.26
MWD	173	16324.00	88.84	359.07	96	7680.77	8328.77	8332.85	642.82	2.35
MWD	174	16419.00	89.23	359.51	95	7682.37	8423.75	8427.83	641.65	0.62
MWD	175	16515.00	89.54	358.98	96	7683.40	8519.74	8523.82	640.38	0.64
MWD	176	16610.00	91.03	359.42	95	7682.93	8614.74	8618.80	639.06	1.64
MWD	177	16705.00	89.49	0.74	95	7682.49	8709.73	8713.80	639.19	2.14
MWD	178	16800.00	90.20	0.74	95	7682.75	8804.71	8808.79	640.42	0.75
MWD	179	16896.00	90.86	0.12	96	7681.86	8900.70	8904.78	641.14	0.94
MWD	180	16991.00	89.58	1.00	95	7681.50	8995.68	8999.77	642.06	1.64
MWD	181	17086.00	89.32	0.65	95	7682.41	9090.66	9094.76	643.43	0.46
MWD	182	17181.00	90.29	0.12	95	7682.73	9185.65	9189.75	644.07	1.16
MWD	183	17277.00	88.57	0.56	96	7683.69	9281.63	9285.74	644.64	1.85
MWD	184	17372.00	89.23	0.92	95	7685.51	9376.60	9380.72	645.87	0.79
MWD	185	17468.00	90.46	0.56	96	7685.77	9472.58	9476.71	647.11	1.33
MWD	186	17563.00	91.34	0.65	95	7684.28	9567.55	9571.69	648.11	0.93
MWD	187	17638.00	92.13	0.48	75	7682.01	9642.51	9646.65	648.85	1.08
PTB	188	17695.00	92.13	0.48	57	7679.89	9699.46	9703.61	649.33	0.00

Well Name: SCHLITZ FED COM	Well Location: T25S / R26E / SEC 16 / SWSW / 32.1246111 / -104.3025908	County or Parish/State: EDDY / NM
Well Number: 152H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM100324	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549942	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2721656

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/20/2023

Date Operation Actually Began: 02/14/2023

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 09:56

Actual Procedure: 2/6/2023: Pressure test casing to 5050 psi for 30 minutes, good test. 2/14/2023 to 2/22/2023: Perforate from 7684 ft to 17558 ft, 1 SPF, .55 inch holes with 351 total shots. 27 stage frac with 19,881,778 lbs of 100 mesh sand. 3/5/2023 to 3/7/2023: Drill out plugs Plug Back Measured depth at 17673 ft MD, 7681 ft TVD. 3/8/2023: Ready to produce

Well Name: SCHLITZ FED COM	Well Location: T25S / R26E / SEC 16 / SWSW / 32.1246111 / -104.3025908	County or Parish/State: EDDY / NM
Well Number: 152H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM100324	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549942	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: MAR 20, 2023 09:56 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/30/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-49942										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name		
								SCHLITZ FED COM		
								6. Well Number:		
								152H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator								9. OGRID		
TAP ROCK OPERATING, LLC								372043		
10. Address of Operator								11. Pool name or Wildcat		
523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								COTTONWOOD DRAW; BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	16	25S	26E	-	639	SOUTH	1161	WEST	EDDY
BH:	C	9	25S	26E	-	249	NORTH	1866	WEST	EDDY
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released			16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		
9/20/2022	10/8/2022		10/11/2022			3/8/2023		3426 GR		
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
17695 ft			17673 ft			YES		GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name								BONE SPRING		
7684 ft to 17558 ft										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		541'		17.5"		495 sks		0
9.625"		40		1999'		12.25"		580 sks		0
5.5"		20		17676'		8.75"/7.875"		2110 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
Perforate from 7684 ft to 17558 ft, 1 SPF, .55 inch holes with 351 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						7684 ft to 17558 ft		27 stage frac with 19,881,778 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
3/17/2023		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
4/8/2023	24 hrs	40/64		1115	2636	3584	2364			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	850		1115	2636	3584					
29. Disposition of Gas (Sold, used for fuel, vented, etc.)								30. Test Witnessed By		
Sold										
31. List Attachments										
C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name			Title			Date	
			Jeff Trlica			Regulatory Specialist			4/19/2023	
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	468		Quaternary					
468	905		Rustler					
905	1674		Top of Salt					
1674	1876		Base of Salt					
1876	1903		Lamar					
1903	2882		Bell Canyon					
2882	3770		Cherry Canyon					
3770	5438		Brushy Canyon					
5438	5851		Bone Spring					
5851	6319		Avalon					
6319	6892		1st Bone Spring Sand					
6892			2nd Bone Spring Sand					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 209066

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 209066
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 209066

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 209066
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/20/2023