

Well Name: SUPAI POINT	Well Location: T24N / R8W / SEC 18 / SWSE / 36.309819 / -107.719085	County or Parish/State: SAN JUAN / NM
Well Number: 92	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM136062	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453141400S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2766659

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/18/2023	Time Sundry Submitted: 04:09
Date Operation Actually Began: 11/22/2023	

Actual Procedure: Dugan Production P&A'd the well per the following procedure on 11/22/23 – 11/30/23: 1) PU and tally 2-3/8" workstring. Run casing scraper to 1633'. RIH and set CIBP @ 1600'. Fruitland Coal perforations @ 1646'-1659'. Load hole w/ 28.5 bbls water and circulate hole. Pressure test casing to 650 psi, casing won't test. Run CBL from 1600' to surface to determine TOC. TOC around 620'. Sent copies of CBL to OCD & BLM. Copies of communications attached. 2) Spot inside Plug I inside 4½" casing from 1600' to cover the Fruitland top w/ 36 sx, 41.4 cu ft Class G neat cement. Displace w/4.4 bbls. Reverse out @ 1085'. Circulated 0.5 bbls cement to surface. WOC 4 hrs. Tag TOC @ 1120'. Good tag. Plug I, inside 4½" casing, 1120'-1600', Fruitland, 36 sks, 31.4 cu ft. 3) Spot Plug II inside 4½" casing from 1085' w/ 26 sks, 29.9 cu ft Class G neat cement to cover the Kirtland-Ojo Alamo tops. Displace w/ 2.9 bbls water. Reverse out @ 532'. Brought back 0.5 bbls cement. WOC overnight. Tag TOC @ 758'. Good tag. Plug II, inside 4½" casing, 758'-1085', Kirtland-Ojo Alamo, 26 sks, 29.9 cu ft. 4) RIH w/wireline and shot squeeze holes at 175'. RIH w/tubing open-ended to 185'. Spot Plug III inside 4½" casing from 185' w/40 sks, 46 cu ft Class G neat cement. Lost circulation to surface. Pumped another 72 sks, 82.8 cu ft Glass G neat to try to surface. Won't circulate through bradenhead. TOO H w/all tbg. WOC 4 hrs. Tagged TOC 170' inside 4½" casing. Perforate @ 120'. TIH open-ended to 170'. Established circulation to surface @ 1.8 bpm, 80 psi through bradenhead. Swapped to cement. Spot & squeeze plug w/42 sks, 48.3 cu ft, Class G neat cement. Circulated 2 bbls cement to surface through bradenhead. WOC overnight. Cut wellhead off. TOC inside casing and inside annulus at surface. Plug III, inside/outside 4½" casing, 0-185', Surface, 154 sks, 177.1 cu ft. 5) Fill up cellar and install dry hole marker w/18 sks, 20.7 cu ft Class G neat cement. 6) Clean location. Rig down Aztec 481 and move. Well P&A'd 11/30/2023. Wanda Weatherford w/ BLM witnessed job.

Received by OCD: 12/19/2023 7:41:11 AM

Page 2 of 7

Well Name: SUPAI POINT	Well Location: T24N / R8W / SEC 18 / SWSE / 36.309819 / -107.719085	County or Parish/State: SAN JUAN / NM
Well Number: 92	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM136062	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453141400S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

SR Attachments

Actual Procedure

- Supai_Point_92_PA_plug_changes_20231218160707.pdf
- Supai_Point_92_post_PA_wellbore_schematic_20231218160335.pdf
- Supai_Point_92_post_PA_work_20231218160326.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL
Name: DUGAN PRODUCTION CORPORATION
Title: Authorized Representative
Street Address: PO Box 420
City: Farmington State: NM
Phone: (505) 325-1821
Email address: tyrafeil@duganproduction.com

Signed on: DEC 18, 2023 04:03 PM

Field

Representative Name: Aliph Reena
Street Address: PO Box 420
City: Farmington State: NM
Phone: (505)360-9192
Email address: Aliph.Reena@duganproduction.com

Zip: 87499-0420

BLM Point of Contact

BLM POC Name: MATTHEW H KADE
BLM POC Phone: 5055647736
Disposition: Accepted
Signature: Matthew Kade

BLM POC Title: Petroleum Engineer
BLM POC Email Address: MKADE@BLM.GOV
Disposition Date: 12/19/2023

Completed P & A Procedure

Supai Point #92

30-045-31414

Basin Fruitland

990' FSL & 1525' FEL

S18 T24N R08W

San Juan County, NM


Lat:36.3098183 Long:-107.7190628

Dugan Production P&A'd the well per the following procedure on 11/22/23 – 11/30/23:

- PU and tally 2-3/8" workstring. Run casing scraper to 1633'. RIH and set CIBP @ 1600'. Fruitland Coal perforations @ 1646'-1659'. Load hole w/ 28.5 bbls water and circulate hole. Pressure test casing to 650 psi, casing won't test. Run CBL from 1600' to surface to determine TOC. TOC around 620'. Sent copies of CBL to OCD & BLM. Copies of communications attached.
- Spot inside Plug I inside 4½" casing from 1600' to cover the Fruitland top w/ 36 sx, 41.4 cu ft Class G neat cement. Displace w/ 4.4 bbls. Reverse out @ 1085'. Circulated 0.5 bbls cement to surface. WOC 4 hrs. Tag TOC @ 1120'. Good tag. **Plug I, inside 4½" casing, 1120'-1600', Fruitland, 36 sks, 31.4 cu ft.**
- Spot Plug II inside 4½" casing from 1085' w/ 26 sks, 29.9 cu ft Class G neat cement to cover the Kirtland-Ojo Alamo tops. Displace w/ 2.9 bbls water. Reverse out @ 532'. Brought back 0.5 bbls cement. WOC overnight. Tag TOC @ 758'. Good tag. **Plug II, inside 4½" casing, 758'-1085', Kirtland-Ojo Alamo, 26 sks, 29.9 cu ft.**
- RIH w/wireline and shot squeeze holes at 175'. RIH w/tubing open-ended to 185'. Spot Plug III inside 4½" casing from 185' w/40 sks, 46 cu ft Class G neat cement. Lost circulation to surface. Pumped another 72 sks, 82.8 cu ft Class G neat to try to surface. Won't circulate through bradenhead. TOOH w/all tbgs. WOC 4 hrs. Tagged TOC 170' inside 4½" casing. Perforate @ 120'. TIH open-ended to 170'. Established circulation to surface @ 1.8 bpm, 80 psi through bradenhead. Swapped to cement. Spot & squeeze plug w/42 sks, 48.3 cu ft, Class G neat cement. Circulated 2 bbls cement to surface through bradenhead. WOC overnight. Cut wellhead off. TOC inside casing and inside annulus at surface. **Plug III, inside/outside 4½" casing, 0-185', Surface, 154 sks, 177.1 cu ft.**
- Fill up cellar and install dry hole marker w/18 sks, 20.7 cu ft Class G neat cement.
- Clean location. Rig down Aztec 481 and move. **Well P&A'd 11/30/2023.** Wanda Weatherford w/ BLM witnessed job.

Completed Wellbore Schematic

Supai Point #92
 30-045-31414
 Basin Fruitland
 990' FSL & 1525' FEL
 S18 T24N R08W
 San Juan County, NM
 Lat:36.3098183 Long:-107.7190628



7" 23# casing @ 125'. Cemented with 50 sks Class B cement, 59 Cu.ft
 Hole size: 8-3/4". Circulate 2 bbls cement to surface.

Plug III, Perforations at 175' & 120', inside/outside 4 1/2" casing, 0-185', Surface, 154 sks, 177.1 cu ft.

Plug II, inside 4 1/2" casing, 758'-1085', Kirtland-Ojo Alamo, 26 sks, 29.9 cu ft.

4 1/2" 10.5# casing @ 1795'. Hole size: 6-1/4"

Cemented production casing w/ 85 sks Lodense & tailed w/ 60 sks Class B.
 No cement circulated. Will run CBL to determine TOC behind 4 1/2" casing.

CIBP @ 1600'. Plug I, inside 4 1/2" casing, 1120'-1600', Fruitland, 36 sks, 31.4 cu ft.

Fruitland Coal Perforated @ 1646-1659

PBTD @ 1770, TD 1810'

Tyra Feil

From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Tuesday, November 28, 2023 4:57 PM
To: Aliph Reena; monica.kuehling@emnrd.nm.gov; Lucero, Virgil S; thomas.vermersch@state.nm.us; Kade, Matthew H; Weatherford, Wanda D; Alex Prieto-Robles
Cc: Tyra Feil
Subject: Re: [EXTERNAL] FW: Dugan Supai Point #92 CBL

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

The BLM finds the proposal appropriate.

Get [Outlook for iOS](#)

From: Aliph Reena <Aliph.Reena@duganproduction.com>
Sent: Tuesday, November 28, 2023 3:42:54 PM
To: monica.kuehling@emnrd.nm.gov <monica.kuehling@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; thomas.vermersch@state.nm.us <thomas.vermersch@state.nm.us>; Rennick, Kenneth G <krennick@blm.gov>; Kade, Matthew H <mkade@blm.gov>; Weatherford, Wanda D <wwweatherford@blm.gov>; Alex Prieto-Robles <arobles@aztecwell.com>
Cc: Tyra Feil <Tyra.Feil@duganproduction.com>
Subject: [EXTERNAL] FW: Dugan Supai Point #92 CBL

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Please see the attached CBL from Dugan's Supai Point # 92, API: 30-045-31414. After reviewing the CBL the cement top appear to be around 620'. A few stringers are noted above the top also. Based on the CBL we request to propose the following changes.

1. Plug III, will be changed to inside/outside plug. Perforate @ 175'. Fill up 4 ½" casing and circulate cement to surface through BH from 175'.
2. All other plugs will be spotted as inside plugs as originally proposed in the approved NOI.

Please let us know so we can proceed accordingly.

Regards,
Aliph Reena
505-360-9192

Aliph Reena P.E
Engineering Supervisor

Dugan Production Corp.
Cell: 505-360-9192

From: Christopher Caliendo <ccaliendo@thewirelinegroup.com>
Sent: Monday, November 27, 2023 3:24 PM
To: Aliph Reena <Aliph.Reena@duganproduction.com>
Cc: Vlucero@blm.gov; monica.kuehling@state.nm.us; Alexandra Baudoin <Alexandra.Baudoin@riotinto.com>; Krennick@blm.gov; William Richardson <wrichardson@thewirelinegroup.com>; Stuart Tillen <stillen@thewirelinegroup.com>; Steven Nez <snez@thewirelinegroup.com>; Josh Nolan <jnolan@thewirelinegroup.com>
Subject: Dugan Supai Point #92 CBL

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Please see attached CBL log for the Dugan Supai Point #92

Regards,

Chris Caliendo
District Manger
The Wireline Group
Farmington, NM
505.327.7141 Office
505.860.4878 Cell
ccaliendo@thewirelinegroup.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 295993

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 295993
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 11/30/2023	12/19/2023