

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 S. First St., Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-53350	⁵ Pool Name COTTONWOOD DRAW; BONE SPRING (O)	⁶ Pool Code 97494
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 121H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	25S	26E	-	623	SOUTH	921	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	9	25S	26E	-	17	NORTH	671	WEST	EDDY
¹² Lse Code S	¹³ Producing Method Code P	¹⁴ Gas Connection Date 6/19/2023	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
3/4/2022	6/14/2023	17554'	17486'	7129 ft to 17401 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	380'	395 sks		
12.25"	9.625"	1988'	590 sks		
8.75"/7.875"	5.5"	17538'	2110 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
6/19/2023	6/19/2023	7/15/2023	24 hrs.	565	1153
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
128/64	235	3328	2095		Pumping
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Specialist			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/21/2023		
Date: 8/2/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
As Drilled

AS-DRILLED PLAT


¹ API Number 30-015-53350	² Pool Code 97494	³ Pool Name COTTONWOOD DRAW; BONE SPRING (O)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 121H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3427

¹⁰ Surface Location									
UL or lot no. M	Section 16	Township 25-S	Range 26-E	Lot Idn -	Feet from the 623'	North/South line SOUTH	Feet from the 921'	East/West line WEST	County EDDY

¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. D	Section 9	Township 25-S	Range 26-E	Lot Idn -	Feet from the 17'	North/South line NORTH	Feet from the 671'	East/West line WEST	County EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)

623' FSL - SEC. 16
921' FWL - SEC. 16
X=550614 Y=409046
LAT.: N 32.1245426
LONG.: W 104.3033660

KICK OFF POINT (KOP)

31' FSL - SEC. 16
828' FWL - SEC. 16
X=550534 Y=408450
LAT.: N 32.1229055
LONG.: W 104.3036279
MD=6638 TVD=6594

FIRST TAKE POINT (HEEL)

100' FSL - SEC. 16
791' FWL - SEC. 16
X=550495 Y=408518
LAT.: N 32.1230917
LONG.: W 104.3037534
MD=6929' TVD=6872'

LAST TAKE POINT (TOE)

99' FNL - SEC. 9
673' FWL - SEC. 9
X=550311 Y=418919
LAT.: N 32.1516835
LONG.: W 104.3043366
MD=17470' TVD=7166'

BOTTOM HOLE LOCATION (BHL)

17' FNL - SEC. 9
671' FWL - SEC. 9
X=550310 Y=419001
LAT.: N 32.1519097
LONG.: W 104.3043418
MD=17553' TVD=7161'

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

 6/29/2023

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

01/10/2023


Date of Survey

Signature and Seal of Professional Surveyor



6/27/2023 2:38:55 PM

Certificate Number

SECTION 16, TOWNSHIP 25-S, RANGE 26-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO

LEASE NAME & WELL NO.: SCHLITZ FED COM 121H
 SECTION 16 TWP 25-S RGE 26-E SURVEY N.M.P.M.
 COUNTY EDDY STATE NM ELEVATION 3427'
 DESCRIPTION 623' FSL & 921' FWL

SCALE: 1" = 2000'
 0' 1000' 2000'



TOPOGRAPHIC
 LOYALTY INNOVATION LEGACY
 481 WINSOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 TEXAS FIRM REGISTRATION NO. 10042504
 WWW.TOPOGRAPHIC.COM



6/27/2023 2:36:03 PM

Ramon A. Dominguez, P.S. No. 24508

NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)

623' FSL - SEC. 16
 921' FWL - SEC. 16
 X=550614 Y=409046
 LAT.: N 32.1245426
 LONG.: W 104.3033660

KICK OFF POINT (KOP)

31' FSL - SEC. 16
 828' FWL - SEC. 16
 X=550534 Y=408450
 LAT.: N 32.1229055
 LONG.: W 104.3036279
 MD=6638 TVD=6594

FIRST TAKE POINT (HEEL)

100' FSL - SEC. 16
 791' FWL - SEC. 16
 X=550495 Y=408518
 LAT.: N 32.1230917
 LONG.: W 104.3037534
 MD=6929' TVD=6872'

LAST TAKE POINT (TOE)

99' FNL - SEC. 9
 673' FWL - SEC. 9
 X=550311 Y=418919
 LAT.: N 32.1516835
 LONG.: W 104.3043366
 MD=17470' TVD=7166'

BOTTOM HOLE LOCATION (BHL)

17' FNL - SEC. 9
 671' FWL - SEC. 9
 X=550310 Y=419001
 LAT.: N 32.1519097
 LONG.: W 104.3043418
 MD=17552.5' TVD=7161.1'

SCHLITZ FED COM 121H
AS-DRILLED

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 06/26/2023

FILE:AD_SCHLITZ_FED_COM_121H

DRAWN BY: LS

SHEET: 2 OF 2



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com #121H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-53350

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 196' MD – 17495' MD
Projection to Bit: 17554' MD
Dates Performed: 03/05/2023 – 03/15/2023
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
 Well Name: Schlitz Fed Com 121H
 Job Number: ID3908
 Survey Company: Intrepid Directional Drilling Specialists
 Rig Name: H&P 312

Target KBTVD: 7185.00
 Target Inclination: 90.10°
 Declination Correction: 6.95°
 DF Elevation: 3453

Vertical Section Calculated Along Azimuth:

359.64°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
MWD	1	196.00	0.26	292.86	196	196.00	0.18	0.17	-0.41	0.13
MWD	2	226.00	0.66	294.35	30	226.00	0.27	0.27	-0.63	1.33
MWD	3	318.00	0.70	330.56	92	317.99	0.99	0.98	-1.39	0.46
MWD	4	497.00	0.53	326.61	179	496.98	2.64	2.62	-2.38	0.10
MWD	5	588.00	1.01	190.82	91	587.98	2.20	2.19	-2.76	1.58
MWD	6	681.00	2.73	191.52	93	680.92	-0.77	-0.79	-3.36	1.85
MWD	7	772.00	3.91	185.02	91	771.77	-5.98	-6.00	-4.06	1.36
MWD	8	864.00	4.97	185.46	92	863.49	-13.07	-13.10	-4.72	1.15
MWD	9	956.00	5.76	189.59	92	955.09	-21.58	-21.62	-5.87	0.96
MWD	10	1047.00	6.15	186.77	91	1045.60	-30.91	-30.96	-7.20	0.54
MWD	11	1139.00	6.95	174.56	92	1137.00	-41.35	-41.39	-7.26	1.74
MWD	12	1231.00	8.40	167.79	92	1228.18	-53.47	-53.50	-5.31	1.85
MWD	13	1323.00	9.58	168.67	92	1319.05	-67.56	-67.58	-2.38	1.29
MWD	14	1414.00	9.41	177.19	91	1408.80	-82.43	-82.43	-0.53	1.55
MWD	15	1506.00	10.07	174.73	92	1499.48	-97.96	-97.96	0.58	0.85
MWD	16	1598.00	10.51	175.08	92	1590.00	-114.34	-114.32	2.04	0.48
MWD	17	1689.00	10.07	182.38	91	1679.54	-130.56	-130.54	2.42	1.51
MWD	18	1785.00	9.10	187.39	96	1774.20	-146.46	-146.46	1.09	1.33
MWD	19	1880.00	8.97	193.72	95	1868.02	-161.09	-161.10	-1.63	1.05
MWD	20	1931.00	8.70	195.56	51	1918.42	-168.66	-168.68	-3.61	0.77
MWD	21	2082.00	7.74	195.39	151	2067.86	-189.42	-189.49	-9.37	0.64
MWD	22	2177.00	6.99	194.16	95	2162.08	-201.18	-201.26	-12.48	0.81
MWD	23	2272.00	8.26	196.09	95	2256.24	-213.32	-213.42	-15.79	1.36
MWD	24	2368.00	11.47	192.84	96	2350.81	-229.23	-229.36	-19.82	3.39
MWD	25	2463.00	12.40	192.84	95	2443.75	-248.36	-248.51	-24.19	0.98
MWD	26	2559.00	11.03	191.52	96	2537.75	-267.38	-267.56	-28.31	1.45
MWD	27	2654.00	10.29	190.82	95	2631.11	-284.60	-284.80	-31.72	0.79
MWD	28	2749.00	9.19	189.06	95	2724.74	-300.41	-300.63	-34.51	1.20
MWD	29	2845.00	7.43	186.86	96	2819.73	-314.13	-314.36	-36.45	1.86
MWD	30	2939.00	7.91	187.92	94	2912.89	-326.56	-326.80	-38.07	0.53
MWD	31	3034.00	9.93	193.19	95	3006.73	-340.99	-341.25	-40.84	2.29
MWD	32	3130.00	9.27	192.66	96	3101.39	-356.57	-356.86	-44.43	0.69
MWD	33	3225.00	7.60	193.01	95	3195.36	-370.14	-370.45	-47.52	1.76
MWD	34	3321.00	8.92	185.46	96	3290.36	-383.72	-384.04	-49.65	1.78
MWD	35	3416.00	9.05	181.68	95	3384.20	-398.51	-398.84	-50.57	0.64
MWD	36	3512.00	9.32	186.51	96	3478.97	-413.78	-414.11	-51.68	0.85
MWD	37	3606.00	9.80	188.53	94	3571.66	-429.24	-429.59	-53.73	0.62
MWD	38	3702.00	9.36	186.25	96	3666.32	-445.07	-445.43	-55.79	0.61
MWD	39	3797.00	8.79	187.30	95	3760.13	-459.93	-460.30	-57.55	0.62
MWD	40	3893.00	8.04	187.57	96	3855.10	-473.85	-474.24	-59.37	0.78
MWD	41	3988.00	7.03	189.15	95	3949.28	-486.17	-486.56	-61.17	1.09
MWD	42	4084.00	7.82	188.71	96	4044.47	-498.41	-498.82	-63.09	0.83
MWD	43	4179.00	7.47	187.21	95	4138.63	-510.91	-511.33	-64.84	0.42
MWD	44	4274.00	7.16	187.74	95	4232.86	-522.90	-523.32	-66.42	0.33
MWD	45	4370.00	5.98	186.16	96	4328.22	-533.79	-534.22	-67.76	1.24
MWD	46	4466.00	4.84	184.05	96	4423.79	-542.80	-543.24	-68.58	1.21
MWD	47	4561.00	4.40	180.89	95	4518.49	-550.43	-550.88	-68.92	0.53
MWD	48	4656.00	4.22	177.72	95	4613.22	-557.57	-558.01	-68.84	0.31
MWD	49	4751.00	3.96	178.60	95	4707.97	-564.34	-564.79	-68.62	0.28

MWD	50	4847.00	3.78	174.91	96	4803.76	-570.81	-571.25	-68.26	0.32
MWD	51	4942.00	3.43	178.60	95	4898.57	-576.77	-577.21	-67.91	0.44
MWD	52	5038.00	1.58	198.99	96	4994.47	-580.89	-581.34	-68.27	2.11
MWD	53	5133.00	1.23	230.90	95	5089.45	-582.77	-583.22	-69.49	0.89
MWD	54	5228.00	1.41	226.24	95	5184.42	-584.21	-584.67	-71.12	0.22
MWD	55	5324.00	1.54	230.72	96	5280.39	-585.83	-586.30	-72.98	0.18
MWD	56	5419.00	0.31	2.73	95	5375.38	-586.38	-586.85	-73.95	1.86
MWD	57	5514.00	0.22	259.37	95	5470.38	-586.15	-586.63	-74.12	0.44
MWD	58	5610.00	0.53	179.22	96	5566.38	-586.63	-587.11	-74.29	0.56
MWD	59	5705.00	1.19	160.32	95	5661.37	-588.00	-588.48	-73.96	0.75
MWD	60	5801.00	1.67	176.23	96	5757.34	-590.34	-590.81	-73.53	0.64
MWD	61	5896.00	1.10	294.00	95	5852.32	-591.34	-591.82	-74.27	2.52
MWD	62	5992.00	0.79	306.39	96	5948.31	-590.57	-591.05	-75.64	0.38
MWD	63	6087.00	0.88	213.05	95	6043.30	-590.78	-591.28	-76.57	1.28
MWD	64	6182.00	1.41	207.08	95	6138.28	-592.43	-592.93	-77.50	0.57
MWD	65	6278.00	0.92	195.30	96	6234.26	-594.22	-594.72	-78.24	0.57
MWD	66	6373.00	0.48	202.59	95	6329.25	-595.32	-595.83	-78.60	0.47
MWD	67	6469.00	0.66	214.99	96	6425.25	-596.14	-596.65	-79.07	0.23
MWD	68	6560.00	0.62	171.39	91	6516.24	-597.06	-597.57	-79.29	0.52
MWD	69	6663.00	4.35	326.08	103	6619.16	-594.35	-594.88	-81.39	4.77
MWD	70	6759.00	14.81	329.42	96	6713.69	-580.68	-581.25	-89.69	10.91
MWD	71	6854.00	21.76	327.14	95	6803.84	-555.30	-555.98	-105.44	7.35
MWD	72	6949.00	29.71	339.70	95	6889.41	-518.24	-519.02	-123.20	10.11
MWD	73	7044.00	35.52	342.08	95	6969.40	-469.75	-470.64	-139.88	6.26
MWD	74	7139.00	47.74	334.17	95	7040.32	-411.44	-412.48	-163.79	13.98
MWD	75	7235.00	63.21	336.72	96	7094.57	-339.46	-340.70	-196.41	16.26
MWD	76	7330.00	74.55	341.37	95	7128.76	-256.62	-258.06	-227.91	12.78
MWD	77	7417.00	83.34	351.57	87	7145.47	-173.65	-175.21	-247.73	15.30
MWD	78	7513.00	83.30	356.75	96	7156.64	-78.77	-80.39	-257.42	5.36
MWD	79	7608.00	87.38	357.99	95	7164.36	15.82	14.17	-261.77	4.49
MWD	80	7704.00	89.36	359.13	96	7167.09	111.76	110.10	-264.18	2.38
MWD	81	7799.00	91.78	359.48	95	7166.15	206.74	205.08	-265.33	2.57
MWD	82	7894.00	91.82	359.57	95	7163.16	301.69	300.03	-266.12	0.10
MWD	83	7990.00	92.44	358.78	96	7159.59	397.62	395.95	-267.50	1.05
MWD	84	8085.00	93.05	358.60	95	7155.04	492.50	490.82	-269.67	0.67
MWD	85	8180.00	91.47	0.62	95	7151.30	587.42	585.73	-270.31	2.70
MWD	86	8275.00	89.80	0.97	95	7150.24	682.39	680.71	-268.99	1.80
MWD	87	8371.00	91.30	0.89	96	7149.32	778.36	776.69	-267.43	1.56
MWD	88	8466.00	89.80	1.15	95	7148.41	873.32	871.67	-265.74	1.60
MWD	89	8562.00	90.64	1.32	96	7148.04	969.29	967.65	-263.67	0.89
MWD	90	8657.00	91.87	0.62	95	7145.96	1064.24	1062.61	-262.07	1.49
MWD	91	8752.00	90.99	359.39	95	7143.59	1159.20	1157.58	-262.06	1.59
MWD	92	8848.00	88.26	358.95	96	7144.22	1255.19	1253.56	-263.45	2.88
MWD	93	8943.00	88.84	359.13	95	7146.62	1350.15	1348.51	-265.04	0.64
MWD	94	9038.00	88.97	359.22	95	7148.44	1445.13	1443.48	-266.41	0.17
MWD	95	9134.00	88.48	358.60	96	7150.57	1541.10	1539.44	-268.23	0.82
MWD	96	9229.00	88.57	358.34	95	7153.02	1636.05	1634.38	-270.77	0.29
MWD	97	9325.00	89.27	358.42	96	7154.83	1732.01	1730.32	-273.48	0.73
MWD	98	9420.00	90.11	358.42	95	7155.34	1826.98	1825.28	-276.10	0.88
MWD	99	9515.00	90.24	358.78	95	7155.05	1921.97	1920.25	-278.42	0.40
MWD	100	9611.00	91.34	359.39	96	7153.73	2017.95	2016.23	-279.96	1.31
MWD	101	9706.00	89.67	0.80	95	7152.89	2112.94	2111.22	-279.80	2.30
MWD	102	9802.00	89.71	1.76	96	7153.41	2208.90	2207.19	-277.65	1.00
MWD	103	9897.00	87.16	1.85	95	7156.01	2303.78	2302.10	-274.66	2.69
MWD	104	9993.00	86.20	2.12	96	7161.57	2399.54	2397.88	-271.34	1.04
MWD	105	10088.00	87.43	1.41	95	7166.84	2494.33	2492.69	-268.42	1.49
MWD	106	10183.00	86.20	1.41	95	7172.12	2589.13	2587.51	-266.09	1.29
MWD	107	10279.00	87.03	0.45	96	7177.79	2684.94	2683.33	-264.53	1.32
MWD	108	10374.00	90.33	359.66	95	7179.98	2779.90	2778.29	-264.44	3.57
MWD	109	10469.00	91.87	359.66	95	7178.15	2874.88	2873.27	-265.01	1.62
MWD	110	10564.00	91.08	359.74	95	7175.71	2969.85	2968.24	-265.50	0.84
MWD	111	10660.00	91.03	359.92	96	7173.94	3065.83	3064.22	-265.79	0.19
MWD	112	10755.00	89.89	0.09	95	7173.18	3160.82	3159.21	-265.78	1.21

MWD	113	10851.00	89.49	359.48	96	7173.70	3256.82	3255.21	-266.14	0.76
MWD	114	10946.00	89.41	358.69	95	7174.61	3351.81	3350.19	-267.66	0.84
MWD	115	11037.00	89.14	358.16	91	7175.76	3442.78	3441.15	-270.16	0.65
MWD	116	11128.00	89.23	357.28	91	7177.06	3533.72	3532.07	-273.78	0.97
MWD	117	11220.00	89.36	356.93	92	7178.19	3625.62	3623.95	-278.42	0.41
MWD	118	11313.00	89.54	356.40	93	7179.08	3718.49	3716.78	-283.83	0.60
MWD	119	11404.00	89.76	358.16	91	7179.64	3809.41	3807.68	-288.15	1.95
MWD	120	11496.00	90.33	359.13	92	7179.56	3901.40	3899.65	-290.33	1.22
MWD	121	11588.00	90.86	358.60	92	7178.61	3993.38	3991.62	-292.15	0.81
MWD	122	11679.00	89.54	359.57	91	7178.29	4084.37	4082.61	-293.60	1.80
MWD	123	11771.00	89.80	0.27	92	7178.82	4176.37	4174.61	-293.73	0.81
MWD	124	11863.00	89.89	0.27	92	7179.07	4268.36	4266.61	-293.30	0.10
MWD	125	11955.00	90.37	359.92	92	7178.86	4360.36	4358.61	-293.15	0.65
MWD	126	12046.00	91.12	359.74	91	7177.68	4451.35	4449.60	-293.42	0.85
MWD	127	12138.00	90.02	0.09	92	7176.76	4543.35	4541.59	-293.55	1.25
MWD	128	12229.00	90.37	0.09	91	7176.45	4634.34	4632.59	-293.41	0.38
MWD	129	12321.00	91.56	0.36	92	7174.90	4726.32	4724.57	-293.05	1.33
MWD	130	12417.00	90.99	1.15	96	7172.77	4822.28	4820.54	-291.78	1.01
MWD	131	12512.00	90.42	1.76	95	7171.60	4917.22	4915.50	-289.37	0.88
MWD	132	12608.00	88.26	1.85	96	7172.71	5013.14	5011.44	-286.35	2.25
MWD	133	12703.00	87.87	2.12	95	7175.91	5108.01	5106.33	-283.06	0.50
MWD	134	12797.00	88.53	1.76	94	7178.87	5201.89	5200.23	-279.88	0.80
MWD	135	12893.00	88.75	2.12	96	7181.14	5297.78	5296.15	-276.63	0.44
MWD	136	12988.00	89.36	1.50	95	7182.71	5392.70	5391.09	-273.63	0.92
MWD	137	13083.00	89.89	0.97	95	7183.33	5487.66	5486.06	-271.58	0.79
MWD	138	13179.00	90.24	0.89	96	7183.22	5583.64	5582.05	-270.02	0.37
MWD	139	13274.00	91.16	1.76	95	7182.06	5678.59	5677.01	-267.83	1.33
MWD	140	13370.00	89.85	1.32	96	7181.22	5774.53	5772.97	-265.25	1.44
MWD	141	13464.00	90.11	1.24	94	7181.25	5868.49	5866.95	-263.15	0.29
MWD	142	13559.00	88.92	0.27	95	7182.05	5963.46	5961.94	-261.90	1.62
MWD	143	13654.00	88.13	0.53	95	7184.50	6058.42	6056.90	-261.23	0.88
MWD	144	13750.00	88.35	358.95	96	7187.45	6154.37	6152.85	-261.67	1.66
MWD	145	13845.00	90.20	357.99	95	7188.65	6249.34	6247.81	-264.20	2.19
MWD	146	13940.00	91.43	357.90	95	7187.30	6344.29	6342.73	-267.61	1.30
MWD	147	14035.00	92.09	358.42	95	7184.38	6439.21	6437.64	-270.66	0.88
MWD	148	14131.00	90.81	358.51	96	7181.95	6535.16	6533.57	-273.23	1.34
MWD	149	14226.00	91.30	358.60	95	7180.20	6630.13	6628.52	-275.63	0.52
MWD	150	14321.00	90.15	358.78	95	7179.00	6725.10	6723.49	-277.80	1.23
MWD	151	14416.00	90.20	358.78	95	7178.71	6820.09	6818.47	-279.82	0.05
MWD	152	14511.00	89.85	358.25	95	7178.67	6915.07	6913.44	-282.28	0.67
MWD	153	14607.00	89.85	358.25	96	7178.92	7011.04	7009.39	-285.21	0.00
MWD	154	14702.00	90.77	359.04	95	7178.41	7106.03	7104.36	-287.46	1.28
MWD	155	14797.00	90.46	358.86	95	7177.39	7201.01	7199.34	-289.20	0.38
MWD	156	14892.00	90.68	358.51	95	7176.44	7296.00	7294.31	-291.38	0.44
MWD	157	14987.00	91.74	358.86	95	7174.44	7390.96	7389.26	-293.56	1.18
MWD	158	15082.00	90.15	359.48	95	7172.87	7485.94	7484.24	-294.94	1.80
MWD	159	15177.00	90.24	0.18	95	7172.55	7580.94	7579.23	-295.22	0.74
MWD	160	15272.00	90.29	0.53	95	7172.11	7675.93	7674.23	-294.63	0.37
MWD	161	15367.00	90.90	1.06	95	7171.12	7770.91	7769.22	-293.31	0.85
MWD	162	15463.00	89.41	0.97	96	7170.86	7866.87	7865.20	-291.61	1.55
MWD	163	15558.00	90.07	1.06	95	7171.29	7961.85	7960.18	-289.93	0.70
MWD	164	15653.00	91.03	1.50	95	7170.38	8056.80	8055.15	-287.81	1.11
MWD	165	15748.00	89.27	0.89	95	7170.13	8151.76	8150.13	-285.83	1.96
MWD	166	15844.00	89.32	0.89	96	7171.31	8247.73	8246.11	-284.33	0.05
MWD	167	15939.00	88.48	359.83	95	7173.14	8342.70	8341.09	-283.74	1.42
MWD	168	16034.00	89.10	359.83	95	7175.14	8437.68	8436.06	-284.02	0.65
MWD	169	16130.00	89.58	359.66	96	7176.25	8533.68	8532.06	-284.45	0.53
MWD	170	16225.00	90.20	359.74	95	7176.43	8628.67	8627.05	-284.94	0.66
MWD	171	16320.00	90.37	358.86	95	7175.96	8723.67	8722.05	-286.10	0.94
MWD	172	16415.00	91.96	358.86	95	7174.03	8818.64	8817.00	-287.99	1.67
MWD	173	16511.00	90.73	359.66	96	7171.77	8914.61	8912.97	-289.23	1.53
MWD	174	16606.00	90.55	359.48	95	7170.71	9009.60	9007.96	-289.95	0.27
MWD	175	16701.00	88.92	359.39	95	7171.15	9104.60	9102.95	-290.88	1.72

MWD	176	16796.00	88.88	359.48	95	7172.97	9199.58	9197.93	-291.82	0.10
MWD	177	16892.00	89.10	359.39	96	7174.67	9295.56	9293.91	-292.77	0.25
MWD	178	16987.00	89.27	359.13	95	7176.02	9390.55	9388.89	-293.99	0.33
MWD	179	17082.00	89.80	359.04	95	7176.79	9485.54	9483.87	-295.51	0.57
MWD	180	17177.00	90.59	358.86	95	7176.47	9580.54	9578.86	-297.25	0.85
MWD	181	17272.00	91.82	358.86	95	7174.47	9675.50	9673.82	-299.14	1.29
MWD	182	17369.00	92.35	358.86	97	7170.94	9772.43	9770.73	-301.07	0.55
MWD	183	17464.00	93.10	358.86	95	7166.42	9867.31	9865.60	-302.96	0.79
MWD	184	17495.00	93.49	358.86	31	7164.64	9898.26	9896.55	-303.57	1.26
PTB	185	17554.00	93.49	358.86	59	7161.05	9957.14	9955.43	-304.74	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-53350										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name		
								SCHLITZ FED COM		
								6. Well Number:		
								121H		
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator								9. OGRID		
TAP ROCK OPERATING, LLC								372043		
10. Address of Operator								11. Pool name or Wildcat		
523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								COTTONWOOD DRAW; BONE SPRING (O)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	16	25S	26E	-	623	SOUTH	921	WEST	EDDY
BH:	D	9	25S	26E	-	17	NORTH	671	WEST	EDDY
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released			16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		
3/4/2023	3/13/2023		3/15/2023			6/14/2023		3427 GR		
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
17554 ft			17486 ft			YES		GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name								BONE SPRING		
7129 ft to 17401 ft										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		380'		17.5"		395 sks		0
9.625"		40		1988'		12.25"		590 sks		0
5.5"		20		17538'		8.75"/7.875"		2110 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
					2.875	6861	6837			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
Perforate from 7129 ft to 17401 ft, 1 SPF, .55 inch holes with 520 total shots.					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					7129 ft to 17401 ft		40 stage frac with 25,948,376 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
6/19/2023		Gas Lift				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
7/15/2023	24 hrs	128/64		235	2095	3328	8915			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
565	1153		235	2095	3328					
29. Disposition of Gas (Sold, used for fuel, vented, etc.)								30. Test Witnessed By		
Sold										
31. List Attachments										
C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude Longitude NAD83 I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Name Jeff Trlica Title Regulatory Specialist Date 8/2/2023 Signature  E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	454		Quaternary					
454	891		Rustler					
891	1660		Top of Salt					
1660	1862		Base of Salt					
1862	1889		Lamar					
1889	2868		Bell Canyon					
2868	3756		Cherry Canyon					
3756	5424		Brushy Canyon					
5424	5834		Bone Spring					
5834	6305		Avalon					
6305	6867		1st Bone Spring Sand					
6867			2nd Bone Spring Sand					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 247041

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 247041
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 247041

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 247041
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/21/2023