

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> 2. Name of Operator Pre-Ongard 3. Address of Operator 4. Well Location Unit Letter: K : 1670 feet from the S line and 2231 feet from the W line Section 22 Township 10S Range 25E NMPM County: Chaves 11. Elevation (Show whether DR, RKB, RT, GR, etc.)		WELL API NO. 30-005-28029 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name Pre Ongard (Elks) 8. Well Number: 001 9. OGRID Number: 10. Pool name or Wildcat
--	--	---

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Plugging Procedure/Events Below

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE: Authorized Representative DATE: 10/12/23

Type or print name: Ethan Wakefield

E-mail address: e.wakefield@dwsrigs.com

PHONE: (405)343-7736

For State Use Only

APPROVED BY: Accepted for Record

TITLE John Garcia - Supervisor

DATE 12/22/23

Conditions of Approval (if any):

Cano Petro

Plug And Abandonment End Of Well Report

Elks #001 (Pre-Ongard Well #001)

1670' FSL & 2231' FWL, Section 22, 10S, 25E

Chaves County, NM / API 30-005-00054

Work Summary:

- | | |
|----------------|---|
| 10/2/23 | Made BLM and NMOCD P&A operations notifications at 9:00 AM MST. |
| 10/3/23 | Arrived on location and held safety meeting. Rig crew and backhoe worked on location. |
| 10/4/23 | Arrived on location and held safety meeting. Continued to move dirt to make a location for the rig. Waited for parts and equipment. |
| 10/5/23 | Arrived on location and held safety meeting. Continued building location. |
| 10/6/23 | Arrived on location and held safety meeting. Set up beams and boards for the rig. Spotted rig and equipment. Waited on more boards. Unable to R/U base beam due to soft location. Waiting for more boards. |
| 10/7/23 | Arrived on location and held safety meeting. Finished setting boards for the rig. R/U packer and BHA. Cutoff frac valve. Ran packer in hole. Felt drag at 560', L/D one joint and set packer at 530'. R/U clinch set seating valve. R/U cementing services. Used cement pump to set packer. TOOH. Secured and shut down well. |
| 10/8/23 | Arrived on location and held safety meeting. R/U wireline services. RIH and logged well. POOH. R/D wireline services. Waited on further instruction. |

- 10/9/23** Arrived on location and held safety meeting. Waited on welder. Cut off casing and welded on a T with a 6" butterfly valve and a 7" swedge.
- 10/10/23** Arrived on location and held safety meeting. Checked wellbore pressures. Bled down well. R/U camera for PVACD. RIH to top of packer at 530'. R/D camera. Shut down secure well shut down for the day. Wait on orders.
- 10/11/23** Arrived on location and held safety meeting. Recorded wellbore pressures. Bled down well. TIH to top of inflatable packer at 530'. R/U cementing services and pumped plug from 530' to surface to cover the inflatable packer and surface casing shoe. L/D tubing. R/D floor, tongs, slips. Welder cut off wellhead. R/U cementers and topped off the cellar. Took picture of Coordinates. RDMOL.

Plug Summary:

Plug #1: (Packer and Surface Casing Shoe, 120 Sacks Type I/II Cement)

R/U packer and BHA. Cutoff frac valve. Ran packer in hole. Felt drag to 560', L/D one joint and set packer at 530'. R/U clinch set seating valve. R/U cementing services. Used cement pump to set packer. TOOH. TIH to top of inflatable packer at 530'. R/U cementing services and pumped plug from 530' to surface to cover the inflatable packer and surface casing shoe. L/D tubing. R/D floor, tongs, slips. Welder cut off wellhead. R/U cementers and topped off the cellar. RDMOL.

Completed Wellbore Diagram

Pre-Ongard

Elk #001

API: 30-005-00054

Chaves County, New Mexico

Surface Casing

8.625" 24# @ 420 ft

Plug 1

530 feet - surface

530 foot plug

120 Sacks of Type I/II Cement


Formation

Intermediate Casing

7" 19# @ 630 feet


Packer @ 530'

OH: to 650'









District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 278697

CONDITIONS

Operator: J.A. Drake Well Service Inc. 607 W Pinon Farmington, NM 87401	OGRID: 330485
	Action Number: 278697
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	Accepted for Record	12/22/2023