

U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

**Well Name:** J C GORDON B

**Well Location:** T27N / R10W / SEC 24 /  
NENW / 36.565094 / -107.849838

**County or Parish/State:** SAN  
JUAN / NM

**Well Number:** 1

**Type of Well:** CONVENTIONAL GAS  
WELL

**Allottee or Tribe Name:**

**Lease Number:** NMSF077952

**Unit or CA Name:**

**Unit or CA Number:**

**US Well Number:** 3004506426

**Well Status:** Abandoned

**Operator:** HILCORP ENERGY  
COMPANY

### Subsequent Report

**Sundry ID:** 2766858

**Type of Submission:** Subsequent Report

**Type of Action:** Plug and Abandonment

**Date Sundry Submitted:** 12/20/2023

**Time Sundry Submitted:** 07:51

**Date Operation Actually Began:** 12/13/2023

**Actual Procedure:** Hilcorp Energy Company plugged and abandoned the subject well on 12/18/2023 per the attached report.

### SR Attachments

**Actual Procedure**

J\_C\_GORDON\_B\_1\_SR\_BLM\_Submitted\_20231220075039.pdf

Well Name: J C GORDON B

Well Location: T27N / R10W / SEC 24 /  
NENW / 36.565094 / -107.849838County or Parish/State: SAN  
JUAN / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS  
WELL

Allottee or Tribe Name:

Lease Number: NMSF077952

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004506426

Well Status: Abandoned

Operator: HILCORP ENERGY  
COMPANY

### Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: PRISCILLA SHORTY

Signed on: DEC 20, 2023 07:50 AM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Technician

Street Address: 382 ROAD 3100

City: AZTEC

State: NM

Phone: (505) 324-5188

Email address: PSHORTY@HILCORP.COM

### Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

### BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 12/20/2023

Signature: Matthew Kade

J C GORDON B 1

30.045.06426

PLUG AND ABANDON

12/13/2023 – MIRU. CK PRSSURES SITP – 40#, SICP – 40#, SIICP – 0#, BH – 0#, BDW 5 MIN. LD RODS. ND WH, NU BOP, PRESSURE TEST AND FUNCTION TEST BOPS, XO RAMS, HANDLING TOOLS TO 2-1/16". RU RIG FLOOR. PULL TBG HANGER, LD 64 JTS OF 2-1/16" TBG. RU WIRELINE, RUN 2.75" GAUGE RING TO 2,028'. POOH LD GAUGE RING. PU 2.75" CIBP, RIH & SET @ 2,015'. POOH RD WIRELINE. **HEC ENGINEER SENT AN EMAIL NOTIFYING MONICA KUEHLING, NMOCD, AND BLM OF A COMPROMISED CSG AND REQUESTED APPROVAL TO SET PLUGBACK CIBP HIGHER. NMOCD & BLM REP APPROVED TO SET CIBP @ 2,015'.** SDFN.

12/14/2023 - CK PRSSURES SITP – 0#, SICP – 0#, SIICP – 0#, BH – 0#, BDW 0 MIN. PU 1.66" TBG. TALLY, STRAP & RABBIT TO 2,015'. SD DUE TO WEATHER & MUDDY ROAD CONDITIONS. SFDN.

12/15/2023 - CK PRSSURES SITP – 0#, SICP – 0#, SIICP – 0#, BH – 0#, BDW 0 MIN. RU CEMENTERS. LW W/ 16 BBL OF FW & PUMP 20 BBLS TOTAL. PT TO 560 PSI & PASSED **CEMENT PLUG #1 (PC TOP & PC TOP PERFS) 9 SX 1.8 BBL, 1.37, 14.8#, 6.64 GAL/SX. TOC @ 1,791', BOC @ 2,015'. DISPLACE 3.4 BBLS. BLM REP JIMMY DOBSON ON LOCATION.** TOO. RU WIRELINE, RIH & PERF SQUEEZE HOLES @ 1,647'. POOH & RD WIRELINE. LW 2 BBLS, INJ RATE @ 0 BBLS/MIN, 800 PSI. HOLDING PRESSURE @ 800 PSI. **HEC ENGINEER SENT AN EMAIL PROPOSING TO SET AN INSIDE PLUG. NMOCD & BLM REP APPROVED THE INSIDE PLUG. CEMENT PLUG #2 (FRC TOP) 9 SX 2.1BBL, 1.37, 14.8#, 6.64 GAL/SX BOC @ 1,697'. DISPLACE 2.7BBLS. TOO. WOC. TIH & TAG CEMENT PLUG #2 @ 1,522'. RU WIRELINE, RIH & PERF SQUEEZE HOLES @ 1,270'. POOH & RD WIRELINE. LW 1 BBLS, INJECTION RATE @ 0 BBLS/MIN, 1000 PSI. HOLDING PRESSURE @ 1000 PSI. HEC ENGINEER SENT AN EMAIL PROPOSING TO SET AN INSIDE PLUG. NMOCD & BLM REP APPROVED THE INSIDE PLUG. CEMENT PLUG #3 (KRD, OJO TOPS) 15 SX 3.6 BBL, 1.37, 14.8#, 6.64 GAL/SX. BOC @ 1,320'. DISPLACE 1.7 BBLS. TOO. WOC OVER THE WEEKEND. SDFWE.**

12/18/2023 - CK PRSSURES SITP – 0#, SICP – 0#, SIICP – 0#, BH – 0#, BDW 0 MIN. TIH AND **TAG CEMENT PLUG #3 @ 1,087'.** PT 3-1/2" CSG TO 560 PSI & PASSED. **HEC ENGINEER SENT AN EMAIL PROPOSING TO RE-PUMP CEMENT #3. NMOCD AND BLM APPROVED THE PROPOSAL. RE-PUMP CEMENT PLUG #3 (OJO TOP) FROM TOC @ 891' TO BOC @ 1,087'. 7 SX 1.7 BBLS, 1.37, 14.8#, 6.64 GAL/SX. DISPLACE 16 BBLS.** LD JTS. RU WIRELINE, RIH & PERF SQUEEZE HOLES @ 151'. POOH & RD WIRELINE. LW 10 BBLS, INJ RATE @ 1.7 BBLS/MIN, 900 PSI TO SURFACE OUT BH & INTERMEDIATE. **CEMENT PLUG #4 (SURFACE) 63 SX 16.1 BBLS, 1.37, 14.8#, 6.64 GAL/SX TOC @ 0', BOC @ 151'.** RD RIG FLOOR, ND BOP & NU WH. **NOTIFIED MONICA KUEHLING, NMOCD, AND BLM OF RIG MOVE. BLM REP. JIMMY DOBSON ON LOCATION.** CUT OFF WH (TOC IN 3.5" @ 8', 5.5" @ 0', BH @ 0'). WELD ON P&A MARKER, FILL CASING AND CELLAR WITH 16 SX CMT. RD RR.

**THE SUBJECT WELL WAS P&A'D ON 12/18/2023.**




### Current Schematic - Version 3

Well Name: JC GORDON B #1

API / UWI 3004506426	Surface Legal Location T27N-R10W-S24	Field Name Fulcher Kutz PC	Route 0808	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 6,156.00	Original KB/RT Elevation (ft) 6,161.00	RKB to GL (ft) 5.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	

### Original Hole [Vertical]



## Priscilla Shorty

---

**From:** Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>  
**Sent:** Thursday, December 14, 2023 9:45 AM  
**To:** Rennick, Kenneth G; Rustin Mikeska; Kade, Matthew H  
**Cc:** Lee Murphy; Michael Wissing; Max Weaver; Brice Clyde - (C); Priscilla Shorty; Tammy Jones  
**Subject:** RE: [EXTERNAL] JC Gordon B 1 P&A Revision

**CAUTION:** External sender. DO NOT open links or attachments from UNKNOWN senders.

NMOCD approves

Thank you

Monica Kuehling  
Compliance Officer Supervisor  
Deputy Oil and Gas Inspector  
New Mexico Oil Conservation Division  
North District  
Office Phone: 505-334-6178 ext. 123  
Cell Phone: 505-320-0243  
Email - monica.kuehling@emnrd.nm.gov

---

**From:** Rennick, Kenneth G <krennick@blm.gov>  
**Sent:** Wednesday, December 13, 2023 6:08 PM  
**To:** Rustin Mikeska <rmikeska@hilcorp.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>  
**Cc:** Lee Murphy <lmurphy@hilcorp.com>; Michael Wissing <mwissing@hilcorp.com>; Max Weaver <mweaver@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Tammy Jones <tajones@hilcorp.com>  
**Subject:** Re: [EXTERNAL] JC Gordon B 1 P&A Revision

The BLM finds the proposal appropriate.

Get [Outlook for iOS](#)

---

**From:** Rustin Mikeska <[rmikeska@hilcorp.com](mailto:rmikeska@hilcorp.com)>  
**Sent:** Wednesday, December 13, 2023 5:21:22 PM  
**To:** Kuehling, Monica, EMNRD <[monica.kuehling@emnrd.nm.gov](mailto:monica.kuehling@emnrd.nm.gov)>; Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>; Kade, Matthew H <[mkade@blm.gov](mailto:mkade@blm.gov)>  
**Cc:** Lee Murphy <[lmurphy@hilcorp.com](mailto:lmurphy@hilcorp.com)>; Michael Wissing <[mwissing@hilcorp.com](mailto:mwissing@hilcorp.com)>; Max Weaver <[mweaver@hilcorp.com](mailto:mweaver@hilcorp.com)>; Brice Clyde - (C) <[Brice.Clyde@hilcorp.com](mailto:Brice.Clyde@hilcorp.com)>; Priscilla Shorty <[pshorty@hilcorp.com](mailto:pshorty@hilcorp.com)>; Tammy

Jones <[tajones@hilcorp.com](mailto:tajones@hilcorp.com)>

**Subject:** [EXTERNAL] JC Gordon B 1 P&A Revision

**This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.**

Evening All - After a CCL run found compromised csg at the proposed set depth, we requested to set the plugback CIBP higher.

Per NMOCDs guidance, we will be setting our plugback CIBP at 2,015' (11' above PC Top and 19' above top perf. We will proceed with Plug #1 on top as proposed and execute the approved NOI.

Thanks,  
Rustin Mikeska  
Hilcorp | P&A Engineer

---

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

---

## Priscilla Shorty

---

**From:** Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>  
**Sent:** Monday, December 18, 2023 8:33 AM  
**To:** Rennick, Kenneth G; Rustin Mikeska; Kade, Matthew H  
**Cc:** Max Weaver; Lee Murphy; Michael Wissing; Priscilla Shorty; Tammy Jones; Brice Clyde - (C)  
**Subject:** RE: [EXTERNAL] Hilcorp P&A Variance Request: JC Gordon B #1

**CAUTION:** External sender. DO NOT open links or attachments from UNKNOWN senders.

NMOCD approves below

Thank you

Monica Kuehling  
Compliance Officer Supervisor  
Deputy Oil and Gas Inspector  
New Mexico Oil Conservation Division  
North District  
Office Phone: 505-334-6178 ext. 123  
Cell Phone: 505-320-0243  
Email - monica.kuehling@emnrd.nm.gov

---

**From:** Rennick, Kenneth G <krennick@blm.gov>  
**Sent:** Monday, December 18, 2023 8:22 AM  
**To:** Rustin Mikeska <rmikeska@hilcorp.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>  
**Cc:** Max Weaver <mweaver@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Michael Wissing <mwissing@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Tammy Jones <tajones@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>  
**Subject:** Re: [EXTERNAL] Hilcorp P&A Variance Request: JC Gordon B #1

The BLM finds the proposal appropriate.

Get [Outlook for iOS](#)

---

**From:** Rustin Mikeska <[rmikeska@hilcorp.com](mailto:rmikeska@hilcorp.com)>  
**Sent:** Monday, December 18, 2023 8:10:07 AM  
**To:** Kuehling, Monica, EMNRD <[monica.kuehling@emnrd.nm.gov](mailto:monica.kuehling@emnrd.nm.gov)>; Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>; Kade, Matthew H <[mkade@blm.gov](mailto:mkade@blm.gov)>  
**Cc:** Max Weaver <[mweaver@hilcorp.com](mailto:mweaver@hilcorp.com)>; Lee Murphy <[lmurphy@hilcorp.com](mailto:lmurphy@hilcorp.com)>; Michael Wissing <[mwissing@hilcorp.com](mailto:mwissing@hilcorp.com)>; Priscilla Shorty <[pshorty@hilcorp.com](mailto:pshorty@hilcorp.com)>; Tammy Jones <[tajones@hilcorp.com](mailto:tajones@hilcorp.com)>; Brice Clyde - (C) <[Brice.Clyde@hilcorp.com](mailto:Brice.Clyde@hilcorp.com)>  
**Subject:** RE: [EXTERNAL] Hilcorp P&A Variance Request: JC Gordon B #1

Monica/Kenny – We are proposing the following after 1,087’.

**JC Gordon B #1**

[3004506426](#)

Completed:

1. Executed Plugs #1, #2, and #3 as approved.
2. Obtained good pressure test on 3-1/2” csg to 560psi for 30min – witnessed by BLM rep.

Proposal:

4. Repump Plug #3 | 187’ cmt inside plug from 900’ - 1,087’
  - a. 7sx (1.7 bbl) Type III, 1.37 yield cmt, 6.64gal/sx
5. Proceed with NOI as approved.

No bradenhead pressure observed.

Thanks,

**Rustin Mikeska**

P&A – Petroleum Engineer  
Hilcorp Energy

---

**From:** Kuehling, Monica, EMNRD <[monica.kuehling@emnr.d.nm.gov](mailto:monica.kuehling@emnr.d.nm.gov)>

**Sent:** Monday, December 18, 2023 8:54 AM

**To:** Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>; Rustin Mikeska <[rmikeska@hilcorp.com](mailto:rmikeska@hilcorp.com)>; Kade, Matthew H <[mkade@blm.gov](mailto:mkade@blm.gov)>

**Cc:** Max Weaver <[mweaver@hilcorp.com](mailto:mweaver@hilcorp.com)>; Lee Murphy <[lmurphy@hilcorp.com](mailto:lmurphy@hilcorp.com)>; Michael Wissing <[mwissing@hilcorp.com](mailto:mwissing@hilcorp.com)>; Priscilla Shorty <[pshorty@hilcorp.com](mailto:pshorty@hilcorp.com)>; Tammy Jones <[tajones@hilcorp.com](mailto:tajones@hilcorp.com)>; Brice Clyde - (C) <[Brice.Clyde@hilcorp.com](mailto:Brice.Clyde@hilcorp.com)>

**Subject:** RE: [EXTERNAL] Hilcorp P&A Variance Request: JC Gordon B #1

**CAUTION:** External sender. DO NOT open links or attachments from UNKNOWN senders.

NMOCD approves below

Monica Kuehling  
Compliance Officer Supervisor  
Deputy Oil and Gas Inspector  
New Mexico Oil Conservation Division  
North District  
Office Phone: 505-334-6178 ext. 123  
Cell Phone: 505-320-0243  
Email - [monica.kuehling@emnr.d.nm.gov](mailto:monica.kuehling@emnr.d.nm.gov)

---

**From:** Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>

**Sent:** Friday, December 15, 2023 8:12 PM

**To:** Rustin Mikeska <[rmikeska@hilcorp.com](mailto:rmikeska@hilcorp.com)>; Kuehling, Monica, EMNRD <[monica.kuehling@emnr.d.nm.gov](mailto:monica.kuehling@emnr.d.nm.gov)>; Kade, Matthew H <[mkade@blm.gov](mailto:mkade@blm.gov)>

**Cc:** Max Weaver <[mweaver@hilcorp.com](mailto:mweaver@hilcorp.com)>; Lee Murphy <[lmurphy@hilcorp.com](mailto:lmurphy@hilcorp.com)>; Michael Wissing

<[mwissing@hilcorp.com](mailto:mwissing@hilcorp.com)>; Priscilla Shorty <[pshorty@hilcorp.com](mailto:pshorty@hilcorp.com)>; Tammy Jones <[tajones@hilcorp.com](mailto:tajones@hilcorp.com)>; Brice Clyde - (C) <[Brice.Clyde@hilcorp.com](mailto:Brice.Clyde@hilcorp.com)>

**Subject:** Re: [EXTERNAL] Hilcorp P&A Variance Request: JC Gordon B #1

The BLM finds the proposal appropriate.

Get [Outlook for iOS](#)

---

**From:** Rustin Mikeska <[rmikeska@hilcorp.com](mailto:rmikeska@hilcorp.com)>

**Sent:** Friday, December 15, 2023 4:10:24 PM

**To:** Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>; Kuehling, Monica, EMNRD <[monica.kuehling@state.nm.us](mailto:monica.kuehling@state.nm.us)>; Kade, Matthew H <[mkade@blm.gov](mailto:mkade@blm.gov)>

**Cc:** Max Weaver <[mweaver@hilcorp.com](mailto:mweaver@hilcorp.com)>; Lee Murphy <[lmurphy@hilcorp.com](mailto:lmurphy@hilcorp.com)>; Michael Wissing <[mwissing@hilcorp.com](mailto:mwissing@hilcorp.com)>; Priscilla Shorty <[pshorty@hilcorp.com](mailto:pshorty@hilcorp.com)>; Tammy Jones <[tajones@hilcorp.com](mailto:tajones@hilcorp.com)>; Brice Clyde - (C) <[Brice.Clyde@hilcorp.com](mailto:Brice.Clyde@hilcorp.com)>

**Subject:** Re: [EXTERNAL] Hilcorp P&A Variance Request: JC Gordon B #1

Monica/Kenny – We are proposing the following after not getting injection into our perforations at 1,270’.

**JC Gordon B #1**

[3004506426](#)

Completed:

1. Executed Plugs #1 and #2 as approved.
2. Perforated the 3-1/2” & 5-1/2” @ 1,270’ – could not inject or circulate behind 5-1/2”.

Proposal:

4. Plug #3 | 420’ cmt inside plug from 900’ - 1,320’
  - a. 15sx (3.6 bbl) Type III, 1.37 yield cmt, 6.64gal/sx
  - b. WOC & Tag TOC
5. Proceed with NOI as approved.

No bradenhead pressure observed.

Get [Outlook for iOS](#)

---

**From:** Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>

**Sent:** Friday, December 15, 2023 12:50:23 PM

**To:** Rustin Mikeska <[rmikeska@hilcorp.com](mailto:rmikeska@hilcorp.com)>; Kuehling, Monica, EMNRD <[monica.kuehling@state.nm.us](mailto:monica.kuehling@state.nm.us)>; Kade, Matthew H <[mkade@blm.gov](mailto:mkade@blm.gov)>

**Cc:** Max Weaver <[mweaver@hilcorp.com](mailto:mweaver@hilcorp.com)>; Lee Murphy <[lmurphy@hilcorp.com](mailto:lmurphy@hilcorp.com)>; Michael Wissing <[mwissing@hilcorp.com](mailto:mwissing@hilcorp.com)>; Priscilla Shorty <[pshorty@hilcorp.com](mailto:pshorty@hilcorp.com)>; Tammy Jones <[tajones@hilcorp.com](mailto:tajones@hilcorp.com)>; Brice Clyde - (C) <[Brice.Clyde@hilcorp.com](mailto:Brice.Clyde@hilcorp.com)>

**Subject:** Re: [EXTERNAL] Hilcorp P&A Variance Request: JC Gordon B #1

**CAUTION:** External sender. DO NOT open links or attachments from UNKNOWN senders.

BLM finds the proposal appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management  
Farmington Field Office  
6251 College Blvd  
Farmington, NM 87402

Email: [krennick@blm.gov](mailto:krennick@blm.gov)

Mobile & Text: 505.497.0019

---

**From:** Rustin Mikeska <[rmikeska@hilcorp.com](mailto:rmikeska@hilcorp.com)>

**Sent:** Friday, December 15, 2023 11:42 AM

**To:** Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>; Kuehling, Monica, EMNRD <[monica.kuehling@state.nm.us](mailto:monica.kuehling@state.nm.us)>; Kade, Matthew H <[mkade@blm.gov](mailto:mkade@blm.gov)>

**Cc:** Max Weaver <[mweaver@hilcorp.com](mailto:mweaver@hilcorp.com)>; Lee Murphy <[lmurphy@hilcorp.com](mailto:lmurphy@hilcorp.com)>; Michael Wissing <[mwissing@hilcorp.com](mailto:mwissing@hilcorp.com)>; Priscilla Shorty <[pshorty@hilcorp.com](mailto:pshorty@hilcorp.com)>; Tammy Jones <[tajones@hilcorp.com](mailto:tajones@hilcorp.com)>; Brice Clyde - (C) <[Brice.Clyde@hilcorp.com](mailto:Brice.Clyde@hilcorp.com)>

**Subject:** [EXTERNAL] Hilcorp P&A Variance Request: JC Gordon B #1

Monica/Kenny – We are proposing the following after not getting injection into our perforations at 1,647’.

**JC Gordon B #1**

3004506426

Completed:

1. Set CIBP @ 2,015’. Good pressure test to 600psi for 30min – witnessed by BLM rep.
2. Pumped Plug #1 as proposed, 1,791’ – 2,015’.
3. Perforated the 3-1/2” & 5-1/2” @ 1,647’ – could not inject or circulate behind 5-1/2”.

Proposal (per NMOCD):

4. Plug #2 | 250’ cmt inside plug from 1,447’ – 1,697’
  - A. 9sx (2.1 bbl) Type III, 1.37 yield cmt, 6.64gal/sx
  - B. WOC & Tag TOC
5. Proceed with NOI as approved.

No bradenhead pressure observed.

Thanks,

Released to Imaging: 15555053 11:31:35 AM  
**Rustin Mikeska**

P&A – Petroleum Engineer  
Cell: (254) 913-6777  
Office: (713) 289-2931  
[rmikeska@hilcorp.com](mailto:rmikeska@hilcorp.com)

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 296557

**CONDITIONS**

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 296557
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
mkuehling	well plugged 12/18/2023	12/22/2023