

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-60127
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Injection		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator State of New Mexico formerly Canyon E&P Company		6. State Oil & Gas Lease No. 16496
3. Address of Operator 1625 N. French Drive, Hobbs, N 88240		7. Lease Name or Unit Agreement Name Double L Queen Unit
4. Well Location Unit Letter <u>N</u> : <u>330</u> feet from the <u>S</u> line and <u>2310</u> feet from the <u>W</u> line Section <u>25</u> Township <u>14S</u> Range <u>29E</u> NMPM <u>Chaves</u> County		8. Well Number. 001H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GR 3828'		9. OGRID Number 269864
		10. Pool name or Wildcat Double L Queen

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**10/30/23:** MOL. Held JSA. Prep road to location and prep location. Spot equipment. Check well pressures; no pressure on well. RU rig and plugging equipment. ND wellhead and NU and test BOP. PU on tubing, stuck. LD prod tbg, 32 jnts, tbg parted, called for fisherman. RU A Plus WL, RIH w/ GRJB to verify depth, tagged @ 1050', RD WL. TIH w/ OS to latch onto fish, chased fish down to 1830', would not latch, TOO H and stand back tbg. Secure well and SDFD.

**10/31/23:** Held JSA. Called Deon David w/ NMOC D, approved to continue to fish tbg. TIH w/ OS, latched onto tbg, moved up hole then OS released. TOO H, no fish. Redress OS and try to latch on again, would not latch, TOO H no fish. RU A Plus WL, RIH w/ GRJB to 1798'. Called into Deon David w/ NMOC D, approved to set CIBP @ tagged depth. RIH w/ 4-1/2" CIBP, set @ 1798'. RD WL. Load well w/ 30 bbls. Secure well and SDFD.

**11/1/23:** Held JSA. RU JSI WL, RIH and run CBL from 1798' to 1500', log cut out, lost fluid. Try to load well, would not load, RD WL. TIH RU pump to tbg.

**Plug #1.** Spot 25 sxs Class G cmt from 1798' to 1898'. TOO H w/ tbg, WOC for 3 hrs. Try to load well, pumped 60 bbls, did not load. RU JSI WL, try to log well from 1700', no fluid at all, RD WL. TIH w/ tbg, RU pump.

**Plug #1A.** Spot 25 sxs Class G cmt from 1700' to 1600'. TOO H and WOC overnight. Secure well and SDFD.

**11/2/23:** Held JSA. RU A Plus WL, RIH w/ GRJB tag Plug #1A @ 1600', RD WL. Load well. RU JSI WL, RIH and run CBL from 1600' to surface, RD WL. RU A Plus WL, RIH and perf @ 1344', RD WL. TIH w/ 4-1/2" packer, set and RU pump to tbg. Try to establish ROI, pressured up to 500#, no rate. TOO H and remove packer. Called into Deon David w/ NMOC D, directed to spot plug 50' below perforation plug original plug from 1394' to 1094'. TIH w/ tbg, RU pump and circulate well.

**Plug #2.** Spot 30 sxs Class G cmt from 1394' to 1094'. TOO H and WOC overnight. Secure well and SDFD.

**11/3/23:** Held JSA. TIH and tag Plug #2 @ 1020'. TOO H. RU A Plus WL, RIH and perf @ 403', RD WL. TIH w/ 4-1/2" packer, set and RU pump to tbg to est. circulation.

**Plug #3.** Spot 145 sxs G cmt from 403' to surface. RD workfloor. ND BOP. RD plugging equipment and rig. MOL. SDFN.

**11/7/23:** Travel to location. Dig out, cut off and remove wellhead. TOC @ surface in annulus. Weld on and install P&A Marker @ 33°04'03.9"N-103°58'57.5"W. MOL.


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Neil Lundy* TITLE PVA Engineer DATE 12/12/23  
Type or print name Neil Lundy E-mail address: neil@pluswell.com PHONE: 505 486 6958  
**For State Use Only**

APPROVED BY: John Garcia TITLE Supervisor DATE 12/26/23  
Conditions of Approval (if any):

# **Double L Queen Unit 001H** **As Plugged on 11/7/2023**

Double L Queen  
Unit N, 330' FSL & 2310' FWL, Section 25, T14S, R29E  
Chaves County, NM, API #30-005-60127





**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 294271

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 294271
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	None	12/26/2023