

Well Name: BUNNY ET AL

Well Location: T27N / R9W / SEC 11 /
SWSE / 36.58546 / -107.75334County or Parish/State: SAN
JUAN / NM

Well Number: 2

Type of Well: CONVENTIONAL GAS
WELLAllottee or Tribe Name:
EASTERN NAVAJO

Lease Number: I149IND8464

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004506606

Well Status: Abandoned

Operator: EPIC ENERGY LLC

Subsequent Report

Sundry ID: 2766290

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/15/2023

Time Sundry Submitted: 08:52

Date Operation Actually Began: 08/08/2023

Actual Procedure: Please find attached the revised P&A Summary.

SR Attachments**Actual Procedure**

Bunny_2_Revised_PA_Summary_20231215085214.pdf

Well Name: BUNNY ET AL

Well Location: T27N / R9W / SEC 11 /
SWSE / 36.58546 / -107.75334County or Parish/State: SAN
JUAN / NM

Well Number: 2

Type of Well: CONVENTIONAL GAS
WELLAllottee or Tribe Name:
EASTERN NAVAJO

Lease Number: I149IND8464

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004506606

Well Status: Abandoned

Operator: EPIC ENERGY LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ARLEEN SMITH

Signed on: DEC 15, 2023 08:52 AM

Name: EPIC ENERGY LLC

Title: Regulatory Specialist

Street Address: 332 RD 3100

City: AZTEC

State: NM

Phone: (505) 327-4892

Email address: ARLEEN@WALSHENG.NET

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 12/15/2023

Signature: Matthew Kade

Epic Energy

Bunny et al #2

Date Comp 8/8/2023

Plug #	Formation	BLM Pick Formation Top	Cement Pump Date	Perfs	CICR Depth	Cement Detail	Cement Plug Depths	Plug Position
1	Dakota	6457'	8/3/2023	6394' - 6604'	6344'	12sx Class "G" cement w/2% CaCl ₂ (13.8cuft, 2.5bbl, 1.15yld, 15.8ppg, 5.0gps)	6235'-6344'	Inside
2	Gallup	5505'	8/3/2023	N/A	N/A	12sx Class "G" cement w/2% CaCl ₂ (13.8cuft, 2.5bbl, 1.15yld, 15.8ppg, 5.0gps)	5421'-5555'	Inside
3	Mancos	4463'	8/4/2023	N/A	N/A	12sx Class "G" cement w/2% CaCl ₂ (13.8cuft, 2.5bbl, 1.15yld, 15.8ppg, 5.0gps)	4387'-4515'	Inside
4	Mesaverde	3672'	8/4/2023	3722'	3689'	55sx Class "G" cement w/2% CaCl ₂ (63.25cuft, 11.3bbl, 1.15yld, 15.8ppg, 5.0gps)	3540'-3722'	Inside/ Outside
5	Chacra	2963'	8/4/2023	3013'	2963'	54sx Class "G" cement (62.1cuft, 11bbl, 1.15yld, 15.8ppg, 5.0gps)	2831'-3013'	Inside/ Outside
6	Pictured Cliffs	2038'	8/7/2023	N/A	N/A	16sx Class "G" cement w/2% CaCl ₂ (18.4cuft, 3.3bbl, 1.15yld, 15.8ppg, 5.0gps)	1902'-2088'	Inside
7	Fruitland	1720'	8/7/2023	1770'	1743'	54sx Class "G" cement (62.1cuft, 11bbl, 1.15yld, 15.8ppg, 5.0gps)	1579'-1770'	Inside/ Outside
8	Ojo Alamo/Kirtland	1045'/1191'	8/8/2023	N/A	N/A	28sx Class "G" cement w/ 2% CaCl ₂ (32.2cuft, 5.75bbl, 1.15yld, 15.8ppg, 5.0gps)	940'-1256'	Inside
9	Surface(Nacimlento)	Surf	8/8/2023	N/A	N/A	84sx Class "G" cement (96.6cuft, 17.25bbl, 1.15yld, 15.8ppg, 5.0gps)	0' - 390'	Inside
Wellhead Cut-off & marker installed 8/8/2023								

8/8/2023 - SICP=0psi, BH=0psi. RIH and tagged Fruitland plug at 1579'KB (1579'-1770'). LD Jts (168 out/39 in). EOT at 1256'. Est circulation and pressure test csg to 500psi, bled to 200psi in 2 minutes, no test. Plug #8: Ojo Alamo/Kirtland (top=1045'/1191') (940'- 1256'): M&P 28sx of Cl "G" Cement w/ 2% CaCl₂ (32.2cuft, 5.75bbl, 1.15yld, 15.8ppg, 5.0gps), balanced with 3bbls of water. Plug balanced at 0800hrs. TOH. WOC 4hrs. RIH, tagged top of Ojo Alamo plug at 940'. LD remaining tbg (207jts on trailer-12jts plugged w/ cement). Load csg & test to 500psi, held 10 minutes, good test. BLM/NMOCD approved inside plug for surface from approx 50' below reported csg shoe. RIH w/ 12jts of 2-3/8" tbg, EOT at 390'KB (Reported 8-5/8" shoe at 336'KB). Plug #9: Surface Plug (-390'): M&P 42sx of Cl "G" Cement & circulated good cement to surface. LD 12jts of 2-3/8" tubing, topped off csg. ND BOP. Monitored cement until welder arrived. Cutoff wellhead, found top of cement at 37' inside 8-5/8" annulus. Weld on P&A marker. Mixed an additional 42sx of Cl "G" cement to top off annulus & fill cellar. Surf Plug (0'-390')=84sx Class "G" (96.6cuft, 17.25bbl, 1.15yld, 15.8ppg, 5.0gps). RD DWS #32 & prepare to move off location. Rig crew off location at 1630hrs. Ken Christensen (BLM Inspector) on location to witness/approve plugs.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 295089

CONDITIONS

Operator: EPIC ENERGY, L.L.C. 332 Road 3100 Aztec, NM 87410	OGRID: 372834
	Action Number: 295089
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 8/8/2023	12/26/2023