

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 15-53325	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)		⁶ Pool Code 98220
⁷ Property Code 333731	⁸ Property Name COLD SNACK FED COM		⁹ Well Number 234H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L	14	25S	25E	-	1672	SOUTH	315	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	13	25S	25E	-	358	SOUTH	251	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code P		¹⁴ Gas Connection Date 11/5/2023		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/27/2023	²² Ready Date 9/9/2023	²³ TD 19247'	²⁴ PBTD 19186'	²⁵ Perforations 9204 ft to 19103 ft	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17.5"		13.375"	380'		485 sks
9.875"		7.625"	8523'		1375 sks
6.75"		5.5"	19235'		940 sks

V. Well Test Data

³¹ Date New Oil 11/5/2023	³² Gas Delivery Date 11/5/2023	³³ Test Date 12/2/2023	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 1683	³⁶ Csg. Pressure 1046
³⁷ Choke Size 42/64	³⁸ Oil 262	³⁹ Water 3480	⁴⁰ Gas 4541		⁴¹ Test Method Pumping
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: Sarah McGrath		
Title: Regulatory Specialist			Title: Petroleum Specialist - A		
E-mail Address: jtrlica@taprk.com			Approval Date: 01/04/2024		
Date: 12/12/2023		Phone: 720-772-5910	File 3160-4 within 10 days of BLM Approval		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
As Drilled

AS-DRILLED PLAT

¹ API Number 30-015-53325		² Pool Code 98220		³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	
⁴ Property Code 333731		⁵ Property Name COLD SNACK FED COM			⁶ Well Number 234H
⁷ OGRID No. 372043		⁸ Operator Name TAP ROCK OPERATING, LLC.			⁹ Elevation 3452'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	14	25-S	25-E	-	1672'	SOUTH	315'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	13	25-S	25-E	-	358'	SOUTH	251'	EAST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)
1672' FSL - SEC. 14
315' FWL - SEC. 14
X=528752 Y=410001
LAT.: N 32.1271663
LONG.: W 104.3739881

KICK OFF POINT (KOP)
407' FSL - SEC. 14
33' FWL - SEC. 14
X=528481 Y=408736
LAT.: N 32.1236883
LONG.: W 104.3748642
MD=8587' TVD=8464'

FIRST TAKE POINT (FTP)
335' FSL - SEC. 14
344' FWL - SEC. 14
X=528792 Y=408664
LAT.: N 32.1234905
LONG.: W 104.3738576
MD=9194' TVD=8944'

FED PERF. POINT (FPP1)
370' FSL - SEC. 14
0' FEL - SEC. 14
X=533761 Y=408703
LAT.: N 32.1236003
LONG.: W 104.3578062
MD=14189' TVD=9115'

FED PERF. POINT (FPP2)
322' FSL - SEC. 13
2653' FWL - SEC. 13
X=536415 Y=408696
LAT.: N 32.1235822
LONG.: W 104.3492358
MD=16847' TVD=9185'

LAST TAKE POINT (LTP)
359' FSL - SEC. 13
333' FEL - SEC. 13
X=538731 Y=408767
LAT.: N 32.1237804
LONG.: W 104.3417544
MD=19165' TVD=9237'

BOTTOM HOLE LOCATION (BHL)
358' FSL - SEC. 13
251' FEL - SEC. 13
X=538812 Y=408768
LAT.: N 32.1237811
LONG.: W 104.3414903
MD=19247' TVD=9238'

¹⁷OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

 9/21/2023

Signature Date
Jeff Trlica

Printed Name


E-mail Address

¹⁸SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

03/17/2023


Date of Survey
Signature and Seal of Professional Surveyor

jtrlica@taprk.com



11/16/2023 1:58:19 PM
Certificate Number





NEW MEXICO EAST NAD 1983			
SURFACE LOCATION (SHL)	KICK OFF POINT (KOP)	FIRST TAKE POINT (FTP)	FED PERF. POINT (FPP1)
1672' FSL - SEC. 14	407' FSL - SEC. 14	335' FSL - SEC. 14	370' FSL - SEC. 14
315' FWL - SEC. 14	33' FWL - SEC. 14	344' FWL - SEC. 14	0' FEL - SEC. 14
X=528752 Y=410001	X=528481 Y=408736	X=528792 Y=408664	X=533761 Y=408703
LAT.: N 32.1271663	LAT.: N 32.1236883	LAT.: N 32.1234905	LAT.: N 32.1236003
LONG.: W 104.3739881	LONG.: W 104.3748642	LONG.: W 104.3738576	LONG.: W 104.3578062
	MD=8587' TVD=8464'	MD=9194' TVD=8944'	MD=14189' TVD=9115'
FED PERF. POINT (FPP2)	LAST TAKE POINT (LTP)	BOTTOM HOLE LOCATION (BHL)	
359' FSL - SEC. 13	359' FSL - SEC. 13	322' FSL - SEC. 13	
333' FEL - SEC. 13	333' FEL - SEC. 13	2653' FWL - SEC. 13	
X=538731 Y=408767	X=538731 Y=408767	X=536415 Y=408696	
LAT.: N 32.1237804	LAT.: N 32.1237804	LAT.: N 32.1235822	
LONG.: W 104.3417544	LONG.: W 104.3417544	LONG.: W 104.3492358	
MD=19165' TVD=9237'	MD=19165' TVD=9237'	MD=16847' TVD=9185'	

LEASE NAME & WELL NO.: COLD SNACK FED COM 234H

SECTION 14 TWP 25-S RGE 25-E SURVEY N.M.P.M.

COUNTY EDDY STATE NM ELEVATION 3452'

DESCRIPTION 1672' FSL & 315' FWL



481 WINSWORTH ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



11/16/2023 1:58:20 PM

Ramon A. Dominguez, P.S. No. 24508

COLD SNACK FED COM
234H
AS-DRILLED

REVISION:

CR 11/16/23

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 08/09/2023

FILE:AD_COLD_SNACK_FED_COM_234H_REV2

DRAWN BY: GJU

SHEET: 2 OF 2



Operator: Tap Rock Resources, LLC.
Well Name: Cold Snack Fee #234H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-53325

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 8461' MD – 19,166' MD
Projection to Bit: 19250' MD
Dates Performed: 04/21/2023 – 05/04/2023
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
 Well Name: Cold Snack Fee #234H ST01
 Job Number: ID3931
 Survey Company: Intrepid Directional Drilling Specialists
 Rig Name: H&P 312

Target KBTVD: 9060.00
 Target Inclination: 89.00°
 Declination Correction: 7.05°
 DF Elevation: 3477

Vertical Section Calculated Along Azimuth:

89.54°

Survey Calculation Method: Minimum Curvature

TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg
TYPE	#	Depth	deg.	deg.	Length	Ft.	FT.	Ft.	Ft.	%/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	86.62	0.68	182.89	87	86.62	-0.03	-0.51	-0.03	0.79
GYRO	2	173.64	0.78	181.22	87	173.63	-0.08	-1.62	-0.06	0.12
GYRO	3	259.08	0.81	181.78	85	259.06	-0.12	-2.81	-0.10	0.04
GYRO	4	354.14	0.72	220.64	95	354.11	-0.54	-3.93	-0.51	0.54
GYRO	5	446.29	0.85	221.58	92	446.26	-1.38	-4.88	-1.34	0.14
GYRO	6	538.40	0.77	233.38	92	538.36	-2.33	-5.76	-2.29	0.20
GYRO	7	630.21	0.37	250.30	92	630.16	-3.11	-6.23	-3.06	0.47
GYRO	8	722.24	0.41	283.27	92	722.19	-3.71	-6.25	-3.66	0.24
GYRO	9	813.66	0.70	185.52	91	813.61	-4.09	-6.74	-4.03	0.94
GYRO	10	904.97	1.94	174.64	91	904.89	-4.01	-8.83	-3.94	1.38
GYRO	11	997.35	3.13	172.13	92	997.18	-3.55	-12.88	-3.45	1.29
GYRO	12	1089.28	4.40	165.11	92	1088.91	-2.35	-18.78	-2.20	1.47
GYRO	13	1181.48	5.15	155.50	92	1180.79	0.22	-25.96	0.42	1.19
GYRO	14	1273.18	5.24	164.28	92	1272.12	2.99	-33.74	3.27	0.87
GYRO	15	1364.79	4.90	186.19	92	1363.38	3.64	-41.66	3.98	2.13
GYRO	16	1457.21	5.86	201.00	92	1455.39	1.46	-49.99	1.86	1.82
GYRO	17	1548.52	7.61	205.45	91	1546.07	-2.89	-59.80	-2.41	2.00
GYRO	18	1639.69	8.95	203.60	91	1636.29	-8.42	-71.75	-7.84	1.50
GYRO	19	1734.95	10.28	203.16	95	1730.21	-14.84	-86.35	-14.15	1.40
GYRO	20	1830.43	10.74	199.83	95	1824.08	-21.34	-102.56	-20.52	0.80
GYRO	21	1925.78	11.77	195.21	95	1917.60	-27.05	-120.30	-26.09	1.43
GYRO	22	2021.02	11.94	191.24	95	2010.81	-31.67	-139.33	-30.56	0.87
GYRO	23	2116.38	10.87	189.71	95	2104.29	-35.26	-157.87	-33.99	1.17
GYRO	24	2211.70	11.05	188.86	95	2197.87	-38.33	-175.76	-36.92	0.25
GYRO	25	2306.61	11.29	190.73	95	2290.98	-41.60	-193.87	-40.05	0.46
GYRO	26	2402.04	13.36	191.50	95	2384.21	-45.70	-213.86	-43.99	2.18
GYRO	27	2497.67	12.80	189.79	96	2477.36	-49.88	-235.12	-47.99	0.71
GYRO	28	2593.24	12.60	188.61	96	2570.59	-53.40	-255.86	-51.35	0.34
GYRO	29	2688.61	11.68	186.97	95	2663.82	-56.29	-275.73	-54.08	1.03
GYRO	30	2784.26	12.36	191.77	96	2757.38	-59.71	-295.36	-57.34	1.26
GYRO	31	2879.76	11.24	189.24	96	2850.86	-63.45	-314.56	-60.92	1.29
GYRO	32	2975.16	12.14	194.35	95	2944.28	-67.58	-333.45	-64.90	1.44
GYRO	33	3070.48	11.26	193.28	95	3037.62	-72.35	-352.22	-69.52	0.95
GYRO	34	3165.85	12.43	193.47	95	3130.96	-77.03	-371.27	-74.05	1.23
GYRO	35	3261.34	12.08	192.24	95	3224.27	-81.70	-391.02	-78.57	0.46
GYRO	36	3356.71	11.79	191.44	95	3317.58	-85.91	-410.33	-82.61	0.35
GYRO	37	3452.33	10.65	190.05	96	3411.37	-89.53	-428.60	-86.09	1.23
GYRO	38	3548.00	12.14	191.84	96	3505.15	-93.29	-447.15	-89.70	1.60
GYRO	39	3643.56	11.64	189.74	96	3598.66	-97.14	-466.49	-93.39	0.69
GYRO	40	3739.05	11.10	188.41	95	3692.28	-100.26	-485.08	-96.37	0.63
GYRO	41	3834.28	11.89	192.24	95	3785.60	-103.83	-503.73	-99.79	1.15
GYRO	42	3929.54	10.77	189.58	95	3879.00	-107.54	-522.10	-103.35	1.30
GYRO	43	4024.66	11.78	192.24	95	3972.29	-111.22	-540.35	-106.89	1.19
GYRO	44	4120.03	11.00	191.73	95	4065.78	-115.28	-558.78	-110.80	0.82
GYRO	45	4215.26	10.49	189.79	95	4159.34	-118.74	-576.22	-114.12	0.66
GYRO	46	4310.30	12.00	192.82	95	4252.55	-122.55	-594.38	-117.79	1.71
GYRO	47	4405.56	13.72	191.35	95	4345.42	-127.14	-615.11	-122.21	1.84
GYRO	48	4501.08	12.54	191.43	96	4438.44	-131.60	-636.38	-126.49	1.24
GYRO	49	4596.55	11.56	192.15	95	4531.81	-135.82	-655.89	-130.56	1.04

GYRO	50	4691.85	10.86	191.13	95	4625.29	-139.71	-674.03	-134.30	0.76
GYRO	51	4787.18	12.36	190.01	95	4718.66	-143.37	-692.90	-137.81	1.59
GYRO	52	4882.42	11.81	189.22	95	4811.79	-146.86	-712.55	-141.14	0.60
GYRO	53	4977.52	12.75	191.91	95	4904.72	-150.74	-732.43	-144.87	1.16
GYRO	54	5072.92	11.56	192.71	95	4997.98	-155.18	-752.05	-149.14	1.26
GYRO	55	5168.22	10.15	196.20	95	5091.57	-159.76	-769.43	-153.59	1.63
GYRO	56	5263.57	9.49	192.05	95	5185.52	-163.87	-785.19	-157.57	1.01
GYRO	57	5359.23	10.08	183.75	96	5279.80	-166.19	-801.26	-159.77	1.60
GYRO	58	5453.91	11.42	188.74	95	5372.81	-168.30	-818.79	-161.73	1.72
GYRO	59	5549.22	10.95	193.05	95	5466.32	-171.92	-836.93	-165.21	1.01
GYRO	60	5644.59	11.57	193.33	95	5559.85	-176.32	-855.07	-169.46	0.65
GYRO	61	5739.88	12.46	191.88	95	5653.05	-180.79	-874.42	-173.78	0.99
GYRO	62	5835.24	9.62	188.61	95	5746.64	-184.25	-892.37	-177.09	3.05
GYRO	63	5930.67	11.27	190.17	95	5840.48	-187.23	-909.44	-179.93	1.75
GYRO	64	6026.15	12.90	194.20	95	5933.85	-191.65	-928.95	-184.19	1.92
GYRO	65	6121.11	10.74	193.27	95	6026.79	-196.43	-947.84	-188.83	2.28
GYRO	66	6215.96	12.40	190.71	95	6119.71	-200.50	-966.45	-192.75	1.83
GYRO	67	6311.61	12.98	189.89	96	6213.02	-204.42	-987.13	-196.50	0.63
GYRO	68	6406.48	11.34	190.98	95	6305.76	-208.18	-1006.78	-200.11	1.75
GYRO	69	6501.71	14.16	192.13	95	6398.63	-212.58	-1027.36	-204.34	2.97
GYRO	70	6596.99	12.00	190.02	95	6491.43	-216.92	-1048.51	-208.51	2.32
GYRO	71	6692.44	10.79	189.49	95	6585.00	-220.27	-1067.10	-211.71	1.27
GYRO	72	6787.80	13.06	194.73	95	6678.30	-224.64	-1086.33	-215.92	2.64
GYRO	73	6883.11	11.68	198.47	95	6771.40	-230.59	-1105.89	-221.72	1.67
GYRO	74	6978.63	12.27	192.79	96	6864.84	-236.05	-1124.96	-227.03	1.38
GYRO	75	7073.72	9.76	195.53	95	6958.17	-240.59	-1142.58	-231.42	2.70
GYRO	76	7169.25	8.63	196.84	96	7052.47	-244.95	-1157.25	-235.67	1.20
GYRO	77	7264.85	8.04	185.88	96	7147.07	-247.82	-1170.76	-238.43	1.77
GYRO	78	7360.17	7.52	189.21	95	7241.51	-249.61	-1183.55	-240.11	0.72
GYRO	79	7455.52	9.66	191.58	95	7335.79	-252.32	-1197.55	-242.72	2.27
GYRO	80	7551.15	8.70	196.81	96	7430.19	-256.15	-1212.33	-246.42	1.33
GYRO	81	7646.36	6.62	199.68	95	7524.55	-260.17	-1224.39	-250.35	2.22
GYRO	82	7741.95	5.15	204.96	96	7619.63	-263.91	-1233.47	-254.02	1.64
GYRO	83	7837.42	4.45	210.19	95	7714.77	-267.64	-1240.56	-257.69	0.86
GYRO	84	7932.66	3.95	208.30	95	7809.75	-271.10	-1246.64	-261.10	0.54
GYRO	85	8028.08	3.58	208.94	95	7904.97	-274.15	-1252.14	-264.10	0.39
GYRO	86	8123.52	3.62	210.87	95	8000.22	-277.17	-1257.34	-267.09	0.13
GYRO	87	8218.97	1.13	196.73	95	8095.58	-279.02	-1260.82	-268.91	2.66
GYRO	88	8314.27	1.02	209.60	95	8190.86	-279.72	-1262.46	-269.60	0.28
GYRO	89	8409.75	1.11	144.88	95	8286.33	-279.62	-1263.96	-269.48	1.20
GYRO	90	8444.33	1.03	227.38	35	8320.90	-279.66	-1264.44	-269.52	4.08
MWD	91	8461.00	1.01	233.37	17	8337.57	-279.89	-1264.63	-269.75	0.65
MWD	92	8502.00	0.97	243.12	41	8378.57	-280.49	-1265.00	-270.35	0.42
MWD	93	8587.00	1.05	286.10	85	8463.55	-281.89	-1265.11	-271.74	0.87
MWD	94	8682.00	16.00	102.24	95	8557.40	-269.86	-1267.67	-259.69	17.95
MWD	95	8778.00	21.63	110.59	96	8648.25	-240.41	-1276.70	-230.17	6.49
MWD	96	8874.00	29.93	115.68	96	8734.63	-202.33	-1293.33	-191.95	8.94
MWD	97	8969.00	42.64	101.18	95	8811.19	-149.22	-1309.94	-138.71	16.07
MWD	98	9064.00	53.71	92.30	95	8874.51	-79.17	-1317.75	-68.59	13.56
MWD	99	9159.00	58.24	103.82	95	8927.78	-1.57	-1328.96	9.10	11.11
MWD	100	9256.00	66.90	105.93	97	8972.42	81.36	-1351.10	92.21	9.13
MWD	101	9352.00	78.02	94.24	96	9001.40	171.08	-1366.79	182.06	16.38
MWD	102	9470.00	93.36	81.58	118	9010.28	288.10	-1362.39	299.05	16.82
MWD	103	9565.00	92.26	82.90	95	9005.62	382.21	-1349.58	393.06	1.81
MWD	104	9660.00	90.90	84.39	95	9003.00	476.67	-1339.07	487.44	2.12
MWD	105	9756.00	88.66	85.80	96	9003.37	572.37	-1330.86	583.08	2.76
MWD	106	9851.00	86.33	85.10	95	9007.52	667.03	-1323.33	677.68	2.56
MWD	107	9945.00	86.15	85.62	94	9013.69	760.58	-1315.75	771.17	0.58
MWD	108	10039.00	85.41	86.59	94	9020.61	854.16	-1309.38	864.70	1.30
MWD	109	10133.00	85.63	87.12	94	9027.95	947.76	-1304.24	958.27	0.61
MWD	110	10228.00	87.34	89.49	95	9033.77	1042.55	-1301.43	1053.04	3.07
MWD	111	10323.00	87.08	90.90	95	9038.40	1137.43	-1301.76	1147.92	1.51
MWD	112	10419.00	87.65	91.60	96	9042.81	1233.29	-1303.85	1243.80	0.94

MWD	113	10513.00	85.89	91.34	94	9048.11	1327.08	-1306.26	1337.61	1.89
MWD	114	10607.00	85.10	90.46	94	9055.49	1420.76	-1307.73	1431.31	1.26
MWD	115	10701.00	84.48	90.28	94	9064.03	1514.36	-1308.33	1524.92	0.69
MWD	116	10796.00	85.01	90.11	95	9072.73	1608.96	-1308.65	1619.52	0.59
MWD	117	10891.00	86.95	92.30	95	9079.39	1703.67	-1310.65	1714.25	3.08
MWD	118	10985.00	86.42	92.13	94	9084.82	1797.41	-1314.28	1808.02	0.59
MWD	119	11079.00	86.46	91.86	94	9090.66	1891.15	-1317.54	1901.79	0.29
MWD	120	11175.00	87.52	92.66	96	9095.70	1986.90	-1321.32	1997.58	1.38
MWD	121	11270.00	85.23	90.55	95	9101.71	2081.64	-1323.98	2092.34	3.27
MWD	122	11365.00	82.95	89.32	95	9111.49	2176.12	-1323.88	2186.82	2.72
MWD	123	11461.00	84.75	89.23	96	9121.77	2271.57	-1322.67	2282.26	1.88
MWD	124	11551.00	83.52	88.26	90	9130.97	2361.08	-1320.71	2371.76	1.74
MWD	125	11640.00	90.42	89.05	89	9135.67	2449.90	-1318.62	2460.56	7.80
MWD	126	11730.00	93.23	88.96	90	9132.81	2539.84	-1317.06	2550.49	3.12
MWD	127	11822.00	92.31	90.81	92	9128.36	2631.72	-1316.88	2642.38	2.24
MWD	128	11911.00	93.36	91.16	89	9123.96	2720.58	-1318.41	2731.26	1.24
MWD	129	12000.00	94.20	91.34	89	9118.09	2809.35	-1320.34	2820.04	0.97
MWD	130	12091.00	91.16	90.63	91	9113.84	2900.21	-1321.91	2910.92	3.43
MWD	131	12180.00	89.63	89.67	89	9113.22	2989.20	-1322.14	2999.91	2.03
MWD	132	12270.00	84.18	88.44	90	9118.08	3079.03	-1320.66	3089.73	6.21
MWD	133	12360.00	87.82	89.93	90	9124.36	3168.79	-1319.39	3179.49	4.37
MWD	134	12449.00	89.71	92.13	89	9126.28	3257.73	-1320.99	3268.44	3.26
MWD	135	12540.00	89.32	90.02	91	9127.05	3348.69	-1322.69	3359.42	2.36
MWD	136	12634.00	88.40	88.61	94	9128.92	3442.67	-1321.57	3453.39	1.79
MWD	137	12729.00	89.63	87.73	95	9130.55	3537.62	-1318.54	3548.32	1.59
MWD	138	12824.00	91.16	87.29	95	9129.89	3632.56	-1314.41	3643.23	1.68
MWD	139	12918.00	90.29	87.29	94	9128.70	3726.48	-1309.96	3737.11	0.93
MWD	140	13013.00	90.59	87.38	95	9127.98	3821.40	-1305.55	3832.01	0.33
MWD	141	13108.00	92.26	87.03	95	9125.61	3916.29	-1300.92	3926.86	1.80
MWD	142	13202.00	89.54	86.94	94	9124.14	4010.18	-1295.97	4020.71	2.90
MWD	143	13297.00	87.21	87.12	95	9126.83	4105.04	-1291.05	4115.54	2.46
MWD	144	13393.00	94.55	89.14	96	9125.36	4200.93	-1287.92	4211.41	7.93
MWD	145	13488.00	88.31	88.70	95	9122.99	4295.85	-1286.13	4306.31	6.58
MWD	146	13581.00	89.14	89.40	93	9125.06	4388.82	-1284.59	4399.28	1.17
MWD	147	13675.00	93.27	90.55	94	9123.08	4482.78	-1284.55	4493.23	4.56
MWD	148	13769.00	88.62	89.14	94	9121.53	4576.73	-1284.29	4587.19	5.17
MWD	149	13860.00	86.77	88.61	91	9125.19	4667.65	-1282.51	4678.10	2.11
MWD	150	13955.00	92.48	92.66	95	9125.81	4762.57	-1283.56	4773.03	7.37
MWD	151	14050.00	93.27	94.24	95	9121.05	4857.23	-1289.27	4867.73	1.86
MWD	152	14145.00	92.22	93.62	95	9116.50	4951.84	-1295.78	4962.40	1.28
MWD	153	14240.00	90.42	93.62	95	9114.31	5046.57	-1301.77	5057.18	1.89
MWD	154	14334.00	86.95	91.69	94	9116.47	5140.39	-1306.12	5151.04	4.22
MWD	155	14429.00	86.29	90.99	95	9122.07	5235.17	-1308.34	5245.85	1.01
MWD	156	14523.00	85.10	88.96	94	9129.12	5328.90	-1308.30	5339.57	2.50
MWD	157	14618.00	89.14	89.93	95	9133.90	5423.76	-1307.39	5434.43	4.37
MWD	158	14712.00	89.49	89.32	94	9135.02	5517.75	-1306.77	5528.42	0.75
MWD	159	14806.00	88.31	89.32	94	9136.82	5611.73	-1305.66	5622.39	1.26
MWD	160	14901.00	88.88	90.90	95	9139.15	5706.69	-1305.84	5717.36	1.77
MWD	161	14995.00	89.36	91.60	94	9140.60	5800.64	-1307.89	5811.33	0.90
MWD	162	15090.00	85.14	91.16	95	9145.15	5895.46	-1310.17	5906.17	4.47
MWD	163	15185.00	85.63	90.28	95	9152.80	5990.13	-1311.36	6000.85	1.06
MWD	164	15279.00	84.62	89.32	94	9160.79	6083.79	-1311.04	6094.51	1.48
MWD	165	15374.00	84.13	87.47	95	9170.10	6178.31	-1308.39	6189.01	2.01
MWD	166	15469.00	89.49	86.77	95	9175.38	6273.04	-1303.62	6283.71	5.69
MWD	167	15563.00	88.79	87.21	94	9176.79	6366.93	-1298.69	6377.57	0.88
MWD	168	15658.00	93.19	87.47	95	9175.15	6461.83	-1294.28	6472.43	4.64
MWD	169	15753.00	87.96	88.79	95	9174.20	6556.76	-1291.18	6567.34	5.68
MWD	170	15848.00	83.96	88.79	95	9180.89	6651.49	-1289.18	6662.06	4.21
MWD	171	15942.00	88.31	88.96	94	9187.23	6745.25	-1287.34	6755.81	4.63
MWD	172	15971.00	85.54	92.66	29	9188.78	6774.20	-1287.75	6784.75	15.92
MWD	173	16033.00	84.92	92.92	62	9193.94	6835.88	-1290.76	6846.46	1.08
MWD	174	16072.00	88.31	90.99	39	9196.24	6874.77	-1292.08	6885.37	10.00
MWD	175	16128.00	89.23	90.02	56	9197.44	6930.75	-1292.58	6941.35	2.39

MWD	176	16222.00	93.05	90.99	94	9195.57	7024.70	-1293.40	7035.31	4.19
MWD	177	16317.00	93.67	90.28	95	9190.01	7119.52	-1294.46	7130.14	0.99
MWD	178	16411.00	92.92	91.60	94	9184.60	7213.33	-1296.00	7223.97	1.61
MWD	179	16513.00	93.14	91.95	102	9179.21	7315.11	-1299.15	7325.78	0.40
MWD	180	16605.00	89.80	91.51	92	9176.85	7407.00	-1301.93	7417.69	3.66
MWD	181	16700.00	88.70	91.25	95	9178.09	7501.94	-1304.21	7512.65	1.19
MWD	182	16794.00	87.03	91.34	94	9181.60	7595.83	-1306.34	7606.56	1.78
MWD	183	16888.00	85.71	87.56	94	9187.55	7689.62	-1305.44	7700.35	4.25
MWD	184	16982.00	86.59	86.33	94	9193.86	7783.31	-1300.44	7794.00	1.61
MWD	185	17077.00	88.66	85.62	95	9197.80	7878.04	-1293.78	7888.68	2.30
MWD	186	17172.00	88.92	85.62	95	9199.80	7972.79	-1286.52	7983.38	0.27
MWD	187	17267.00	89.01	87.03	95	9201.52	8067.63	-1280.44	8078.17	1.49
MWD	188	17362.00	89.71	88.09	95	9202.58	8162.56	-1276.39	8173.07	1.34
MWD	189	17457.00	89.85	88.09	95	9202.95	8257.53	-1273.23	8268.02	0.15
MWD	190	17552.00	89.45	87.56	95	9203.53	8352.49	-1269.62	8362.95	0.70
MWD	191	17647.00	89.14	87.12	95	9204.70	8447.41	-1265.21	8457.84	0.57
MWD	192	17742.00	89.32	87.38	95	9205.97	8542.32	-1260.65	8552.72	0.33
MWD	193	17837.00	89.54	87.65	95	9206.92	8637.26	-1256.54	8647.63	0.37
MWD	194	17932.00	89.01	88.70	95	9208.12	8732.22	-1253.51	8742.57	1.24
MWD	195	18026.00	88.62	89.76	94	9210.06	8826.20	-1252.25	8836.54	1.20
MWD	196	18120.00	89.10	89.84	94	9211.93	8920.18	-1251.92	8930.52	0.52
MWD	197	18214.00	88.92	89.32	94	9213.56	9014.17	-1251.23	9024.50	0.59
MWD	198	18309.00	89.14	89.93	95	9215.17	9109.15	-1250.61	9119.49	0.68
MWD	199	18402.00	86.77	88.96	93	9218.48	9202.09	-1249.71	9212.42	2.75
MWD	200	18497.00	87.21	88.88	95	9223.47	9296.95	-1247.92	9307.27	0.47
MWD	201	18591.00	89.01	88.44	94	9226.57	9390.88	-1245.72	9401.19	1.97
MWD	202	18685.00	88.22	87.29	94	9228.84	9484.81	-1242.22	9495.09	1.48
MWD	203	18780.00	88.18	88.26	95	9231.83	9579.72	-1238.54	9589.97	1.02
MWD	204	18875.00	89.80	89.58	95	9233.50	9674.69	-1236.75	9684.93	2.20
MWD	205	18969.00	89.14	89.23	94	9234.37	9768.69	-1235.77	9778.93	0.79
MWD	206	19064.00	89.41	89.40	95	9235.57	9863.68	-1234.64	9873.91	0.34
MWD	207	19166.00	89.27	89.84	102	9236.75	9965.67	-1233.96	9975.90	0.45
PTB	208	19250.00	89.27	89.84	84	9237.82	10049.67	-1233.72	10059.89	0.00

Well Name: COLD SNACK FED COM	Well Location: T25S / R25E / SEC 14 / NWSW / 32.1271663 / -104.3739881	County or Parish/State: EDDY / NM
Well Number: 234H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM28169	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553325	Well Status: Producing Gas Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2761468

Type of Submission: Subsequent Report

Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 11/14/2023

Time Sundry Submitted: 10:02

Date Operation Actually Began: 08/10/2023

Actual Procedure: 8/6/2023: Pressure test casing to 5000 psi for 30 minutes, good test. 8/10/2023 to 9/2/2023: Perforate from 9204 ft to 19103 ft, 1 SPF, .55 inch holes with 572 total shots. 44 stage frac with 25,425,197 lbs of 100 mesh sand. 9/6/2023 to 9/8/2023: Drill out plugs Plug Back Measured depth at 19186 ft MD, 9237 ft TVD. 9/9/2023: Ready to produce

Well Name: COLD SNACK FED COM	Well Location: T25S / R25E / SEC 14 / NWSW / 32.1271663 / -104.3739881	County or Parish/State: EDDY / NM
Well Number: 234H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM28169	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553325	Well Status: Producing Gas Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA

Signed on: NOV 14, 2023 10:01 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDENState: CO

Phone: (720) 772-5910

Email address: JTRLICA@TAPRK.COM

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Sundry Received

Disposition Date: 11/14/2023

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-53325										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name COLD SNACK FED COM		
								6. Well Number: 234H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	L	14	25S	25E	-	1672	SOUTH	315	WEST	EDDY
BH:	P	13	25S	25E	-	358	SOUTH	251	EAST	EDDY
13. Date Spudded 3/27/2023	14. Date T.D. Reached 5/4/2023		15. Date Rig Released 5/6/2023			16. Date Completed (Ready to Produce) 9/9/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3452 GR		
18. Total Measured Depth of Well 19247 ft			19. Plug Back Measured Depth 19186 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9204 ft to 19103 ft							WOLFCAMP			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		380'		17.5"		485 sks		0
7.625"		29.7		8523'		9.875"		1375 sks		0
5.5"		20		19235'		6.75"		940 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2.875	8563	8539		
26. Perforation record (interval, size, and number) Perforate from 9204 ft to 19103 ft, 1 SPF, .55 inch holes with 572 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 9204 ft to 19103 ft 44 stage frac with 25,425,197 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 11/5/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift				Well Status (Prod. or Shut-in) Producing				
Date of Test 12/2/2023	Hours Tested 24 hrs	Choke Size 42/64	Prod'n For Test Period	Oil - Bbl 262	Gas - MCF 4541	Water - Bbl. 3480	Gas - Oil Ratio 17332			
Flow Tubing Press. 1683	Casing Pressure 1046	Calculated 24-Hour Rate	Oil - Bbl. 262	Gas - MCF 4541	Water - Bbl. 3480	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
			Latitude		Longitude		NAD83			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Jeff Trlica			Title Regulatory Specialist			Date 12/12/2023		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	22		Quaternary					
22	457		Rustler					
457	1260		Top of Salt					
1260	1630		Base of Salt					
1630	1648		Lamar					
1648	2422		Bell Canyon					
2422	3302		Cherry Canyon					
3302	5002		Brushy Canyon					
5002	5417		Bone Spring					
5417	5838		Avalon					
5838	6450		1st Bone Spring Sand					
6450	7666		2nd Bone Spring Sand					
7666	8019		3rd Bone Spring Sand					
8019			Wolfcamp					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 295062

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 295062
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 295062

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 295062
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	On future C-102s, please correct the orientation of the spacing unit so that north is facing up, towards the top of the page.	1/4/2024
smcgrath	File 3160-4 within 10 days of BLM Approval.	1/4/2024