

Report to:
Adam Kelly



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Creedence Energy

Project Name: N Escavada Pond 16B

Work Order: E309200

Job Number: 22025-0001

Received: 9/27/2023

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
10/4/23

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 10/4/23

Adam Kelly
PO BOX 3950
Farmington, NM 87499



Project Name: N Escavada Pond 16B
Workorder: E309200
Date Received: 9/27/2023 8:40:00AM

Adam Kelly,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 9/27/2023 8:40:00AM, under the Project Name: N Escavada Pond 16B.

The analytical test results summarized in this report with the Project Name: N Escavada Pond 16B apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
N. Escavada Pond 16B	5
QC Summary Data	6
QC - Wet Chem/Gravimetric by SM2540C	6
QC - Wet Chemistry by 9040C/4500H+B	7
QC - Wet Chemistry by SM2320B	8
QC - Wet Chemistry by 9050A/2510B	9
QC - Dissolved Metals by EPA 6010C	10
QC - Anions by EPA 300.0/9056A	11
Definitions and Notes	12
Chain of Custody etc.	13

Sample Summary

Creedence Energy	Project Name:	N Escavada Pond 16B	Reported:
PO BOX 3950	Project Number:	22025-0001	
Farmington NM, 87499	Project Manager:	Adam Kelly	10/04/23 15:12

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
N. Escavada Pond 16B	E309200-01A	Aqueous	09/27/23	09/27/23	Poly, 1000mL
	E309200-01B	Aqueous	09/27/23	09/27/23	Poly, 1000mL; HCL



Sample Data

Creedence Energy PO BOX 3950 Farmington NM, 87499	Project Name: N Escavada Pond 16B Project Number: 22025-0001 Project Manager: Adam Kelly	Reported: 10/4/2023 3:12:38PM
---	--	---

N. Escavada Pond 16B

E309200-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Wet Chem/Gravimetric by SM2540C	mg/L	mg/L	Analyst: KF			Batch: 2339076
Total Dissolved Solids	11100	10.0	1	09/29/23	09/29/23	
Wet Chemistry by 9040C/4500H+B	pH Units	pH Units	Analyst: BA			Batch: 2339084
pH @25°C	8.13		1	09/28/23 12:27	09/28/23 14:45	H5
Wet Chemistry by SM2320B	mg/L	mg/L	Analyst: KH			Batch: 2339099
Total Alkalinity (as CaCO3 at pH 4.5)	202	10.0	1	09/29/23	09/29/23	
Wet Chemistry by 9050A/2510B	uS/cm	uS/cm	Analyst: KF			Batch: 2340017
Specific Conductance (@ 25 C)	13500	10.0	1	10/02/23	10/03/23	
Dissolved Metals by EPA 6010C	mg/L	mg/L	Analyst: JL			Batch: 2339110
Barium	ND	0.250	1	09/29/23	10/03/23	
Calcium	142	100	100	09/29/23	10/03/23	
Iron	ND	2.00	1	09/29/23	10/03/23	
Magnesium	8.32	1.00	1	09/29/23	10/03/23	
Potassium	30.9	1.00	1	09/29/23	10/03/23	
Sodium	3540	200	100	09/29/23	10/03/23	
Strontium	10.8	0.0100	1	09/29/23	10/03/23	
Sodium Absorption Ratio (CALC)	78.1		1	10/04/23	10/04/23	
Anions by EPA 300.0/9056A	mg/L	mg/L	Analyst: RAS			Batch: 2339047
Fluoride	5.98	2.50	10	09/27/23	09/28/23	
Chloride	767	20.0	10	09/27/23	09/28/23	
Nitrite-N	ND	2.50	10	09/27/23 12:13	09/28/23 12:26	
Nitrate-N	ND	2.50	10	09/27/23 12:13	09/28/23 12:26	
o-Phosphate-P	ND	2.50	10	09/27/23 12:13	09/28/23 12:26	
Sulfate	7330	200	100	09/27/23	09/28/23	



QC Summary Data

Creedence Energy	Project Name:	N Escavada Pond 16B	Reported:
PO BOX 3950	Project Number:	22025-0001	
Farmington NM, 87499	Project Manager:	Adam Kelly	10/4/2023 3:12:38PM

Wet Chem/Gravimetric by SM2540C

Analyst: KF

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/L	mg/L	mg/L	mg/L	%	%	%	%	

Blank (2339076-BLK1)					Prepared: 09/29/23 Analyzed: 09/29/23				
Total Dissolved Solids	ND	10.0							
LCS (2339076-BS1)					Prepared: 09/29/23 Analyzed: 09/29/23				
Total Dissolved Solids	105	10.0	100		105	55-134			
Duplicate (2339076-DUP1)					Source: E309199-10		Prepared: 09/29/23 Analyzed: 09/29/23		
Total Dissolved Solids	520	10.0		502			3.52	5	



QC Summary Data

Creedence Energy	Project Name:	N Escavada Pond 16B	Reported:
PO BOX 3950	Project Number:	22025-0001	
Farmington NM, 87499	Project Manager:	Adam Kelly	10/4/2023 3:12:38PM

Wet Chemistry by 9040C/4500H+B

Analyst: BA

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	pH Units	pH Units	pH Units	pH Units	%	%	%	%	

LCS (2339084-BS1)	Prepared: 09/28/23 Analyzed: 09/28/23								
pH	7.96		8.00		99.8	98.75-101.25			
Duplicate (2339084-DUP1)	Source: E309200-01 Prepared: 09/28/23 Analyzed: 09/28/23								
pH	8.13			8.13		0.00	20		



QC Summary Data

Creedence Energy	Project Name:	N Escavada Pond 16B	Reported:
PO BOX 3950	Project Number:	22025-0001	
Farmington NM, 87499	Project Manager:	Adam Kelly	10/4/2023 3:12:38PM

Wet Chemistry by SM2320B

Analyst: KH

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/L	mg/L	mg/L	mg/L	%	%	%	%	

LCS (2339099-BS1)					Prepared: 09/29/23 Analyzed: 09/29/23				
Total Alkalinity (as CaCO3 at pH 4.5)	253	10.0	250		101	70-130			
Duplicate (2339099-DUP1)					Source: E309199-02		Prepared: 09/29/23 Analyzed: 09/29/23		
Total Alkalinity (as CaCO3 at pH 4.5)	202	10.0		204			0.985	20	



QC Summary Data

Creedence Energy	Project Name:	N Escavada Pond 16B	Reported:
PO BOX 3950	Project Number:	22025-0001	
Farmington NM, 87499	Project Manager:	Adam Kelly	10/4/2023 3:12:38PM

Wet Chemistry by 9050A/2510B

Analyst: KF

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	uS/cm	uS/cm	uS/cm	uS/cm	%	%	%	%	

Blank (2340017-BLK1)					Prepared: 10/02/23 Analyzed: 10/03/23				
Specific Conductance (@ 25 C)	ND	10.0							
LCS (2340017-BS1)					Prepared: 10/02/23 Analyzed: 10/03/23				
Specific Conductance (@ 25 C)	1410	10.0	1410		99.6	98-102			
Duplicate (2340017-DUP1)					Source: E309200-01		Prepared: 10/02/23 Analyzed: 10/03/23		
Specific Conductance (@ 25 C)	13700	10.0		13500			1.55	20	
Duplicate (2340017-DUP2)					Source: E309235-10		Prepared: 10/02/23 Analyzed: 10/03/23		
Specific Conductance (@ 25 C)	813	10.0		808			0.617	20	



QC Summary Data

Creedence Energy	Project Name:	N Escavada Pond 16B	Reported:
PO BOX 3950	Project Number:	22025-0001	
Farmington NM, 87499	Project Manager:	Adam Kelly	10/4/2023 3:12:38PM

Dissolved Metals by EPA 6010C

Analyst: JL

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/L	mg/L	mg/L	mg/L	%	%	%	%	

Blank (2339110-BLK1)

Prepared: 09/29/23 Analyzed: 09/29/23

Barium	ND	0.250
Calcium	ND	1.00
Iron	ND	2.00
Magnesium	ND	1.00
Potassium	ND	1.00
Sodium	ND	2.00
Strontium	ND	0.0100

LCS (2339110-BS1)

Prepared: 09/29/23 Analyzed: 09/29/23

Barium	128	2.50	125	102	80-120
Calcium	509	10.0	500	102	80-120
Iron	1040	20.0	1000	104	80-120
Magnesium	545	10.0	500	109	80-120
Potassium	54.9	10.0	50.0	110	80-120
Sodium	212	20.0	200	106	80-120
Strontium	2.44	0.100	2.50	97.6	80-120

Matrix Spike (2339110-MS1)

Source: E309194-01

Prepared: 09/29/23 Analyzed: 09/29/23

Barium	130	2.50	125	ND	104	75-125
Calcium	1310	10.0	500	831	96.5	75-125
Iron	1050	20.0	1000	ND	105	75-125
Magnesium	547	10.0	500	12.2	107	75-125
Potassium	69.8	10.0	50.0	13.6	113	75-125
Sodium	1770	20.0	200	1670	48.5	75-125
Strontium	3.38	0.100	2.50	0.908	98.7	75-125

M4

Matrix Spike Dup (2339110-MSD1)

Source: E309194-01

Prepared: 09/29/23 Analyzed: 09/29/23

Barium	130	2.50	125	ND	104	75-125	0.0768	20
Calcium	1300	10.0	500	831	93.9	75-125	0.994	20
Iron	1050	20.0	1000	ND	105	75-125	0.190	20
Magnesium	555	10.0	500	12.2	109	75-125	1.54	20
Potassium	70.8	10.0	50.0	13.6	114	75-125	1.32	20
Sodium	1790	20.0	200	1670	59.5	75-125	1.24	20
Strontium	3.39	0.100	2.50	0.908	99.2	75-125	0.384	20

M4



QC Summary Data

Creedence Energy	Project Name:	N Escavada Pond 16B	Reported:
PO BOX 3950	Project Number:	22025-0001	
Farmington NM, 87499	Project Manager:	Adam Kelly	10/4/2023 3:12:38PM

Anions by EPA 300.0/9056A

Analyst: RAS

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/L	mg/L	mg/L	mg/L	%	%	%	%	

Blank (2339047-BLK1)					Prepared: 09/27/23 Analyzed: 09/28/23				
Chloride	ND	2.00							
Nitrite-N	ND	0.250							
Nitrate-N	ND	0.250							
Sulfate	ND	2.00							

LCS (2339047-BS1)					Prepared: 09/27/23 Analyzed: 09/28/23				
Chloride	24.7	2.00	25.0		98.7	90-110			
Nitrite-N	2.40	0.250	2.50		96.1	90-110			
Nitrate-N	2.56	0.250	2.50		103	90-110			
Sulfate	25.2	2.00	25.0		101	90-110			

LCS Dup (2339047-BSD1)					Prepared: 09/27/23 Analyzed: 09/28/23				
Chloride	24.8	2.00	25.0		99.2	90-110	0.470	20	
Nitrite-N	2.46	0.250	2.50		98.4	90-110	2.39	20	
Nitrate-N	2.57	0.250	2.50		103	90-110	0.389	20	
Sulfate	24.9	2.00	25.0		99.7	90-110	1.01	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Creedence Energy	Project Name:	N Escavada Pond 16B	
PO BOX 3950	Project Number:	22025-0001	Reported:
Farmington NM, 87499	Project Manager:	Adam Kelly	10/04/23 15:12

- H5 pH is specified to be performed in the field within 15 minutes of sampling. The sample analysis was performed as quickly as possible.
- M4 Matrix spike recovery value is suspect since the analyte concentration in the sample is disproportionate to the spike level. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Project Information

Chain of Custody

Client: <u>CREEDENCE ENERGY</u>		Bill To		Lab Use Only		TAT		EPA Program					
Project: <u>N. ESCAVADA Pond 16B</u>		Attention: <u>MARCELLA MARQUEZ</u>		Lab WO# <u>E309200</u>		Job Number <u>22025-0001</u>		1D	2D	3D	Standard	CWA	SDWA
Project Manager: <u>Adam KELLY</u>		Address:										<input checked="" type="checkbox"/>	
Address: <u>100 MISSOURI</u>		City, State, Zip											RCRA
City, State, Zip: <u>Bloomfield</u>		Phone:											
Phone: <u>505-860-6100</u>		Email: <u>MARCELLA.MARQUEZ@ENERGY.COM</u>											
Email: <u>Adam.KELLY@CREEDENCE-ENERGY.COM</u>		Report due by: <u>-</u>											

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC - NM	TCED 1005 - TX	Remarks
9/27	9/27	A	2	N. ESCAVADA Pond 16B	1									CWA

Additional Instructions:

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Lab Use Only
<u>[Signature]</u>	<u>9/27/23</u>	<u>8:40 A</u>	<u>Raina Lunny</u>	<u>9/27/23</u>	<u>8:40 AM</u>	Received on ice: <u>Y</u> / <u>N</u>
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	T1 <u>20.8</u> T2 <u>20.7</u> T3 <u>20.8</u>
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	AVG Temp °C <u>20.7</u> RA# <u>9/27/23</u>
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other

Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

Project Information

Chain of Custody

Client: CREEDENCE ENERGY		Bill To		Lab Use Only				TAT				EPA Program	
Project: N ESCALADA Pond 16B		Attention: Marcela Marquez		Lab WO#		Job Number		1D	2D	3D	Standard	CWA	SDWA
Project Manager: Adam Kelly		Address:		E309200		22025-0001					X	X	
Address: 100 MISSOURI		City, State, Zip		Analysis and Method									
City, State, Zip: Bloomfield		Phone:		RCRA									
Phone: 505-880-6100		Email: marcella.marquez@creedence-energy.com		State									
Email: Adam.Kelly@creedence-energy.com		creedence-energy.com		NM CO UT AZ TX									
Report due by: -													

[illegible]

Additional Instructions:

Additional Instructions: Corrections made to COC per Kenny Wood / Adam Kelly request via phone conversation 9/27/23

I, _____ (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: _____

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days

Relinquished by: (Signature) <i>Rick Wool</i>	Date <i>7/27/23</i>	Time <i>8:40 A</i>	Received by: (Signature) <i>Raina Lunny</i>	Date <i>9/27/23</i>	Time <i>8:40am</i>	Lab Use Only Received on ice: Y (N)
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	T1 <i>20.8</i> T2 <i>20.7</i> T3 <i>20.8</i>
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	AVG Temp °C <i>20.8</i> <i>RNA 9/27/23</i>
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other

Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



Envirotech Analytical Laboratory

Printed: 9/27/2023 11:15:23AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Creedence Energy	Date Received:	09/27/23 08:40	Work Order ID:	E309200
Phone:	(505) 860-6100	Date Logged In:	09/27/23 09:59	Logged In By:	Alexa Michaels
Email:	adam.kelly@creedence-energy.com	Due Date:	10/02/23 17:00 (3 day TAT)		

Chain of Custody (COC)

- | | |
|---|-----|
| 1. Does the sample ID match the COC? | Yes |
| 2. Does the number of samples per sampling site location match the COC | Yes |
| 3. Were samples dropped off by client or carrier? | Yes |
| 4. Was the COC complete, i.e., signatures, dates/times, requested analyses? | Yes |
| 5. Were all samples received within holding time? | Yes |

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: Kenny WoodComments/Resolution

Client requested analysis Cation Anion package, 6010 Dissolved Stontium and Barium on a 3 day TAT per. K.Wood and A.Kelly 9/27/23

Sample Turn Around Time (TAT)

- | | |
|---|----|
| 6. Did the COC indicate standard TAT, or Expedited TAT? | No |
|---|----|

Sample Cooler

- | | |
|--|-----|
| 7. Was a sample cooler received? | No |
| 8. If yes, was cooler received in good condition? | NA |
| 9. Was the sample(s) received intact, i.e., not broken? | Yes |
| 10. Were custody/security seals present? | No |
| 11. If yes, were custody/security seals intact? | NA |
| 12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C | No |

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

- | | |
|---|---------------|
| 13. If no visible ice, record the temperature. Actual sample temperature: | <u>20.8°C</u> |
|---|---------------|

Sample Container

- | | |
|--|-----|
| 14. Are aqueous VOC samples present? | No |
| 15. Are VOC samples collected in VOA Vials? | NA |
| 16. Is the head space less than 6-8 mm (pea sized or less)? | NA |
| 17. Was a trip blank (TB) included for VOC analyses? | NA |
| 18. Are non-VOC samples collected in the correct containers? | Yes |
| 19. Is the appropriate volume/weight or number of sample containers collected? | Yes |

Field Label

- | | |
|---|-----|
| 20. Were field sample labels filled out with the minimum information: | |
| Sample ID? | Yes |
| Date/Time Collected? | Yes |
| Collectors name? | No |

Sample Preservation

- | | |
|---|-----|
| 21. Does the COC or field labels indicate the samples were preserved? | Yes |
| 22. Are sample(s) correctly preserved? | No |
| 24. Is lab filtration required and/or requested for dissolved metals? | Yes |

Multiphase Sample Matrix

- | | |
|--|----|
| 26. Does the sample have more than one phase, i.e., multiphase? | No |
| 27. If yes, does the COC specify which phase(s) is to be analyzed? | NA |

Subcontract Laboratory

- | | |
|---|------------------------|
| 28. Are samples required to get sent to a subcontract laboratory? | No |
| 29. Was a subcontract laboratory specified by the client and if so who? | NA Subcontract Lab: NA |

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 300694

CONDITIONS

Operator: NEW MEXICO ENERGY MINERALS & NATURAL RESOURCE 1220 S St Francis Dr Santa Fe , NM 87504	OGRID: 264235
	Action Number: 300694
	Action Type: [IM-SD] Well File Support Doc (ENG) (IM-AWF)

CONDITIONS

Created By	Condition	Condition Date
pgoetze	None	1/7/2024