

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District I

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC P.O. BOX 4294 HOUSTON, TX 77210		² OGRID Number 16696
		³ Reason for Filing Code/ Effective Date – NW (9/10/2023)
⁴ API Number 30-015-47195	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code: 328290	⁸ Property Name: HEADS CC 9 4 FEDERAL COM	⁹ Well Number: 42H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	16	24S	29E		789'	NORTH	1588'	WEST	EDDY

¹¹ Bottom Hole Location FTP: 198' FSL 398' FWL LTP- 194' FNL 372' FWL (NSL-8520)

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	4	24S	29E		53'	NORTH	371'	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 09/09/2023		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 04/06/2023	²² Ready Date 09/10/2023	²³ TD 10846'V/ 21508'MD	²⁴ PBSD 10846'V/ 21463'M	²⁵ Perforations 11141' - 21367'MD	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		544'	1880sx – SURF
12-1/4"		9-5/8"		10392'	3698sx - SURF
8-1/2"		7" x 5-1/2"		21488'	2565sx – TOC ~9420'

V. Well Test Data

³¹ Date New Oil 09/16/2023	³² Gas Delivery Date 09/16/2023	³³ Test Date 10/15/2023	³⁴ Test Length 24 Hours	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2433psig
³⁷ Choke Size /128	³⁸ Oil 2555	³⁹ Water 7320	⁴⁰ Gas 14033		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Leslie T. Reeves*Printed name:
LESLIE REEVESTitle:
REGULATORY MANAGERE-mail Address:
LESLIE_REEVES@oxy.com

Date: 11/1/2023 Phone: 713-497-2492

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 01/23/2024

Re-upload CBL to OCD Permitting/ Well Logs that is clear and readable.
File 3160-4 within 10 days of BLM Approval.


State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

☐ AMENDED REPORT
AS-DRILLED

¹ API Number 30-015-47195	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 328290	⁵ Property Name HEADS CC 9-4 FEDERAL COM	⁶ Well Number 42H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2927'

UL or lot no. C	Section 16	Township 24S	Range 29E	Lot Idn	Feet from the	North/South line NORTH	Feet from the	East/West line WEST	County EDDY
--------------------	---------------	-----------------	--------------	---------	---------------	---------------------------	---------------	------------------------	----------------

UL or lot no. L 4	Section 4	Township 24S	Range 29E	Lot Idn	Feet from the 53	North/South line NORTH	Feet from the 371	East/West line WEST	County EDDY
¹² Dedicated Acres 1,278.94		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No. NSL-8520			



FEDERAL LEASE ID	LENGTH
NMNM 099034	6438.31'
TOTAL	6438.31'

CORNER COORDINATES		CORNER COORDINATES	
NAD 83, SPCS NM EAST		NAD 27, SPCS NM EAST	
A - X: 650262.85 '73	Y: 456331.74 '74	A - X: 609079.26 '01	Y: 456272.56 '66
B - X: 650284.73 '73	Y: 451033.82 '74	B - X: 609101.00 '01	Y: 450974.76 '66
C - X: 650298.13 '73	Y: 448381.95 '74	C - X: 609114.33 '01	Y: 448322.94 '66
D - X: 650312.09 '73	Y: 445726.24 '74	D - X: 609128.23 '01	Y: 445667.29 '66
E - X: 645021.30 '73	Y: 445699.33 '74	E - X: 603837.46 '01	Y: 445640.37 '66
F - X: 645008.87 '73	Y: 448351.90 '74	F - X: 603825.09 '01	Y: 448292.89 '66
G - X: 644997.51 '73	Y: 451006.93 '74	G - X: 603813.80 '01	Y: 450947.86 '66
H - X: 644969.85 '73	Y: 456311.03 '74	H - X: 603786.27 '01	Y: 456251.85 '66

SHEET 1 OF 1
JOB No. R4286_013
REV 0 TCS 9/8/2023

Distances/areas relative to NAD 83 grid measurements. Combined Scale Factor: 0.99978151 and a Convergence Angle: 0.16666667°



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_awp 92.09'-21483' Proj: 21508'

Page 1 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

REPORT SETUP INFORMATION

Projection System	NAD83 / TM New Mexico SP, Eastern Zone (3001), US feet	Software System	WellArchitect® 6.0
North Reference	Grid	User	Moyagusa
Scale	0.999922	Report Generated	6/6/2023 at 9:33:03 PM
Convergence at slot	0.18° East	Database	WA_HOU_Midland_Defn

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	0.00	0.00	646615.90	444918.40	32°13'21.7152"N	103°59'34.3966"W
Facility Reference Pt			646615.90	444918.40	32°13'21.7152"N	103°59'34.3966"W
Field Reference Pt			533303.25	1273342.63	34°30'0.0000"N	104°21'36.0000"W

WELLPATH DATUM

Calculation method	Minimum curvature	H&P 266 (KB) to Facility Vertical Datum	2952.10ft
Horizontal Reference Pt	Slot	H&P 266 (KB) to Mean Sea Level	2952.10ft
Vertical Reference Pt	H&P 266 (KB)	H&P 266 (KB) to Ground Level at Slot (Heads CC 9-4 Federal Com 42H)	25.00ft
MD Reference Pt	H&P 266 (KB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	353.65°



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_ awp 92.09'-21483' Proj: 21508'

Page 2 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH DATA (233 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
0.00†	0.000	126.640	0.00	0.00	0.00	0.00	646615.90	444918.40	32°13'21.7152"N	103°59'34.3966"W	0.00	0.00	0.00	
25.00	0.000	126.640	25.00	0.00	0.00	0.00	646615.90	444918.40	32°13'21.7152"N	103°59'34.3966"W	0.00	0.00	0.00	
92.09	0.230	126.640	92.09	-0.09	-0.08	0.11	646616.01	444918.32	32°13'21.7144"N	103°59'34.3953"W	0.34	0.34	0.00	Adjusted Gyrodata Gyro Surveys 92.09'-529.16' (Imp
178.89	0.540	137.570	178.89	-0.54	-0.49	0.52	646616.42	444917.91	32°13'21.7104"N	103°59'34.3905"W	0.37	0.36	12.59	
266.34	0.680	184.140	266.33	-1.38	-1.31	0.76	646616.66	444917.09	32°13'21.7023"N	103°59'34.3877"W	0.57	0.16	53.25	
360.89	0.880	191.110	360.87	-2.63	-2.58	0.58	646616.48	444915.82	32°13'21.6897"N	103°59'34.3899"W	0.23	0.21	7.37	
455.19	1.050	196.460	455.16	-4.12	-4.12	0.20	646616.10	444914.28	32°13'21.6745"N	103°59'34.3944"W	0.20	0.18	5.67	
529.16	0.970	205.550	529.12	-5.27	-5.33	-0.26	646615.64	444913.07	32°13'21.6624"N	103°59'34.3998"W	0.24	-0.11	12.29	
635.00	0.460	207.280	634.95	-6.39	-6.52	-0.84	646615.06	444911.88	32°13'21.6507"N	103°59'34.4067"W	0.48	-0.48	1.63	PHX MWD Surveys 635'-10277' (Imported)
727.00	0.370	242.890	726.95	-6.80	-6.98	-1.28	646614.62	444911.42	32°13'21.6462"N	103°59'34.4117"W	0.29	-0.10	38.71	
819.00	0.240	240.250	818.95	-6.98	-7.21	-1.71	646614.19	444911.19	32°13'21.6439"N	103°59'34.4168"W	0.14	-0.14	-2.87	
941.00	0.210	305.070	940.95	-6.93	-7.21	-2.11	646613.79	444911.19	32°13'21.6439"N	103°59'34.4215"W	0.20	-0.02	53.13	
1035.00	0.160	275.810	1034.95	-6.79	-7.10	-2.39	646613.51	444911.30	32°13'21.6450"N	103°59'34.4246"W	0.11	-0.05	-31.13	
1129.00	0.230	309.150	1128.95	-6.63	-6.97	-2.66	646613.24	444911.43	32°13'21.6464"N	103°59'34.4278"W	0.14	0.07	35.47	
1223.00	0.250	270.640	1222.94	-6.47	-6.85	-3.01	646612.89	444911.55	32°13'21.6476"N	103°59'34.4319"W	0.17	0.02	-40.97	
1317.00	0.180	278.750	1316.94	-6.41	-6.82	-3.36	646612.54	444911.58	32°13'21.6478"N	103°59'34.4360"W	0.08	-0.07	8.63	
1410.00	0.170	276.000	1409.94	-6.34	-6.79	-3.65	646612.25	444911.62	32°13'21.6482"N	103°59'34.4393"W	0.01	-0.01	-2.96	
1504.00	0.090	234.580	1503.94	-6.35	-6.81	-3.85	646612.06	444911.59	32°13'21.6479"N	103°59'34.4416"W	0.13	-0.09	-44.06	
1598.00	0.080	189.980	1597.94	-6.45	-6.92	-3.92	646611.98	444911.48	32°13'21.6469"N	103°59'34.4424"W	0.07	-0.01	-47.45	
1692.00	0.090	265.220	1691.94	-6.51	-6.99	-4.00	646611.90	444911.41	32°13'21.6462"N	103°59'34.4434"W	0.11	0.01	80.04	
1786.00	0.130	137.910	1785.94	-6.59	-7.08	-4.00	646611.90	444911.32	32°13'21.6453"N	103°59'34.4435"W	0.21	0.04	-135.44	
1879.00	0.150	119.400	1878.94	-6.75	-7.22	-3.83	646612.07	444911.19	32°13'21.6439"N	103°59'34.4414"W	0.05	0.02	-19.90	
1973.00	0.220	175.740	1972.94	-7.00	-7.46	-3.71	646612.19	444910.95	32°13'21.6416"N	103°59'34.4400"W	0.20	0.07	59.94	
2067.00	0.160	175.390	2066.94	-7.31	-7.77	-3.68	646612.22	444910.63	32°13'21.6385"N	103°59'34.4397"W	0.06	-0.06	-0.37	
2161.00	0.230	145.860	2160.94	-7.61	-8.05	-3.57	646612.33	444910.35	32°13'21.6356"N	103°59'34.4384"W	0.13	0.07	-31.41	
2255.00	0.150	177.480	2254.94	-7.90	-8.33	-3.45	646612.45	444910.07	32°13'21.6329"N	103°59'34.4371"W	0.14	-0.09	33.64	
2349.00	0.270	202.770	2348.94	-8.22	-8.66	-3.53	646612.37	444909.74	32°13'21.6296"N	103°59'34.4381"W	0.16	0.13	26.90	
2443.00	0.210	218.340	2442.94	-8.53	-9.00	-3.73	646612.17	444909.40	32°13'21.6263"N	103°59'34.4403"W	0.09	-0.06	16.56	
2537.00	0.180	208.430	2536.94	-8.78	-9.26	-3.90	646612.00	444909.14	32°13'21.6237"N	103°59'34.4424"W	0.05	-0.03	-10.54	
2631.00	0.200	216.900	2630.94	-9.02	-9.52	-4.07	646611.83	444908.88	32°13'21.6211"N	103°59'34.4444"W	0.04	0.02	9.01	



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_ awp 92.09'-21483' Proj: 21508'

Page 3 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH DATA (233 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
2724.00	0.210	197.760	2723.94	-9.29	-9.82	-4.22	646611.68	444908.58	32°13'21.6182"N	103°59'34.4461"W	0.07	0.01	-20.58	
2818.00	0.150	266.150	2817.94	-9.44	-9.99	-4.40	646611.50	444908.41	32°13'21.6165"N	103°59'34.4482"W	0.22	-0.06	72.76	
2912.00	0.210	280.620	2911.94	-9.39	-9.97	-4.69	646611.21	444908.43	32°13'21.6168"N	103°59'34.4516"W	0.08	0.06	15.39	
3006.00	0.070	273.030	3005.94	-9.33	-9.93	-4.92	646610.98	444908.47	32°13'21.6171"N	103°59'34.4542"W	0.15	-0.15	-8.07	
3100.00	0.180	337.560	3099.94	-9.18	-9.79	-5.03	646610.87	444908.61	32°13'21.6185"N	103°59'34.4555"W	0.17	0.12	68.65	
3193.00	0.030	27.520	3192.94	-9.01	-9.63	-5.08	646610.83	444908.77	32°13'21.6200"N	103°59'34.4560"W	0.17	-0.16	53.72	
3287.00	0.170	22.530	3286.94	-8.87	-9.48	-5.01	646610.89	444908.92	32°13'21.6215"N	103°59'34.4553"W	0.15	0.15	-5.31	
3381.00	0.470	280.800	3380.94	-8.64	-9.28	-5.34	646610.56	444909.12	32°13'21.6235"N	103°59'34.4590"W	0.57	0.32	-108.22	
3475.00	1.940	282.740	3474.91	-8.00	-8.86	-7.27	646608.63	444909.54	32°13'21.6278"N	103°59'34.4815"W	1.56	1.56	2.06	
3569.00	4.070	286.400	3568.78	-6.19	-7.57	-12.02	646603.88	444910.83	32°13'21.6407"N	103°59'34.5368"W	2.27	2.27	3.89	
3663.00	6.020	285.020	3662.41	-3.11	-5.35	-19.98	646595.92	444913.05	32°13'21.6629"N	103°59'34.6294"W	2.08	2.07	-1.47	
3757.00	8.280	283.950	3755.67	1.04	-2.44	-31.31	646584.59	444915.96	32°13'21.6921"N	103°59'34.7612"W	2.41	2.40	-1.14	
3851.00	9.720	282.880	3848.51	6.00	0.96	-45.62	646570.29	444919.36	32°13'21.7262"N	103°59'34.9276"W	1.54	1.53	-1.14	
3945.00	11.620	282.700	3940.88	11.71	4.81	-62.59	646553.32	444923.21	32°13'21.7648"N	103°59'35.1250"W	2.02	2.02	-0.19	
4039.00	12.960	282.710	4032.73	18.24	9.21	-82.11	646533.80	444927.61	32°13'21.8090"N	103°59'35.3520"W	1.43	1.43	0.01	
4132.00	12.490	283.670	4123.44	25.09	13.88	-102.05	646513.86	444932.28	32°13'21.8558"N	103°59'35.5840"W	0.55	-0.51	1.03	
4226.00	12.410	284.970	4215.23	32.24	18.90	-121.69	646494.22	444937.29	32°13'21.9060"N	103°59'35.8124"W	0.31	-0.09	1.38	
4320.00	12.380	286.050	4307.04	39.75	24.29	-141.13	646474.78	444942.69	32°13'21.9600"N	103°59'36.0385"W	0.25	-0.03	1.15	
4414.00	12.280	286.400	4398.87	47.46	29.90	-160.40	646455.51	444948.30	32°13'22.0161"N	103°59'36.2626"W	0.13	-0.11	0.37	
4507.00	12.370	287.250	4489.73	55.27	35.65	-179.40	646436.51	444954.04	32°13'22.0736"N	103°59'36.4836"W	0.22	0.10	0.91	
4601.00	12.290	288.560	4581.56	63.51	41.82	-198.50	646417.41	444960.21	32°13'22.1352"N	103°59'36.7057"W	0.31	-0.09	1.39	
4695.00	12.390	289.060	4673.39	72.05	48.29	-217.52	646398.40	444966.69	32°13'22.1999"N	103°59'36.9268"W	0.16	0.11	0.53	
4788.00	11.950	290.910	4764.30	80.75	54.99	-235.94	646379.98	444973.38	32°13'22.2667"N	103°59'37.1411"W	0.63	-0.47	1.99	
4882.00	11.880	292.160	4856.27	89.82	62.11	-253.99	646361.93	444980.51	32°13'22.3378"N	103°59'37.3509"W	0.28	-0.07	1.33	
4976.00	11.840	293.340	4948.27	99.22	69.58	-271.81	646344.11	444987.98	32°13'22.4122"N	103°59'37.5580"W	0.26	-0.04	1.26	
5070.00	11.760	295.190	5040.28	109.00	77.48	-289.33	646326.59	444995.87	32°13'22.4909"N	103°59'37.7617"W	0.41	-0.09	1.97	
5164.00	11.770	296.320	5132.31	119.19	85.81	-306.59	646309.33	445004.20	32°13'22.5739"N	103°59'37.9623"W	0.25	0.01	1.20	
5258.00	11.740	296.970	5224.34	129.62	94.39	-323.71	646292.22	445012.79	32°13'22.6594"N	103°59'38.1613"W	0.14	-0.03	0.69	
5352.00	11.760	299.020	5316.37	140.42	103.38	-340.61	646275.32	445021.77	32°13'22.7488"N	103°59'38.3576"W	0.44	0.02	2.18	
5446.00	11.570	299.520	5408.42	151.48	112.67	-357.19	646258.74	445031.06	32°13'22.8413"N	103°59'38.5503"W	0.23	-0.20	0.53	



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_ awp 92.09'-21483' Proj: 21508'

Page 4 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH DATA (233 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
5540.00	11.680	298.490	5500.50	162.44	121.85	-373.76	646242.17	445040.24	32°13'22.9327"N	103°59'38.7428"W	0.25	0.12	-1.10	
5633.00	11.480	298.900	5591.60	173.16	130.82	-390.13	646225.80	445049.21	32°13'23.0219"N	103°59'38.9331"W	0.23	-0.22	0.44	
5727.00	11.600	298.650	5683.70	183.98	139.87	-406.61	646209.32	445058.26	32°13'23.1120"N	103°59'39.1246"W	0.14	0.13	-0.27	
5821.00	11.520	298.520	5775.80	194.77	148.88	-423.15	646192.78	445067.27	32°13'23.2017"N	103°59'39.3168"W	0.09	-0.09	-0.14	
5915.00	11.440	299.230	5867.92	205.56	157.92	-439.54	646176.40	445076.30	32°13'23.2916"N	103°59'39.5072"W	0.17	-0.09	0.76	
6009.00	11.590	298.400	5960.02	216.37	166.96	-455.98	646159.96	445085.35	32°13'23.3816"N	103°59'39.6983"W	0.24	0.16	-0.88	
6103.00	11.570	298.410	6052.11	227.12	175.93	-472.58	646143.36	445094.32	32°13'23.4709"N	103°59'39.8911"W	0.02	-0.02	0.01	
6197.00	11.540	298.330	6144.21	237.85	184.88	-489.14	646126.80	445103.27	32°13'23.5599"N	103°59'40.0837"W	0.04	-0.03	-0.09	
6291.00	11.370	298.800	6236.33	248.53	193.81	-505.54	646110.40	445112.19	32°13'23.6488"N	103°59'40.2742"W	0.21	-0.18	0.50	
6384.00	11.500	297.930	6327.49	259.03	202.57	-521.76	646094.18	445120.95	32°13'23.7360"N	103°59'40.4627"W	0.23	0.14	-0.94	
6478.00	11.460	298.700	6419.61	269.67	211.44	-538.23	646077.71	445129.82	32°13'23.8243"N	103°59'40.6541"W	0.17	-0.04	0.82	
6572.00	11.510	298.000	6511.72	280.33	220.33	-554.70	646061.24	445138.71	32°13'23.9127"N	103°59'40.8455"W	0.16	0.05	-0.74	
6666.00	11.540	298.530	6603.83	290.99	229.22	-571.25	646044.70	445147.60	32°13'24.0012"N	103°59'41.0377"W	0.12	0.03	0.56	
6761.00	11.170	298.950	6696.97	301.75	238.21	-587.65	646028.30	445156.59	32°13'24.0907"N	103°59'41.2283"W	0.40	-0.39	0.44	
6855.00	11.210	298.740	6789.18	312.26	247.01	-603.63	646012.32	445165.39	32°13'24.1783"N	103°59'41.4140"W	0.06	0.04	-0.22	
6949.00	11.250	297.210	6881.38	322.58	255.60	-619.79	645996.16	445173.98	32°13'24.2638"N	103°59'41.6019"W	0.32	0.04	-1.63	
7043.00	10.490	295.580	6973.70	332.18	263.49	-635.66	645980.29	445181.87	32°13'24.3423"N	103°59'41.7863"W	0.87	-0.81	-1.73	
7137.00	9.970	292.500	7066.20	340.63	270.30	-650.90	645965.05	445188.67	32°13'24.4102"N	103°59'41.9635"W	0.80	-0.55	-3.28	
7232.00	9.990	292.080	7159.76	348.52	276.54	-666.13	645949.82	445194.92	32°13'24.4724"N	103°59'42.1406"W	0.08	0.02	-0.44	
7326.00	9.800	291.480	7252.37	356.14	282.53	-681.13	645934.82	445200.91	32°13'24.5322"N	103°59'42.3149"W	0.23	-0.20	-0.64	
7419.00	9.610	289.970	7344.04	363.27	288.08	-695.79	645920.16	445206.46	32°13'24.5876"N	103°59'42.4854"W	0.34	-0.20	-1.62	
7513.00	9.650	290.360	7436.71	370.29	293.50	-710.56	645905.40	445211.88	32°13'24.6417"N	103°59'42.6570"W	0.08	0.04	0.41	
7607.00	9.820	293.110	7529.36	377.78	299.39	-725.31	645890.64	445217.77	32°13'24.7004"N	103°59'42.8286"W	0.53	0.18	2.93	
7701.00	9.830	295.820	7621.98	385.99	306.03	-739.91	645876.05	445224.41	32°13'24.7666"N	103°59'42.9983"W	0.49	0.01	2.88	
7794.00	9.610	298.350	7713.65	394.64	313.18	-753.89	645862.07	445231.55	32°13'24.8377"N	103°59'43.1607"W	0.52	-0.24	2.72	
7888.00	9.350	300.040	7806.36	403.63	320.73	-767.40	645848.56	445239.10	32°13'24.9128"N	103°59'43.3178"W	0.41	-0.28	1.80	
7982.00	9.590	300.370	7899.08	412.85	328.51	-780.77	645835.19	445246.88	32°13'24.9902"N	103°59'43.4731"W	0.26	0.26	0.35	
8076.00	9.400	303.580	7991.79	422.45	336.71	-793.92	645822.04	445255.08	32°13'25.0718"N	103°59'43.6259"W	0.60	-0.20	3.41	
8169.00	9.490	304.380	8083.53	432.33	345.24	-806.58	645809.39	445263.61	32°13'25.1566"N	103°59'43.7729"W	0.17	0.10	0.86	
8263.00	9.080	306.940	8176.30	442.47	354.07	-818.90	645797.07	445272.45	32°13'25.2444"N	103°59'43.9160"W	0.62	-0.44	2.72	



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_ awp 92.09'-21483' Proj: 21508'

Page 5 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH DATA (233 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
8357.00	8.960	305.670	8269.14	452.46	362.80	-830.77	645785.19	445281.17	32°13'25.3311"N	103°59'44.0539"W	0.25	-0.13	-1.35	
8451.00	8.720	306.650	8362.02	462.22	371.32	-842.44	645773.53	445289.69	32°13'25.4158"N	103°59'44.1894"W	0.30	-0.26	1.04	
8545.00	9.300	309.220	8454.86	472.50	380.38	-854.04	645761.93	445298.75	32°13'25.5058"N	103°59'44.3241"W	0.75	0.62	2.73	
8639.00	9.460	312.100	8547.61	483.71	390.36	-865.66	645750.31	445308.73	32°13'25.6049"N	103°59'44.4589"W	0.53	0.17	3.06	
8733.00	9.600	313.780	8640.31	495.51	400.96	-877.05	645738.92	445319.33	32°13'25.7102"N	103°59'44.5911"W	0.33	0.15	1.79	
8827.00	9.500	314.100	8733.01	507.50	411.78	-888.28	645727.70	445330.15	32°13'25.8176"N	103°59'44.7215"W	0.12	-0.11	0.34	
8920.00	8.950	309.710	8824.80	518.63	421.75	-899.35	645716.62	445340.11	32°13'25.9165"N	103°59'44.8500"W	0.96	-0.59	-4.72	
9014.00	8.790	304.830	8917.68	528.62	430.52	-910.87	645705.10	445348.89	32°13'26.0037"N	103°59'44.9838"W	0.82	-0.17	-5.19	
9108.00	8.370	306.860	9010.63	538.04	438.73	-922.24	645693.73	445357.09	32°13'26.0853"N	103°59'45.1159"W	0.55	-0.45	2.16	
9202.00	8.610	308.790	9103.60	547.71	447.24	-933.20	645682.77	445365.60	32°13'26.1698"N	103°59'45.2431"W	0.40	0.26	2.05	
9296.00	9.170	307.890	9196.47	557.92	456.25	-944.60	645671.38	445374.61	32°13'26.2593"N	103°59'45.3754"W	0.61	0.60	-0.96	
9390.00	8.820	307.070	9289.31	568.10	465.19	-956.26	645659.72	445383.55	32°13'26.3482"N	103°59'45.5109"W	0.40	-0.37	-0.87	
9485.00	9.100	304.630	9383.15	578.03	473.85	-968.25	645647.73	445392.21	32°13'26.4342"N	103°59'45.6501"W	0.50	0.29	-2.57	
9579.00	9.310	303.510	9475.94	587.78	482.27	-980.71	645635.27	445400.63	32°13'26.5180"N	103°59'45.7948"W	0.29	0.22	-1.19	
9672.00	9.620	303.160	9567.68	597.55	490.68	-993.48	645622.49	445409.04	32°13'26.6015"N	103°59'45.9433"W	0.34	0.33	-0.38	
9766.00	10.000	302.000	9660.30	607.61	499.30	-1006.98	645609.00	445417.66	32°13'26.6872"N	103°59'46.1001"W	0.46	0.40	-1.23	
9860.00	10.160	300.780	9752.85	617.68	507.86	-1021.03	645594.96	445426.22	32°13'26.7725"N	103°59'46.2632"W	0.28	0.17	-1.30	
9954.00	10.170	298.760	9845.38	627.45	516.10	-1035.42	645580.56	445434.46	32°13'26.8544"N	103°59'46.4305"W	0.38	0.01	-2.15	
10048.00	10.070	297.210	9937.92	636.77	523.85	-1050.01	645565.98	445442.21	32°13'26.9315"N	103°59'46.6000"W	0.31	-0.11	-1.65	
10139.00	10.040	295.420	10027.52	645.34	530.89	-1064.25	645551.74	445449.25	32°13'27.0017"N	103°59'46.7655"W	0.34	-0.03	-1.97	
10232.00	9.950	292.680	10119.11	653.51	537.47	-1078.98	645537.00	445455.83	32°13'27.0672"N	103°59'46.9368"W	0.52	-0.10	-2.95	
10277.00	9.770	291.470	10163.44	657.18	540.37	-1086.12	645529.86	445458.72	32°13'27.0961"N	103°59'47.0198"W	0.61	-0.40	-2.69	
10406.00	10.120	290.520	10290.50	667.41	548.35	-1106.92	645509.07	445466.70	32°13'27.1757"N	103°59'47.2616"W	0.30	0.27	-0.74	8-1/2" BKR MWD Surveys 10406'-21483'
10469.00	9.640	336.710	10352.66	674.97	555.14	-1114.20	645501.79	445473.50	32°13'27.2432"N	103°59'47.3461"W	12.27	-0.76	73.32	
10562.00	19.090	352.770	10442.69	697.68	577.44	-1119.21	645496.78	445495.79	32°13'27.4640"N	103°59'47.4036"W	10.93	10.16	17.27	
10656.00	29.880	352.480	10528.11	736.58	616.02	-1124.22	645491.77	445534.37	32°13'27.8458"N	103°59'47.4606"W	11.48	11.48	-0.31	
10750.00	38.240	339.490	10606.01	788.36	666.63	-1137.52	645478.47	445584.98	32°13'28.3471"N	103°59'47.6135"W	11.75	8.89	-13.82	
10844.00	48.230	340.590	10674.41	850.87	727.10	-1159.42	645456.57	445645.44	32°13'28.9461"N	103°59'47.8662"W	10.66	10.63	1.17	
10914.00†	53.844	348.122	10718.45	904.52	779.46	-1173.93	645442.06	445697.80	32°13'29.4646"N	103°59'48.0333"W	11.58	8.02	10.76	Lease Line Crossing: 10914.00ft MD
10938.00	55.870	350.450	10732.27	924.08	798.74	-1177.58	645438.42	445717.08	32°13'29.6555"N	103°59'48.0750"W	11.58	8.44	9.70	



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_ awp 92.09'-21483' Proj: 21508'

Page 6 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH DATA (233 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
11032.00	65.050	354.020	10778.57	1005.73	879.68	-1188.50	645427.50	445798.01	32°13'30.4568"N	103°59'48.1991"W	10.31	9.77	3.80	FTP/100'FSL Crossing: 11032.00ft MD
11126.00	72.690	355.180	10812.43	1093.33	966.91	-1196.72	645419.28	445885.23	32°13'31.3202"N	103°59'48.2917"W	8.21	8.13	1.23	
11220.00	78.920	358.610	10835.48	1184.26	1057.84	-1201.61	645414.38	445976.16	32°13'32.2202"N	103°59'48.3454"W	7.51	6.63	3.65	
11314.00	83.940	358.480	10849.48	1276.84	1150.74	-1203.98	645412.02	446069.04	32°13'33.1394"N	103°59'48.3694"W	5.34	5.34	-0.14	
11408.00	87.340	358.530	10856.63	1370.22	1244.42	-1206.42	645409.58	446162.72	32°13'34.0665"N	103°59'48.3945"W	3.62	3.62	0.05	
11502.00	87.770	358.600	10860.64	1463.78	1338.30	-1208.77	645407.23	446256.60	32°13'34.9955"N	103°59'48.4184"W	0.46	0.46	0.07	
11596.00	89.960	358.240	10862.50	1557.43	1432.24	-1211.36	645404.63	446350.53	32°13'35.9252"N	103°59'48.4452"W	2.36	2.33	-0.38	
11650.00	90.200	359.980	10862.42	1611.19	1486.23	-1212.20	645403.80	446404.51	32°13'36.4594"N	103°59'48.4530"W	3.25	0.44	3.22	
11742.00	90.170	359.700	10862.13	1702.65	1578.23	-1212.46	645403.54	446496.51	32°13'37.3698"N	103°59'48.4526"W	0.31	-0.03	-0.30	
11832.00	89.520	0.060	10862.37	1792.12	1668.23	-1212.65	645403.35	446586.50	32°13'38.2603"N	103°59'48.4515"W	0.83	-0.72	0.40	
11927.00	90.940	0.510	10861.99	1886.48	1763.23	-1212.17	645403.82	446681.49	32°13'39.2003"N	103°59'48.4426"W	1.57	1.49	0.47	
12021.00	90.290	359.860	10860.98	1979.86	1857.22	-1211.87	645404.13	446775.47	32°13'40.1304"N	103°59'48.4356"W	0.98	-0.69	-0.69	
12115.00	90.540	0.460	10860.30	2073.25	1951.22	-1211.61	645404.39	446869.46	32°13'41.0605"N	103°59'48.4291"W	0.69	0.27	0.64	
12302.00	89.770	359.920	10859.79	2259.03	2138.21	-1210.99	645405.01	447056.44	32°13'42.9108"N	103°59'48.4151"W	0.50	-0.41	-0.29	
12396.00	89.830	358.990	10860.12	2352.55	2232.21	-1211.88	645404.11	447150.43	32°13'43.8409"N	103°59'48.4221"W	0.99	0.06	-0.99	
12490.00	91.090	0.260	10859.37	2446.03	2326.20	-1212.50	645403.50	447244.41	32°13'44.7710"N	103°59'48.4258"W	1.90	1.34	1.35	
12584.00	88.870	359.540	10859.40	2539.47	2420.19	-1212.66	645403.34	447338.40	32°13'45.7011"N	103°59'48.4243"W	2.48	-2.36	-0.77	
12678.00	88.290	0.380	10861.73	2632.87	2514.16	-1212.73	645403.27	447432.36	32°13'46.6309"N	103°59'48.4216"W	1.09	-0.62	0.89	
12772.00	89.830	0.160	10863.27	2726.22	2608.15	-1212.28	645403.71	447526.34	32°13'47.5609"N	103°59'48.4130"W	1.65	1.64	-0.23	
12867.00	90.070	0.150	10863.35	2820.61	2703.14	-1212.03	645403.97	447621.33	32°13'48.5009"N	103°59'48.4066"W	0.25	0.25	-0.01	
12961.00	90.140	0.510	10863.18	2913.97	2797.14	-1211.49	645404.51	447715.32	32°13'49.4310"N	103°59'48.3968"W	0.39	0.07	0.38	
13055.00	88.040	360.000	10864.68	3007.33	2891.12	-1211.07	645404.93	447809.29	32°13'50.3609"N	103°59'48.3885"W	2.30	-2.23	-0.54	
13149.00	91.120	0.190	10865.36	3100.73	2985.11	-1210.91	645405.08	447903.27	32°13'51.2909"N	103°59'48.3833"W	3.28	3.28	0.20	
13242.00	89.210	0.240	10865.10	3193.11	3078.11	-1210.56	645405.43	447996.26	32°13'52.2111"N	103°59'48.3758"W	2.05	-2.05	0.05	
13337.00	89.640	359.920	10866.05	3287.51	3173.10	-1210.43	645405.57	448091.25	32°13'53.1511"N	103°59'48.3708"W	0.56	0.45	-0.34	
13430.00	89.800	359.230	10866.50	3380.01	3266.10	-1211.12	645404.88	448184.23	32°13'54.0713"N	103°59'48.3755"W	0.76	0.17	-0.74	
13524.00	90.410	359.350	10866.33	3473.55	3360.09	-1212.29	645403.71	448278.22	32°13'55.0014"N	103°59'48.3856"W	0.66	0.65	0.13	
13618.00	88.160	359.050	10867.51	3567.10	3454.07	-1213.60	645402.40	448372.19	32°13'55.9314"N	103°59'48.3975"W	2.41	-2.39	-0.32	
13712.00	90.070	358.770	10868.96	3660.69	3548.03	-1215.39	645400.61	448466.15	32°13'56.8612"N	103°59'48.4148"W	2.05	2.03	-0.30	
13806.00	91.430	359.550	10867.73	3754.24	3642.01	-1216.76	645399.23	448560.12	32°13'57.7912"N	103°59'48.4275"W	1.67	1.45	0.83	



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_ awp 92.09'-21483' Proj: 21508'

Page 7 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH DATA (233 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
13900.00	90.010	358.790	10866.55	3847.80	3735.99	-1218.13	645397.87	448654.09	32°13'58.7212"N	103°59'48.4399"W	1.71	-1.51	-0.81	
13994.00	90.940	359.150	10865.77	3941.39	3829.97	-1219.81	645396.18	448748.06	32°13'59.6512"N	103°59'48.4561"W	1.06	0.99	0.38	
14088.00	89.360	359.200	10865.52	4034.95	3923.96	-1221.17	645394.83	448842.04	32°14'0.5812"N	103°59'48.4685"W	1.68	-1.68	0.05	
14181.00	89.370	359.410	10866.55	4127.49	4016.95	-1222.30	645393.70	448935.02	32°14'1.5014"N	103°59'48.4782"W	0.23	0.01	0.23	
14275.00	89.860	359.400	10867.18	4221.01	4110.94	-1223.27	645392.73	449029.01	32°14'2.4315"N	103°59'48.4861"W	0.52	0.52	-0.01	
14369.00	89.830	359.320	10867.44	4314.55	4204.93	-1224.32	645391.68	449122.99	32°14'3.3616"N	103°59'48.4949"W	0.09	-0.03	-0.09	
14463.00	90.840	359.230	10866.89	4408.09	4298.92	-1225.51	645390.49	449216.98	32°14'4.2916"N	103°59'48.5053"W	1.08	1.07	-0.10	
14557.00	86.750	358.900	10868.86	4501.63	4392.87	-1227.04	645388.95	449310.92	32°14'5.2213"N	103°59'48.5198"W	4.37	-4.35	-0.35	
14651.00	90.170	359.030	10871.39	4595.18	4486.81	-1228.74	645387.26	449404.85	32°14'6.1509"N	103°59'48.5361"W	3.64	3.64	0.14	
14746.00	87.210	359.260	10873.56	4689.71	4581.76	-1230.16	645385.84	449499.79	32°14'7.0905"N	103°59'48.5491"W	3.13	-3.12	0.24	
14839.00	91.120	359.210	10874.92	4782.24	4674.72	-1231.40	645384.60	449592.75	32°14'8.0104"N	103°59'48.5602"W	4.20	4.20	-0.05	
14933.00	89.640	357.080	10874.29	4875.94	4768.66	-1234.44	645381.56	449686.68	32°14'8.9401"N	103°59'48.5922"W	2.76	-1.57	-2.27	
15027.00	89.370	356.310	10875.10	4969.80	4862.50	-1239.86	645376.14	449780.51	32°14'9.8688"N	103°59'48.6519"W	0.87	-0.29	-0.82	
15121.00	90.320	356.810	10875.36	5063.68	4956.33	-1245.50	645370.50	449874.33	32°14'10.7974"N	103°59'48.7141"W	1.14	1.01	0.53	
15215.00	91.270	357.830	10874.05	5157.47	5050.22	-1249.90	645366.10	449968.21	32°14'11.7265"N	103°59'48.7618"W	1.48	1.01	1.09	
15309.00	90.350	356.990	10872.73	5251.26	5144.11	-1254.14	645361.86	450062.10	32°14'12.6557"N	103°59'48.8079"W	1.33	-0.98	-0.89	
15402.00	90.230	359.390	10872.25	5343.96	5237.06	-1257.08	645358.92	450155.04	32°14'13.5755"N	103°59'48.8387"W	2.58	-0.13	2.58	
15496.00	91.150	1.440	10871.12	5437.29	5331.04	-1256.40	645359.60	450249.01	32°14'14.5055"N	103°59'48.8273"W	2.39	0.98	2.18	
15590.00	90.320	1.410	10869.92	5530.42	5425.00	-1254.06	645361.94	450342.97	32°14'15.4352"N	103°59'48.7967"W	0.88	-0.88	-0.03	
15684.00	90.810	1.490	10868.99	5623.55	5518.97	-1251.68	645364.32	450436.93	32°14'16.3649"N	103°59'48.7656"W	0.53	0.52	0.09	
15778.00	90.380	0.930	10868.01	5716.72	5612.94	-1249.70	645366.30	450530.89	32°14'17.2947"N	103°59'48.7390"W	0.75	-0.46	-0.60	
15872.00	89.700	0.690	10867.95	5809.99	5706.93	-1248.37	645367.63	450624.87	32°14'18.2247"N	103°59'48.7201"W	0.77	-0.72	-0.26	
15965.00	91.270	1.450	10867.16	5902.20	5799.91	-1246.63	645369.37	450717.84	32°14'19.1447"N	103°59'48.6965"W	1.88	1.69	0.82	
16059.00	88.500	1.030	10867.35	5995.37	5893.88	-1244.60	645371.40	450811.80	32°14'20.0744"N	103°59'48.6694"W	2.98	-2.95	-0.45	
16153.00	90.320	0.880	10868.32	6088.60	5987.85	-1243.03	645372.97	450905.77	32°14'21.0043"N	103°59'48.6477"W	1.94	1.94	-0.16	
16247.00	90.720	1.400	10867.46	6181.79	6081.83	-1241.16	645374.84	450999.74	32°14'21.9342"N	103°59'48.6225"W	0.70	0.43	0.55	
16341.00	87.520	1.290	10868.91	6274.92	6175.78	-1238.96	645377.04	451093.69	32°14'22.8638"N	103°59'48.5934"W	3.41	-3.40	-0.12	
16435.00	88.870	1.240	10871.87	6368.05	6269.71	-1236.88	645379.12	451187.61	32°14'23.7931"N	103°59'48.5659"W	1.44	1.44	-0.05	
16530.00	88.960	1.090	10873.67	6462.21	6364.67	-1234.95	645381.05	451282.56	32°14'24.7327"N	103°59'48.5399"W	0.18	0.09	-0.16	
16624.00	89.270	0.780	10875.12	6555.44	6458.65	-1233.42	645382.58	451376.53	32°14'25.6626"N	103°59'48.5186"W	0.47	0.33	-0.33	



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_ awp 92.09'-21483' Proj: 21508'

Page 8 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH DATA (233 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
16718.00	89.030	1.720	10876.51	6648.61	6552.62	-1231.37	645384.63	451470.49	32°14'26.5923"N	103°59'48.4913"W	1.03	-0.26	1.00	
16812.00	89.430	0.770	10877.78	6741.77	6646.58	-1229.33	645386.67	451564.45	32°14'27.5221"N	103°59'48.4641"W	1.10	0.43	-1.01	
16906.00	90.140	0.750	10878.13	6835.05	6740.57	-1228.08	645387.92	451658.43	32°14'28.4521"N	103°59'48.4462"W	0.76	0.76	-0.02	
17000.00	92.140	359.120	10876.26	6928.46	6834.55	-1228.19	645387.81	451752.40	32°14'29.3820"N	103°59'48.4440"W	2.74	2.13	-1.73	
17095.00	91.860	359.040	10872.94	7022.97	6929.48	-1229.71	645386.29	451847.32	32°14'30.3213"N	103°59'48.4583"W	0.31	-0.29	-0.08	
17189.00	91.610	359.210	10870.10	7116.50	7023.42	-1231.15	645384.85	451941.26	32°14'31.2510"N	103°59'48.4715"W	0.32	-0.27	0.18	
17283.00	91.030	359.050	10867.93	7210.05	7117.39	-1232.57	645383.43	452035.22	32°14'32.1808"N	103°59'48.4847"W	0.64	-0.62	-0.17	
17377.00	91.370	359.260	10865.96	7303.59	7211.36	-1233.96	645382.04	452129.18	32°14'33.1107"N	103°59'48.4974"W	0.43	0.36	0.22	
17471.00	92.850	358.830	10862.50	7397.11	7305.28	-1235.52	645380.48	452223.09	32°14'34.0401"N	103°59'48.5122"W	1.64	1.57	-0.46	
17564.00	88.100	0.370	10861.73	7489.58	7398.24	-1236.17	645379.83	452316.05	32°14'34.9600"N	103°59'48.5164"W	5.37	-5.11	1.66	
17658.00	90.780	359.060	10862.65	7583.03	7492.23	-1236.64	645379.36	452410.02	32°14'35.8900"N	103°59'48.5184"W	3.17	2.85	-1.39	
17752.00	90.320	359.050	10861.75	7676.61	7586.21	-1238.19	645377.81	452504.00	32°14'36.8200"N	103°59'48.5330"W	0.49	-0.49	-0.01	
17845.00	91.610	359.130	10860.18	7769.18	7679.18	-1239.67	645376.33	452596.97	32°14'37.7400"N	103°59'48.5468"W	1.39	1.39	0.09	
17939.00	89.490	358.670	10859.28	7862.77	7773.15	-1241.47	645374.53	452690.93	32°14'38.6699"N	103°59'48.5644"W	2.31	-2.26	-0.49	
18032.00	91.400	359.000	10858.56	7955.39	7866.13	-1243.36	645372.64	452783.90	32°14'39.5900"N	103°59'48.5830"W	2.08	2.05	0.35	
18126.00	91.460	0.160	10856.21	8048.85	7960.09	-1244.05	645371.95	452877.86	32°14'40.5198"N	103°59'48.5876"W	1.24	0.06	1.23	
18219.00	90.230	359.450	10854.84	8141.30	8053.08	-1244.37	645371.63	452970.84	32°14'41.4399"N	103°59'48.5879"W	1.53	-1.32	-0.76	
18313.00	88.440	0.340	10855.93	8234.73	8147.07	-1244.54	645371.46	453064.82	32°14'42.3700"N	103°59'48.5865"W	2.13	-1.90	0.95	
18407.00	89.400	0.170	10857.70	8328.09	8241.05	-1244.12	645371.88	453158.79	32°14'43.2999"N	103°59'48.5782"W	1.04	1.02	-0.18	
18501.00	85.850	0.230	10861.60	8421.38	8334.96	-1243.79	645372.21	453252.69	32°14'44.2291"N	103°59'48.5710"W	3.78	-3.78	0.06	
18594.00	89.700	359.500	10865.21	8513.75	8427.87	-1244.01	645371.99	453345.59	32°14'45.1484"N	103°59'48.5701"W	4.21	4.14	-0.78	
18687.00	90.970	0.120	10864.66	8606.21	8520.86	-1244.32	645371.68	453438.58	32°14'46.0686"N	103°59'48.5703"W	1.52	1.37	0.67	
18781.00	90.780	359.910	10863.23	8699.62	8614.85	-1244.30	645371.70	453532.56	32°14'46.9987"N	103°59'48.5666"W	0.30	-0.20	-0.22	
18874.00	88.660	359.820	10863.68	8792.07	8707.84	-1244.52	645371.48	453625.55	32°14'47.9189"N	103°59'48.5658"W	2.28	-2.28	-0.10	
18968.00	91.030	359.540	10863.94	8885.54	8801.84	-1245.04	645370.96	453719.53	32°14'48.8489"N	103°59'48.5685"W	2.54	2.52	-0.30	
19062.00	87.950	359.400	10864.77	8979.04	8895.82	-1245.91	645370.09	453813.50	32°14'49.7789"N	103°59'48.5751"W	3.28	-3.28	-0.15	
19155.00	91.180	359.890	10865.48	9071.52	8988.80	-1246.49	645369.51	453906.48	32°14'50.6990"N	103°59'48.5785"W	3.51	3.47	0.53	
19249.00	88.380	358.120	10865.84	9165.09	9082.77	-1248.12	645367.88	454000.44	32°14'51.6289"N	103°59'48.5940"W	3.52	-2.98	-1.88	
19342.00	91.490	359.340	10865.95	9257.71	9175.74	-1250.18	645365.82	454093.40	32°14'52.5488"N	103°59'48.6146"W	3.59	3.34	1.31	
19436.00	91.090	359.820	10863.83	9351.19	9269.71	-1250.87	645365.13	454187.37	32°14'53.4787"N	103°59'48.6192"W	0.66	-0.43	0.51	



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_ awp 92.09'-21483' Proj: 21508'

Page 9 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH DATA (233 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
19529.00	88.750	359.830	10863.96	9443.64	9362.70	-1251.15	645364.85	454280.35	32°14'54.3989"N	103°59'48.6191"W	2.52	-2.52	0.01	
19623.00	90.500	359.040	10864.58	9537.15	9456.69	-1252.08	645363.92	454374.33	32°14'55.3290"N	103°59'48.6265"W	2.04	1.86	-0.84	
19717.00	89.950	359.430	10864.21	9630.71	9550.68	-1253.33	645362.67	454468.32	32°14'56.2591"N	103°59'48.6377"W	0.72	-0.59	0.41	
19810.00	91.550	0.120	10862.99	9723.16	9643.67	-1253.70	645362.30	454561.30	32°14'57.1792"N	103°59'48.6385"W	1.87	1.72	0.74	
19998.00	90.840	359.530	10859.07	9910.03	9831.63	-1254.27	645361.73	454749.24	32°14'59.0390"N	103°59'48.6384"W	0.49	-0.38	-0.31	
20092.00	89.950	0.260	10858.42	10003.47	9925.62	-1254.45	645361.55	454843.22	32°14'59.9691"N	103°59'48.6370"W	1.22	-0.95	0.78	
20185.00	90.380	359.560	10858.15	10095.91	10018.62	-1254.59	645361.41	454936.22	32°15'0.8894"N	103°59'48.6353"W	0.88	0.46	-0.75	
20279.00	94.480	2.160	10854.17	10189.06	10112.50	-1253.19	645362.81	455030.09	32°15'1.8182"N	103°59'48.6155"W	5.16	4.36	2.77	
20373.00	91.210	358.650	10849.50	10282.26	10206.35	-1252.53	645363.47	455123.93	32°15'2.7469"N	103°59'48.6044"W	5.10	-3.48	-3.73	
20466.00	92.170	358.830	10846.76	10374.86	10299.29	-1254.57	645361.43	455216.86	32°15'3.6666"N	103°59'48.6248"W	1.05	1.03	0.19	
20560.00	89.920	358.820	10845.04	10468.45	10393.25	-1256.50	645359.50	455310.81	32°15'4.5964"N	103°59'48.6438"W	2.39	-2.39	-0.01	
20654.00	89.770	358.680	10845.30	10562.08	10487.22	-1258.55	645357.45	455404.78	32°15'5.5263"N	103°59'48.6642"W	0.22	-0.16	-0.15	
20748.00	91.680	358.740	10844.11	10655.70	10581.19	-1260.66	645355.34	455498.74	32°15'6.4562"N	103°59'48.6854"W	2.03	2.03	0.06	
20841.00	88.470	358.910	10843.99	10748.31	10674.16	-1262.57	645353.43	455591.70	32°15'7.3762"N	103°59'48.7043"W	3.46	-3.45	0.18	
20935.00	89.120	358.510	10845.96	10841.92	10768.11	-1264.69	645351.31	455685.65	32°15'8.3059"N	103°59'48.7255"W	0.81	0.69	-0.43	
21029.00	89.150	358.840	10847.38	10935.55	10862.07	-1266.86	645349.14	455779.60	32°15'9.2358"N	103°59'48.7473"W	0.35	0.03	0.35	
21122.00	88.810	358.540	10849.04	11028.18	10955.03	-1268.99	645347.02	455872.56	32°15'10.1557"N	103°59'48.7687"W	0.49	-0.37	-0.32	
21216.00	89.770	358.860	10850.20	11121.80	11049.00	-1271.12	645344.88	455966.52	32°15'11.0856"N	103°59'48.7901"W	1.08	1.02	0.34	
21310.00	90.570	359.950	10849.92	11215.33	11142.99	-1272.09	645343.91	456060.50	32°15'12.0157"N	103°59'48.7980"W	1.44	0.85	1.16	
21404.00	90.840	358.620	10848.77	11308.86	11236.98	-1273.27	645342.73	456154.48	32°15'12.9457"N	103°59'48.8083"W	1.44	0.29	-1.41	
21462.00†	91.611	358.972	10847.53	11366.61	11294.95	-1274.49	645341.52	456212.45	32°15'13.5194"N	103°59'48.8203"W	1.46	1.33	0.61	LTP/100'FNL Crossing: 21462.00ft MD
21483.00	91.890	359.100	10846.89	11387.51	11315.94	-1274.84	645341.16	456233.43	32°15'13.7270"N	103°59'48.8237"W	1.46	1.33	0.61	
21508.00‡	91.890	359.100	10846.06	11412.39	11340.92	-1275.23	645340.77	456258.41	32°15'13.9743"N	103°59'48.8273"W	0.00	0.00	0.00	Projection to TD: 21508.00ft MD



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_awp 92.09'-21483' Proj: 21508'

Page 10 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

TARGETS

Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
Heads CC 9-4 Federal Com 42H - PBHL	10825.02	11374.91	-1266.00	645350.00	456292.40	32°15'14.3103"N	103°59'48.7186"W	point
Heads CC 9-4 Federal Com 42H - LTP	10825.16	11294.91	-1265.60	645350.40	456212.40	32°15'13.5186"N	103°59'48.7169"W	point
Heads CC 9-4 Federal Com 42H - FTP	10843.24	879.27	-1215.30	645400.70	445797.60	32°13'30.4536"N	103°59'48.5111"W	point
Heads CC 9-4 Federal Com 42H - KOP	10843.33	829.27	-1215.10	645400.90	445747.60	32°13'29.9588"N	103°59'48.5106"W	point

WELLPATH COMPOSITION - Ref Wellbore: Heads CC 9-4 Federal Com 42H AWB Ref Wellpath: Heads CC 9-4 Federal Com 42H_awp 92.09'-21483' Pr

Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
25.00	529.16	BH Generic gyro - northseeking (Standard)	Adjusted Gyrodata Gyro Surveys 92.09'-529.16' (Imported)	Heads CC 9-4 Federal Com 42H AWB
529.16	10277.00	Custom OWSG MWD+IFR1+SAG+FDIR (Approximation)	PHX MWD Surveys 635'-10277' (Imported)	Heads CC 9-4 Federal Com 42H AWB
10277.00	21508.00	Custom OWSG MWD+IFR1+SAG+FDIR (Approximation)	8-1/2" BKR MWD Surveys 10406'-21483'	Heads CC 9-4 Federal Com 42H AWB



Actual Wellpath Report

Heads CC 9-4 Federal Com 42H_awp 92.09'-21483' Proj: 21508'

Page 11 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Federal Com 42H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47195-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Federal Com 42H AWB
Slot	Heads CC 9-4 Federal Com 42H		

WELLPATH COMMENTS

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Comment
92.09	0.230	126.640	92.09	Adjusted Gyrodata Gyro Surveys 92.09'-529.16' (Imported)
635.00	0.460	207.280	634.95	PHX MWD Surveys 635'-10277' (Imported)
10406.00	10.120	290.520	10290.50	8-1/2" BKR MWD Surveys 10406'-21483'
10914.00	53.844	348.122	10718.45	Lease Line Crossing: 10914.00ft MD
11032.00	65.050	354.020	10778.57	FTP/100'FSL Crossing: 11032.00ft MD
21462.00	91.611	358.972	10847.53	LTP/100'FNL Crossing: 21462.00ft MD
21508.00	91.890	359.100	10846.06	Projection to TD: 21508.00ft MD

Well Name: HEADS CC 9-4 FEDERAL COM	Well Location: T24S / R29E / SEC 15 / NENW / 32.222755 / -103.993676	County or Parish/State: EDDY / NM
Well Number: 42H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154719500S1	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2755120

Type of Submission: Subsequent Report

Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 10/16/2023

Time Sundry Submitted: 07:02

Date Operation Actually Began: 08/13/2023

Actual Procedure: RUPU 8/13/2023, RIH & Clean out to PBTD 21463'MD/10846'TVD. Test production casing to 6000 psi for 30 min, good test. RIH and Perf from 11141'-21367', total 1230 holes, 0.42". Frac in 41 stages with 28,043,931lbs sand and 354,061 bbls produced water, 122,071 bbls brackish water. RD Frac and well ready to produce 9/10/2023. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 01/01/2024.

Well Name: HEADS CC 9-4 FEDERAL COM	Well Location: T24S / R29E / SEC 15 / NENW / 32.222755 / -103.993676	County or Parish/State: EDDY / NM
Well Number: 42H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154719500S1	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES	Signed on: OCT 16, 2023 07:01 PM
Name: OXY USA INCORPORATED	
Title: Advisor Regulatory	
Street Address: 5 GREENWAY PLAZA, SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 497-2492	
Email address: LESLIE_REEVES@OXY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 10/18/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG						1. WELL API NO. 30-015-47195				
						2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN				
						3. State Oil & Gas Lease No.				
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name HEADS CC 9 4 FEDERAL COM				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____						6. Well Number: 42H				
8. Name of Operator OXY USA INC.						9. OGRID 16696				
10. Address of Operator 5 GREENWAY PLAZA, SUITE 110, HOUSTON, TX 77210						11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	16	24S	29E		789	NORTH	1588	WEST	EDDY
BH:	D	4	24S	29E		53	NORTH	371	WEST	EDDY
13. Date Spudded 04/06/2023	14. Date T.D. Reached 06/06/2023	15. Date Rig Released 06/08/2023		16. Date Completed (Ready to Produce) 09/10/2023		17. Elevations (DF and RKB, RT, GR, etc.) 2927' GL				
18. Total Measured Depth of Well 21508'MD		19. Plug Back Measured Depth 21463'MD		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GR, CBL,				
22. Producing Interval(s), of this completion - Top, Bottom, Name 11141'-21367'; WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5# J-55		544'		17-1/2"		1880sx-SURF		
9-5/8"		40# HCL-80		10392'		12-1/4"		3698sx-SURF		
7"		32# P-110		0-10582'		8-1/2"		2565sx--TOC9420'		
5-1/2"		20# P-110		10582'-21488'		8-1/2"		2565sx--TOC9420'		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 11141'-21367', 1230 total holes, 0.42"					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					11141'-21367'		28,043,931lbs sand and 354,061bbls prod water, 122,071bbls brackish water.			
28. PRODUCTION										
Date First Production 09/16/2023		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) FLOWING				Well Status (<i>Prod. or Shut-in</i>) PRODUCING				
Date of Test 10/15/2023	Hours Tested 24 HOURS	Choke Size /128	Prod'n For Test Period	Oil - Bbl 2555	Gas - MCF 14033	Water - Bbl. 7320	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure 2433	Calculated 24-Hour Rate	Oil - Bbl. 2555	Gas - MCF 14033	Water - Bbl. 7320	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD						30. Test Witnessed By				
31. List Attachments GR, CBL, WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:				
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Leslie T. Reeves</i>		Printed Name LESLIE REEVES		Title REGULATORY MANAGER		Date 11/1/2023				
E-mail Address LESLIE_REEVES@OXY.COM										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 130'MD	T. Bell Canyon 2939'MD	T. Ojo Alamo	T. Penn A"
T. Salado 605'MD	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1369'MD	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2888'MD	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3793'MD	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5114'MD	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6655'MD	T.Todilto	
T. Abo	T. 1 st Bone Springs 7679'MD	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 8525'MD	T. Wingate	
T. Penn	T. 3 rd Bone Springs 9636'MD	T. Chinle	
T. Cisco (Bough C)	T. Wolfcamp 10011'MD	T. Permian	

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....


Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

OXY USA Inc.
HEADS CC 9 4 FEDERAL COM 42H
API No. 30-015-47195



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 304188

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 304188
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 304188

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 304188
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	Re-upload CBL to OCD Permitting/ Well Logs that is clear and readable	1/23/2024
smcgrath	File 3160-4 within 10 days of BLM Approval	1/23/2024