

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District I

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 10/05/2023
⁴ API Number 30 – 015-48024	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8582	⁶ Pool Code 98220
⁷ Property Code: 329731	⁸ Property Name: CORRAL BLUFF 11-14 FEDERAL COM	⁹ Well Number: 36H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	11	25S	29E		70	NORTH	393	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 190' FNL 1927' FEL LTP- 192' FSL 1866' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	14	25S	29E		52	SOUTH	1872	EAST	EDDY

¹² Lse Code F	¹³ Producing Method Code : F	¹⁴ Gas Connection Date: 10/06/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-----------------------------	--	---	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 06/22/23	²² Ready Date 10/05/2023	²³ TD 20987'M 10511'V	²⁴ PBTD 20943'M 10511'V	²⁵ Perforations 10540-20847'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14-3/4"	10-3/4"	695'	570		
9-7/8"	7-5/8"	9956'	1219		
6-3/4"	5-1/2"	20967'	811		

V. Well Test Data

³¹ Date New Oil 10/08/23	³² Gas Delivery Date 10/06/23	³³ Test Date 10/26/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1545
³⁷ Choke Size 62	³⁸ Oil 2632	³⁹ Water 4654	⁴⁰ Gas 7170		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:



Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

01/21/2024

Phone:

432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title:

PETROLEUM SPECIALIST

Approval Date:

1/23/2024

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

Released to Imaging: 1/23/2024 11:18:36 AM




OXY



Borehole:	Well:	Field:	Structure:
Corral Bluff 11-14 Fed Com 36H	Corral Bluff 11-14 Fed Com 36H	NM Eddy County (NAD 83)	Oxy Corral Bluff 11-14 Fed Com Pad Sec 11 Lot A

Gravity & Magnetic Parameters				Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous	
Model: IFR1	Dip: 59.752°	Date: 18-Aug-2023		Lat: N 32 9 6.31	Northing: 419156.45HUS	Grid Conv: 0.2051°		Slot: Corral Bluff 11-14 Fed Com 36H	TVD Ref: RKB (3095.700 ft above MSL)
MagDec: 6.565°	FS: 47482.6nT	Gravity FS: 998.452mgn (9.80665 Based)		Lon: W 103 56 52.36	Easting: 660627.22HUS	Scale Fact: 0.99992539		Plan: Oxy Corral Bluff 11-14 Fed Com 36H Rev0 kFc 06Jun23	

Critical Points									
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD	DLS(°/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.095.70	0.00
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3.069.70	
First SLB Survey	207.00	0.33	93.56	207.00	-0.04	-0.03	0.52	-2.888.70	0.18
Actual KOP	10,007.00	7.57	276.08	9,849.36	189.01	-2.30	-1,388.76	6,753.66	0.35
FTP / 100ft FNL Cross	10,352.00	26.55	221.85	10,177.94	230.55	-32.18	-1,477.52	7,082.24	9.68
Exit Lateral Window	10,482.00	37.25	209.37	10,288.39	291.43	-88.41	-1,515.89	7,192.69	9.63
Wolfcamp A Intersection	10,550.37	45.07	203.79	10,340.00	333.76	-128.41	-1,535.92	7,244.30	13.63
Enter Lateral Window	12,400.00	90.61	178.29	10,480.46	2,113.21	-1,928.14	-1,506.61	7,384.76	0.10
Section 11-14 Line Cross	15,720.00	89.59	180.89	10,475.94	5,393.80	-5,245.30	-1,458.72	7,380.24	0.47
Exit Lateral Window	19,180.00	90.18	181.43	10,480.62	8,816.68	-8,697.69	-1,472.33	7,384.92	0.93
Enter Lateral Window	19,856.00	88.59	175.44	10,497.96	9,485.16	-9,372.76	-1,468.93	7,402.26	1.05
LTP / 100 ft FSL Cross	20,940.00	90.23	182.45	10,510.69	10,551.08	-10,454.69	-1,422.94	7,414.99	0.80
Final Survey	20,955.00	90.13	182.51	10,510.65	10,566.01	-10,469.67	-1,423.59	7,414.95	0.80
Projection to Total Depth	20,987.00	90.13	182.51	10,510.57	10,597.88	-10,501.64	-1,424.99	7,414.87	0.00





Oxy Corral Bluff 11-14 Fed Com 36H IFR1 Surveys to 20987ft Survey
Geodetic Report
DefinitiveSurvey

Report Date:	August 28, 2023 - 02:04 PM (UTC 0)	Survey / DLS Computation:	Minimum Curvature / Lubinski
Client:	OXY	Vertical Section Azimuth:	187.727 °(Grid North)
Field:	NM Eddy County (NAD 83)	Vertical Section Origin:	0.000 ft, 0.000 ft
Structure / Slot:	Oxy Corral Bluff 11-14 Fed Com Pad Sec 11 Lot A / Corral Bluff 11-14 Fed Com 36H	TVD Reference Datum:	RKB
Well:	Corral Bluff 11-14 Fed Com 36H	TVD Reference Elevation:	3095.700 ft above MSL
Borehole:	Corral Bluff 11-14 Fed Com 36H	Seabed / Ground Elevation:	3069.700 ft above MSL
UBHI / API / JobNumber:	Unknown / Unknown / Unknown	Magnetic Declination:	6.565°
Survey Name / Version:	Oxy Corral Bluff 11-14 Fed Com 36H IFR1 Surveys to 20987ft / 3	Total Gravity Field Strength:	998.4521mgn (9.80665 Based)
Survey Date:	August 28, 2023	Gravity Model:	GARM
Tort / AHD / DDI / ERD Ratio:	286.788 ° / 12024.033 ft / 6.838 / 1.144	Total Magnetic Field Strength:	47482.6 nT
Coordinate Reference System:	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Magnetic Dip Angle:	59.752°
Location Lat / Long:	N 32°'9'6.30906" , W 103°'56'52.36090"	Declination Date:	August 18, 2023
Location Grid N/E Y/X:	N 419156.450 ftUS , E 660627.220 ftUS	Magnetic Declination Model:	IFR1
CRS Grid Convergence Angle:	0.205°	North Reference:	Grid
Grid Scale Factor:	0.99992539	Total Gravity	6.36°
Engine Version:	2023.1.0.1	Local Coord Referenced To:	Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP SHL First SLB Survey	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,095.70		419,156.45	660,627.22	N 32°'9'6.31"	W 103°'56'52.36"		
	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3,069.70	0.00	419,156.45	660,627.22	N 32°'9'6.31"	W 103°'56'52.36"	0.00	0.00
	207.00	0.33	93.56	207.00	-0.04	-0.03	0.52	-2,888.70	0.18	419,156.42	660,627.74	N 32°'9'6.31"	W 103°'56'52.35"	0.52	93.56
	301.00	0.33	48.87	301.00	-0.26	0.13	0.99	-2,794.70	0.27	419,156.58	660,628.21	N 32°'9'6.31"	W 103°'56'52.35"	1.00	82.61
	394.00	0.34	37.61	394.00	-0.70	0.52	1.36	-2,701.70	0.07	419,156.97	660,628.58	N 32°'9'6.31"	W 103°'56'52.35"	1.46	69.00
	487.00	0.36	59.18	486.99	-1.12	0.89	1.78	-2,608.71	0.14	419,157.34	660,629.00	N 32°'9'6.32"	W 103°'56'52.34"	1.99	63.43
	580.00	0.53	74.95	579.99	-1.47	1.15	2.45	-2,515.71	0.22	419,157.60	660,629.67	N 32°'9'6.32"	W 103°'56'52.33"	2.71	64.79
	607.00	0.58	78.91	606.99	-1.56	1.21	2.70	-2,488.71	0.23	419,157.66	660,629.92	N 32°'9'6.32"	W 103°'56'52.33"	2.96	65.86
	749.00	1.52	153.89	748.97	-0.23	-0.34	4.24	-2,346.73	1.04	419,156.11	660,631.46	N 32°'9'6.31"	W 103°'56'52.31"	4.25	94.60
	843.00	2.16	181.85	842.92	2.57	-3.23	4.73	-2,252.78	1.15	419,153.22	660,631.95	N 32°'9'6.28"	W 103°'56'52.31"	5.73	124.33
	936.00	1.69	195.63	935.87	5.67	-6.30	4.30	-2,159.83	0.71	419,150.15	660,631.52	N 32°'9'6.25"	W 103°'56'52.31"	7.63	145.67
	1,029.00	0.24	121.35	1,028.86	7.10	-7.73	4.10	-2,066.84	1.76	419,148.73	660,631.32	N 32°'9'6.23"	W 103°'56'52.31"	8.75	152.04
	1,122.00	0.32	274.18	1,121.86	7.20	-7.81	4.01	-1,973.84	0.59	419,148.64	660,631.23	N 32°'9'6.23"	W 103°'56'52.31"	8.78	152.82
	1,215.00	0.52	261.41	1,214.85	7.33	-7.85	3.33	-1,880.85	0.24	419,148.60	660,630.55	N 32°'9'6.23"	W 103°'56'52.32"	8.53	157.00
	1,309.00	0.16	107.90	1,308.85	7.48	-7.96	3.04	-1,786.85	0.71	419,148.49	660,630.26	N 32°'9'6.23"	W 103°'56'52.33"	8.52	159.12
	1,402.00	0.17	260.88	1,401.85	7.54	-8.02	3.02	-1,693.85	0.35	419,148.43	660,630.24	N 32°'9'6.23"	W 103°'56'52.33"	8.57	159.34
	1,496.00	0.09	343.90	1,495.85	7.51	-7.97	2.86	-1,599.85	0.19	419,148.48	660,630.08	N 32°'9'6.23"	W 103°'56'52.33"	8.47	160.23
	1,590.00	0.21	109.02	1,589.85	7.48	-7.95	3.01	-1,505.85	0.29	419,148.50	660,630.23	N 32°'9'6.23"	W 103°'56'52.33"	8.50	159.29
	1,685.00	0.14	30.66	1,684.85	7.40	-7.91	3.23	-1,410.85	0.24	419,148.54	660,630.45	N 32°'9'6.23"	W 103°'56'52.32"	8.55	157.79
	1,779.00	0.25	92.60	1,778.85	7.28	-7.82	3.49	-1,316.85	0.24	419,148.63	660,630.71	N 32°'9'6.23"	W 103°'56'52.32"	8.57	155.93
	1,873.00	0.20	213.45	1,872.85	7.41	-7.97	3.61	-1,222.85	0.42	419,148.48	660,630.83	N 32°'9'6.23"	W 103°'56'52.32"	8.75	155.63
	1,968.00	0.26	115.53	1,967.85	7.63	-8.20	3.71	-1,127.85	0.37	419,148.25	660,630.93	N 32°'9'6.23"	W 103°'56'52.32"	9.00	155.64
	2,062.00	0.08	26.87	2,061.85	7.63	-8.23	3.93	-1,033.85	0.29	419,148.22	660,631.15	N 32°'9'6.23"	W 103°'56'52.32"	9.12	154.46
	2,156.00	0.15	39.03	2,155.85	7.46	-8.08	4.04	-939.85	0.08	419,148.37	660,631.26	N 32°'9'6.23"	W 103°'56'52.31"	9.03	153.42
	2,345.00	0.18	102.76	2,344.85	7.28	-7.95	4.49	-750.85	0.09	419,148.50	660,631.71	N 32°'9'6.23"	W 103°'56'52.31"	9.13	150.57
	2,440.00	0.26	199.65	2,439.85	7.50	-8.19	4.56	-655.85	0.35	419,148.26	660,631.78	N 32°'9'6.23"	W 103°'56'52.31"	9.37	150.89
	2,534.00	1.47	114.10	2,533.84	8.05	-8.88	5.59	-561.86	1.57	419,147.57	660,632.81	N 32°'9'6.22"	W 103°'56'52.30"	10.49	147.82
	2,629.00	0.15	259.75	2,628.83	8.43	-9.40	6.58	-466.87	1.68	419,147.05	660,633.80	N 32°'9'6.22"	W 103°'56'52.28"	11.47	145.02
	2,723.00	0.27	208.21	2,722.83	8.68	-9.62	6.35	-372.87	0.23	419,146.83	660,633.57	N 32°'9'6.21"	W 103°'56'52.29"	11.53	146.55
	2,818.00	0.20	211.67	2,817.83	9.04	-9.96	6.16	-277.87	0.08	419,146.49	660,633.38	N 32°'9'6.21"	W 103°'56'52.29"	11.71	148.26
	2,913.00	0.36	201.00	2,912.83	9.48	-10.38	5.97	-182.87	0.18	419,146.07	660,633.19	N 32°'9'6.21"	W 103°'56'52.29"	11.97	150.10
	3,008.00	0.13	183.29	3,007.82	9.88	-10.76	5.85	-87.88	0.25	419,145.69	660,633.07	N 32°'9'6.20"	W 103°'56'52.29"	12.25	151.46
	3,103.00	0.30	344.17	3,102.82	9.76	-10.63	5.78	7.12	0.45	419,145.82	660,633.00	N 32°'9'6.20"	W 103°'56'52.29"	12.10	151.47
	3,197.00	1.08	301.31	3,196.82	9.18	-9.93	4.95	101.12	0.94	419,146.52	660,632.17	N 32°'9'6.21"	W 103°'56'52.30"	11.10	153.49
	3,292.00	1.76	288.00	3,291.79	8.56	-9.02	2.80	196.09	0.79	419,147.43	660,630.02	N 32°'9'6.22"	W 103°'56'52.33"	9.44	162.74
	3,387.00	2.91	288.10	3,386.71	7.86	-7.82	-0.88	291.01	1.21	419,148.63	660,626.34	N 32°'9'6.23"	W 103°'56'52.37"	7.87	186.41
	3,482.00	4.38	280.52	3,481.51	7.25	-6.41	-6.74	385.81	1.63	419,150.04	660,620.48	N 32°'9'6.25"	W 103°'56'52.44"	9.30	226.44
	3,577.00	5.55	280.86	3,576.15	6.83	-4.88	-14.82	480.45	1.23	419,151.57	660,612.41	N 32°'9'6.26"	W 103°'56'52.53"	15.60	251.78
	3,671.00	6.96	279.18	3,669.59	6.43	-3.11	-24.90	573.89	1.51	419,153.34	660,602.32	N 32°'9'6.28"	W 103°'56'52.65"	25.10	262.88
	3,766.00	8.41	274.39	3,763.74	6.69	-1.66	-37.51	668.04	1.67	419,154.79	660,589.71	N 32°'9'6.29"	W 103°'56'52.80"	37.55	267.46
	3,860.00	9.95	269.86	3,856.53	8.20	-1.16	-52.49	760.83	1.81	419,155.29	660,574.74	N 32°'9'6.30"	W 103°'56'52.97"	52.50	268.74
	3,955.00	11.43	269.73	3,949.88	10.64	-1.22	-70.11	854.18	1.56	419,155.23	660,557.12	N 32°'9'6.30"	W 103°'56'53.18"	70.12	269.00
	4,050.00	13.34	268.16	4,042.67	13.77	-1.62	-90.48	946.97	2.04	419,154.83	660,536.75	N 32°'9'6.30"	W 103°'56'53.41"	90.49	268.98
	4,144.00	12.82	264.59	4,134.23	17.94	-2.95	-111.70	1,038.53	1.02	419,153.50	660,515.53	N 32°'9'6.28"	W 103°'56'53.66"	111.74	268.49
	4,239.00	13.78	265.73	4,226.68	22.69	-4.78	-133.48	1,130.98	1.05	419,151.67	660,493.75	N 32°'9'6.27"	W 103°'56'53.91"	133.56	267.95
	4,333.00	12.14	260.81	4,318.28	27.89	-7.20	-154.40	1,222.58	2.10	419,149.25	660,472.83	N 32°'9'6.24"	W 103°'56'54.16"	154.57	267.33
	4,427.00	14.06	266.35	4,409.84	33.02	-9.50	-175.55	1,314.14	2.44	419,146.95	660,451.68	N 32°'9'6.22"	W 103°'56'54.40"	175.81	266.90
	4,522.00	13.82	264.95	4,502.04	37.81	-11.24	-198.37	1,406.34	0.44	419,145.21	660,428.86	N 32°'9'6.20"	W 103°'56'54.67"	198.69	266.76
	4,617.00	13.03	263.27	4,594.44	42.99	-13.49	-220.31	1,498.74	0.93	419,142.96	660,406.93	N 32°'9'6.18"	W 103°'56'54.92"	220.72	266.50
	4,711.00	12.44	261.56	4,686.13	48.46	-16.22	-240.85	1,590.43	0.74	419,140.23	660,386.39	N 32°'9'6.16"	W 103°'56'55.16"	241.40	266.15
	4,805.00	13.40	264.52	4,777.75	53.76	-18.74	-261.71	1,682.05	1.24	419,137.71	660,365.53	N 32°'9'6.13"	W 103°'56'55.41"	262.38	265.90
	4,900														

	8,494.00	11.52	270.45	8,354.63	161.14	-5.57	-1,157.34	5,258.93	0.51	419,150.88	659,469.97	N 32°'9'6.29"	W 103°'57'5.82"	1,157.35	269.72
	8,683.00	10.76	273.78	8,540.07	164.74	-4.26	-1,193.81	5,444.37	0.53	419,152.19	659,433.50	N 32°'9'6.31"	W 103°'57'6.25"	1,193.82	269.80
	8,777.00	9.56	268.88	8,632.60	166.55	-3.84	-1,210.37	5,536.90	1.57	419,152.61	659,416.94	N 32°'9'6.31"	W 103°'57'6.44"	1,210.38	269.82
	8,872.00	9.66	270.33	8,726.27	168.79	-3.94	-1,226.23	5,630.57	0.28	419,152.51	659,401.08	N 32°'9'6.31"	W 103°'57'6.62"	1,226.24	269.82
	9,061.00	9.91	272.33	8,912.52	172.36	-3.19	-1,258.34	5,816.82	0.22	419,153.26	659,368.98	N 32°'9'6.32"	W 103°'57'7.00"	1,258.34	269.85
	9,155.00	9.02	268.92	9,005.24	174.25	-3.00	-1,273.79	5,909.54	1.12	419,153.45	659,353.53	N 32°'9'6.32"	W 103°'57'7.18"	1,273.79	269.86
	9,249.00	9.10	267.58	9,098.06	176.69	-3.45	-1,288.58	6,002.36	0.24	419,153.00	659,338.74	N 32°'9'6.32"	W 103°'57'7.35"	1,288.59	269.85
	9,344.00	8.15	262.38	9,191.99	179.79	-4.66	-1,302.76	6,096.29	1.29	419,151.79	659,324.56	N 32°'9'6.31"	W 103°'57'7.51"	1,302.77	269.79
	9,438.00	7.45	268.47	9,285.12	182.54	-5.71	-1,315.46	6,189.42	1.15	419,150.74	659,311.86	N 32°'9'6.30"	W 103°'57'7.66"	1,315.47	269.75
	9,532.00	7.84	269.91	9,378.29	184.39	-5.88	-1,327.96	6,282.59	0.46	419,150.57	659,299.36	N 32°'9'6.30"	W 103°'57'7.81"	1,327.98	269.75
	9,627.00	7.28	270.63	9,472.46	186.01	-5.83	-1,340.46	6,376.76	0.60	419,150.62	659,286.86	N 32°'9'6.30"	W 103°'57'7.95"	1,340.47	269.75
	9,721.00	7.45	272.43	9,565.68	187.31	-5.50	-1,352.50	6,469.98	0.30	419,150.95	659,274.82	N 32°'9'6.30"	W 103°'57'8.09"	1,352.52	269.77
	9,815.00	7.23	275.19	9,658.91	188.14	-4.71	-1,364.48	6,563.21	0.44	419,151.74	659,262.84	N 32°'9'6.31"	W 103°'57'8.23"	1,364.49	269.80
	9,910.00	7.18	275.48	9,753.16	188.63	-3.60	-1,376.35	6,657.46	0.07	419,152.85	659,250.98	N 32°'9'6.32"	W 103°'57'8.37"	1,376.35	269.85
	9,946.00	7.36	276.10	9,788.87	188.79	-3.14	-1,380.88	6,693.17	0.55	419,153.31	659,246.45	N 32°'9'6.33"	W 103°'57'8.42"	1,380.88	269.87
Actual KOP	10,007.00	7.57	276.08	9,849.36	189.01	-2.30	-1,388.76	6,753.66	0.35	419,154.15	659,238.57	N 32°'9'6.34"	W 103°'57'8.51"	1,388.76	269.91
	10,027.00	7.64	276.07	9,869.18	189.09	-2.02	-1,391.39	6,773.48	0.35	419,154.43	659,235.93	N 32°'9'6.34"	W 103°'57'8.54"	1,391.39	269.92
	10,122.00	14.78	281.36	9,962.31	188.50	1.04	-1,409.58	6,866.61	7.59	419,157.49	659,217.75	N 32°'9'6.37"	W 103°'57'8.76"	1,409.58	270.04
	10,216.00	19.33	250.31	10,052.34	194.92	-1.85	-1,436.05	6,956.64	10.66	419,154.60	659,191.28	N 32°'9'6.34"	W 103°'57'9.06"	1,436.05	269.93
FTP / 100ft FNL Cross	10,311.00	23.74	228.44	10,140.82	216.71	-19.87	-1,465.22	7,045.12	9.57	419,136.58	659,162.11	N 32°'9'6.16"	W 103°'57'9.40"	1,465.36	269.22
	10,352.00	26.55	221.85	10,177.94	230.55	-32.18	-1,477.52	7,082.24	9.68	419,124.27	659,149.82	N 32°'9'6.04"	W 103°'57'9.55"	1,477.87	268.75
Exit Lateral Window	10,405.00	30.55	215.10	10,224.50	252.34	-52.04	-1,493.17	7,128.80	9.68	419,104.42	659,134.16	N 32°'9'5.85"	W 103°'57'9.73"	1,494.08	268.00
	10,482.00	37.25	209.37	10,288.39	291.43	-88.41	-1,515.89	7,192.69	9.63	419,068.05	659,111.45	N 32°'9'5.49"	W 103°'57'10.00"	1,518.46	266.66
	10,499.00	38.76	208.34	10,301.79	301.20	-97.58	-1,520.94	7,206.09	9.63	419,058.88	659,106.40	N 32°'9'5.40"	W 103°'57'10.06"	1,524.06	266.33
Wolfcamp A Intersection	10,550.37	45.07	203.79	10,340.00	333.76	-128.41	-1,535.92	7,244.30	13.63	419,028.05	659,091.41	N 32°'9'5.09"	W 103°'57'10.23"	1,541.28	265.22
	10,612.00	52.83	199.50	10,380.45	378.85	-171.59	-1,552.95	7,284.75	13.63	418,984.87	659,074.39	N 32°'9'4.67"	W 103°'57'10.43"	1,562.40	263.69
	10,706.00	63.44	187.59	10,430.14	457.98	-248.99	-1,571.10	7,334.44	15.57	418,907.48	659,056.24	N 32°'9'3.90"	W 103°'57'10.65"	1,590.71	260.99
	10,801.00	68.92	182.27	10,468.51	544.71	-335.51	-1,578.48	7,372.81	7.71	418,820.97	659,048.86	N 32°'9'3.04"	W 103°'57'10.73"	1,613.74	258.00
	10,895.00	84.31	174.88	10,490.23	634.62	-426.58	-1,576.03	7,394.53	18.06	418,729.90	659,051.31	N 32°'9'2.14"	W 103°'57'10.71"	1,632.74	254.85
	10,990.00	88.76	175.35	10,495.98	727.13	-521.04	-1,567.95	7,400.28	4.71	418,635.45	659,059.39	N 32°'9'1.21"	W 103°'57'10.62"	1,652.26	251.62
	11,041.00	87.88	174.45	10,497.47	776.84	-571.81	-1,563.42	7,401.77	2.47	418,584.68	659,063.92	N 32°'9'0.71"	W 103°'57'10.57"	1,664.71	249.91
	11,158.00	88.54	174.11	10,501.12	890.57	-688.17	-1,551.77	7,405.42	0.63	418,468.33	659,075.57	N 32°'8'59.55"	W 103°'57'10.44"	1,697.52	246.08
	11,251.00	88.75	174.25	10,503.32	980.96	-780.67	-1,542.34	7,407.62	0.27	418,375.84	659,085.00	N 32°'8'58.64"	W 103°'57'10.33"	1,728.66	243.15
	11,345.00	89.27	174.68	10,504.95	1,072.44	-874.21	-1,533.27	7,409.25	0.72	418,282.30	659,094.06	N 32°'8'57.71"	W 103°'57'10.23"	1,764.99	240.31
	11,440.00	89.38	175.51	10,506.07	1,165.13	-968.86	-1,525.15	7,410.37	0.88	418,187.66	659,102.18	N 32°'8'56.78"	W 103°'57'10.14"	1,806.87	237.57
	11,534.00	90.58	177.62	10,506.10	1,257.35	-1,062.68	-1,519.52	7,410.40	2.58	418,093.85	659,107.82	N 32°'8'55.85"	W 103°'57'10.08"	1,854.25	235.03
	11,629.00	91.51	178.56	10,504.37	1,350.99	-1,157.61	-1,516.35	7,408.67	1.39	417,998.93	659,110.98	N 32°'8'54.91"	W 103°'57'10.05"	1,907.72	232.64
	11,723.00	92.00	179.43	10,501.49	1,443.86	-1,251.55	-1,514.71	7,405.79	1.06	417,904.99	659,112.63	N 32°'8'53.98"	W 103°'57'10.03"	1,964.87	230.43
	11,817.00	92.23	179.92	10,498.02	1,536.86	-1,345.49	-1,514.17	7,402.32	0.58	417,811.07	659,113.16	N 32°'8'53.05"	W 103°'57'10.03"	2,025.60	228.38
	11,911.00	91.76	179.56	10,494.75	1,629.90	-1,439.43	-1,513.75	7,399.05	0.63	417,717.13	659,113.59	N 32°'8'52.12"	W 103°'57'10.03"	2,088.87	226.44
	12,006.00	91.89	179.48	10,491.72	1,723.88	-1,534.38	-1,512.95	7,396.02	0.16	417,622.19	659,114.38	N 32°'8'51.18"	W 103°'57'10.02"	2,154.84	224.60
	12,100.00	92.26	179.43	10,488.32	1,816.84	-1,628.31	-1,512.06	7,392.62	0.40	417,528.26	659,115.28	N 32°'8'50.25"	W 103°'57'10.02"	2,222.10	222.88
	12,194.00	92.02	179.32	10,484.81	1,909.77	-1,722.24	-1,511.03	7,389.11	0.28	417,434.34	659,116.30	N 32°'8'49.32"	W 103°'57'10.01"	2,291.14	221.26
	12,288.00	91.23	178.82	10,482.14	2,002.66	-1,816.19	-1,509.51	7,386.44	0.99	417,340.40	659,117.83	N 32°'8'48.39"	W 103°'57'9.99"	2,361.60	219.73
	12,383.00	90.59	178.29	10,480.63	2,096.44	-1,911.15	-1,507.11	7,384.93	0.87	417,245.45	659,120.22	N 32°'8'47.45"	W 103°'57'9.97"	2,433.90	218.26
Enter Lateral Window	12,400.00	90.61	178.29	10,480.46	2,113.21	-1,928.14	-1,506.61	7,384.76	0.10	417,228.46	659,120.73	N 32°'8'47.28"	W 103°'57'9.96"	2,446.95	218.00
	12,477.00	90.68	178.31	10,479.59	2,189.16	-2,005.10	-1,504.32	7,383.89	0.10	417,151.51	659,123.01	N 32°'8'46.52"	W 103°'57'9.94"	2,506.67	216.88
	12,666.00	90.67	177.88	10,477.37	2,375.48	-2,193.98	-1,498.04	7,381.67	0.23	416,962.64	659,129.29	N 32°'8'44.65"	W 103°'57'9.88"	2,656.63	214.33
	12,760.00	89.49	177.17	10,477.23	2,468.00	-2,287.89	-1,493.98	7,381.53	1.47	416,868.73	659,133.35	N 32°'8'43.72"	W 103°'57'9.83"	2,732.48	213.14
	12,854.00	89.25	177.02	10,478.27	2,560.38	-2,381.76	-1,489.22	7,382.57	0.30	416,774.87	659,138.11	N 32°'8'42.79"	W 103°'57'9.78"	2,809.02	212.02
	12,949.00	88.64	177.47	10,480.02	2,653.77	-2,476.64	-1,484.65	7,384.32	0.80	416,680.00	659,142.68	N 32°'8'41.85"	W 103°'57'9.73"	2,887.55	210.94
	13,043.00	88.82	177.61	10,482.10	2,746.27	-2,570.53	-1,480.62	7,386.40	0.24	416,586.12	659,146.71	N 32°'8'40.93"	W 103°'57'9.69"	2,966.45	209.94
	13,138.00	89.22	177.61	10,483.73	2,839.78	-2,665.43	-1,476.66	7,388.03	0.42	416,491.22	659,150.67	N 32°'8'39.99"	W 103°'57'9.65"	3,047.14	208.99
	13,232.00	89.02	177.58	10,485.17	2,932.30	-2,759.34	-1,472.72	7,389.47	0.22	416,397.32	659,154.62	N 32°'8'39.06"	W 103°'57'9.60"	3,127.75	208.09
	13,326.00	88.25	176.71	10,487.41	3,024.67	-2,853.19	-1,468.03	7,391.71	1.24	416,303.48	659,159.30	N 32°'8'38.13"	W 103°'57'9.55"	3,208.71	207.23
	13,421.00	88.18	176.50	10,490.37	3,117.84	-2,947.98	-1,462.41	7,394.67	0.23	416,208.70	659,164.92	N 32°'8'37.19"	W 103°'57'9.49"	3,290.78	206.38
	13,515.00	88.40	176.84	10,493.17	3,210.06	-3,041.78	-1,456.95	7,397.47	0.43	416,114.90	659,170.38	N 32°'8'36.26"	W 103°'57'9.43"	3,372.70	205.59
	13,609.00	88.34	176.81	10,495.85	3,302.32	-3,135.60	-1,451.75	7,400.15	0.07	416,021.09	659,175.58	N 32°'8'35.33"	W 103°'57'9.38"	3,455.36	204.84
	13,704.00	88.94	177.42	10,498.10	3,395.67	-3,230.45	-1,446.97	7,402.40	0.90	415,926.25	659,180.36	N 32°'8'34.39"	W 103°'57'9.32"	3,539.71	204.13
	13,798.00	88.92	178.18	10,499.86	3,488.25	-3,324.36	-1,443.36	7,404.16	0.81	415,832.34	659,183.97	N 32°'8'33.46"	W 103°'57'9.29"	3,624.18	

Enter Lateral Window	19,459.00	88.46	181.88	10,485.36	9,094.24	-8,976.45	-1,482.27	7,389.66	0.77	410,180.69	659,145.07	N 32°7'37.54"	W 103°57'9.97"	9,098.01	189.38
	19,554.00	88.32	180.05	10,488.03	9,188.54	-9,071.40	-1,483.87	7,392.33	1.93	410,085.75	659,143.47	N 32°7'36.60"	W 103°57'9.99"	9,191.96	189.29
	19,648.00	87.85	178.06	10,491.17	9,281.41	-9,165.33	-1,482.32	7,395.47	2.17	409,991.83	659,145.02	N 32°7'35.67"	W 103°57'9.98"	9,284.42	189.19
	19,742.00	87.90	176.16	10,494.65	9,373.73	-9,259.14	-1,477.58	7,398.95	2.02	409,898.02	659,149.75	N 32°7'34.74"	W 103°57'9.93"	9,376.29	189.07
	19,837.00	88.66	175.25	10,497.50	9,466.60	-9,353.83	-1,470.47	7,401.80	1.25	409,803.34	659,156.86	N 32°7'33.80"	W 103°57'9.85"	9,468.70	188.93
	19,856.00	88.59	175.44	10,497.96	9,485.16	-9,372.76	-1,468.93	7,402.26	1.05	409,784.41	659,158.41	N 32°7'33.62"	W 103°57'9.83"	9,487.17	188.91
	19,931.00	88.29	176.17	10,500.01	9,558.51	-9,447.53	-1,463.44	7,404.31	1.05	409,709.65	659,163.89	N 32°7'32.88"	W 103°57'9.77"	9,560.20	188.81
	20,026.00	87.60	176.05	10,503.41	9,651.50	-9,542.25	-1,457.00	7,407.71	0.74	409,614.93	659,170.33	N 32°7'31.94"	W 103°57'9.70"	9,652.84	188.68
	20,120.00	87.91	176.10	10,507.09	9,743.50	-9,635.96	-1,450.57	7,411.39	0.33	409,521.23	659,176.76	N 32°7'31.01"	W 103°57'9.63"	9,744.53	188.56
	20,214.00	88.46	175.38	10,510.07	9,835.40	-9,729.65	-1,443.59	7,414.37	0.96	409,427.55	659,183.74	N 32°7'30.08"	W 103°57'9.55"	9,836.16	188.44
	20,309.00	90.05	175.01	10,511.31	9,928.12	-9,824.30	-1,435.63	7,415.61	1.72	409,332.90	659,191.70	N 32°7'29.15"	W 103°57'9.46"	9,928.64	188.31
	20,403.00	89.81	175.87	10,511.42	10,019.97	-9,918.00	-1,428.16	7,415.72	0.95	409,239.21	659,199.17	N 32°7'28.22"	W 103°57'9.38"	10,020.30	188.19
	20,498.00	89.88	177.36	10,511.68	10,113.19	-10,012.84	-1,422.55	7,415.98	1.57	409,144.38	659,204.78	N 32°7'27.28"	W 103°57'9.32"	10,113.38	188.09
	20,592.00	89.81	179.13	10,511.93	10,205.90	-10,106.79	-1,419.67	7,416.23	1.88	409,050.44	659,207.66	N 32°7'26.35"	W 103°57'9.29"	10,206.01	188.00
	20,687.00	89.49	179.41	10,512.51	10,299.86	-10,201.78	-1,418.46	7,416.81	0.45	408,955.45	659,208.87	N 32°7'25.41"	W 103°57'9.28"	10,299.92	187.92
	20,782.00	90.73	180.37	10,512.33	10,393.97	-10,296.77	-1,418.28	7,416.63	1.65	408,860.46	659,209.05	N 32°7'24.47"	W 103°57'9.28"	10,393.99	187.84
	20,876.00	90.66	182.17	10,511.19	10,487.36	-10,390.74	-1,420.36	7,415.49	1.92	408,766.51	659,206.97	N 32°7'23.54"	W 103°57'9.31"	10,487.37	187.78
LTP / 100 ft FSL Cross	20,940.00	90.23	182.45	10,510.69	10,551.08	-10,454.69	-1,422.94	7,414.99	0.80	408,702.56	659,204.39	N 32°7'22.91"	W 103°57'9.34"	10,551.08	187.75
Final Survey	20,955.00	90.13	182.51	10,510.65	10,566.01	-10,469.67	-1,423.59	7,414.95	0.80	408,687.58	659,203.74	N 32°7'22.76"	W 103°57'9.35"	10,566.01	187.74
Projection to Total Depth															

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 2.795 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Borehole / Survey
	1	0.000	607.000	Act Stns		A009Mb_MWD+IFR1+SAG	Corral Bluff 11-14 Fed Com 36H / Oxy Corral Bluff 11-14 Fed Com 36H IFR1 Surveys to 20987ft
	1	607.000	20,987.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS	Corral Bluff 11-14 Fed Com 36H / Oxy Corral Bluff 11-14 Fed Com 36H IFR1 Surveys to 20987ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
20,987.000	26.400	26.400	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 11 / NENE / 32.151753 / -103.947878	County or Parish/State: EDDY / NM
Well Number: 36H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548024	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2764624

Type of Submission: Subsequent Report

Date Sundry Submitted: 12/05/2023

Date Operation Actually Began: 09/04/2023

Type of Action: Workover Operations

Time Sundry Submitted: 02:41

Actual Procedure: RUPU 09/04/23, RIH & clean out to PBTD @ 20943', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 10540-20847' Total 1236 holes. Frac in 41 stages w/ 358190BBL Produced Water + 99559BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 26060750# sand, RD Liberty 10/01/23. Well ready to produce 10/05/23. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 01/15/2024.

Received by OCD: 1/21/2024 6:07:07 PM

Page 9 of 15

Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 11 / NENE / 32.151753 / -103.947878	County or Parish/State: EDDY / NM
Well Number: 36H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548024	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: DEC 05, 2023 02:40 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 12/21/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG						1. WELL API NO. 30-015-48024				
						2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN				
						3. State Oil & Gas Lease No.				
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name CORRAL BLUFF 11-14 FEDERAL COM				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER						6. Well Number: 36H				
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PURPLE SAGE WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	11	25S	29E		70	NORTH	393	EAST	EDDY
BH:	O	14	25S	29E		52	SOUTH	1872	EAST	EDDY
13. Date Spudded 06/22/23	14. Date T.D. Reached 08/25/2023		15. Date Rig Released 08/28/2023		16. Date Completed (Ready to Produce) 10/05/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3070' GL		
18. Total Measured Depth of Well 20987'M 10511'V			19. Plug Back Measured Depth 20943'M 10511'V		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10540-20847' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		695'		14.75"		570sx-surf circ		
7.625" HCL80		26.4		9956'		9.875"		1219sx-surf		
5.5" P110 ICY		20		20967'		6.75"		811sx-TOC@8182'		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 10540-20847' Total 1236 holes, Hole Size=0.42					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					10540-20847'		358190BBL Produced Water + 99559BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 26060750# sand			
28. PRODUCTION										
Date First Production 10/08/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) Prod.				
Date of Test 10/26/2023	Hours Tested 24 hrs.	Choke Size 62	Prod'n For Test Period	Oil - Bbl 2632	Gas - MCF 7170	Water - Bbl. 4654	Gas - Oil Ratio 2724			
Flow Tubing Press.	Casing Pressure 1545	Calculated 24- Hour Rate	Oil - Bbl. 2632	Gas - MCF 7170	Water - Bbl. 4654	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: <u>Jana Mendiola</u> Name: <u>Jana Mendiola</u> Title: <u>Sr. Regulatory Analyst</u> Date: <u>01/21/2024</u>										
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 455'	T. Bell Canyon 3265'	T. Ojo Alamo	T. Penn A"
T. Salado 960'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1996'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 3213'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 4139'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5422'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 7092'	T. Todilto	
T. Abo	T. 1 st Bone Spring 8049'	T. Entrada	
T. Wolfcamp 10342'	T. 2 nd Bone Spring 8902'	T. Wingate	
T. Penn	T. 3 rd Bone Spring 9929'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
CORRAL BLUFF 11-14 FEDERAL COM 36H
API No. 30-015-48024



Perfs @ 10540-20847'

TD- 20987'M 10511'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 305918

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 305918
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 305918

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 305918
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 within 10 days of BLM approval.	1/23/2024
plmartinez	Submit CBL to OCD Permitting as [UF-WL] EP Well Log Submission.	1/23/2024