

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office
☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137	
		³ Reason for Filing Code/ Effective Date NW / 3/28/22	
⁴ API Number 30-025-4943230-015-49432	⁵ Pool Name WC-025 G-08 S233430J; WOLFCAMP		⁶ Pool Code 97965
⁷ Property Code 315753	⁸ Property Name White Dove 17 Fed Com		⁹ Well Number 22H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	17	23S	34E		350	North	748	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	17	23S	34E		92	South	1976	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 3/28/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
024650	Targa Permian, LP 1000 Louisiana, Ste 4300 Houston, TX 77002	Gas
330291	3 Bear Energy-Cottonwood, LLC 1200 17th Street Suite 750 Denver, CO 80202	Oil

IV. Well Completion Data

²¹ Spud Date 11/29/21	²² Ready Date 3/28/22	²³ TD 16458	²⁴ PBDT 16,440 MD/11,455 TYD	²⁵ Perforations 11700 - 16429	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	1168	470 sx CIC; Circ 652 sx		
9-7/8"	8-5/8"	5111	625 sx CIC; Circ 86 sx		
7-7/8"	5-1/2"	16443	1,180 sx CI POZ MIX; Circ 102 sx		
	Tubing: 2-7/8"	10795			

V. Well Test Data

³¹ Date New Oil 4/7/22	³² Gas Delivery Date 4/7/22	³³ Test Date 4/7/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 1467 psi	³⁶ Csg. Pressure 765 psi
³⁷ Choke Size	³⁸ Oil 2397 bbl	³⁹ Water 2278 bbl	⁴⁰ Gas 4048 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvnm.com			Approval Date: 1/30/2024		
Date: 4/26/2022		Phone: 405-552-3513			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (505) 393-6161 Fax: (505) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (505) 748-1283 Fax: (505) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-49432	Pool Code 97965	Pool Name WC-025 G-08 S233430J; WOLFCAMP
Property Code 315753	Property Name WHITE DOVE 17 FED COM	Well Number 22H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3478.5'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	17	23-S	34-E		350	NORTH	748	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	17	23-S	34-E		92	SOUTH	1976	WEST	LEA

Dedicated Acres 160	Joint or Infill	Consolidation Code	Order No.
-------------------------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shayda Omoumi 4/26/2022
Signature Date

Shayda Omoumi

Printed Name

shayda.omoumi@dmv.com

E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

01/29/2021

Date of Survey

Signature & Seal of Professional Surveyor



04/25/2022

Certificate No. 22404

B.L. LAMAN

DRAWN BY: CM

WHITE DOVE 17 FED COM 22H

EL: 3478.5'
LAT:32.310914
LON:103.498257
N:477848.00
E:799327.72

KICK OFF POINT

53' FNL 1892' FWL SEC. 17
LAT:32.311730
LON:103.494557
N:478153.61
E:800468.46

FIRST TAKE POINT

432' FNL 1926' FWL SEC. 17
LAT:32.310688
LON:103.494444
N:477774.81
E:800506.52

LAST TAKE POINT

121' FSL 1977' FWL SEC. 17
LAT:32.297699
LON:103.494252
N:473049.88
E:800602.65

BOTTOM OF HOLE

LAT:32.297619
LON:103.494255
N:473020.89
E:800602.20

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ Y

Is this well an infill well?

☐ N

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Devon Energy

Lea County, NM (NAD83)

White Dove 17

White Dove 17 Fed Com 22H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

29 December, 2021

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 22H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Site:	White Dove 17	MD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Well:	White Dove 17 Fed Com 22H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		White Dove 17			
Site Position:		Northing:	477,847.71 usft	Latitude:	32.310914
From:	Map	Easting:	799,297.72 usft	Longitude:	-103.498355
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.45 °

Well	White Dove 17 Fed Com 22H					
Well Position	+N/-S	0.00 usft	Northing:	477,848.00 usft	Latitude:	32.310914
	+E/-W	0.00 usft	Easting:	799,327.72 usft	Longitude:	-103.498258
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,478.50 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	12/1/2021	6.38	59.92	47,687.30000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	165.21	

Survey Program	Date	12/29/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
175.00	16,458.00	Survey #1 (Wellbore #1)	MWD+HDGM	OWSG MWD + HDGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	477,848.00	799,327.72	32.310914	-103.498258
175.00	0.40	77.40	175.00	0.13	0.60	477,848.13	799,328.31	32.310915	-103.498256
270.00	0.50	88.60	270.00	0.22	1.33	477,848.22	799,329.05	32.310915	-103.498253
365.00	0.60	101.70	364.99	0.12	2.24	477,848.13	799,329.95	32.310915	-103.498250
460.00	0.70	113.40	459.99	-0.21	3.26	477,847.79	799,330.97	32.310914	-103.498247
555.00	0.80	127.10	554.98	-0.84	4.32	477,847.16	799,332.03	32.310912	-103.498244
649.00	0.80	129.00	648.97	-1.65	5.35	477,846.35	799,333.07	32.310910	-103.498240
744.00	0.80	138.60	743.96	-2.56	6.30	477,845.44	799,334.02	32.310907	-103.498237
839.00	0.70	131.20	838.95	-3.44	7.18	477,844.56	799,334.90	32.310905	-103.498234
934.00	0.70	136.20	933.94	-4.24	8.02	477,843.76	799,335.74	32.310903	-103.498232
1,029.00	0.70	138.60	1,028.94	-5.10	8.80	477,842.91	799,336.52	32.310900	-103.498229
1,101.00	0.70	127.60	1,100.93	-5.69	9.44	477,842.31	799,337.16	32.310899	-103.498227

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 22H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Site:	White Dove 17	MD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Well:	White Dove 17 Fed Com 22H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,183.00	0.60	118.50	1,182.93	-6.20	10.22	477,841.80	799,337.93	32.310897	-103.498225
1,278.00	0.50	96.60	1,277.92	-6.49	11.07	477,841.51	799,338.78	32.310896	-103.498222
1,373.00	0.80	59.90	1,372.92	-6.20	12.05	477,841.80	799,339.77	32.310897	-103.498219
1,468.00	1.20	51.40	1,467.90	-5.25	13.40	477,842.75	799,341.12	32.310900	-103.498214
1,563.00	3.00	65.10	1,562.83	-3.58	16.43	477,844.42	799,344.15	32.310904	-103.498204
1,658.00	4.80	69.20	1,657.61	-1.13	22.41	477,846.88	799,350.12	32.310911	-103.498185
1,754.00	6.80	72.20	1,753.11	2.04	31.57	477,850.04	799,359.29	32.310919	-103.498155
1,849.00	8.00	78.30	1,847.32	5.10	43.40	477,853.10	799,371.12	32.310928	-103.498117
1,944.00	8.80	78.30	1,941.30	7.91	56.99	477,855.91	799,384.71	32.310935	-103.498073
2,039.00	9.10	78.30	2,035.15	10.91	71.46	477,858.91	799,399.18	32.310943	-103.498026
2,135.00	9.50	77.10	2,129.88	14.22	86.62	477,862.22	799,414.34	32.310952	-103.497977
2,230.00	10.00	76.20	2,223.51	17.94	102.27	477,865.94	799,429.99	32.310962	-103.497926
2,325.00	10.30	75.50	2,317.02	22.03	118.50	477,870.03	799,446.22	32.310972	-103.497873
2,420.00	10.60	75.40	2,410.45	26.36	135.18	477,874.36	799,462.90	32.310984	-103.497819
2,515.00	10.80	74.10	2,503.80	31.00	152.20	477,879.00	799,479.92	32.310996	-103.497764
2,611.00	10.00	73.40	2,598.22	35.85	168.84	477,883.85	799,496.55	32.311009	-103.497710
2,706.00	10.40	71.70	2,691.72	40.89	184.88	477,888.89	799,512.60	32.311023	-103.497658
2,801.00	10.80	70.20	2,785.10	46.60	201.40	477,894.60	799,529.12	32.311038	-103.497605
2,896.00	10.60	73.20	2,878.45	52.14	218.14	477,900.14	799,545.86	32.311053	-103.497550
2,992.00	11.10	71.70	2,972.73	57.60	235.36	477,905.60	799,563.08	32.311068	-103.497494
3,087.00	10.10	73.10	3,066.11	62.89	252.02	477,910.89	799,579.73	32.311082	-103.497440
3,182.00	10.10	71.70	3,159.64	67.93	267.90	477,915.93	799,595.61	32.311095	-103.497389
3,277.00	10.40	68.40	3,253.12	73.70	283.78	477,921.70	799,611.49	32.311111	-103.497337
3,372.00	10.80	66.80	3,346.50	80.36	299.93	477,928.36	799,627.65	32.311129	-103.497285
3,467.00	10.10	78.10	3,439.93	85.59	316.26	477,933.59	799,643.98	32.311143	-103.497232
3,563.00	10.30	82.50	3,534.42	88.44	333.01	477,936.44	799,660.73	32.311150	-103.497177
3,658.00	10.40	84.90	3,627.87	90.31	349.97	477,938.31	799,677.69	32.311155	-103.497123
3,754.00	10.60	84.40	3,722.26	91.94	367.39	477,939.94	799,695.11	32.311159	-103.497066
3,849.00	10.40	84.80	3,815.67	93.57	384.63	477,941.57	799,712.34	32.311163	-103.497010
3,944.00	10.20	85.70	3,909.14	94.98	401.55	477,942.98	799,729.27	32.311167	-103.496955
4,039.00	11.10	75.50	4,002.51	97.90	418.80	477,945.90	799,746.51	32.311175	-103.496900
4,135.00	13.40	67.60	4,096.33	104.46	438.03	477,952.46	799,765.75	32.311192	-103.496837
4,230.00	14.10	69.00	4,188.60	112.80	459.01	477,960.80	799,786.73	32.311215	-103.496769
4,325.00	13.30	73.60	4,280.90	120.03	480.30	477,968.03	799,808.02	32.311234	-103.496700
4,420.00	10.60	70.30	4,373.84	126.06	499.01	477,974.06	799,826.73	32.311250	-103.496639
4,516.00	9.90	68.70	4,468.31	132.04	515.01	477,980.04	799,842.73	32.311266	-103.496587
4,611.00	9.10	67.50	4,562.00	137.88	529.56	477,985.88	799,857.28	32.311282	-103.496540
4,706.00	9.30	74.50	4,655.78	142.81	543.90	477,990.81	799,871.62	32.311295	-103.496494
4,801.00	10.30	79.90	4,749.40	146.35	559.66	477,994.35	799,887.38	32.311305	-103.496442
4,896.00	9.80	80.40	4,842.94	149.18	575.99	477,997.18	799,903.71	32.311312	-103.496390
4,991.00	9.10	80.40	4,936.65	151.79	591.37	477,999.79	799,919.09	32.311319	-103.496340
5,067.00	8.40	80.40	5,011.76	153.71	602.77	478,001.71	799,930.49	32.311324	-103.496303
5,189.00	8.60	79.20	5,132.42	156.91	620.52	478,004.91	799,948.24	32.311332	-103.496245
5,285.00	9.50	78.90	5,227.23	159.78	635.34	478,007.78	799,963.06	32.311340	-103.496197
5,380.00	10.00	78.70	5,320.86	162.90	651.13	478,010.91	799,978.84	32.311348	-103.496146
5,475.00	10.30	77.80	5,414.37	166.32	667.51	478,014.32	799,995.23	32.311357	-103.496093
5,570.00	10.40	73.00	5,507.82	170.62	684.02	478,018.62	800,011.73	32.311369	-103.496039
5,665.00	10.30	69.50	5,601.28	176.10	700.17	478,024.10	800,027.89	32.311383	-103.495987
5,760.00	10.20	68.50	5,694.76	182.16	715.95	478,030.16	800,043.67	32.311400	-103.495936
5,856.00	9.80	66.30	5,789.31	188.56	731.34	478,036.56	800,059.06	32.311417	-103.495886
5,951.00	9.70	67.90	5,882.93	194.82	746.16	478,042.82	800,073.88	32.311434	-103.495838
6,046.00	10.30	74.40	5,976.49	200.11	761.76	478,048.11	800,089.48	32.311448	-103.495787
6,142.00	10.20	75.60	6,070.96	204.53	778.26	478,052.53	800,105.97	32.311460	-103.495733
6,237.00	10.30	74.30	6,164.44	208.92	794.58	478,056.92	800,122.30	32.311472	-103.495681
6,332.00	10.80	73.00	6,257.84	213.82	811.27	478,061.82	800,138.99	32.311485	-103.495626

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 22H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Site:	White Dove 17	MD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Well:	White Dove 17 Fed Com 22H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,427.00	11.40	71.90	6,351.06	219.34	828.70	478,067.34	800,156.42	32.311500	-103.495570
6,523.00	11.30	69.90	6,445.18	225.52	846.56	478,073.52	800,174.27	32.311516	-103.495512
6,618.00	11.10	68.80	6,538.38	232.03	863.82	478,080.03	800,191.54	32.311534	-103.495456
6,713.00	11.30	73.10	6,631.57	238.04	881.25	478,086.04	800,208.97	32.311550	-103.495399
6,808.00	11.40	73.40	6,724.71	243.43	899.16	478,091.43	800,226.87	32.311564	-103.495341
6,904.00	11.80	73.30	6,818.75	248.96	917.65	478,096.96	800,245.37	32.311579	-103.495281
6,999.00	12.00	72.90	6,911.71	254.66	936.39	478,102.66	800,264.11	32.311594	-103.495220
7,094.00	11.70	80.10	7,004.69	259.22	955.32	478,107.22	800,283.04	32.311606	-103.495159
7,189.00	12.30	81.50	7,097.61	262.37	974.82	478,110.37	800,302.54	32.311615	-103.495096
7,284.00	12.00	81.40	7,190.48	265.34	994.59	478,113.34	800,322.31	32.311622	-103.495032
7,379.00	10.90	80.00	7,283.59	268.38	1,013.20	478,116.38	800,340.92	32.311630	-103.494971
7,475.00	10.60	79.10	7,377.91	271.62	1,030.81	478,119.62	800,358.53	32.311639	-103.494914
7,570.00	10.90	80.20	7,471.24	274.80	1,048.24	478,122.80	800,375.96	32.311647	-103.494858
7,665.00	10.90	81.50	7,564.53	277.66	1,065.98	478,125.66	800,393.70	32.311655	-103.494800
7,760.00	9.90	80.10	7,657.96	280.39	1,082.91	478,128.39	800,410.62	32.311662	-103.494746
7,855.00	8.30	77.60	7,751.77	283.27	1,097.65	478,131.27	800,425.37	32.311669	-103.494698
7,951.00	7.00	79.80	7,846.91	285.79	1,110.18	478,133.79	800,437.89	32.311676	-103.494657
8,046.00	5.60	78.60	7,941.33	287.73	1,120.42	478,135.73	800,448.13	32.311681	-103.494624
8,141.00	4.30	72.40	8,035.98	289.73	1,128.36	478,137.73	800,456.07	32.311687	-103.494598
8,236.00	3.30	67.40	8,130.77	291.85	1,134.27	478,139.86	800,461.99	32.311692	-103.494579
8,331.00	2.10	75.40	8,225.66	293.34	1,138.48	478,141.34	800,466.20	32.311696	-103.494565
8,426.00	1.50	82.10	8,320.61	293.95	1,141.40	478,141.95	800,469.12	32.311698	-103.494556
8,521.00	1.00	62.70	8,415.59	294.50	1,143.37	478,142.51	800,471.09	32.311699	-103.494549
8,616.00	0.70	35.20	8,510.58	295.36	1,144.44	478,143.36	800,472.16	32.311702	-103.494546
8,712.00	0.60	15.00	8,606.57	296.32	1,144.91	478,144.32	800,472.63	32.311704	-103.494544
8,807.00	0.90	343.70	8,701.57	297.52	1,144.83	478,145.52	800,472.54	32.311708	-103.494545
8,902.00	1.50	326.00	8,796.55	299.27	1,143.92	478,147.27	800,471.64	32.311712	-103.494548
8,997.00	2.00	353.50	8,891.50	301.95	1,143.04	478,149.95	800,470.76	32.311720	-103.494550
9,093.00	1.70	340.50	8,987.45	304.95	1,142.37	478,152.95	800,470.09	32.311728	-103.494552
9,188.00	1.70	313.30	9,082.41	307.25	1,140.88	478,155.25	800,468.60	32.311734	-103.494557
9,283.00	1.30	326.50	9,177.38	309.11	1,139.26	478,157.11	800,466.98	32.311740	-103.494562
9,378.00	2.10	347.30	9,272.34	311.71	1,138.28	478,159.71	800,466.00	32.311747	-103.494566
9,470.00	3.30	345.00	9,364.23	315.91	1,137.22	478,163.91	800,464.94	32.311758	-103.494569
9,565.00	2.00	5.90	9,459.13	320.20	1,136.69	478,168.20	800,464.40	32.311770	-103.494570
9,660.00	1.30	359.30	9,554.09	322.93	1,136.84	478,170.93	800,464.56	32.311778	-103.494570
9,756.00	0.80	91.00	9,650.08	324.01	1,137.50	478,172.01	800,465.22	32.311781	-103.494568
9,851.00	1.20	136.70	9,745.07	323.27	1,138.85	478,171.27	800,466.56	32.311779	-103.494563
9,946.00	0.90	134.40	9,840.05	322.02	1,140.06	478,170.02	800,467.78	32.311775	-103.494559
10,041.00	0.30	18.30	9,935.05	321.74	1,140.67	478,169.74	800,468.39	32.311774	-103.494558
10,137.00	0.80	335.40	10,031.04	322.59	1,140.47	478,170.59	800,468.19	32.311777	-103.494558
10,232.00	0.50	325.20	10,126.04	323.53	1,139.96	478,171.53	800,467.68	32.311779	-103.494560
10,327.00	1.50	133.10	10,221.03	323.02	1,140.63	478,171.02	800,468.35	32.311778	-103.494558
10,422.00	1.20	155.60	10,316.00	321.26	1,141.95	478,169.27	800,469.67	32.311773	-103.494553
10,518.00	2.80	150.60	10,411.94	318.31	1,143.52	478,166.31	800,471.23	32.311765	-103.494548
10,613.00	2.50	154.00	10,506.84	314.42	1,145.56	478,162.42	800,473.28	32.311754	-103.494542
10,708.00	1.40	195.50	10,601.79	311.44	1,146.16	478,159.44	800,473.88	32.311746	-103.494540
10,803.00	1.90	237.10	10,696.75	309.47	1,144.53	478,157.47	800,472.25	32.311740	-103.494545
10,899.00	1.90	247.80	10,792.70	308.00	1,141.72	478,156.00	800,469.44	32.311737	-103.494554
KOP @ 10899' MD, 42' FNL, 1890' FWL									
10,994.00	4.10	183.00	10,887.59	304.01	1,140.08	478,152.01	800,467.80	32.311726	-103.494560
11,089.00	11.30	170.80	10,981.67	291.42	1,141.40	478,139.42	800,469.11	32.311691	-103.494556
11,184.00	18.40	168.30	11,073.44	267.52	1,145.93	478,115.52	800,473.65	32.311625	-103.494542
11,234.29	23.38	167.74	11,120.41	249.99	1,149.66	478,097.99	800,477.38	32.311577	-103.494530
X FTP @ 11234' MD, 100' FNL, 1898' FWL									
11,279.00	27.80	167.40	11,160.73	231.13	1,153.82	478,079.13	800,481.54	32.311525	-103.494517

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 22H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Site:	White Dove 17	MD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Well:	White Dove 17 Fed Com 22H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,375.00	36.70	172.30	11,241.85	180.75	1,162.57	478,028.75	800,490.29	32.311386	-103.494490
11,470.00	45.80	175.60	11,313.21	118.53	1,169.00	477,966.53	800,496.72	32.311215	-103.494471
11,565.00	54.30	177.80	11,374.16	45.89	1,173.10	477,893.89	800,500.82	32.311015	-103.494460
11,633.00	63.20	177.60	11,409.40	-12.14	1,175.43	477,835.86	800,503.15	32.310856	-103.494453
11,660.00	67.60	177.20	11,420.63	-36.66	1,176.55	477,811.34	800,504.27	32.310788	-103.494450
11,745.00	80.80	175.80	11,443.73	-118.11	1,181.56	477,729.89	800,509.28	32.310564	-103.494436
11,755.00	82.30	174.60	11,445.20	-127.96	1,182.39	477,720.04	800,510.11	32.310537	-103.494434
11,850.00	89.50	174.90	11,451.99	-222.26	1,191.05	477,625.74	800,518.77	32.310278	-103.494408
11,945.00	90.60	176.00	11,451.90	-316.96	1,198.59	477,531.04	800,526.31	32.310018	-103.494386
12,040.00	92.20	175.90	11,449.58	-411.69	1,205.30	477,436.31	800,533.02	32.309757	-103.494367
12,135.00	93.50	177.00	11,444.86	-506.39	1,211.17	477,341.61	800,538.89	32.309497	-103.494350
12,230.00	91.80	179.10	11,440.47	-601.22	1,214.40	477,246.78	800,542.12	32.309236	-103.494342
12,325.00	90.30	179.50	11,438.72	-696.20	1,215.56	477,151.80	800,543.28	32.308975	-103.494341
12,420.00	89.60	179.30	11,438.81	-791.19	1,216.56	477,056.81	800,544.27	32.308714	-103.494340
12,516.00	89.40	178.80	11,439.65	-887.17	1,218.15	476,960.83	800,545.87	32.308450	-103.494337
12,611.00	89.10	178.60	11,440.89	-982.14	1,220.30	476,865.86	800,548.02	32.308189	-103.494333
12,706.00	88.80	178.70	11,442.63	-1,077.10	1,222.54	476,770.90	800,550.26	32.307928	-103.494328
12,801.00	89.30	178.50	11,444.20	-1,172.06	1,224.86	476,675.94	800,552.58	32.307667	-103.494323
12,897.00	89.50	178.10	11,445.21	-1,268.01	1,227.71	476,579.99	800,555.43	32.307403	-103.494316
12,992.00	89.80	177.70	11,445.79	-1,362.94	1,231.19	476,485.06	800,558.91	32.307142	-103.494307
13,087.00	90.70	177.10	11,445.38	-1,457.84	1,235.50	476,390.16	800,563.22	32.306881	-103.494296
13,182.00	91.40	176.20	11,443.63	-1,552.66	1,241.05	476,295.34	800,568.77	32.306620	-103.494280
13,277.00	91.20	176.40	11,441.48	-1,647.44	1,247.18	476,200.56	800,574.90	32.306360	-103.494263
13,372.00	90.00	177.60	11,440.48	-1,742.30	1,252.15	476,105.70	800,579.87	32.306099	-103.494249
13,467.00	90.20	177.40	11,440.32	-1,837.21	1,256.29	476,010.79	800,584.01	32.305838	-103.494238
13,562.00	90.10	178.70	11,440.07	-1,932.15	1,259.53	475,915.85	800,587.24	32.305577	-103.494230
13,657.00	90.40	177.80	11,439.66	-2,027.11	1,262.43	475,820.89	800,590.15	32.305316	-103.494223
13,752.00	89.90	178.60	11,439.41	-2,122.06	1,265.41	475,725.94	800,593.13	32.305055	-103.494216
13,848.00	90.00	180.70	11,439.49	-2,218.05	1,266.00	475,629.95	800,593.72	32.304791	-103.494216
13,943.00	88.30	181.30	11,440.90	-2,313.02	1,264.34	475,534.98	800,592.06	32.304530	-103.494224
14,038.00	89.10	180.40	11,443.06	-2,407.99	1,262.93	475,440.01	800,590.65	32.304269	-103.494231
14,133.00	90.10	179.90	11,443.72	-2,502.98	1,262.68	475,345.02	800,590.40	32.304008	-103.494234
14,228.00	88.90	179.10	11,444.55	-2,597.97	1,263.51	475,250.03	800,591.23	32.303747	-103.494234
14,324.00	89.40	178.50	11,445.97	-2,693.94	1,265.52	475,154.06	800,593.24	32.303483	-103.494230
14,419.00	90.10	178.00	11,446.39	-2,788.89	1,268.42	475,059.11	800,596.14	32.303222	-103.494223
14,514.00	89.10	179.30	11,447.05	-2,883.86	1,270.66	474,964.14	800,598.38	32.302961	-103.494218
14,609.00	89.60	178.80	11,448.13	-2,978.84	1,272.24	474,869.16	800,599.95	32.302700	-103.494215
14,704.00	88.00	179.60	11,450.12	-3,073.81	1,273.56	474,774.19	800,601.28	32.302439	-103.494213
14,799.00	88.00	179.70	11,453.43	-3,168.75	1,274.14	474,679.25	800,601.86	32.302178	-103.494214
14,894.00	88.10	179.60	11,456.66	-3,263.69	1,274.72	474,584.31	800,602.44	32.301917	-103.494215
14,990.00	88.50	178.60	11,459.51	-3,359.64	1,276.23	474,488.36	800,603.95	32.301653	-103.494212
15,085.00	89.10	177.80	11,461.50	-3,454.57	1,279.21	474,393.43	800,606.93	32.301392	-103.494205
15,179.00	89.50	177.10	11,462.65	-3,548.47	1,283.40	474,299.53	800,611.11	32.301134	-103.494194
15,275.00	90.10	178.50	11,462.99	-3,644.39	1,287.08	474,203.61	800,614.80	32.300870	-103.494184
15,370.00	91.20	178.80	11,461.91	-3,739.36	1,289.32	474,108.64	800,617.04	32.300609	-103.494179
15,465.00	90.40	180.20	11,460.58	-3,834.34	1,290.15	474,013.66	800,617.87	32.300348	-103.494179
15,560.00	89.70	181.20	11,460.50	-3,929.33	1,288.99	473,918.67	800,616.70	32.300087	-103.494185
15,655.00	89.00	181.50	11,461.58	-4,024.30	1,286.75	473,823.70	800,614.47	32.299826	-103.494195
15,750.00	89.30	181.30	11,462.99	-4,119.26	1,284.43	473,728.74	800,612.15	32.299565	-103.494205
15,846.00	90.10	180.60	11,463.49	-4,215.25	1,282.84	473,632.76	800,610.55	32.299301	-103.494212
15,941.00	90.40	180.30	11,463.07	-4,310.24	1,282.09	473,537.76	800,609.81	32.299040	-103.494217
16,036.00	90.40	180.60	11,462.41	-4,405.24	1,281.34	473,442.76	800,609.06	32.298779	-103.494222
16,131.00	90.70	180.80	11,461.50	-4,500.22	1,280.18	473,347.78	800,607.90	32.298518	-103.494228
16,226.00	91.30	181.20	11,459.84	-4,595.19	1,278.53	473,252.81	800,606.24	32.298257	-103.494236
16,321.00	91.40	181.00	11,457.60	-4,690.15	1,276.70	473,157.85	800,604.42	32.297996	-103.494244

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 22H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Site:	White Dove 17	MD Reference:	GE 3478.5' + KB 25' @ 3503.50usft
Well:	White Dove 17 Fed Com 22H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,401.00	91.00	180.90	11,455.93	-4,770.12	1,275.38	473,077.88	800,603.09	32.297776	-103.494251
16,451.00	91.00	180.90	11,455.05	-4,820.11	1,274.59	473,027.89	800,602.31	32.297639	-103.494254
X LTP @ 16451' MD, 100' FSL, 1977' FWL									
16,458.00	91.00	180.90	11,454.93	-4,827.11	1,274.48	473,020.89	800,602.20	32.297619	-103.494255
PBHL; 93' FSL, 1976' FWL									

Casing Points					
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")	
16,458.00	11,454.93	20" Casing	20	24	

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment	
		+N/-S (usft)	+E/-W (usft)		
10,899.00	10,792.70	308.00	1,141.72	KOP @ 10899' MD, 42' FNL, 1890' FWL	
11,234.29	11,120.41	249.99	1,149.66	X FTP @ 11234' MD, 100' FNL, 1898' FWL	
16,451.00	11,455.05	-4,820.11	1,274.59	X LTP @ 16451' MD, 100' FSL, 1977' FWL	
16,458.00	11,454.93	-4,827.11	1,274.48	PBHL; 93' FSL, 1976' FWL	

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-49432
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name White Dove 17 Fed Com
4. Well Location Unit Letter <u>D</u> : <u>350</u> feet from the <u>North</u> line and <u>748</u> feet from the <u>West</u> line Section <u>17</u> Township <u>23S</u> Range <u>34E</u> NMPM County <u>Lea</u>		8. Well Number 22H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3478.5'		9. OGRID Number 6137
		10. Pool name or Wildcat WC-025 G-08 S233430J; WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


1/27/22-3/28/22: MIRU WL & PT. Production cmt verified to surf. No logs ran. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 11700'-16429' total 574 holes. Frac totals 10,731,350# proppant, 52 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 16,440' MD/11,455' TVD. CHC, FWB, ND BOP. RIH w/ 323 jts 2-7/8" L-80 tbg, set @ 10795'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 4/26/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmr.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-015-49432						
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name White Dove 17 Fed Com 6. Well Number: 22H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat WC-025 G-08 S233430J; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	17	23S	34E		350	North	748	West	Lea
BH:	N	17	23S	34E		92	South	1976	West	Lea
13. Date Spudded 11/29/21	14. Date T.D. Reached 12/23/21	15. Date Rig Released 12/26/21		16. Date Completed (Ready to Produce) 3/28/22		17. Elevations (DF and RKB, RT, GR, etc.) 3478.5' GL				
18. Total Measured Depth of Well 16458 MD, 11455 TVD		19. Plug Back Measured Depth 16,440 MD/11,455 TVD		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CMT to SURF, no logs ran				
22. Producing Interval(s), of this completion - Top, Bottom, Name 11700-16429, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE	WEIGHT LB./FT.	DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED		
13-3/8"	54.5	1168		17-1/2"		470 sx CIC; circ 652 sx				
8-5/8"	32	5111		9-7/8"		625 sx CIC; circ 86 sx				
5-1/2"	20	16443		7-7/8"		1,180 sx CI POZ MIX; circ 102 sx				
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET	PACKER SET	
						2-7/8" L-80		10795		
26. Perforation record (interval, size, and number) 11700 - 16429, total 574 holes				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 11700-16429		AMOUNT AND KIND MATERIAL USED Acidize and frac in 20 stages. See detailed summary attached.				
28. PRODUCTION										
Date First Production 3/28/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 4/7/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 2397	Gas - MCF 4048	Water - Bbl. 2278	Gas - Oil Ratio 1688.777639			
Flow Tubing Press. 1467 psi	Casing Pressure 765 psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By				
31. List Attachments Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Shayda Omoumi		Title Regulatory Compliance Associate		Date 4/26/2022				
E-mail Address shayda.omoumi@dvn.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 1000			
Salt - 1100			
Base of Salt - 4662			
Lamar - 4662			
Delaware - 5020			
Cherry Canyon - 5936			
Brushy Canyon - 7610			
1st Bone Spring Lime - 8593			
Bone Spring 1st - 9630			
Bone Spring 2nd - 10204			
3rd Bone Spring Lime - 10631			
Bone Spring 3rd - 11189			
Wolfcamp - 11386			
Strawn - 12015			

No. 1, from..... N/Ato..... N/A
 No. 2, from..... N/Ato..... N/A
 No. 3, from..... N/Ato..... N/A
 No. 4, from..... N/Ato..... N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 102272

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 102272
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 102272

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 102272
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	1/30/2024