

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - NW- 08/19/2023
⁴ API Number 30-015-53277	⁵ Pool Name WC-015 G-08 S233135D, WOLFCAMP	⁶ Pool Code 98236
⁷ Property Code: 334034	⁸ Property Name: VANADIUM 32 STATE COM	⁹ Well Number: 5H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	29	23S	31E		620	SOUTH	2007	EAST	EDDY

¹¹ Bottom Hole Location FTP: 131' FNL 1529' FEL LTP: 190' FNL 1687' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	32	23S	31E		47	NORTH	1691	WEST	EDDY
¹² Lse Code S	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 8/21/23		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 03/29/23	²² Ready Date 08/19/23	²³ TD 22700'M 11339'V	²⁴ PBSD 22651'M 11339'V	²⁵ Perforations 11756-22557'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		470'	640
12-1/4"		9-5/8"		4280'	1192
8-3/4"		7-5/8"		10715'	606
6-3/4"		5-1/2"		22675'	923

V. Well Test Data 2-3/8" TBG 11231'

³¹ Date New Oil 08/22/23	³² Gas Delivery Date 08/21/23	³³ Test Date 08/31/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1448
³⁷ Choke Size 82/128	³⁸ Oil 2732	³⁹ Water 9982	⁴⁰ Gas 5687		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 01/28/2024 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACERAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-53277	² Pool Code 98236	³ Pool Name WC-015 G-08 S233135D ;WOLFCAMP
⁴ Property Code 334034	⁵ Property Name VANADIUM 32 STATE COM	⁶ Well Number 5H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3360'


¹⁰ Surface Location

UL or lot no. O	Section 29	Township 23S	Range 31E	Lot Idn	Feet from the 620	North/South line SOUTH	Feet from the 2007	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. C	Section 32	Township 23S	Range 31E	Lot Idn	Feet from the 47	North/South line NORTH	Feet from the 1691	East/West line WEST	County EDDY
¹² Dedicated Acres 480.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





OXY



Borehole:	Well:	Field:	Structure:
Vanadium 32 State 5H	Vanadium 32 State 5H	NM Eddy County (NAD 83)	Oxy Vanadium 32 State Pad Lot O (center)

Gravity & Magnetic Parameters

Model: IFR1 Dip: 59.883° Date: 02-May-2023
MagDec: 6.678° FS: 47577nT Gravity FS: 998.452mgn (9.80665 Based)

Surface Location


NAD83 New Mexico State Plane, Eastern Zone, US Feet

Lat: N 32 16 11.58 Northing: 462329.1HUS Grid Conv: 0.2859°
Lon: W 103 47 52.04 Easting: 706862.93HUS Scale Fact: 0.99994047


Miscellaneous

Slot: 5H TVD Ref: RKB (3384.000 ft above MSL)
Plan: Oxy Vanadium 32 State 5H Rev2 Kfc 11May23

Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD	DLS(")/100ft
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,384.00	
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-3,360.00	0.00
First Gyro Survey	100.00	0.54	47.40	100.00	-0.34	0.24	0.26	-3,284.00	0.71
Last Gyro Survey	10,200.00	6.63	98.56	10,173.78	-312.55	-95.80	375.56	6,789.78	0.11
First SLB Survey	10,265.00	6.63	136.86	10,238.37	-317.14	-99.09	381.84	6,854.37	6.68
Actual KOP	10,897.00	5.54	153.74	10,866.22	-284.59	-165.81	373.62	7,482.22	4.34
Wolfcamp Intersection	11,389.34	58.14	169.60	11,272.00	-250.83	-405.59	433.84	7,888.00	6.85
FTP / 100ft FNL Cross	11,725.00	85.80	175.03	11,374.70	-178.09	-717.71	481.18	7,990.70	8.50
Exit Lateral Window	15,552.00	90.64	181.31	11,416.49	1,303.22	-4,539.24	423.88	8,032.49	1.87
Enter Lateral Window	16,116.00	90.66	204.68	11,398.17	1,602.39	-5,089.07	322.88	8,014.17	4.33
LTP / 100ft FNL Cross	22,649.00	90.56	1.22	11,339.13	1,731.07	-725.87	-1,573.84	7,955.13	1.60
Final Survey	22,668.00	90.36	1.45	11,338.98	1,723.57	-706.88	-1,573.40	7,954.98	1.60
Projection to Total Depth	22,700.00	90.36	1.45	11,338.77	1,710.86	-674.89	-1,572.59	7,954.77	0.00



Vertical Section (ft) Azim = 248.05° Scale = 1:1427.46(ft) Origin = 0N-S, 0E-W





Oxy Vanadium 32 State 5H Gyro+IFR1 to 22700ft Survey Geodetic Report



DefinitiveSurvey

Report Date: May 25, 2023 - 10:00 PM (UTC 0)
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Vanadium 32 State Pad Lot O (center) / 5H
Well: Vanadium 32 State 5H
Borehole: Vanadium 32 State 5H
UBH/ API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Vanadium 32 State 5H Gyro+IFR1 to 22700ft / 7
Survey Date: May 25, 2023
Tort / AHD / DDI / ERD Ratio: 423.525 * / 12054.264 ft / 7.006 / 1.056
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°16'11.571" N , W 103°47'52.03869"
Location Grid N/E Y/X: N 462329.100 RUS , E 706862.928 RUS
CRS Grid Convergence Angle: 0.2859°
CRS Scale Factor: 0.99994047
Engine Version: 2022.5.0.11

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 248.055° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3384.000 ft above MSL
Seabed / Ground Elevation: 3360.000 ft above MSL
Magnetic Declination: 6.673°
Total Gravity Field Strength: 998.452 mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47577 nT
Magnetic Dip Angle: 59.883°
Declination Date: May 02, 2023
Magnetic Declination Model: IFR1
North Reference: Grid
Total Corr Mag: 6.3921°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (ft/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth
WRF	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,384.00		462,329.10	706,862.93	N 32°16'11.58"	W 103°47'52.04"		
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-3,360.00	0.00	462,329.10	706,862.93	N 32°16'11.58"	W 103°47'52.04"	0.00	0.00
First Gyro Survey	100.00	0.54	47.40	100.00	-0.34	0.24	0.26	-3,284.00	0.71	462,329.34	706,863.19	N 32°16'11.58"	W 103°47'52.04"	0.36	47.40
	200.00	0.66	55.71	199.99	-1.34	0.89	1.09	-3,184.01	0.15	462,329.99	706,864.01	N 32°16'11.58"	W 103°47'52.03"	1.40	50.80
	300.00	0.64	59.55	299.99	-2.45	1.49	2.04	-3,084.01	0.05	462,330.59	706,864.97	N 32°16'11.59"	W 103°47'52.01"	2.53	53.84
	400.00	0.70	58.60	399.98	-3.61	2.09	3.05	-2,984.02	0.06	462,331.19	706,865.97	N 32°16'11.60"	W 103°47'52.00"	3.70	55.49
	500.00	0.74	61.71	499.97	-4.85	2.72	4.14	-2,884.03	0.06	462,331.82	706,867.06	N 32°16'11.60"	W 103°47'51.99"	4.95	56.68
	600.00	0.84	66.58	599.96	-6.23	3.32	5.38	-2,784.04	0.12	462,332.42	706,868.31	N 32°16'11.61"	W 103°47'51.98"	6.32	58.34
	700.00	0.79	64.68	699.95	-7.65	3.90	6.67	-2,684.05	0.06	462,333.00	706,869.60	N 32°16'11.61"	W 103°47'51.96"	7.73	59.68
	800.00	0.60	66.53	799.95	-8.86	4.41	7.78	-2,584.05	0.19	462,333.51	706,870.70	N 32°16'11.62"	W 103°47'51.95"	8.94	60.47
	900.00	0.48	65.22	899.94	-9.80	4.79	8.64	-2,484.06	0.12	462,333.89	706,871.57	N 32°16'11.62"	W 103°47'51.94"	9.88	60.99
	1,000.00	0.41	55.43	999.94	-10.57	5.17	9.31	-2,384.06	0.10	462,334.27	706,872.24	N 32°16'11.63"	W 103°47'51.93"	10.65	60.97
	1,100.00	0.32	43.86	1,099.94	-11.17	5.57	9.80	-2,284.06	0.12	462,334.67	706,872.73	N 32°16'11.63"	W 103°47'51.92"	11.27	60.38
	1,200.00	0.22	27.73	1,199.93	-11.57	5.94	10.08	-2,184.07	0.12	462,335.04	706,873.01	N 32°16'11.63"	W 103°47'51.92"	11.71	59.48
	1,300.00	0.18	24.02	1,299.93	-11.83	6.26	10.24	-2,084.07	0.04	462,335.36	706,873.16	N 32°16'11.64"	W 103°47'51.92"	12.00	58.56
	1,400.00	0.13	16.92	1,399.93	-12.02	6.51	10.33	-1,984.07	0.05	462,335.61	706,873.26	N 32°16'11.64"	W 103°47'51.92"	12.21	57.79
	1,500.00	0.07	350.95	1,499.93	-12.10	6.68	10.36	-1,884.07	0.07	462,335.78	706,873.28	N 32°16'11.64"	W 103°47'51.92"	12.32	57.18
	1,600.00	0.06	294.11	1,599.93	-12.08	6.76	10.30	-1,784.07	0.06	462,335.86	706,873.23	N 32°16'11.64"	W 103°47'51.92"	12.32	56.72
	1,700.00	0.07	309.14	1,699.93	-12.01	6.82	10.20	-1,684.07	0.02	462,335.92	706,873.13	N 32°16'11.64"	W 103°47'51.92"	12.27	56.24
	1,800.00	0.09	290.34	1,799.93	-11.93	6.89	10.08	-1,584.07	0.03	462,335.99	706,873.01	N 32°16'11.64"	W 103°47'51.92"	12.21	55.67
	1,900.00	0.07	256.89	1,899.93	-11.81	6.90	9.95	-1,484.07	0.05	462,336.00	706,872.88	N 32°16'11.64"	W 103°47'51.92"	12.11	55.26
	2,000.00	0.13	309.93	1,999.93	-11.69	6.96	9.80	-1,384.07	0.10	462,336.06	706,872.73	N 32°16'11.64"	W 103°47'51.92"	12.02	54.63
	2,100.00	0.19	301.12	2,099.93	-11.54	7.12	9.57	-1,284.07	0.06	462,336.22	706,872.50	N 32°16'11.65"	W 103°47'51.93"	11.93	53.38
	2,200.00	0.24	294.54	2,199.93	-11.30	7.29	9.24	-1,184.07	0.06	462,336.39	706,872.17	N 32°16'11.65"	W 103°47'51.93"	11.77	51.74
	2,300.00	0.26	288.81	2,299.93	-10.98	7.45	8.84	-1,084.07	0.03	462,336.55	706,871.76	N 32°16'11.65"	W 103°47'51.94"	11.56	49.87
	2,400.00	0.28	292.34	2,399.93	-10.63	7.62	8.40	-984.07	0.03	462,336.72	706,871.32	N 32°16'11.65"	W 103°47'51.94"	11.34	47.79
	2,500.00	0.28	286.25	2,499.93	-10.27	7.78	7.94	-884.07	0.03	462,336.88	706,870.86	N 32°16'11.65"	W 103°47'51.95"	11.11	45.58
	2,600.00	0.27	276.08	2,599.93	-9.87	7.87	7.47	-784.07	0.05	462,336.97	706,870.39	N 32°16'11.65"	W 103°47'51.95"	10.85	43.49
	2,700.00	0.24	269.68	2,699.93	-9.46	7.89	7.02	-684.07	0.04	462,336.99	706,869.95	N 32°16'11.65"	W 103°47'51.96"	10.57	41.66
	2,800.00	0.16	242.92	2,799.93	-9.13	7.83	6.69	-584.07	0.12	462,336.93	706,869.62	N 32°16'11.65"	W 103°47'51.96"	10.30	40.51
	2,900.00	0.14	235.50	2,899.93	-8.87	7.70	6.46	-484.07	0.03	462,336.80	706,869.39	N 32°16'11.65"	W 103°47'51.96"	10.05	40.03
	3,000.00	0.17	241.32	2,999.93	-8.61	7.56	6.23	-384.07	0.03	462,336.66	706,869.16	N 32°16'11.65"	W 103°47'51.97"	9.80	39.52
	3,100.00	0.16	257.86	3,099.92	-8.32	7.46	5.97	-284.08	0.05	462,336.56	706,868.89	N 32°16'11.65"	W 103°47'51.97"	9.55	38.67
	3,200.00	0.06	330.12	3,199.92	-8.18	7.47	5.80	-184.08	0.15	462,336.57	706,868.73	N 32°16'11.65"	W 103°47'51.97"	9.46	37.84
	3,300.00	0.20	65.94	3,299.92	-8.34	7.59	5.94	-84.08	0.21	462,336.69	706,868.87	N 32°16'11.65"	W 103°47'51.97"	9.64	36.04
	3,400.00	0.17	110.95	3,399.92	-8.14	7.57	6.89	15.92	0.84	462,336.47	706,869.82	N 32°16'11.65"	W 103°47'51.96"	10.09	43.09
	3,500.00	1.47	115.23	3,499.90	-10.63	6.53	8.85	115.90	0.51	462,335.63	706,871.77	N 32°16'11.64"	W 103°47'51.94"	10.99	53.58
	3,600.00	1.60	117.39	3,599.86	-12.42	5.34	11.25	215.86	0.14	462,334.44	706,874.17	N 32°16'11.63"	W 103°47'51.91"	12.45	64.61
	3,700.00	2.19	126.28	3,699.80	-14.34	3.56	14.33	315.80	0.66	462,332.66	706,876.95	N 32°16'11.61"	W 103°47'51.88"	14.47	75.74
	3,800.00	2.53	138.44	3,799.72	-16.09	0.78	17.03	415.72	0.60	462,329.88	706,879.96	N 32°16'11.58"	W 103°47'51.84"	17.05	87.37
	3,900.00	2.49	161.70	3,899.63	-16.69	-2.93	19.18	515.63	1.01	462,326.17	706,882.10	N 32°16'11.55"	W 103°47'51.82"	19.40	98.69
	4,000.00	2.11	174.34	3,999.55	-16.04	-6.83	20.04	615.55	0.63	462,322.27	706,882.97	N 32°16'11.51"	W 103°47'51.81"	21.17	108.81
	4,100.00	1.99	179.34	4,099.48	-14.89	-10.39	20.24	715.48	0.22	462,318.71	706,883.17	N 32°16'11.47"	W 103°47'51.80"	22.75	117.18
	4,200.00	1.69	178.92	4,199.43	-13.73	-13.60	20.29	815.43	0.30	462,315.50	706,883.22	N 32°16'11.44"	W 103°47'51.80"	24.43	123.84
	4,300.00	1.23	163.63	4,299.40	-13.10	-16.11	20.62	915.40	0.60	462,312.99	706,883.55	N 32°16'11.41"	W 103°47'51.80"	26.17	128.00
	4,400.00	0.06	110.95	4,399.39	-13.04	-17.16	20.97	1,015.39	1.19	462,311.94	706,883.90	N 32°16'11.40"	W 103°47'51.80"	27.10	129.29
	4,500.00	0.04	217.38	4,499.39	-13.05	-17.20	21.00	1,115.39	0.08	462,311.90	706,883.93	N 32°16'11.40"	W 103°47'51.80"	27.15	129.63
	4,600.00	0.15	247.03	4,599.39	-12.89	-17.28	20.86	1,215.39	0.12	462,311.82	706,883.78	N 32°16'11.40"	W 103°47'51.80"	27.09	129.65
	4,700.00	0.20	242.17	4,699.39	-12.58	-17.42	20.58	1,315.39	0.05	462,311.69	706,883.51	N 32°16'11.40"	W 103°47'51.80"	26.96	130.24
	4,800.00	0.22	271.52	4,799.39	-12.23	-17.49	20.24	1,415.39	0.11	462,311.61	706,883.16	N 32°16'11.40"	W 103°47'51.80"	26.75	130.84
	4,900.00	0.22	280.89	4,899.39	-11.89	-17.45	19.85	1,515.39	0.04	462,311.65	706,882.78	N 32°16'11.40"	W 103°47'51.81"	26.43	131.31
	5,000.00	0.15	262.08	4,999.39	-11.61	-17.43	19.54	1,615.39	0.09	462,311.67	706,882.46	N 32°16'11.40"	W 103°47'51.81"	26.18	131.74
	5,100.00	0.29	308.45	5,099.39	-11.35	-17.29	19.21	1,715.39	0.22	462,311.81	706,882.14	N 32°16'11.40"	W 103°47'51.82"	25.85	132.00
	5,200.00	0.41	315.21	5,199.39	-11.09	-16.88	18.76	1,815.39	0.13	462,312.22	706,881.69	N 32°16'11.41"	W 103°47'51.82"	25.24	131.99
	5,300.00	0.42	328.28	5,299.38	-10.89	-16.32	18.31	1,915.38	0.09	462,312.79	706,881.24	N 32°16'11.41"	W 103°47'51.83"	24.53	131.70
	5,400.00	0.47	337.95	5,399.38	-10.63	-15.82	17.87	2,015.38	0.09	462,313.48	706,880.89	N 32°16'11.42"	W 103°47'51.83"	23.81	131.01
	5,500.00	0.51	336.10	5,499.39	-10.81	-14.84	17.63	2,115.38	0.04	462,314.26	706,880.56	N 32°16'11.43"	W 103°47'51.83"	23.04	130.08
	5,600.00	0.54	339.12	5,599.37	-10.80	-13.99	17.28	2,215.37	0.04	462,315.11	706,880.21	N 32°16'11.44"	W 103		

Last Gyro Survey First SLB Survey	9,600.00	6.23	102.93	9,577.55	-255.98	-83.29	309.54	6,193.55	0.10	462,245.81	707,172.45	N 32°16'10.74"	W 103°47'48.44"	320.55	105.06
	9,700.00	6.30	102.20	9,676.96	-264.97	-85.67	320.19	6,292.96	0.11	462,243.44	707,183.10	N 32°16'10.71"	W 103°47'48.31"	331.45	104.98
	9,800.00	6.37	101.48	9,776.35	-274.15	-87.93	330.99	6,392.35	0.11	462,241.18	707,193.90	N 32°16'10.69"	W 103°47'48.19"	342.47	104.88
	9,900.00	6.43	100.75	9,875.72	-283.49	-90.08	341.93	6,491.72	0.10	462,239.03	707,204.83	N 32°16'10.67"	W 103°47'48.06"	353.59	104.76
	10,000.00	6.50	100.02	9,975.09	-293.00	-92.11	353.00	6,591.09	0.11	462,237.00	707,215.91	N 32°16'10.65"	W 103°47'47.93"	364.62	104.62
	10,100.00	6.56	99.29	10,074.44	-302.69	-94.01	364.21	6,690.44	0.10	462,235.09	707,227.12	N 32°16'10.63"	W 103°47'47.80"	375.15	104.47
	10,200.00	6.63	98.56	10,173.78	-312.55	-95.80	375.56	6,789.78	0.11	462,233.31	707,236.46	N 32°16'10.61"	W 103°47'47.67"	387.58	104.31
	10,265.00	6.63	136.86	10,238.37	-317.14	-99.09	381.84	6,854.37	6.68	462,230.01	707,244.74	N 32°16'10.58"	W 103°47'47.60"	394.49	104.55
	10,360.00	5.90	157.68	10,332.82	-319.15	-107.61	387.44	6,948.82	2.50	462,221.49	707,250.35	N 32°16'10.49"	W 103°47'47.53"	402.11	105.52
	10,455.00	6.78	190.90	10,427.27	-316.14	-117.64	388.24	7,043.27	3.91	462,211.47	707,251.14	N 32°16'10.39"	W 103°47'47.52"	405.67	106.86
Actual KOP	10,550.00	7.40	204.73	10,521.55	-308.65	-128.71	384.62	7,137.55	1.91	462,200.40	707,247.52	N 32°16'10.28"	W 103°47'47.57"	405.58	108.50
	10,645.00	7.64	202.52	10,615.73	-299.78	-140.10	379.64	7,231.73	0.40	462,189.01	707,242.54	N 32°16'10.17"	W 103°47'47.63"	404.66	110.26
	10,686.00	7.54	202.54	10,656.37	-295.98	-145.10	377.56	7,272.37	0.24	462,184.01	707,240.47	N 32°16'10.12"	W 103°47'47.65"	404.48	111.02
	10,714.00	7.02	202.95	10,684.15	-293.49	-148.37	376.19	7,300.15	1.87	462,180.74	707,239.10	N 32°16'10.09"	W 103°47'47.67"	404.39	111.52
	10,809.00	6.56	194.77	10,739.59	-286.73	-158.02	372.80	7,394.59	1.97	462,171.09	707,235.70	N 32°16'09.99"	W 103°47'47.71"	404.90	112.87
	10,897.00	5.54	153.74	10,866.22	-284.59	-165.81	373.62	7,482.22	4.34	462,163.30	707,236.53	N 32°16'09.82"	W 103°47'47.76"	406.76	113.93
	10,904.00	5.66	150.90	10,873.19	-284.66	-166.41	373.94	7,489.19	4.34	462,162.70	707,236.85	N 32°16'09.91"	W 103°47'47.69"	409.30	113.99
	10,998.00	17.99	151.27	10,965.02	-286.96	-183.25	383.21	7,581.02	13.12	462,145.86	707,246.11	N 32°16'09.74"	W 103°47'47.59"	424.77	115.65
	11,093.00	25.78	165.16	11,053.16	-286.13	-216.16	395.58	7,669.16	9.79	462,112.95	707,258.48	N 32°16'09.42"	W 103°47'47.44"	450.79	118.65
	11,187.00	34.17	168.70	11,134.52	-278.71	-261.89	406.01	7,750.52	9.12	462,067.22	707,268.91	N 32°16'09.36"	W 103°47'47.33"	483.14	122.82
Wolfcamp Intersection	11,282.00	46.41	168.67	11,206.85	-267.41	-322.02	418.04	7,822.85	12.88	462,007.10	707,280.94	N 32°16'08.37"	W 103°47'47.19"	527.68	127.61
	11,376.00	57.23	169.72	11,264.87	-253.10	-394.50	431.82	7,880.87	11.54	461,934.63	707,294.72	N 32°16'07.65"	W 103°47'47.03"	584.89	132.41
	11,399.34	58.14	169.60	11,272.00	-250.83	-405.59	433.84	7,888.00	6.85	461,923.54	707,296.74	N 32°16'07.54"	W 103°47'47.01"	593.90	133.07
	11,471.00	63.70	168.93	11,311.67	-236.97	-475.67	447.14	7,927.67	6.85	461,893.46	707,310.04	N 32°16'06.85"	W 103°47'46.86"	652.84	136.77
	11,565.00	73.72	171.07	11,345.76	-218.82	-518.82	461.73	7,961.76	10.67	461,767.31	707,325.17	N 32°16'05.99"	W 103°47'46.69"	727.58	140.55
	11,660.00	80.50	173.45	11,366.95	-196.08	-553.53	474.71	7,982.95	7.54	461,675.61	707,337.61	N 32°16'05.09"	W 103°47'46.55"	807.74	144.01
	11,725.00	85.80	175.03	11,374.70	-178.09	-717.71	481.18	7,990.70	8.50	461,611.43	707,344.08	N 32°16'04.45"	W 103°47'46.48"	884.09	146.16
	11,754.00	88.16	175.73	11,376.23	-169.47	-746.57	483.51	7,992.23	8.50	461,582.57	707,346.41	N 32°16'04.16"	W 103°47'46.45"	889.47	147.07
	11,848.00	83.13	177.30	11,383.37	-139.81	-840.10	489.21	7,999.37	5.60	461,489.05	707,352.11	N 32°16'03.24"	W 103°47'46.39"	972.16	149.79
	11,941.00	85.20	177.51	11,392.82	-109.15	-932.52	493.40	8,008.82	2.24	461,396.64	707,356.30	N 32°16'02.32"	W 103°47'46.35"	1,055.00	152.12
FTP / 100ft FNL Cross	12,034.00	88.02	177.07	11,398.32	-78.57	-1,025.24	497.79	8,014.32	3.07	461,303.92	707,360.69	N 32°16'01.41"	W 103°47'46.30"	1,139.70	154.10
	12,222.00	87.70	180.67	11,405.34	-11.82	-1,213.04	501.49	8,021.34	1.92	461,116.13	707,364.39	N 32°15'59.55"	W 103°47'46.27"	1,312.62	157.54
	12,409.00	89.93	185.56	11,409.21	67.34	-1,399.66	491.33	8,025.21	2.87	460,929.53	707,354.23	N 32°15'57.70"	W 103°47'46.40"	1,483.39	160.66
	12,503.00	89.98	183.87	11,409.28	109.52	-1,430.33	483.61	8,025.28	1.80	460,835.86	707,346.51	N 32°15'56.77"	W 103°47'46.47"	1,569.69	162.06
	12,598.00	90.21	183.22	11,409.13	150.40	-1,588.15	477.73	8,025.13	0.73	460,741.05	707,340.83	N 32°15'55.84"	W 103°47'46.57"	1,658.45	163.26
	12,692.00	89.00	181.00	11,409.77	188.71	-1,682.08	474.27	8,025.77	2.69	460,647.13	707,337.17	N 32°15'54.91"	W 103°47'46.61"	1,747.66	164.25
	12,787.00	89.95	177.30	11,410.65	222.89	-1,777.05	475.68	8,026.65	4.02	460,552.16	707,338.58	N 32°15'53.97"	W 103°47'46.60"	1,839.61	165.01
	12,882.00	90.82	176.89	11,410.01	253.89	-1,871.92	480.50	8,026.01	1.01	460,457.30	707,343.40	N 32°15'53.03"	W 103°47'46.55"	1,932.61	165.60
	12,976.00	91.11	178.75	11,408.42	285.67	-1,965.83	484.07	8,024.42	2.00	460,363.39	707,346.97	N 32°15'52.10"	W 103°47'46.52"	2,024.56	166.17
	13,071.00	91.02	179.74	11,406.66	320.00	-2,060.81	485.32	8,022.66	1.05	460,268.42	707,348.22	N 32°15'51.16"	W 103°47'46.51"	2,117.18	166.75
Exit Lateral Window	13,260.00	91.27	181.72	11,402.88	392.84	-2,249.75	482.92	8,018.88	1.06	460,079.49	707,345.82	N 32°15'49.29"	W 103°47'46.55"	2,300.99	167.89
	13,450.00	91.12	182.87	11,398.92	470.83	-2,439.55	475.31	8,014.92	0.61	459,889.70	707,338.21	N 32°15'47.41"	W 103°47'46.65"	2,485.42	168.97
	13,545.00	90.77	184.99	11,397.35	512.28	-2,534.31	468.80	8,013.35	2.26	459,794.95	707,331.70	N 32°15'46.48"	W 103°47'46.73"	2,577.30	169.52
	13,639.00	89.92	185.13	11,396.79	554.96	-2,627.94	460.51	8,012.79	0.92	459,701.72	707,323.41	N 32°15'45.55"	W 103°47'46.83"	2,667.98	170.06
	13,733.00	89.55	185.27	11,396.45	597.85	-2,721.55	451.99	8,012.46	0.69	459,607.72	707,314.89	N 32°15'44.62"	W 103°47'46.93"	2,758.63	170.53
	13,828.00	89.36	185.02	11,396.47	641.11	-2,816.17	443.47	8,012.47	1.28	459,513.11	707,306.37	N 32°15'43.69"	W 103°47'47.04"	2,850.87	171.05
	13,923.00	88.86	183.98	11,397.95	683.41	-2,910.86	436.02	8,013.95	1.21	459,418.42	707,296.92	N 32°15'42.75"	W 103°47'47.13"	2,943.33	171.48
	14,017.00	89.27	182.80	11,399.48	723.63	-3,004.68	430.46	8,015.48	1.33	459,324.60	707,293.36	N 32°15'41.82"	W 103°47'47.20"	3,035.36	171.85
	14,111.00	88.89	180.20	11,400.99	761.02	-3,098.63	428.00	8,016.99	2.79	459,230.66	707,290.90	N 32°15'40.89"	W 103°47'47.23"	3,128.05	172.14
	14,206.00	89.10	180.65	11,402.66	797.17	-3,193.61	427.30	8,018.66	0.52	459,135.69	707,290.20	N 32°15'39.95"	W 103°47'47.25"	3,222.07	172.38
Enter Lateral Window	14,300.00	89.50	182.08	11,403.81	834.36	-3,287.57	425.06	8,019.81	1.58	459,041.73	707,287.96	N 32°15'39.02"	W 103°47'47.28"	3,314.94	172.63
	14,395.00	89.05	181.94	11,405.01	872.93	-3,382.51	421.73</								

	21,686.00	91.11	358.21	11,346.11	2,100.24	-1,688.51	-1,583.99	7,962.11	3.33	460,640.69	705,279.03	N 32°15'54.95"	W 103°48'10.58"	2,315.19	223.17
	21,781.00	89.28	358.72	11,345.79	2,067.11	-1,593.55	-1,586.54	7,961.79	2.00	460,735.65	705,276.49	N 32°15'55.88"	W 103°48'10.61"	2,248.66	224.87
	21,876.00	89.93	357.97	11,346.44	2,034.17	-1,498.59	-1,589.28	7,962.44	1.04	460,830.60	705,273.75	N 32°15'56.82"	W 103°48'10.63"	2,184.40	226.68
	21,970.00	91.00	2.26	11,345.68	1,998.88	-1,404.62	-1,589.09	7,961.68	4.70	460,924.57	705,273.94	N 32°15'57.75"	W 103°48'10.63"	2,120.89	228.53
	22,065.00	90.47	0.88	11,344.46	1,960.98	-1,309.66	-1,586.49	7,960.46	1.56	461,019.52	705,276.54	N 32°15'58.89"	W 103°48'10.59"	2,057.22	230.46
	22,159.00	90.87	2.96	11,343.36	1,922.95	-1,215.73	-1,583.34	7,959.36	2.25	461,113.45	705,279.69	N 32°15'59.62"	W 103°48'10.55"	1,996.24	232.48
	22,249.00	90.43	0.20	11,341.21	1,847.13	-1,025.83	-1,578.10	7,957.21	1.47	461,303.33	705,284.92	N 32°16'1.50"	W 103°48'10.48"	1,882.22	236.97
	22,538.00	90.24	1.12	11,340.10	1,774.48	-836.85	-1,575.92	7,956.10	0.50	461,492.30	705,287.10	N 32°16'3.37"	W 103°48'10.44"	1,784.34	242.03
	22,633.00	90.72	1.02	11,339.31	1,737.34	-741.87	-1,574.15	7,955.31	0.52	461,587.28	705,288.87	N 32°16'4.31"	W 103°48'10.41"	1,740.21	244.77
LTP / 100ft FNL Cross	22,649.00	90.56	1.22	11,339.13	1,731.07	-725.87	-1,573.84	7,955.13	1.60	461,603.27	705,289.19	N 32°16'4.47"	W 103°48'10.41"	1,733.16	245.24
Final Survey	22,668.00	90.36	1.45	11,338.98	1,723.57	-706.88	-1,573.40	7,954.98	1.60	461,622.26	705,289.63	N 32°16'4.66"	W 103°48'10.40"	1,724.89	245.81
Projection to Total Depth	22,700.00	90.36	1.45	11,338.77	1,710.86	-674.89	-1,572.59	7,954.77	0.00	461,654.25	705,290.44	N 32°16'4.97"	W 103°48'10.39"	1,711.29	246.77

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 2.795 sigma

Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Borehole / Survey
	1	0.000	10,200.000	Act Stns		GYD_GC+DROP+CAS	Vanadium 32 State 5H / Oxy Vanadium 32 State 5H Gyro+IFR1 to 22700ft
	1	10,200.000	22,700.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS	Vanadium 32 State 5H / Oxy Vanadium 32 State 5H Gyro+IFR1 to 22700ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
22,700.000	26.400	26.400	

Intent ☐ As Drilled ☒

API # 30-015-53277		
Operator Name: OXY USA INC	Property Name: VANADIUM 32 STATE COM	Well Number 5H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? Is this well an infill well?

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-53278		
Operator Name: OXY USA INC	Property Name: VANADIUM 32 STATE COM	Well Number 175H

KZ 06/29/2018

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-53277
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator- OXY USA INC.		6. State Oil & Gas Lease No.
3. Address of Operator- P.O. BOX 50250 MIDLAND, TX 79710		7. Lease Name or Unit Agreement Name VANADIUM 32 STATE COM
4. Well Location Unit Letter <u>O</u> : <u>620</u> feet from the <u>SOUTH</u> line and <u>2007</u> feet from the <u>EAST</u> line Section <u>29</u> Township <u>23S</u> Range <u>31E</u> NMPM County- <u>EDDY</u>		8. Well Number- 5H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3360' GL		9. OGRID Number- 16696
		10. Pool name or Wildcat WC-015 G-08 S233135D; WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: COMPLETION ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RUPU 07/20/23, RIH & clean out to PBTD @ 22651', pressure test casing to 11300# for 30 min, good test. RIH & perf @ 11756-22557' Total 1320 holes. Frac in 44 stages w/ 353916BBL Produced Water + 15846BBL Brackish Water (> 1,000 mg/I TDS and < 10,000 mg/I TDS) w/ 27074380# sand, RD NexTier 08/12/23. Well ready to produce 08/19/23. 09/26/23 RIH with 2-3/8" L80 4.7# tbg & gas lift set @ 11231', RD 09/26/23.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jana Mendiola TITLE SR. REGULATORY ANALYST DATE 11-07-23

Type or print name JANA MENDIOLA E-mail address: janalyn_mendiola@oxy.com PHONE: 432-685-5936

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-015-53277										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name VANADIUM 32 STATE COM				
						6. Well Number: 5H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat WC-015 G-08 S233135D; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	29	23S	31E		620	SOUTH	2007	EAST	EDDY
BH:	C	32	23S	31E		47	NORTH	1691	WEST	EDDY
13. Date Spudded 03/29/2023	14. Date T.D. Reached 05/23/2023	15. Date Rig Released 05/26/2023			16. Date Completed (Ready to Produce) 08/19/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3360' GL		
18. Total Measured Depth of Well 22700'M 11339'V			19. Plug Back Measured Depth 22651'M 11339'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11756-22557' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		470'		17.5"		640sx-surf circ		
9.625" HCL80		40		4280'		12.25"		1192sx-surf circ		
7.625" HCL80		26.4		10715'		8.75"		606sx-TOC@2760'		
5.5" P110 ICY		20		22675'		6.75"		923sx-TOC@9062'		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE	DEPTH SET	PACKER SET		
						2-3/8"	11231'			
26. Perforation record (interval, size, and number) Perf @ 11756-22557' Total 1320 holes, Hole Size=0.42					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					11756-22557'		353916BBL Produced Water + 15846BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 27074380# sand			
28. PRODUCTION										
Date First Production 08/22/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas lift				Well Status (Prod. or Shut-in) Prod.				
Date of Test 08/31/2023	Hours Tested 24 hrs.	Choke Size 82/128	Prod'n For Test Period	Oil - Bbl 2732	Gas - MCF 5687	Water - Bbl. 9982	Gas - Oil Ratio 2082			
Flow Tubing Press.	Casing Pressure 1448	Calculated 24- Hour Rate	Oil - Bbl. 2732	Gas - MCF 5687	Water - Bbl. 9982	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD, C-104, As-Drilled C-102, Kickoff Points Form, Final Directional Survey, Completion Sundry C-103										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: <i>Jana Mendiola</i> Name: <u>Jana Mendiola</u> Title: <u>Sr. Regulatory Analyst</u> Date: <u>11/07/2023</u>										
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 354'	T. Bell Canyon 4107'	T. Ojo Alamo	T. Penn A"
T. Salado 719'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2618'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4067'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5073'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6270'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 7941'	T. Todilto	
T. Abo	T. 1 st Bone Springs 8980'	T. Entrada	
T. Wolfcamp 11410'	T. 2 nd Bone Springs 9649'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 10854'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Vanadium 32 State Com 5H
API No. 30-015-53277

17-1/2" hole @ 470'
13-3/8" csg @ 470'
w/ 640sx-TOC-Surf Circ.

12-1/4" hole @ 4280'
9-5/8" csg @ 4280'
w/ 1192sx-TOC-Surf Circ.

8-3/4" hole @ 10715'
7-5/8" csg @ 10715'
w/ 606sx-TOC @ 2760'

6-3/4" hole @ 22700'
5-1/2" csg @ 22675'
w/ 923sx-TOC @ 9062'

2-3/8" tbg & gas lift @ 11231'

Perfs @ 11756-22557'

TD- 22700'M 11339'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 308693

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 308693
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 308693

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 308693
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	None	1/31/2024