

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC P.O. BOX 4294 HOUSTON, TX 77210		² OGRID Number 16696
		³ Reason for Filing Code/ Effective Date – NW (9/10/2023)
⁴ API Number 30-015-47181	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code: 328290	⁸ Property Name: HEADS CC 9 4 FEDERAL COM	⁹ Well Number: 43H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
B	16	24S	29E		948'	NORTH	1835'	EAST	EDDY

¹¹ Bottom Hole Location FTP: 131' FSL 1134' FEL LTP- 200' FNL 1121' FEL (NSL-8521)

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	4	24S	29E		61'	NORTH	1113'	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 09/9/2023		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 04/03/2023	²² Ready Date 09/10/2023	²³ TD 10891'V/ 21648'MD	²⁴ PBSD 10891'V/ 21604'M	²⁵ Perforations 11222 ' -21508'MD	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		577'	1875sx – SURF
12-1/4"		9-5/8"		10451'	3258sx - SURF
8-3/4" x 8-1/2"		7" x 5-1/2"		21628'	2253sx – TOC ~7170'

V. Well Test Data

³¹ Date New Oil 09/16/2023	³² Gas Delivery Date 09/16/2023	³³ Test Date 10/01/2023	³⁴ Test Length 24 Hours	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2781psig
³⁷ Choke Size /128	³⁸ Oil 2351bbbls	³⁹ Water 7367bbbls	⁴⁰ Gas 11098mcf		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Leslie T. Reeves*

Printed name:
LESLIE REEVES

Title:
REGULATORY MANAGER

E-mail Address:
LESLIE_REEVES@oxy.com

Date: 02/01/2024
Phone: 713-497-2492

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

AS-DRILLED




OXY



Borehole:				Well:		Field:				Structure:							
Heads CC 9-4 Federal Com 43H				Heads CC 9-4 Federal Com 43H				NM Eddy County (NAD 83)				Oxy Heads CC 9-4 Federal Com Pad Lot B Sec16					
Gravity & Magnetic Parameters						Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous			
Model: IFR1		Dip: 59.906°		Date: 29-Apr-2023		Lat: N 32 13 20.18		Northings: 444769RUS		Grid Conv: 0.1847°		Slot: 43H		TVD Ref: RKB (2952.800 ft above MSL)			
MagDec: 6.734°		FS: 47487.8nT		Gravity FS: 998.471mgn (9.80665 Based)		Lon: W 103 59 12.65		Easting: 648484RUS		Scale Fact: 0.99992224		Plan: Oxy Heads CC 9-4 Federal Com 43H Rev2 kFc 12May23					

Critical Points								
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD DLS(°/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2,952.80
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-2,928.80
First Gyro Survey	124.49	0.11	219.34	124.49	-0.08	-0.07	-0.06	-2,828.31
Last Gyro Survey	561.00	0.44	134.98	560.99	-1.74	-1.79	0.88	-2,391.81
First SLB Survey	755.00	0.50	353.06	754.99	-1.40	-1.48	1.31	-2,197.81
Actual KOP	10,513.00	20.25	50.89	10,394.06	607.35	575.02	576.04	7,441.26
Wolfcamp C Intersection	10,745.02	43.28	13.82	10,590.80	715.73	680.52	628.76	7,638.00
FTP / 100ft FSL Cross	11,188.00	71.43	7.32	10,819.40	1,088.61	1,050.50	689.68	7,866.60
Exit Lateral Window	11,748.00	89.73	353.37	10,862.07	1,640.86	1,604.55	674.50	7,909.27
Enter Lateral Window	13,045.00	91.34	3.06	10,867.72	2,934.42	2,900.56	669.50	7,914.92
Section 9-4 Line Cross	16,406.00	90.35	359.12	10,890.51	6,230.84	6,260.22	710.85	7,937.71
LTP / 100ft FNL Cross	21,608.00	91.02	3.66	10,891.28	11,477.45	11,458.28	663.21	7,938.48
Final Survey	21,615.00	90.97	3.75	10,891.15	11,484.45	11,465.26	663.66	7,938.35
Projection to Total Depth	21,648.00	90.97	3.75	10,890.60	11,517.45	11,498.18	665.82	7,937.80





Oxy Heads CC 9-4 Federal Com 43H Gyro+IFR1 to 21648ft Survey

Geodetic Report Definitive Survey



Report Date: June 09, 2023 - 05:31 PM (UTC 0)
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Heads CC 9-4 Federal Com Pad Lot B Sec16 / 43H
Well: Heads CC 9-4 Federal Com 43H
Borehole: Heads CC 9-4 Federal Com 43H
UBHI / API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Heads CC 9-4 Federal Com 43H Gyro+IFR1 to 21648ft / 3
Survey Date: June 09, 2023
Tort / AHD / DDI / ERD Ratio: 297.469' / 11853.202 ft / 6.845' / 1.086
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°13'20.17769", W 103°59'12.65497"
Location Grid N/E Y/X: N 444769.000 RUS , E 648484.000 RUS
CRS Grid Convergence Angle: 0.1847°
Grid Scale Factor: 0.99992224
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 3.314 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2952.800 ft above MSL
Seabed / Ground Elevation: 2926.800 ft above MSL
Magnetic Declination: 6.734°
Total Gravity Field Strength: 988.4707mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47487.8 nT
Magnetic Dip Angle: 59.906°
Declination Date: April 29, 2023
Magnetic Declination Model: IFR1
North Reference: Grid
Total Corr Mag: 6.5403°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (N/S ° ' ")	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.952.80		444,769.00	648,484.00	N 32°13'20.18"	W 103°59'12.65"		
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-2.926.80	0.00	444,769.00	648,484.00	N 32°13'20.18"	W 103°59'12.65"	0.00	0.00
First Gyro Survey	124.49	0.11	219.34	124.49	-0.08	-0.07	-0.06	-2.828.31	0.11	444,768.93	648,483.94	N 32°13'20.18"	W 103°59'12.66"	0.09	219.34
	211.28	0.23	164.72	211.28	-0.31	-0.31	-0.07	-2.741.52	0.22	444,768.69	648,483.93	N 32°13'20.17"	W 103°59'12.66"	0.31	192.34
	300.96	0.17	178.94	300.96	-0.61	-0.61	-0.02	-2.651.84	0.09	444,768.39	648,483.98	N 32°13'20.17"	W 103°59'12.66"	0.61	181.59
	395.55	0.37	142.61	395.55	-0.98	-1.00	0.17	-2.557.25	0.27	444,768.00	648,484.17	N 32°13'20.17"	W 103°59'12.65"	1.01	170.24
	499.82	0.34	137.26	499.82	-1.41	-1.44	0.55	-2.462.98	0.05	444,767.56	648,484.55	N 32°13'20.16"	W 103°59'12.65"	1.54	159.28
Last Gyro Survey	561.00	0.44	134.98	560.99	-1.74	-1.79	0.88	-2.391.81	0.14	444,767.21	648,484.88	N 32°13'20.16"	W 103°59'12.64"	2.00	153.77
First SLB Survey	755.00	0.50	353.06	754.99	-1.40	-1.48	1.31	-2.197.81	0.46	444,767.52	648,485.31	N 32°13'20.16"	W 103°59'12.64"	1.97	138.49
	850.00	0.53	348.94	849.99	-0.57	-0.63	1.17	-2.102.81	0.05	444,768.37	648,485.17	N 32°13'20.17"	W 103°59'12.64"	1.33	118.41
	944.00	0.53	348.17	943.98	0.28	0.22	1.00	-2.008.82	0.01	444,769.22	648,485.00	N 32°13'20.18"	W 103°59'12.64"	1.02	77.71
	1,039.00	0.62	2.62	1,038.98	1.21	1.16	0.93	-1,913.82	0.18	444,770.16	648,484.93	N 32°13'20.19"	W 103°59'12.64"	1.49	38.79
	1,135.00	0.50	350.79	1,134.97	2.14	2.09	0.89	-1,817.83	0.17	444,771.09	648,484.89	N 32°13'20.20"	W 103°59'12.64"	2.28	23.04
	1,230.00	0.77	333.69	1,229.97	3.10	3.08	0.54	-1,722.83	0.34	444,772.07	648,484.54	N 32°13'20.21"	W 103°59'12.65"	3.12	9.98
	1,325.00	0.55	327.19	1,324.96	4.02	4.03	0.01	-1,627.84	0.24	444,773.03	648,484.01	N 32°13'20.22"	W 103°59'12.65"	4.03	0.16
	1,420.00	0.07	67.35	1,419.96	4.42	4.44	-0.18	-1,532.84	0.60	444,773.44	648,483.82	N 32°13'20.22"	W 103°59'12.66"	4.44	357.64
	1,515.00	0.15	259.87	1,514.96	4.41	4.44	-0.25	-1,437.84	0.23	444,773.44	648,483.75	N 32°13'20.22"	W 103°59'12.66"	4.44	356.76
	1,610.00	0.31	210.34	1,609.96	4.16	4.19	-0.50	-1,342.84	0.25	444,773.19	648,483.50	N 32°13'20.22"	W 103°59'12.66"	4.22	353.15
	1,705.00	0.28	238.33	1,704.96	3.79	3.85	-0.83	-1,247.84	0.15	444,772.85	648,483.17	N 32°13'20.22"	W 103°59'12.66"	3.94	347.82
	1,800.00	0.24	206.25	1,799.96	3.48	3.55	-1.12	-1,152.84	0.16	444,772.55	648,482.88	N 32°13'20.21"	W 103°59'12.67"	3.72	342.54
	1,895.00	0.19	335.04	1,894.96	3.43	3.51	-1.27	-1,057.84	0.41	444,772.51	648,482.73	N 32°13'20.21"	W 103°59'12.67"	3.74	340.11
	1,990.00	0.18	1.60	1,989.96	3.72	3.81	-1.33	-962.84	0.09	444,772.80	648,482.67	N 32°13'20.22"	W 103°59'12.67"	4.03	340.69
	2,181.00	0.29	70.14	2,180.96	4.21	4.27	-0.87	-771.84	0.15	444,773.27	648,483.13	N 32°13'20.22"	W 103°59'12.66"	4.36	348.48
	2,276.00	0.34	103.25	2,275.95	4.26	4.29	-0.37	-676.85	0.20	444,773.29	648,483.63	N 32°13'20.22"	W 103°59'12.66"	4.30	355.07
	2,371.00	0.19	167.77	2,370.95	4.06	4.07	-0.06	-581.85	0.33	444,773.07	648,483.94	N 32°13'20.22"	W 103°59'12.66"	4.07	359.13
	2,466.00	0.22	79.00	2,465.95	3.95	3.95	0.15	-486.85	0.30	444,772.95	648,484.15	N 32°13'20.22"	W 103°59'12.65"	3.95	2.18
	2,562.00	0.12	70.98	2,561.95	4.03	4.02	0.43	-390.85	0.11	444,773.02	648,484.43	N 32°13'20.22"	W 103°59'12.65"	4.04	6.06
	2,657.00	0.38	169.75	2,656.95	3.77	3.74	0.58	-295.85	0.44	444,772.74	648,484.58	N 32°13'20.21"	W 103°59'12.65"	3.78	8.76
	2,752.00	0.18	55.56	2,751.95	3.55	3.51	0.76	-200.85	0.51	444,772.51	648,484.76	N 32°13'20.21"	W 103°59'12.65"	3.59	12.14
	2,847.00	0.08	178.87	2,846.95	3.58	3.53	0.88	-105.85	0.25	444,772.53	648,484.88	N 32°13'20.21"	W 103°59'12.65"	3.64	13.99
	2,942.00	0.19	262.59	2,941.95	3.48	3.44	0.73	-10.85	0.21	444,772.44	648,484.72	N 32°13'20.21"	W 103°59'12.65"	3.52	11.88
	3,037.00	0.11	51.86	3,036.95	3.51	3.48	0.64	84.15	0.31	444,772.48	648,484.64	N 32°13'20.21"	W 103°59'12.65"	3.54	10.43
	3,132.00	0.10	78.63	3,131.95	3.59	3.55	0.79	179.15	0.05	444,772.55	648,484.79	N 32°13'20.21"	W 103°59'12.65"	3.64	12.59
	3,228.00	0.18	293.81	3,227.95	3.67	3.63	0.74	275.15	0.28	444,772.63	648,484.74	N 32°13'20.21"	W 103°59'12.65"	3.71	11.48
	3,323.00	0.07	158.40	3,322.95	3.67	3.64	0.62	370.15	0.25	444,772.64	648,484.62	N 32°13'20.21"	W 103°59'12.65"	3.69	9.71
	3,418.00	0.07	26.72	3,417.95	3.67	3.64	0.67	465.15	0.13	444,772.63	648,484.67	N 32°13'20.21"	W 103°59'12.65"	3.70	10.44
	3,513.00	0.12	297.60	3,512.95	3.76	3.73	0.61	560.15	0.15	444,772.73	648,484.61	N 32°13'20.21"	W 103°59'12.65"	3.78	9.25
	3,608.00	0.19	151.19	3,607.95	3.67	3.64	0.60	655.15	0.31	444,772.64	648,484.60	N 32°13'20.21"	W 103°59'12.65"	3.69	9.29
	3,703.00	0.10	236.69	3,702.95	3.49	3.46	0.60	750.15	0.22	444,772.46	648,484.60	N 32°13'20.21"	W 103°59'12.65"	3.51	9.88
	3,798.00	0.11	265.59	3,797.95	3.42	3.41	0.44	845.15	0.06	444,772.40	648,484.44	N 32°13'20.21"	W 103°59'12.65"	3.43	7.40
	3,893.00	0.14	175.09	3,892.95	3.30	3.28	0.36	940.15	0.19	444,772.28	648,484.36	N 32°13'20.21"	W 103°59'12.65"	3.30	6.28
	3,989.00	0.17	100.91	3,988.95	3.16	3.14	0.51	1,036.15	0.20	444,772.14	648,484.51	N 32°13'20.21"	W 103°59'12.65"	3.18	9.25
	4,084.00	0.15	61.63	4,083.95	3.21	3.17	0.76	1,131.15	0.11	444,772.17	648,484.76	N 32°13'20.21"	W 103°59'12.65"	3.26	13.46
	4,179.00	0.13	256.47	4,178.95	3.24	3.20	0.76	1,226.15	0.29	444,772.20	648,484.76	N 32°13'20.21"	W 103°59'12.65"	3.29	13.40
	4,274.00	0.14	244.14	4,273.95	3.16	3.13	0.55	1,321.15	0.03	444,772.13	648,484.55	N 32°13'20.21"	W 103°59'12.65"	3.18	10.04
	4,369.00	0.12	216.83	4,368.95	3.02	3.00	0.39	1,416.15	0.07	444,772.00	648,484.39	N 32°13'20.21"	W 103°59'12.65"	3.02	7.41
	4,464.00	0.16	144.51	4,463.95	2.83	2.81	0.41	1,511.15	0.18	444,771.81	648,484.41	N 32°13'20.21"	W 103°59'12.65"	2.84	8.25
	4,559.00	0.16	88.20	4,558.95	2.74	2.71	0.62	1,606.15	0.16	444,771.71	648,484.62	N 32°13'20.20"	W 103°59'12.65"	2.78	12.84
	4,654.00	0.20	136.21	4,653.95	2.64	2.59	0.86	1,701.15	0.16	444,771.59	648,484.86	N 32°13'20.20"	W 103°59'12.64"	2.73	18.44
	4,749.00	0.04	329.83	4,748.95	2.55	2.50	0.96	1,796.15	0.25	444,771.50	648,484.96	N 32°13'20.20"	W 103°59'12.64"	2.68	21.05
	4,844.00	0.10	128.50	4,843.95	2.53	2.48	1.01	1,891.15	0.15	444,771.48	648,485.01	N 32°13'20.20"	W 103°59'12.64"	2.68	22.19
	4,939.00	0.29	181.56	4,938.95	2.24	2.19	1.07	1,986.15	0.26	444,771.19	648,485.07	N 32°13'20.20"	W 103°59'12.64"	2.43	26.06
	5,034.00	0.36	218.84	5,033.95	1.76	1.71	0.88	2,081.15	0.23	444,770.71	648,484.88	N 32°13'20.19"	W 103°59'12.64"	1.92	27.06
	5,129.00	0.50	218.64	5,128.94	1.18	1.16	0.43	2,176.14	0.15	444,770.16	648,484.43	N 32°13'20.19"	W 103°59'12.65"	1.23	20.36
	5,224.00	0.51	211.44	5,223.94	0.47	0.47	-0.05	2,271.14	0.07	444,769.47	648,483.95	N 32°13'20.18"	W 103°59'12.66"	0.48	353.95
	5,320.00	0.65	217.81	5,319.93	-0.36	-0.32	-0.61	2,367.13	0.16	444,768.68	648,483.39	N 32°13'20.17"	W 103°59'12.66"	0.69	242.02
	5,415.00	0.36	239.47	5,414.93	-0.97	-0.90	-1.19	2,462.13	0.36	444,768.10	648,482.81	N 32°13'20.17"	W 103°59'12.67"	1.50	233.01
	5,510.00	0.59	232.24	5,509.93	-1.45	-1.35	-1.84	2,557.13	0.25	444,767.65	648,482.16	N 32°13'20.16"	W 103°59'12.68"	2.28	233.69
	5,605.00	0.48	247.48	5,604.92	-1.95	-1.80	-2.59	2,652.12	0.19	444,767.20	648,481.41	N 32°13'20.16"	W 103°59'12.69"	3.16	235.18
	5,700.00	0.55	240.03	5,699.92	-2.37.3										

	8,553.00	15.23	41.69	8,528.15	185.45	178.26	129.50	5,575.35	1.16	444,947.25	648,613.49	N 32°13'21.94"	W 103°59'11.14"	220.33	36.00
	8,648.00	15.99	41.27	8,619.65	205.55	197.42	146.43	5,666.85	0.81	444,966.40	648,630.42	N 32°13'22.13"	W 103°59'10.94"	245.79	36.57
	8,743.00	16.37	41.51	8,710.89	226.39	217.27	163.93	5,758.09	0.41	444,986.26	648,647.92	N 32°13'22.32"	W 103°59'10.74"	272.18	37.03
	8,838.00	16.98	43.05	8,801.89	247.58	237.44	182.27	5,849.09	0.79	445,006.42	648,666.26	N 32°13'22.52"	W 103°59'10.52"	299.33	37.51
	8,933.00	17.16	46.16	8,892.71	268.52	257.28	201.85	5,939.91	0.98	445,026.26	648,685.84	N 32°13'22.72"	W 103°59'10.30"	327.01	38.12
	9,029.00	16.36	47.04	8,984.63	288.67	276.31	221.96	6,031.83	0.87	445,045.28	648,705.94	N 32°13'22.90"	W 103°59'10.06"	354.42	38.78
	9,124.00	17.74	47.92	9,075.45	308.65	295.12	242.50	6,122.65	1.48	445,064.10	648,726.48	N 32°13'23.09"	W 103°59'09.82"	381.97	39.41
	9,219.00	18.22	48.46	9,165.81	329.43	314.67	264.36	6,213.01	0.53	445,083.65	648,748.33	N 32°13'23.28"	W 103°59'09.57"	410.98	40.03
	9,314.00	17.52	48.65	9,256.23	349.95	333.97	286.21	6,303.43	0.74	445,102.94	648,770.18	N 32°13'23.47"	W 103°59'09.31"	439.83	40.60
	9,409.00	17.03	48.59	9,346.94	369.80	352.62	307.37	6,394.14	0.52	445,121.59	648,791.35	N 32°13'23.66"	W 103°59'09.06"	467.78	41.08
	9,504.00	16.79	48.31	9,437.84	389.29	370.94	328.05	6,485.04	0.27	445,139.91	648,812.03	N 32°13'23.84"	W 103°59'08.82"	495.20	41.49
	9,600.00	16.14	49.73	9,529.90	408.29	388.79	348.59	6,577.10	0.80	445,157.76	648,832.56	N 32°13'24.01"	W 103°59'08.58"	522.18	41.88
	9,695.00	16.80	49.65	9,621.00	426.88	406.22	369.13	6,668.20	0.70	445,175.18	648,853.10	N 32°13'24.19"	W 103°59'08.34"	548.88	42.26
	9,790.00	17.45	49.34	9,711.79	446.24	424.39	390.40	6,758.99	0.69	445,193.35	648,874.37	N 32°13'24.36"	W 103°59'08.09"	576.64	42.61
	9,886.00	18.37	50.16	9,803.13	466.59	443.46	412.93	6,850.33	0.99	445,212.42	648,896.90	N 32°13'24.55"	W 103°59'07.83"	605.94	42.96
	9,981.00	19.09	50.82	9,893.10	487.32	462.86	436.47	6,940.30	0.79	445,231.82	648,920.43	N 32°13'24.74"	W 103°59'07.56"	636.20	43.32
	10,076.00	19.32	50.96	9,982.82	508.40	482.57	460.72	7,030.02	0.25	445,251.53	648,944.68	N 32°13'24.94"	W 103°59'07.27"	667.19	43.67
	10,172.00	20.17	51.15	10,073.17	530.21	502.96	485.94	7,120.37	0.89	445,271.92	648,969.90	N 32°13'25.14"	W 103°59'06.98"	699.36	44.01
	10,267.00	19.57	50.66	10,162.52	551.98	523.32	511.00	7,209.72	0.66	445,292.28	648,994.96	N 32°13'25.34"	W 103°59'06.69"	731.43	44.32
	10,362.00	19.67	51.22	10,252.00	573.48	543.42	535.77	7,299.20	0.22	445,312.38	649,019.73	N 32°13'25.54"	W 103°59'06.40"	763.12	44.59
	10,414.00	19.96	51.25	10,300.92	585.30	554.46	549.52	7,346.12	0.55	445,323.41	649,033.47	N 32°13'25.65"	W 103°59'06.24"	780.63	44.74
Actual KOP	10,505.00	19.65	53.23	10,386.54	605.55	573.34	573.89	7,433.74	0.81	445,342.29	649,057.84	N 32°13'25.83"	W 103°59'05.95"	811.21	45.03
	10,513.00	20.25	50.89	10,394.06	607.35	575.02	578.04	7,441.26	12.50	445,345.97	649,059.99	N 32°13'25.85"	W 103°59'05.93"	813.92	45.05
	10,600.00	28.24	32.61	10,473.43	635.55	601.93	598.88	7,520.63	12.50	445,370.88	649,082.83	N 32°13'26.11"	W 103°59'05.66"	849.11	44.85
	10,695.00	38.24	17.60	10,552.92	683.84	649.09	619.97	7,600.12	13.56	445,418.04	649,103.92	N 32°13'26.58"	W 103°59'05.41"	897.60	43.69
Wolfcamp C Intersection	10,745.02	43.28	13.82	10,590.80	715.73	680.52	628.76	7,638.00	11.21	445,449.46	649,112.71	N 32°13'26.89"	W 103°59'05.31"	926.52	42.74
	10,790.00	47.00	10.99	10,622.27	747.45	711.89	635.63	7,669.47	11.21	445,480.83	649,119.58	N 32°13'27.20"	W 103°59'05.23"	954.36	41.76
	10,885.00	55.01	9.63	10,681.43	821.15	784.95	648.87	7,728.63	7.57	445,553.99	649,132.82	N 32°13'27.92"	W 103°59'05.07"	1,018.42	39.58
	10,980.00	59.85	8.91	10,732.56	900.75	863.94	661.75	7,779.76	5.13	445,632.87	649,145.70	N 32°13'28.71"	W 103°59'04.82"	1,088.26	37.45
	11,075.00	64.64	8.67	10,776.79	984.42	947.00	674.59	7,823.99	5.05	445,715.93	649,158.54	N 32°13'29.53"	W 103°59'04.77"	1,162.71	35.46
FTP / 100ft FSL Cross	11,170.00	69.94	8.15	10,813.45	1,071.67	1,033.66	687.40	7,860.65	5.60	445,802.58	649,171.34	N 32°13'30.38"	W 103°59'04.61"	1,241.36	33.62
	11,188.00	71.43	7.32	10,819.40	1,088.61	1,050.50	689.68	7,866.60	9.36	445,819.41	649,173.63	N 32°13'30.55"	W 103°59'04.59"	1,256.66	33.29
	11,265.00	77.85	3.91	10,839.79	1,162.75	1,124.34	696.91	7,886.99	9.36	445,893.25	649,180.85	N 32°13'31.28"	W 103°59'04.50"	1,322.81	31.79
	11,360.00	83.29	0.24	10,855.36	1,256.39	1,217.95	700.28	7,902.56	6.88	445,986.85	649,184.22	N 32°13'32.21"	W 103°59'04.45"	1,404.91	29.90
	11,455.00	88.80	357.28	10,861.91	1,350.82	1,312.65	698.22	7,909.11	6.58	446,081.54	649,182.16	N 32°13'33.14"	W 103°59'04.48"	1,486.79	28.01
	11,550.00	90.66	357.18	10,862.36	1,445.28	1,407.53	693.63	7,909.56	1.96	446,176.42	649,177.57	N 32°13'34.08"	W 103°59'04.53"	1,569.16	26.23
	11,692.00	89.77	352.81	10,861.82	1,585.75	1,548.95	681.24	7,909.02	3.14	446,317.83	649,165.19	N 32°13'35.48"	W 103°59'04.67"	1,692.14	23.74
Exit Lateral Window	11,748.00	89.73	353.37	10,862.07	1,640.86	1,604.55	674.50	7,909.27	1.00	446,373.42	649,158.45	N 32°13'36.03"	W 103°59'04.74"	1,740.55	22.80
	11,787.00	89.70	353.76	10,862.26	1,679.29	1,643.30	670.13	7,909.46	1.00	446,412.17	649,154.08	N 32°13'36.42"	W 103°59'04.79"	1,774.69	22.19
	11,882.00	90.13	357.11	10,862.41	1,773.38	1,737.99	662.57	7,909.61	3.56	446,506.85	649,146.52	N 32°13'37.35"	W 103°59'04.88"	1,860.00	20.87
	11,977.00	89.06	357.07	10,863.08	1,867.82	1,832.86	657.75	7,910.28	1.13	446,601.71	649,141.70	N 32°13'38.29"	W 103°59'04.93"	1,947.31	19.74
	12,072.00	89.89	0.13	10,863.95	1,962.48	1,927.82	655.43	7,911.15	3.34	446,696.66	649,139.38	N 32°13'39.23"	W 103°59'04.95"	2,036.19	18.78
	12,166.00	89.97	359.05	10,864.80	2,056.28	2,021.81	654.76	7,912.00	1.44	446,790.65	649,138.70	N 32°13'40.16"	W 103°59'04.96"	2,125.18	17.94
	12,261.00	89.93	0.85	10,865.63	2,151.10	2,116.80	654.67	7,912.83	2.10	446,885.63	649,138.62	N 32°13'41.10"	W 103°59'04.95"	2,215.72	17.19
	12,356.00	89.61	1.30	10,866.01	2,246.03	2,211.78	656.46	7,913.21	0.58	446,980.60	649,140.40	N 32°13'42.04"	W 103°59'04.93"	2,307.14	16.53
	12,451.00	90.28	1.43	10,866.10	2,340.98	2,306.75	658.72	7,913.30	0.72	447,075.57	649,142.67	N 32°13'42.98"	W 103°59'04.90"	2,398.96	15.94
	12,546.00	89.29	0.23	10,866.46	2,435.88	2,401.74	660.10	7,913.66	1.64	447,170.55	649,144.04	N 32°13'43.92"	W 103°59'04.88"	2,490.80	15.37
	12,641.00	89.84	1.33	10,867.18	2,530.79	2,496.73	661.39	7,914.38	1.29	447,265.53	649,145.34	N 32°13'44.86"	W 103°59'04.86"	2,582.84	14.84
	12,735.00	89.64	1.06	10,867.61	2,624.72	2,590.70	663.35	7,914.81	0.36	447,359.50	649,147.30	N 32°13'45.79"	W 103°59'04.84"	2,674.28	14.36
	12,830.00	89.47	0.04	10,868.34	2,719.61	2,685.70	664.26	7,915.54	1.09	447,454.48	649,148.21	N 32°13'46.73"	W 103°59'04.82"	2,766.62	13.89
	12,925.00	89.45	0.57	10,869.24	2,814.47	2,780.69	664.77	7,916.44	0.56	447,549.47	649,148.71	N 32°13'47.67"	W 103°59'04.81"	2,859.05	13.45
Enter Lateral Window	13,020.00	91.61	3.43	10,868.36	2,909.43	2,875.61	668.08	7,915.56	3.77	447,644.38	649,152.03	N 32°13'48.61"	W 103°59'04.77"	2,952.20	13.08
	13,045.00	91.34	3.06	10,867.72	2,934.42	2,900.56	669.50	7,914.92	1.84	447,669.33	649,153.44	N 32°13'48.86"	W 103°59'04.75"	2,976.83	13.00
	13,210.00	89.54	0.61	10,866.45	3,099.34	3,065.46	674.78	7,913.65	1.84	447,834.21	649,158.72	N 32°13'50.49"	W 103°59'04.68"	3,138.84	12.41
	13,305.00	90.28	0.74	10,866.60	3,194.24	3,160.45	675.90	7,913.80	0.79	447,929.20	649,159.84	N 32°13'51.43"	W 103°59'04.67"	3,231.91	12.07
	13,494.00	88.07	0.02	10,869.32	3,382.96	3,349.41	677.15	7,916.52	1.23	448,118.14	649,161.10	N 32°13'53.30"	W 103°59'04.65"	3,417.18	11.43
	13,589.00	92.59	2.62	10,868.78	3,477.86	3,444.35	679.34	7,915.98	5.49	448,213.08	649,163.28	N 32°13'54.24"	W 103°59'04.62"	3,510.71	11.16
	13,779.00	90.16	0.49	10,864.22	3,667.69	3,634.20	684.49	7,911.42	1.70	448,402.91	649,168.43	N 32°13'56.12"	W 103°59'04.55"	3,698.10	10.67
	13,874.00	90.05	0.64	10,864.04	3,762.58	3,729.20	685.42	7,911.24	0.20	448,497.90	649,169.37	N 32°13'57.06"	W 103°59'04.54"	3,791.66	10.41
	13,969.00	90.59	1.22	10,863.51	3,857.50	3,824.18	686.97	7,910.71	0.83	448,592.88	649,170.91	N 32°13'58.00"	W 103°59'04.51"	3,885.40	10.18
	14,063.00	88.50	359.81	10,864.26	3,951.38	3,918.17	687.81	7,911.46	2.68	448,686.86	649,171.76				

	20,128.00	89.47	358.23	10,915.43	10,001.29	9,979.98	657.23	7,962.63	2.61	454,748.19	649,141.18	N 32°14'58.91"	W 103°59'4.63"	10,001.60	3.77
	20,223.00	91.52	359.60	10,914.61	10,095.99	10,074.95	655.43	7,961.81	2.60	454,843.15	649,139.38	N 32°14'59.85"	W 103°59'4.64"	10,096.25	3.72
	20,318.00	89.06	357.31	10,914.13	10,190.64	10,169.90	652.87	7,961.33	3.54	454,938.09	649,136.82	N 32°15'0.79"	W 103°59'4.67"	10,190.84	3.67
	20,413.00	92.19	0.61	10,913.09	10,285.33	10,264.86	651.14	7,960.29	4.79	455,033.04	649,135.09	N 32°15'1.73"	W 103°59'4.69"	10,285.49	3.63
	20,507.00	91.88	2.86	10,909.75	10,379.23	10,358.75	653.99	7,956.95	2.41	455,126.92	649,137.94	N 32°15'2.66"	W 103°59'4.65"	10,379.37	3.61
	20,602.00	90.08	3.03	10,908.13	10,474.21	10,453.61	658.87	7,955.33	1.90	455,221.77	649,142.82	N 32°15'3.60"	W 103°59'4.59"	10,474.35	3.61
	20,697.00	90.39	2.69	10,907.74	10,569.21	10,548.49	663.61	7,954.94	0.48	455,316.65	649,147.56	N 32°15'4.53"	W 103°59'4.53"	10,569.34	3.60
	20,792.00	91.16	3.09	10,906.45	10,664.20	10,643.36	668.40	7,953.65	0.91	455,411.51	649,152.34	N 32°15'5.47"	W 103°59'4.47"	10,664.32	3.59
	20,887.00	90.79	3.78	10,904.84	10,759.18	10,738.17	674.09	7,952.04	0.82	455,506.31	649,158.04	N 32°15'6.41"	W 103°59'4.40"	10,759.31	3.59
	20,982.00	90.10	0.22	10,904.10	10,854.14	10,833.09	677.40	7,951.30	3.82	455,601.23	649,161.35	N 32°15'7.35"	W 103°59'4.36"	10,854.25	3.58
	21,077.00	90.83	358.20	10,903.33	10,948.89	10,928.08	676.09	7,950.53	2.26	455,696.21	649,160.04	N 32°15'8.29"	W 103°59'4.37"	10,948.97	3.54
	21,172.00	91.13	355.62	10,901.70	11,043.27	11,022.92	670.97	7,948.90	2.73	455,791.04	649,154.92	N 32°15'9.23"	W 103°59'4.43"	11,043.32	3.48
	21,266.00	91.36	356.45	10,899.66	11,136.49	11,116.67	664.48	7,946.86	0.92	455,884.78	649,148.42	N 32°15'10.16"	W 103°59'4.50"	11,136.51	3.42
	21,361.00	91.56	357.68	10,897.24	11,230.89	11,211.51	659.61	7,944.44	1.31	455,979.62	649,143.56	N 32°15'11.10"	W 103°59'4.55"	11,230.90	3.37
	21,456.00	91.40	359.87	10,894.79	11,325.56	11,306.45	657.58	7,941.99	2.31	456,074.55	649,141.53	N 32°15'12.03"	W 103°59'4.57"	11,325.56	3.33
	21,551.00	91.39	2.95	10,892.47	11,420.47	11,401.38	659.92	7,939.67	3.24	456,169.47	649,143.87	N 32°15'12.97"	W 103°59'4.54"	11,420.47	3.31
	21,608.00	91.02	3.66	10,891.28	11,477.45	11,458.28	663.21	7,938.48	1.41	456,226.36	649,147.15	N 32°15'13.54"	W 103°59'4.50"	11,477.45	3.31
	21,615.00	90.97	3.75	10,891.15	11,484.45	11,465.26	663.66	7,938.35	1.41	456,233.35	649,147.61	N 32°15'13.61"	W 103°59'4.50"	11,484.45	3.31
LTP / 100ft FNL Cross															
Final Survey															
Projection to Total Depth	21,648.00	90.97	3.75	10,890.60	11,517.45	11,498.18	665.82	7,937.80	0.00	456,266.27	649,149.76	N 32°15'13.93"	W 103°59'4.47"	11,517.45	3.31

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 2.795 sigma

Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Borehole / Survey
	1	0.000	561.000	Act Stns		GYD_GC+DROP+OH	Heads CC 9-4 Federal Com 43H / Ory Heads CC 9-4 Federal Com 43H Gyro+IFR1 to 21648ft
	1	561.000	21,648.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS	Heads CC 9-4 Federal Com 43H / Ory Heads CC 9-4 Federal Com 43H Gyro+IFR1 to 21648ft

EOU Geometry:			
End MD (ft)	Hole Size (in)	Casing Size (in)	Name
21,648.000	26.400	26.400	

Well Name: HEADS CC 9-4 FEDERAL COM	Well Location: T24S / R29E / SEC 16 / NWNE / 32.222308 / -103.987349	County or Parish/State: EDDY / NM
Well Number: 43H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154718100S1	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2755125

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/16/2023

Date Operation Actually Began: 08/08/2023

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 07:00

Actual Procedure: RUPU 8/8/2023, RIH & Clean out to PBTD 21604'MD/10891'TVD. Test production casing to 6000 psi for 30 min, good test. RIH and Perf from 11222'-21508', total 1230 holes, 0.42". Frac in 41 stages with 25,836,377lbs sand and 347,961 bbls produced water, 100,142 bbls brackish water. RD Frac and well ready to produce on 9/10/2023. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 01/15/2024.

Received by OCD: 2/1/2024 11:49:27 AM

Page 8 of 13

Well Name: HEADS CC 9-4 FEDERAL COM	Well Location: T24S / R29E / SEC 16 / NWNE / 32.222308 / -103.987349	County or Parish/State: EDDY / NM
Well Number: 43H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154718100S1	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES	Signed on: OCT 16, 2023 07:00 PM
Name: OXY USA INCORPORATED	
Title: Advisor Regulatory	
Street Address: 5 GREENWAY PLAZA, SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 497-2492	
Email address: LESLIE_REEVES@OXY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 10/18/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-015- 47181										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name HEADS CC 9 4 FEDERAL COM				
						6. Well Number: 43H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator OXY USA INC.						9. OGRID 16696				
10. Address of Operator 5 GREENWAY PLAZA, SUITE 110, HOUSTON, TX 77210						11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	B	16	24S	29E		948	NORTH	1835	EAST	EDDY
BH:	A	4	24S	29E		61	NORTH	1113	EAST	EDDY
13. Date Spudded 04/03/2023	14. Date T.D. Reached 06/08/2023	15. Date Rig Released 06/10/2023			16. Date Completed (Ready to Produce) 09/10/2023			17. Elevations (DF and RKB, RT, GR, etc.) 2927' GL		
18. Total Measured Depth of Well 21648'			19. Plug Back Measured Depth 21604'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GR, CBL,		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11222'-21508'MD, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5# J-55		577'		17-1/2"		1875sx - SURF		
9-5/8"		40# HCL-80		10451'		12-1/4"		3258sx - SURF		
7"		32# P-110		0-10563'		8-3/4" (to 11606')		2253sx -TOC~7170'		
5-1/2"		20# P-110CY		10563'-21628'		8-1/2" (to 21648')		2253sx -TOC~7170'		
24. LINER RECORD										25. TUBING RECORD
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET		PACKER SET		
26. Perforation record (interval, size, and number) 11222'-21508'MD, 1230 TOTAL HOLES, 0.42"					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					11222'-21508'		25,836,377LBS SAND, 347,961BBLS PROD			
							WATER, 100,142BBLS BRACKISH WATER			
28. PRODUCTION										
Date First Production 09/16/2023		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) FLOWING				Well Status (<i>Prod. or Shut-in</i>) PRODUCING				
Date of Test 10/01/2023	Hours Tested 24 HOURS	Choke Size /128	Prod'n For Test Period	Oil - Bbl 2351	Gas - MCF 11098	Water - Bbl. 7367	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure 2781psig	Calculated 24-Hour Rate	Oil - Bbl. 2351	Gas - MCF 11098	Water - Bbl. 7367	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD							30. Test Witnessed By			
31. List Attachments GR, CBL, WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Leslie T. Reeves</i>		Printed Name LESLIE REEVES		Title REGULATORY MANAGER		Date 10/30/2023				
E-mail Address LESLIE_REEVES@OXY.COM										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 138'MD	T. Bell Canyon 2989'MD	T. Ojo Alamo	T. Penn A"
T. Salado 659'MD	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1397'MD	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2936'MD	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3900'MD	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5112'MD	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6650'MD	T.Todilto	
T. Abo	T. 1 st Bone Springs 7632'MD	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 8498'MD	T. Wingate	
T. Penn	T. 3 rd Bone Springs 9620'MD	T. Chinle	
T. Cisco (Bough C)	T. Wolfcamp 9999'MD	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....


Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

OXY USA Inc.
HEADS CC 9 4 FEDERAL COM 43H
API No. 30-015-47181



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 308815

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 308815
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 308815

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 308815
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	Re-upload GR/CBL to OCD Permitting/ Well Logs and ensure the logs are clear and readable.	2/2/2024
smcgrath	File 3160-4 within 10 days of BLM Approval.	2/2/2024