Office	State of New Mexico	Form C-1831
District I – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283		WELL API NO. 30-025-40061
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE X FEE
District IV – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		
SUNDRY NOT (DO NOT USE THIS FORM FOR PROPE	CICES AND REPORTS ON WELLS DSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A ICATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name  NEW MEXICO R NCT-4
PROPOSALS.)	C W II C OI	0 Wall Number
Type of Well: Oil Well      Name of Operator	Gas Well Uther	9. OGRID Number
-	GSTAR OPERATING LLC	330132
3. Address of Operator	SOTTING DECEMBER OF ENGLISH OF EN	10. Pool name or Wildcat
1	H ST, FORT WORTH, TX 76102	VACUUM; BLINEBRY
4. Well Location	151,16111 (161111, 111,70102	viice on, Benvesici
Unit LetterD_:99	90_feet from the _N line and1200f	eet from theWline
Section 07	Township 18S Range 35E	NMPM County LEA
	11. Elevation (Show whether DR, RKB, RT, GR, e.	
	3979 GL	
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or composed starting any proposed we proposed completion or remarks.  MorningStar Operating required 1. MIRU 2. POOH w/ rods & 3. RIH w/ bit and scriber for the series of the seri	PLUG AND ABANDON REMEDIAL WO COMMENCE DE CASING/CEME  MULTIPLE COMPL CASING/CEME  OTHER:  pleted operations. (Clearly state all pertinent details, a cork). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.	PAND A A THE PAND A TH
7. RDMO.  Spud Date:	Rig Release Date:	
	above is true and complete to the best of my knowle	dge and belief.
SIGNATURE Connis BE	laylock TITLE Regulatory Analyst	DATE02/06/2024
Type or print name <u>Connie Blayle</u> For State Use Only		coenergy.com PHONE: <u>817-334-7882</u>
APPROVED BY: Yeary 1 Conditions of Approval (if any):	other TITLE Compliance Office	r A2/12/24

## New Mexico "R" NCT-4 No. 4 Wellbore Diagram

 Lease:
 New Mexico State "R" NCT-4
 Well #:
 4

 API
 30-025-40061
 County:
 Lea
 St.:
 NM

 Field:
 Vacuum Blinebry

 Surf. Loc.:
 990' FNL & 1200' FWL
 S-T-R
 D-7-18S-35E

| KB: 3997' | DF: | GL: 3979' | Ini. Spud: 09/20/11 | Ini. Comp.: 10/14/11

TUBING DETAIL (Run in Hole)					
Equipment	Sizo	EUE Plain	Throadr	No. Joints	Foot Tonthe
TBG 6.5# J-55	2 7/8"	EUE	8 RD	166	5,270.97
TBG SUBS 6.5# J-55	2 7/8"	EUE	8 RD	1	4.10
TBG 6.5# J-55	2 7/8"	X	5 1/2"	2	62.86
TAC 2 7/8 X 5 1/2" W/ 18K TENSION	2 7/8"	EUE	8 RD	1	2.73
TBG 6.5# J-55	2 7/8"	EUE	8 RD	18	573.11
ENDUROALLOY 6.5# J-55	2 7/8"	X	8 RD	2	64.37
SS MECH SN	2 7/8"	X	8 RD	1	0.90
ODESSA SEPERATOR SAND SCREEN	2 7/8"	EUE	8 RD	1	29.90
TBG SUB 6.5# J-55 PCID&OD	2 7/8"	EUE	8 RD	1	4.1
NON-SLOTTED MUD ANCHOR(PCID&OD)	2 7/8"	EUE	8 RD	1	25.05
BULL PLUG					0.5

ROD DETAIL(Run in Hole)				
Size	Manufacturor	No. of Rodr	Longth	Grado
1.5	POLISH ROD	1	26	PR
1"	NORRIS SUBS	1	4	N-97
1"	NORRIS RODS	79	1975	N-97
.875	NORRIS RODS	74	1850	N-97
.750	NORRIS RODS	72	1800	N-97
1.5	SINKER BARS	12	300	K
.875	GUIDED SUB	1	4	N/A
1.5	GARNER PUMP	1	20	N/A

PUMP INFO (Run in Hole)			
PUMP NO.	CLG-263		
MAKE	RHBM		
TYPE	PAMPA		
SIZE	25-150-RHBM-20-20-18		
TYPELOCK	MECH		

### **Production Casing**

Hole Size:

Surface Casing

Size: Wt., Grd.:

Depth: Sxs Cmt:

TOC:

Circulate:

Hole Size:

8-5/8' -<u>J</u>-55

24# 1510'

870 sxs

Yes; 141 sx

Surface 12-1/4"

 Size:
 5-1/2" L80

 Wt., Grd.:
 17#

 Depth:
 6133'

 Sxs Cmt:
 1,000

 Circulate:
 Yes; 180 sx

 TOC:
 Surface

PBTD: 6062' TD: 6133' Blinebry Perfs: 5664' - 6012'

7-7/8"

## New Mexico "R" NCT-4 No. 4 Wellbore Diagram

Lease: New Mexico State "R" NCT-4 Well #: API 30-025-40061 Lea St.: County: NM Field: Vacuum Blinebry Surf. Loc.: 990' FNL & 1200' FWL S-T-R D-7-18S-35E **PROPOSED TA** KB: DF: GL: 3979' Ini. Spud: 09/20/11 Ini. Comp.: 10/14/11 Surface Casing 8-5/8' -J-55 Size: Wt., Grd.: 24# Depth: 1510' 870 sxs Sxs Cmt: Circulate: Yes; 141 sx TOC: Surface 12-1/4" Hole Size: **PROPOSED TA:** CIBP @ 5,650' capped w/ 35' of Class C Cmt **Production Casing** 5-1/2" L80 Blinebry Perfs: 5664' - 6012' Size: Wt., Grd.: 17# Depth: 6133' Sxs Cmt: 1,000 Circulate: Yes; 180 sx TOC: Surface PBTD: 6062' TD: 6133' Hole Size: 7-7/8"

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 311755

### **CONDITIONS**

Operator:	OGRID:
MorningStar Operating LLC	330132
400 W 7th St	Action Number:
Fort Worth, TX 76102	311755
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

#### CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA test MIT/BHT	2/12/2024