<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 359520

| | APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A | ZONE |
|---------------------------|---|-----------|
| Operator Name and Address | Ţ, | OGRID Nun |

| 1. Operator Name and Address | | 2. OGRID Number |
|------------------------------|------------------|-----------------|
| MACK ENERGY CORP | | 13837 |
| P.O. Box 960 | | 3. API Number |
| Artesia, NM 882110960 | | 30-025-52535 |
| 4. Property Code | 5. Property Name | 6. Well No. |
| 335346 | BOAR STATE COM | 001H |

7 Surface Location

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
| M | 30 | 14S | 32E | 4 | 856 | S | 970 | W | Lea |

8. Proposed Bottom Hole Location

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
| M | 31 | 14S | 32E | 4 | 1 | S | 990 | W | Lea |

9. Pool Information

19150 DOUBLE L;SAN ANDRES, SOUTH

Additional Well Information

| 11. Work Type | 12. Well Type | 13. Cable/Rotary | 14. Lease Type | 15. Ground Level Elevation | |
|-----------------------|--------------------|--|----------------|-----------------------------------|--|
| New Well | ÖIL | | State | 4362 | |
| 16. Multiple | 17. Proposed Depth | 18. Formation | 19. Contractor | 20. Spud Date | |
| N | 10228 | San Andres | | 3/15/2024 | |
| Depth to Ground water | | Distance from nearest fresh water well | | Distance to nearest surface water | |
| | | | | ! | |

We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

| Type | Hole Size | Casing Size | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf | 12.25 | 9.625 | 36 | 1475 | 1130 | 0 |
| Prod | 8.75 | 7 | 26 | 4575 | 2175 | 0 |
| Prod | 8.75 | 7 | 26 | 3540 | 2175 | 0 |
| Prod | 8.75 | 5.5 | 17 | 10228 | 2175 | 0 |

Casing/Cement Program: Additional Comments

Mack Energy Corporation proposed to drill 12 1/4 hole to 1475', run 9 5/8 csg/cmt. Drill 8 3/4 hole to 10228', run 7" & 5 1/2 csg/cmt, put well on production.

22. Proposed Blowout Prevention Program

| Туре | Working Pressure | Test Pressure | Manufacturer |
|------------|------------------|---------------|--------------|
| Double Ram | 3000 | 3000 | |

| knowledge and be | elief. | true and complete to the best of my NMAC ⊠ and/or 19.15.14.9 (B) NMAC | | OIL CONSERVATION | ON DIVISION | |
|------------------|--------------------------------------|---|---------------------------------|--------------------------------------|-------------|--|
| Printed Name: | Electronically filed by Jerry Sherre | ell | Approved By: | Paul F Kautz | | |
| Title: | Regulatory Supervisor | | Title: | Geologist | | |
| Email Address: | jerrys@mec.com | | Approved Date: | 2/16/2024 Expiration Date: 2/16/2026 | | |
| Date: | 2/13/2024 | Phone: 575-748-1288 | Conditions of Approval Attached | | | |

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

| ¹ API Number 30-025-52535 | | ² Pool Code 19150 | | |
|--------------------------------------|--|---------------------------------|----------------|--------------------------|
| ⁴ Property Code | | | roperty Name | ⁶ Well Number |
| 335346 | | BOAR | STATE COM | 1H |
| ⁷ OGRID No. | | 8 O | perator Name | ⁹ Elevation |
| 13837 | | MACK ENER | GY CORPORATION | 4362.3 |


¹⁰ Surface Location

| N2 | | | | | | | | | |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| 4 | 30 | 14 S | 32 E | | 856 | SOUTH | 970 | WEST | LEA |
| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |

¹¹ Bottom Hole Location If Different From Surface


| | | Bottom Hote Boomton in Binterent Hom Surface | | | | | | | | | | |
|-----|-------------------|--|-------------|-----------------------------|---------|---------------|------------------|---------------|----------------|--------|--|--|
| .11 | UL or lot no. | Section Township | | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County | | |
| | 4 | 31 | 14S | 32 E | | 1 | SOUTH | 990 | WEST | LEA | | |
| | 12 Dedicated Acre | s ¹³ Joint | or Infill 1 | ¹⁴ Consolidation | n Code | | | 15 Order No. | | - | | |
| | 160 | | | | | | | | | | | |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.




| Intent | | As Dril | led | | | | | | | | | | | |
|----------------|-------------------------|-----------------|--------------|----------|---------------|---------|-----------------|-------------|-------------|--------|-------|--------------|---------------|-------------------|
| API# | | | | | | | | | | | | | | |
| - | rator Nar CK ENE | ne: RGY CC |)RPOR/ | 1OIT | 1 | | erty N AR S1 | | | ΡM | | | | Well Number 1H |
| Kick C | off Point (| (KOP) | | | | | | | | | | | | |
| UL | Section 30 | Township 14S | Range 32E | Lot 4 | Feet 856 | | From N | | Feet 970 | | From | n E/W ST | County LEA | |
| Latitu 33.0 | ^{de} 170686 | 1 | | | Longitu 103.7 | | 238 | | • | 1 | | | NAD | |
| First T | ake Poin | t (FTP) | | | | | | | | | | | | |
| UL | Section 31 | Township 14S | Range 32E | Lot 1 | Feet 100 | | From N | | Feet 990 | | From | E/W ST | County LEA | |
| 133.0 | de 068059 | 2 | | | Longitu 103.7 | | 629 | | | | | | NAD 83 | |
| Last T | ake Poin | t (LTP) | | | | | | | | | | | | |
| UL | Section 31 | Township 14S | Range 32E | Lot 4 | Feet 100 | - 1 | n N/S UTH | Feet 990 | | From I | | Count LEA | TY | |
| Latitu 33.0 | _{de})54086 | 2 | | | Longitu 103.7 | | 449 | | , | | | NAD 83 | | |
| | | defining v | vell for th | e Horiz | contal Sp | oacing | g Unit? | | |] | | | | |
| ls this | well an i | infill well? | | |] | | | | | | | | | |
| | l is yes pl ng Unit. | ease prov | ide API if | availab | le, Oper | rator I | Name : | and v | vell n | umber | for [| Definir | ng well fo | r Horizontal |
| API# | | | | | | | | | | | | | | |
| Ope | rator Nar | ne: | I | | | Prop | erty N | lame | ; | | | | | Well Number |
| | | | | | | | | | | | | | | |

KZ 06/29/2018



SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP



MACK ENERGY CORPORATION
BOAR STATE COM 1H


LOCATED 856 FT. FROM THE SOUTH LINE AND 970 FT. FROM THE WEST LINE OF SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

DECEMBER 14, 2023

SURVEY NO. 9955

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO VICINITY MAP



DISTANCES IN MILES

NOT TO SCALE

DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF STATE HIGHWAY 249 & STATE HIGHWAY 172, GO NORTH ON STATE HIGHWAY 172 FOR APPROX. 0.9 OF A MILE, GO NORTHWEST ON 20' CLR FOR APPROX. 50', GO NORTH FOR APPROX. 0.73 OF A MILE, GO EAST APPROX. 0.96 OF A MILE, GO SOUTH APPROX. 0.23 OF A MILE, GO EAST APPROX. 405', GO SOUTHWEST APPROX. 392', GO EAST APPROX. 0.92 OF A MILE, GO NORTHEAST APPROX. 0.32 OF A MILE, GO NORTH APPROX. 0.88 OF A MILE, GO EAST APPROX. 405', GO NORTHEAST APPROX. 408', GO NORTHEAST APPROX. 201', GO NORTH APPROX. 0.31 OF A MILE TO BEGIN ROAD SURVEY, FOLLOW ROAD SURVEY WEST APPROX. 3194', CONTINUE NORTHWEST APPROX. 4887' TO THE SOUTHWEST PAD CORNER FOR THIS LOCATION.

MACK ENERGY CORPORATION

BOAR STATE COM 1H

LOCATED 856 FT. FROM THE SOUTH LINE

AND 970 FT. FROM THE WEST LINE OF

SECTION 30, TOWNSHIP 14 SOUTH,

RANGE 32 EAST, N.M.P.M.


LEA COUNTY, STATE OF NEW MEXICO

DECEMBER 14, 2023

SURVEY NO. 9955

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO $AERIAL\ PHOTO$



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH JUNE 2019

MACK ENERGY CORPORATION
BOAR STATE COM 1H


LOCATED 856 FT. FROM THE SOUTH LINE AND 970 FT. FROM THE WEST LINE OF SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

DECEMBER 14, 2023

SURVEY NO. 9955

 $MADRON \quad SURVEYING, \quad INC. \quad {\tiny 5075} \quad {\tiny 234-3327} \quad CARLSBAD, \quad NEW \quad MEXICO$

SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO AERIAL ACCESS ROUTE MAP



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH JUNE 2019

MACK ENERGY CORPORATION
BOAR STATE COM 1H

LOCATED 856 FT. FROM THE SOUTH LINE AND 970 FT. FROM THE WEST LINE OF SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

DECEMBER 14, 2023


SURVEY NO. 9955

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO


ACCESS ROAD FOR BOAR STATE COM 1H & 2H

MACK ENERGY CORPORATION

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 31, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 14, 2023



SEE NEXT SHEET (2-4) FOR DESCRIPTION



GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 1-4

MADRON SURVEYING(

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN NEW MEXICO.

CERTIFICATE IS EXECUTED AT CARLSBAD, $INC^{\nu}_{.}$ 301 SC (575)

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3327

SURVEY NO. 9955

NEW MEXICO

ACCESS ROAD FOR BOAR STATE COM 1H & 2H

MACK ENERGY CORPORATION

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 31, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 14, 2023

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 31, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 SW/4 OF SAID SECTION 31, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE SOUTH QUARTER CORNER OF SAID SECTION 31, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S22°01'08"E, A DISTANCE OF 1422.52 FEET;

THENCE N18'30'18"W A DISTANCE OF 4169.05 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHWEST CORNER OF SAID SECTION 31, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S89°46'21"W, A DISTANCE OF 999.49 FEET;

SAID STRIP OF LAND BEING 4169.05 FEET OR 252.67 RODS IN LENGTH, CONTAINING 2.871 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

| NE/4 SW/4 | 1388.80 L.F. | 84.17 RODS | 0.956 ACRES |
|------------------------|--------------|------------|-------------|
| SE/4 NW/4 NE/4 NW/4 | 1390.50 L.F. | 84.27 RODS | 0.958 ACRES |
| NE/4 NW/4 | 68.72 L.F. | 4.16 RODS | 0.047 ACRES |
| LOT 1 | 1321 03 L F | 80.06 R0DS | 0.910 ACRES |

SURVEYOR CERTIFICATE

NEW

GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 2-4

MADRON SURVEYING(

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN NEW MEXICO.

> CERTIFICATE IS EXECUTED AT CARLSBAD, MADRON SURVEYING, INC.

301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3327

SURVEY NO. 9955


Released to Imaging.

NEW


ACCESS ROAD FOR BOAR STATE COM 1H & 2H

MACK ENERGY CORPORATION

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 14, 2023



SEE NEXT SHEET (4-4) FOR DESCRIPTION



GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 3-4

MADRON SURVEYING (INC^{\prime}) 301 SC (575)

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN NEW MEXICO.

CERTIFICATE IS EXECUTED AT CARLSBAD,

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3327

SURVEY NO. 9955

NEW MEXICO

ACCESS ROAD FOR BOAR STATE COM 1H & 2H

MACK ENERGY CORPORATION

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 14, 2023

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN LOT 4 OF SAID SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE TIE1 CORNER OF SAID SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S89'46'21"W, A DISTANCE OF 999.49 FEET;

THENCE N18'30'18"W A DISTANCE OF 717.95 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHWEST CORNER OF SAID SECTION 30, TOWNSHIP 14 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S48'24'42"W, A DISTANCE OF 1031.67 FEET;

SAID STRIP OF LAND BEING 717.95 FEET OR 43.51 RODS IN LENGTH, CONTAINING 0.494 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

717.95 L.F. 43.51 RODS 0.494 ACRES IOT 4

SURVEYOR CERTIFICATE

GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 4-4

MADRON SURVEYING(

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN NEW MEXICO.

CERTIFICATE IS EXECUTED AT CARLSBAD,

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3327

SURVEY NO. 9955

NEW

NEW

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form APD Conditions

Permit 359520

PERMIT CONDITIONS OF APPROVAL

| Operator Name and Address: | API Number: |
|----------------------------|----------------------|
| MACK ENERGY CORP [13837] | 30-025-52535 |
| P.O. Box 960 | Well: |
| Artesia, NM 882110960 | BOAR STATE COM #001H |

| OCD Reviewer | Condition | | | | | | |
|-----------------|--|--|--|--|--|--|--|
| pkautz | Notify OCD 24 hours prior to casing & cement | | | | | | |
| pkautz | Will require a File As Drilled C-102 and a Directional Survey with the C-104 | | | | | | |
| pkautz | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string | | | | | | |
| pkautz | Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system | | | | | | |
| pkautz | If cement does not circulate on any string, a CBL is required for that string of casing | | | | | | |
| pkautz | The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud | | | | | | |
| pkautz | Cement is required to circulate on both surface and production strings of casing | | | | | | |

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

| I. Operator: | Mack Ene | ergy Cor | poration | OGRID: 0 | 13837 | | Date: | 2/13/ | 202/4 |
|---|--|----------|--|-------------------|--------------------------|----------|-------------------|--------|---------------------------------|
| II. Type: ⊠ C | Priginal 🗆 A | mendment | due to □ 19.15.27.9 | 9.D(6)(a) NMA | C □ 19.15.27.9.D | (6)(b) N | NMAC □ (| Other. | |
| If Other, please | e describe: | | | | | | | | |
| | | | Formation for each no or connected to a co | | | wells p | roposed to | be dri | lled or proposed to |
| Well Na | me | API | ULSTR | Footages | Anticipated Oil BBL/D | | icipated MCF/D | | Anticipated roduced Water BBL/D |
| Boar State Cor | m 1H | | M Sec 30 T14S R3 | 32E 856 FSL 970 F | v∟ 100 | 100 | | 1,000 |) |
| V. Anticipated proposed to be | IV. Central Delivery Point Name: DCP Midstream Linam Ranch Processing Plant/Durango Midstream [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name API Spud Date TD Reached Completion Initial Flow Back Date Date | | | | | | | | |
| Boar State Com | 1⊔ | | 4/1/2024 | 4/21/2024 | 5/21/2024 | | 5/21/2024 | | 5/21/2024 |
| Doar State Colli | 111 | | 7/ 1/2024 | 7/2 1/2024 | 0/2 1/2024 | | 5/2 1/2024 | | 0/2 1/2024 |
| VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance. | | | | | | | | | |

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

Departor certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

| Well | API | Anticipated Average Natural Gas Rate MCF/D | Anticipated Volume of Natural Gas for the First Year MCF |
|------|-----|---|--|
| | | | |
| | | | |

X. Natural Gas Gathering System (NGGS):

| Operator | System | ULSTR of Tie-in | Anticipated Gathering | Available Maximum Daily Capacity |
|----------|--------|-----------------|-----------------------|----------------------------------|
| | | | Start Date | of System Segment Tie-in |
| | | | | |
| | | | | |

| XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the |
|---|
| production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of |
| the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected. |

| XII. Line Capacity. The natural | gas gathering system 🗆 w | vill □ will not have | capacity to gather | 100% of the anticipated | natural gas |
|-----------------------------------|--------------------------------|----------------------|--------------------|-------------------------|-------------|
| production volume from the well p | prior to the date of first pro | oduction. | | | |

| XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, | of the |
|---|--------|
| natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new we | ll(s). |

| _ | | | | | | | | |
|--------|----------|----------|-----------|----------|------------|-------------|----------------|--------------------|
| \Box | A 44 1 4 | O 4 | 9 1 4 | | 1 4 | • | 4 41 . | sed line pressure |
| | A Hach I | Inerator | c nian to | manage n | radiietian | in rechance | TO THE INCRESS | sea line nressiire |
| | | | | | | | | |

| XIV. Confidentiality: \square Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the informa | non provided in |
|--|------------------|
| Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the spec | ific information |
| for which confidentiality is asserted and the basis for such assertion. | |

(h)

(i)

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗷 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery;

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

fuel cell production; and

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

VI. Separation Equipment:

Mack Energy Corporation(MEC) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our completion project. MEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the completion to optimize gas capture and send gas to sales or flare based on analytical composition. MEC operates facilities that are typically multi-well facilities. Production separation equipment is upgraded prior to new wells being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the new drill operations.

VII. Operational Practices:

- Subsection (A) Venting and Flaring of Natural Gas. MEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations. This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion. Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations o At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - MEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D)
 14.
- 5. Subsection (E) Performance standards o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. MEC has adequate storage and takeaway capacity for wells it chooses to complete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. MEC will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. MEC combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. MEC will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.
- 5. MEC has a gas gathering system in place(CTB-887)a with multiple purchaser's to limit venting or flaring, due to purchaser shut downs.

OperatorMack Energy CorpUnitsfeet, °/100ft11:44 Monday, February 12, 2024 Page 1 of 4FieldCountyLeaVertical Section Azimuth180.37

Well Name Boar State Com #1H State New Mexico Survey Calculation Method Minimum Curvature
Plan 1 Country Database Access

Location SL: 856 FSL & 970 FWL Section 30-T14S-R32E BHL: Map Zone UTM Lat Long Ref

1 FSL & 990 FWL Section 31-T14S-R32E

 Site
 Surface X
 2019339.6
 Surface Long

 Slot Name
 UWI
 Surface Y
 12006528.2
 Surface Lat

 Well Number 1H
 API
 Surface Z
 4379.8
 Global Z Ref KB

 Project
 MD/TVD Ref KB
 Ground Level 4362.3
 Local North Ref Grid

DIRECTIONAL WELL PLAN

| MD* | INC* | AZI* | TVD* | N* | E* | DLS* | V. S.* | MapE* | MapN* | SysTVD* |
|----------------|------------|----------|------------------|--------------------|-------------------|---------|--------|-------------------------|--------------|-------------------------|
| *** TIE (at MD | = 3540.00) | doa | ft | ft | ft | °/1∩∩ft | ft. | ft | ft | ft |
| 3540.00 | 0.00 | 0.0 | 3540.00 | 0.00 | 0.00 | | 0.00 | 2019339.60 | 12006528.20 | 839.80 |
| 3550.00 | 0.00 | 0.0 | 3550.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2019339.60 | 12006528.20 | 829.80 |
| 3600.00 | 0.00 | 0.0 | 3600.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2019339.60 | 12006528.20 | 779.80 |
| *** KOP 8 DEG | | | | | | | | | | |
| 3640.00 | 0.00 | 0.0 | 3640.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2019339.60 | 12006528.20 | 739.80 |
| 3650.00 | 0.80 | 180.4 | 3650.00 | -0.07 | 0.00 | 8.00 | 0.07 | 2019339.60 | 12006528.13 | 729.80 |
| | | | | | | | | | | |
| 3700.00 | 4.80 | 180.4 | 3699.93 | -2.51 | -0.02 | 8.00 | 2.51 | 2019339.58 | 12006525.69 | 679.87 |
| 3750.00 | 8.80 | 180.4 | 3749.57 | -8.43 | -0.05 | 8.00 | 8.43 | 2019339.55 | 12006519.77 | 630.23 |
| 3800.00 | 12.80 | 180.4 | 3798.67 | -17.80 | -0.11 | 8.00 | 17.80 | 2019339.49 | 12006510.40 | 581.13 |
| 3850.00 | 16.80 | 180.4 | 3847.00 | -30.57 | -0.20 | 8.00 | 30.57 | 2019339.40 | 12006497.63 | 532.80 |
| 3900.00 | 20.80 | 180.4 | 3894.33 | -46.68 | -0.30 | 8.00 | 46.68 | 2019339.30 | 12006481.52 | 485.47 |
| 3950.00 | 24.80 | 180.4 | 3940.41 | -66.05 | -0.43 | 8.00 | 66.05 | 2019339.17 | 12006462.15 | 439.39 |
| 4000.00 | 28.80 | 180.4 | 3985.03 | -88.59 | -0.43 | 8.00 | 88.59 | 2019339.03 | 12006439.61 | 394.77 |
| 4050.00 | 32.80 | 180.4 | 4027.97 | -114.18 | -0.74 | 8.00 | 114.19 | 2019338.86 | 12006414.02 | 351.83 |
| 4100.00 | 36.80 | 180.4 | 4069.02 | -142.71 | -0.74 | 8.00 | 142.72 | 2019338.68 | 12006385.49 | 310.78 |
| 4150.00 | 40.80 | 180.4 | 4107.98 | -142.71 | -1.12 | 8.00 | 174.04 | 2019338.48 | 12006354.16 | 271.82 |
| 4130.00 | 40.00 | 100.4 | 4107.30 | -174.04 | -1.12 | 0.00 | 174.04 | 2019330.40 | 12000334.10 | 21 1.02 |
| 4200.00 | 44.80 | 180.4 | 4144.66 | -208.00 | -1.34 | 8.00 | 208.00 | 2019338.26 | 12006320.20 | 235.14 |
| 4250.00 | 48.80 | 180.4 | 4178.88 | -244.44 | -1.58 | 8.00 | 244.45 | 2019338.02 | 12006283.76 | 200.92 |
| 4300.00 | 52.80 | 180.4 | 4210.47 | -283.18 | -1.83 | 8.00 | 283.19 | 2019337.77 | 12006245.02 | 169.33 |
| *** 55 DEGRE | E TANGENT | (at MD = | 4327.50) | | | | | | | |
| 4327.50 | 55.00 | 180.4 | 4226.67 | -305.40 | -1.97 | 8.00 | 305.40 | 2019337.63 | 12006222.80 | 153.13 |
| 4350.00 | 55.00 | 180.4 | 4239.58 | -323.83 | -2.09 | 0.00 | 323.83 | 2019337.51 | 12006204.37 | 140.22 |
| 4400.00 | 55.00 | 180.4 | 4268.26 | -364.78 | -2.36 | 0.00 | 364.79 | 2019337.24 | 12006163.42 | 111.54 |
| 4450.00 | 55.00 | 180.4 | 4296.20 | -304.76 -405.74 | -2.62 | 0.00 | 405.75 | 2019337.24 | 12006103.42 | 82.86 |
| 4500.00 | 55.00 | 180.4 | 4325.62 | -403.74 -446.70 | -2.88 | 0.00 | 446.71 | 2019336.98 | 12006122.40 | 54.18 |
| *** 10 DEGREE | | | | -440.70 | -2.00 | 0.00 | 440.71 | 2019330.72 | 12000001.30 | 34.10 |
| 4527.50 | 55.00 | 180.4 | 4341.39 | -469.22 | -3.03 | 0.00 | 469.23 | 2019336.57 | 12006058.98 | 38.41 |
| 4550.00 | 57.25 | 180.4 | 4353.93 | -487.90 | -3.15 | 10.00 | 487.91 | 2019336.45 | 12006040.30 | 25.87 |
| 1000.00 | 07.20 | 100.1 | 1000.00 | 107.00 | 0.10 | 10.00 | 107.01 | 2010000.10 | 120000 10.00 | 20.07 |
| 4600.00 | 62.25 | 180.4 | 4379.11 | -531.08 | -3.43 | 10.00 | 531.09 | 2019336.17 | 12005997.12 | 0.69 |
| 4650.00 | 67.25 | 180.4 | 4400.43 | -576.29 | -3.72 | 10.00 | 576.30 | 2019335.88 | 12005951.91 | -20.63 |
| 4700.00 | 72.25 | 180.4 | 4417.73 | -623.18 | -4.02 | 10.00 | 623.19 | 2019335.58 | 12005905.02 | -37.93 |
| 4750.00 | 77.25 | 180.4 | 4430.88 | -671.40 | -4.34 | 10.00 | 671.42 | 2019335.26 | 12005856.80 | -51.08 |
| 4800.00 | 82.25 | 180.4 | 4439.77 | -720.59 | -4.65 | 10.00 | 720.61 | 2019334.95 | 12005807.61 | -59.97 |
| 4850.00 | 87.25 | 180.4 | 4444.35 | -770.36 | -4.97 | 10.00 | 770.38 | 2019334.63 | 12005757.84 | -64.55 |
| *** LANDING F | | | | -110.30 | -4 .97 | 10.00 | 110.30 | 201333 4 .03 | 12003/3/.04 | -04.55 |
| 4871.50 | 89.40 | 180.4 | 4444.98 | -791.85 | -5.11 | 10.00 | 791.87 | 2019334.49 | 12005736.35 | -65.18 |
| 4900.00 | 89.40 | 180.4 | 4445.28 | -820.35 | -5.30 | 0.00 | 820.37 | 2019334.30 | 12005730.35 | -65.47 |
| 4950.00 | 89.40 | 180.4 | 4445.80 | -870.35 | -5.62 | 0.00 | 870.36 | 2019334.30 | 12005707.85 | -66.00 |
| Page 1 of 4 | 09.40 | 100.4 | 3.00 | -070.00 | -3.02 SES v5 | .79 | 070.00 | 2019000.90 | | -00.00 makinhole.com |

OperatorMack Energy CorpUnitsfeet, °/100ft11:44 Monday, February 12, 2024 Page 2 of 4FieldCountyLeaVertical Section Azimuth180.37

Field County Lea Vertical Section Azimuth 180.37

Well Name Boar State Com #1H State New Mexico Survey Calculation Method Minimum Curvature
Plan 1 Country Database Access

Location SL: 856 FSL & 970 FWL Section 30-T14S-R32E BHL:

1 FSL & 990 FWL Section 31-T14S-R32E Site

Slot Name UWI Well Number 1H API

Project MD/TVD Ref KB

Map Zone UTM

Surface X 2019339.6 Surface Y 12006528.2 Surface Z 4379.8

Ground Level 4362.3

Surface Long
Surface Lat
Global Z Ref KB

Lat Long Ref

Local North Ref Grid

DIRECTIONAL WELL PLAN

| MD* | INC* | AZI* | TVD* | N* | E* | DLS* | V. S.* | MapE* | MapN* S | SysTVD* |
|-------------|-------|-------|---------|----------|--------|-------------|---------|------------|-------------|---------------|
| 5000.00 | 89.40 | 180.4 | 4446.32 | -920.34 | -5.94 | 0.00 | 920.36 | 2019333.66 | 12005607.86 | -66.52 |
| 5050.00 | 89.40 | 180.4 | 4446.85 | -970.34 | -6.27 | 0.00 | 970.36 | 2019333.33 | 12005557.86 | -67.05 |
| 5100.00 | 89.40 | 180.4 | 4447.37 | -1020.34 | -6.59 | 0.00 | 1020.36 | 2019333.01 | 12005507.86 | -67.57 |
| 5150.00 | 89.40 | 180.4 | 4447.89 | -1070.33 | -6.91 | 0.00 | 1070.35 | 2019332.69 | 12005457.87 | -68.09 |
| 5200.00 | 89.40 | 180.4 | 4448.42 | -1120.33 | -7.23 | 0.00 | 1120.35 | 2019332.37 | 12005407.87 | -68.62 |
| 5250.00 | 89.40 | 180.4 | 4448.94 | -1170.32 | -7.56 | 0.00 | 1170.35 | 2019332.04 | 12005357.88 | -69.14 |
| 5300.00 | 89.40 | 180.4 | 4449.46 | -1220.32 | -7.88 | 0.00 | 1220.35 | 2019331.72 | 12005307.88 | -69.66 |
| 5350.00 | 89.40 | 180.4 | 4449.99 | -1270.32 | -8.20 | 0.00 | 1270.34 | 2019331.40 | 12005257.88 | -70.19 |
| 5400.00 | 89.40 | 180.4 | 4450.51 | -1320.31 | -8.53 | 0.00 | 1320.34 | 2019331.07 | 12005207.89 | -70.71 |
| 5450.00 | 89.40 | 180.4 | 4451.03 | -1370.31 | -8.85 | 0.00 | 1370.34 | 2019330.75 | 12005157.89 | -71.23 |
| 5500.00 | 89.40 | 180.4 | 4451.56 | -1420.30 | -9.17 | 0.00 | 1420.33 | 2019330.43 | 12005107.90 | -71.76 |
| 5550.00 | 89.40 | 180.4 | 4452.08 | -1470.30 | -9.49 | 0.00 | 1470.33 | 2019330.11 | 12005057.90 | -72.28 |
| 5600.00 | 89.40 | 180.4 | 4452.61 | -1520.30 | -9.82 | 0.00 | 1520.33 | 2019329.78 | 12005007.90 | -72.81 |
| 5650.00 | 89.40 | 180.4 | 4453.13 | -1570.29 | -10.14 | 0.00 | 1570.33 | 2019329.46 | 12004957.91 | -73.33 |
| 5700.00 | 89.40 | 180.4 | 4453.65 | -1620.29 | -10.46 | 0.00 | 1620.32 | 2019329.14 | 12004907.91 | -73.85 |
| 5750.00 | 89.40 | 180.4 | 4454.18 | -1670.29 | -10.79 | 0.00 | 1670.32 | 2019328.81 | 12004857.91 | -74.38 |
| 5800.00 | 89.40 | 180.4 | 4454.70 | -1720.28 | -11.11 | 0.00 | 1720.32 | 2019328.49 | 12004807.92 | -74.90 |
| 5850.00 | 89.40 | 180.4 | 4455.22 | -1770.28 | -11.43 | 0.00 | 1770.32 | 2019328.17 | 12004757.92 | -75.42 |
| 5900.00 | 89.40 | 180.4 | 4455.75 | -1820.27 | -11.76 | 0.00 | 1820.31 | 2019327.85 | 12004707.93 | -75.95 |
| 5950.00 | 89.40 | 180.4 | 4456.27 | -1870.27 | -12.08 | 0.00 | 1870.31 | 2019327.52 | 12004657.93 | -76.47 |
| 6000.00 | 89.40 | 180.4 | 4456.79 | -1920.27 | -12.40 | 0.00 | 1920.31 | 2019327.20 | 12004607.93 | -76.99 |
| 6050.00 | 89.40 | 180.4 | 4457.32 | -1970.26 | -12.72 | 0.00 | 1970.30 | 2019326.88 | 12004557.94 | -77.52 |
| 6100.00 | 89.40 | 180.4 | 4457.84 | -2020.26 | -13.05 | 0.00 | 2020.30 | 2019326.55 | 12004507.94 | -78.04 |
| 6150.00 | 89.40 | 180.4 | 4458.36 | -2070.26 | -13.37 | 0.00 | 2070.30 | 2019326.23 | 12004457.94 | -78.56 |
| 6200.00 | 89.40 | 180.4 | 4458.89 | -2120.25 | -13.69 | 0.00 | 2120.30 | 2019325.91 | 12004407.95 | -79.09 |
| 6250.00 | 89.40 | 180.4 | 4459.41 | -2170.25 | -14.02 | 0.00 | 2170.29 | 2019325.59 | 12004357.95 | -79.61 |
| 6300.00 | 89.40 | 180.4 | 4459.94 | -2220.24 | -14.34 | 0.00 | 2220.29 | 2019325.26 | 12004307.96 | -80.14 |
| 6350.00 | 89.40 | 180.4 | 4460.46 | -2270.24 | -14.66 | 0.00 | 2270.29 | 2019324.94 | 12004257.96 | -80.66 |
| 6400.00 | 89.40 | 180.4 | 4460.98 | -2320.24 | -14.98 | 0.00 | 2320.29 | 2019324.62 | 12004207.96 | -81.18 |
| 6450.00 | 89.40 | 180.4 | 4461.51 | -2370.23 | -15.31 | 0.00 | 2370.28 | 2019324.29 | 12004157.97 | -81.71 |
| 6500.00 | 89.40 | 180.4 | 4462.03 | -2420.23 | -15.63 | 0.00 | 2420.28 | 2019323.97 | 12004107.97 | -82.23 |
| 6550.00 | 89.40 | 180.4 | 4462.55 | -2470.23 | -15.95 | 0.00 | 2470.28 | 2019323.65 | 12004057.97 | -82.75 |
| 6600.00 | 89.40 | 180.4 | 4463.08 | -2520.22 | -16.28 | 0.00 | 2520.27 | 2019323.32 | 12004007.98 | -83.28 |
| 6650.00 | 89.40 | 180.4 | 4463.60 | -2570.22 | -16.60 | 0.00 | 2570.27 | 2019323.00 | 12003957.98 | -83.80 |
| 6700.00 | 89.40 | 180.4 | 4464.12 | -2620.21 | -16.92 | 0.00 | 2620.27 | 2019322.68 | 12003907.99 | -84.32 |
| 6750.00 | 89.40 | 180.4 | 4464.65 | -2670.21 | -17.24 | 0.00 | 2670.27 | 2019322.36 | 12003857.99 | -84.85 |
| 6800.00 | 89.40 | 180.4 | 4465.17 | -2720.21 | -17.57 | 0.00 | 2720.26 | 2019322.03 | 12003807.99 | -85.37 |
| Page 2 of 4 | | | | | SES v5 | .79 | | | www.r | nakinhole.com |

OperatorMack Energy CorpUnitsfeet, °/100ft11:44 Monday, February 12, 2024 Page 3 of 4FieldCountyLeaVertical Section Azimuth180.37

Well Name Boar State Com #1H State New Mexico Survey Calculation Method Minimum Curvature
Plan 1 Country Database Access

Location SL: 856 FSL & 970 FWL Section 30-T14S-R32E BHL:

1 FSL & 990 FWL Section 31-T14S-R32E

Site
Slot Name UWI
Well Number 1H API

Project MD/TVD Ref KB

Map Zone UTM

Surface X 2019339.6 **Surface Y** 12006528.2

Surface Z 4379.8

Surface Long
Surface Lat
Global Z Ref KB

Lat Long Ref

Ground Level 4362.3 Local North Ref Grid

DIRECTIONAL WELL PLAN

| 6900.00 | 89.40 | 100.4 | | f+ | fŧ | °/100ft | ft | £4 | £4 | SysTVD* |
|---------|-------|-------|---------|----------|--------|---------|---------|------------|-------------|---------|
| | | 180.4 | 4465.70 | -2770.20 | -17.89 | 0.00 | 2770.26 | 2019321.71 | 12003758.00 | -85.89 |
| 6950.00 | 89.40 | 180.4 | 4466.22 | -2820.20 | -18.21 | 0.00 | 2820.26 | 2019321.39 | 12003708.00 | -86.42 |
| | 89.40 | 180.4 | 4466.74 | -2870.20 | -18.54 | 0.00 | 2870.26 | 2019321.06 | 12003658.00 | -86.94 |
| 7000.00 | 89.40 | 180.4 | 4467.27 | -2920.19 | -18.86 | 0.00 | 2920.25 | 2019320.74 | 12003608.01 | -87.47 |
| | 89.40 | 180.4 | 4467.79 | -2970.19 | -19.18 | 0.00 | 2970.25 | 2019320.42 | 12003558.01 | -87.99 |
| | 89.40 | 180.4 | 4468.31 | -3020.18 | -19.50 | 0.00 | 3020.25 | 2019320.10 | 12003508.02 | -88.51 |
| | 89.40 | 180.4 | 4468.84 | -3070.18 | -19.83 | 0.00 | 3070.24 | 2019319.77 | 12003458.02 | -89.04 |
| 7200.00 | 89.40 | 180.4 | 4469.36 | -3120.18 | -20.15 | 0.00 | 3120.24 | 2019319.45 | 12003408.02 | -89.56 |
| 7250.00 | 89.40 | 180.4 | 4469.88 | -3170.17 | -20.47 | 0.00 | 3170.24 | 2019319.13 | 12003358.03 | -90.08 |
| 7300.00 | 89.40 | 180.4 | 4470.41 | -3220.17 | -20.80 | 0.00 | 3220.24 | 2019318.80 | 12003308.03 | -90.61 |
| 7350.00 | 89.40 | 180.4 | 4470.93 | -3270.16 | -21.12 | 0.00 | 3270.23 | 2019318.48 | 12003258.04 | -91.13 |
| 7400.00 | 89.40 | 180.4 | 4471.45 | -3320.16 | -21.44 | 0.00 | 3320.23 | 2019318.16 | 12003208.04 | -91.65 |
| 7450.00 | 89.40 | 180.4 | 4471.98 | -3370.16 | -21.76 | 0.00 | 3370.23 | 2019317.84 | 12003158.04 | -92.18 |
| 7500.00 | 89.40 | 180.4 | 4472.50 | -3420.15 | -22.09 | 0.00 | 3420.22 | 2019317.51 | 12003108.05 | -92.70 |
| 7550.00 | 89.40 | 180.4 | 4473.03 | -3470.15 | -22.41 | 0.00 | 3470.22 | 2019317.19 | 12003058.05 | -93.23 |
| | 89.40 | 180.4 | 4473.55 | -3520.15 | -22.73 | 0.00 | 3520.22 | 2019316.87 | 12003008.05 | -93.75 |
| | 89.40 | 180.4 | 4474.07 | -3570.14 | -23.06 | 0.00 | 3570.22 | 2019316.54 | 12002958.06 | -94.27 |
| | 89.40 | 180.4 | 4474.60 | -3620.14 | -23.38 | 0.00 | 3620.21 | 2019316.22 | 12002908.06 | -94.80 |
| | 89.40 | 180.4 | 4475.12 | -3670.13 | -23.70 | 0.00 | 3670.21 | 2019315.90 | 12002858.07 | -95.32 |
| 7800.00 | 89.40 | 180.4 | 4475.64 | -3720.13 | -24.02 | 0.00 | 3720.21 | 2019315.58 | 12002808.07 | -95.84 |
| | 89.40 | 180.4 | 4476.17 | -3770.13 | -24.35 | 0.00 | 3770.21 | 2019315.25 | 12002758.07 | -96.37 |
| | 89.40 | 180.4 | 4476.69 | -3820.12 | -24.67 | 0.00 | 3820.20 | 2019314.93 | 12002708.08 | -96.89 |
| | 89.40 | 180.4 | 4477.21 | -3870.12 | -24.99 | 0.00 | 3870.20 | 2019314.61 | 12002658.08 | -97.41 |
| | 89.40 | 180.4 | 4477.74 | -3920.12 | -25.32 | 0.00 | 3920.20 | 2019314.28 | 12002608.08 | -97.94 |
| 8050.00 | 89.40 | 180.4 | 4478.26 | -3970.11 | -25.64 | 0.00 | 3970.19 | 2019313.96 | 12002558.09 | -98.46 |
| | 89.40 | 180.4 | 4478.78 | -4020.11 | -25.96 | 0.00 | 4020.19 | 2019313.64 | 12002508.09 | -98.98 |
| 8150.00 | 89.40 | 180.4 | 4479.31 | -4070.10 | -26.28 | 0.00 | 4070.19 | 2019313.32 | 12002458.10 | -99.51 |
| 8200.00 | 89.40 | 180.4 | 4479.83 | -4120.10 | -26.61 | 0.00 | 4120.19 | 2019312.99 | 12002408.10 | -100.03 |
| 8250.00 | 89.40 | 180.4 | 4480.36 | -4170.10 | -26.93 | 0.00 | 4170.18 | 2019312.67 | 12002358.10 | -100.56 |
| 8300.00 | 89.40 | 180.4 | 4480.88 | -4220.09 | -27.25 | 0.00 | 4220.18 | 2019312.35 | 12002308.11 | -101.08 |
| | 89.40 | 180.4 | 4481.40 | -4270.09 | -27.58 | 0.00 | 4270.18 | 2019312.02 | 12002258.11 | -101.60 |
| | 89.40 | 180.4 | 4481.93 | -4320.09 | -27.90 | 0.00 | 4320.18 | 2019311.70 | 12002208.11 | -102.13 |
| | 89.40 | 180.4 | 4482.45 | -4370.08 | -28.22 | 0.00 | 4370.17 | 2019311.38 | 12002158.12 | -102.65 |
| | 89.40 | 180.4 | 4482.97 | -4420.08 | -28.54 | 0.00 | 4420.17 | 2019311.06 | 12002108.12 | -103.17 |
| 8550.00 | 89.40 | 180.4 | 4483.50 | -4470.07 | -28.87 | 0.00 | 4470.17 | 2019310.73 | 12002058.13 | -103.70 |
| | 89.40 | 180.4 | 4484.02 | -4520.07 | -29.19 | 0.00 | 4520.16 | 2019310.41 | 12002008.13 | -104.22 |
| | 89.40 | 180.4 | 4484.54 | -4570.07 | -29.51 | 0.00 | 4570.16 | 2019310.09 | 12001958.13 | -104.74 |

Released to Imaging: 2/16/2024 2:23:39 PM

OperatorMack Energy CorpUnitsfeet, °/100ft11:44 Monday, February 12, 2024 Page 4 of 4FieldCountyLeaVertical Section Azimuth180.37

Well Name Boar State Com #1H State New Mexico Survey Calculation Method Minimum Curvature
Plan 1 Country Database Access

Location SL: 856 FSL & 970 FWL Section 30-T14S-R32E BHL:

1 FSL & 990 FWL Section 31-T14S-R32E

Site
Slot Name UWI
Well Number 1H API

Project MD/TVD Ref KB

Map Zone UTM

Surface X 2019339.6 **Surface Y** 12006528.2

Surface Z 4379.8 Ground Level 4362.3 Lat Long Ref

Surface Long
Surface Lat
Global Z Ref KB

Local North Ref Grid

DIRECTIONAL WELL PLAN

| MD* | INC* | AZI* | TVD* | N* | E* | DLS* | V. S.* | MapE* | MapN* | SysTVD* |
|---------------|-------|-------|---------|----------|----------|------|---------|------------|-------------|---------|
| 8700.00 | 89.40 | 180.4 | 4485.07 | -4620.06 | -29.84 | 0.00 | 4620.16 | 2019309.76 | 12001908.14 | -105.27 |
| 8750.00 | 89.40 | 180.4 | 4485.59 | -4670.06 | -30.16 | 0.00 | 4670.16 | 2019309.44 | 12001858.14 | -105.79 |
| 8800.00 | 89.40 | 180.4 | 4486.12 | -4720.06 | -30.48 | 0.00 | 4720.15 | 2019309.12 | 12001808.14 | -106.32 |
| 8850.00 | 89.40 | 180.4 | 4486.64 | -4770.05 | -30.80 | 0.00 | 4770.15 | 2019308.80 | 12001758.15 | -106.84 |
| 8900.00 | 89.40 | 180.4 | 4487.16 | -4820.05 | -31.13 | 0.00 | 4820.15 | 2019308.47 | 12001708.15 | -107.36 |
| 8950.00 | 89.40 | 180.4 | 4487.69 | -4870.04 | -31.45 | 0.00 | 4870.15 | 2019308.15 | 12001658.16 | -107.89 |
| 9000.00 | 89.40 | 180.4 | 4488.21 | -4920.04 | -31.77 | 0.00 | 4920.14 | 2019307.83 | 12001608.16 | -108.41 |
| 9050.00 | 89.40 | 180.4 | 4488.73 | -4970.04 | -32.10 | 0.00 | 4970.14 | 2019307.50 | 12001558.16 | -108.93 |
| 9100.00 | 89.40 | 180.4 | 4489.26 | -5020.03 | -32.42 | 0.00 | 5020.14 | 2019307.18 | 12001508.17 | -109.46 |
| 9150.00 | 89.40 | 180.4 | 4489.78 | -5070.03 | -32.74 | 0.00 | 5070.13 | 2019306.86 | 12001458.17 | -109.98 |
| 9200.00 | 89.40 | 180.4 | 4490.30 | -5120.02 | -33.06 | 0.00 | 5120.13 | 2019306.54 | 12001408.18 | -110.50 |
| 9250.00 | 89.40 | 180.4 | 4490.83 | -5170.02 | -33.39 | 0.00 | 5170.13 | 2019306.21 | 12001358.18 | -111.03 |
| 9300.00 | 89.40 | 180.4 | 4491.35 | -5220.02 | -33.71 | 0.00 | 5220.13 | 2019305.89 | 12001308.18 | -111.55 |
| 9350.00 | 89.40 | 180.4 | 4491.87 | -5270.01 | -34.03 | 0.00 | 5270.12 | 2019305.57 | 12001258.19 | -112.07 |
| 9400.00 | 89.40 | 180.4 | 4492.40 | -5320.01 | -34.36 | 0.00 | 5320.12 | 2019305.24 | 12001208.19 | -112.60 |
| 9450.00 | 89.40 | 180.4 | 4492.92 | -5370.01 | -34.68 | 0.00 | 5370.12 | 2019304.92 | 12001158.19 | -113.12 |
| 9500.00 | 89.40 | 180.4 | 4493.45 | -5420.00 | -35.00 | 0.00 | 5420.12 | 2019304.60 | 12001108.20 | -113.65 |
| 9550.00 | 89.40 | 180.4 | 4493.97 | -5470.00 | -35.32 | 0.00 | 5470.11 | 2019304.28 | 12001058.20 | -114.17 |
| 9600.00 | 89.40 | 180.4 | 4494.49 | -5519.99 | -35.65 | 0.00 | 5520.11 | 2019303.95 | 12001008.21 | -114.69 |
| 9650.00 | 89.40 | 180.4 | 4495.02 | -5569.99 | -35.97 | 0.00 | 5570.11 | 2019303.63 | 12000958.21 | -115.22 |
| 9700.00 | 89.40 | 180.4 | 4495.54 | -5619.99 | -36.29 | 0.00 | 5620.10 | 2019303.31 | 12000908.21 | -115.74 |
| 9750.00 | 89.40 | 180.4 | 4496.06 | -5669.98 | -36.62 | 0.00 | 5670.10 | 2019302.98 | 12000858.22 | -116.26 |
| 9800.00 | 89.40 | 180.4 | 4496.59 | -5719.98 | -36.94 | 0.00 | 5720.10 | 2019302.66 | 12000808.22 | -116.79 |
| 9850.00 | 89.40 | 180.4 | 4497.11 | -5769.98 | -37.26 | 0.00 | 5770.10 | 2019302.34 | 12000758.22 | -117.31 |
| 9900.00 | 89.40 | 180.4 | 4497.63 | -5819.97 | -37.58 | 0.00 | 5820.09 | 2019302.02 | 12000708.23 | -117.83 |
| 9950.00 | 89.40 | 180.4 | 4498.16 | -5869.97 | -37.91 | 0.00 | 5870.09 | 2019301.69 | 12000658.23 | -118.36 |
| 10000.00 | 89.40 | 180.4 | 4498.68 | -5919.96 | -38.23 | 0.00 | 5920.09 | 2019301.37 | 12000608.24 | -118.88 |
| 10050.00 | 89.40 | 180.4 | 4499.20 | -5969.96 | -38.55 | 0.00 | 5970.09 | 2019301.05 | 12000558.24 | -119.40 |
| 10100.00 | 89.40 | 180.4 | 4499.73 | -6019.96 | -38.88 | 0.00 | 6020.08 | 2019300.72 | 12000508.24 | -119.93 |
| 10150.00 | 89.40 | 180.4 | 4500.25 | -6069.95 | -39.20 | 0.00 | 6070.08 | 2019300.40 | 12000458.25 | -120.45 |
| 10200.00 | 89.40 | 180.4 | 4500.78 | -6119.95 | -39.52 | 0.00 | 6120.08 | 2019300.08 | 12000408.25 | -120.98 |
| *** TD (at MD | | • | | A · - | . | | A | | | |
| 10227.50 | 89.40 | 180.4 | 4501.06 | -6147.45 | -39.70 | 0.00 | 6147.58 | 2019299.90 | 12000380.75 | -121.26 |

age 4 of 4 SES v5.79 www.makinhole.co