

Well Name: BLACKBART 15 FEDERAL COM	Well Location: T25S / R29E / SEC 15 / SWSE /	County or Parish/State: EDDY / NM
Well Number: 2H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14778	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001540797	Well Status: Abandoned	Operator: XTO ENERGY INCORPORATED

Accepted for record –NMOCD gc2/23/2024

Subsequent Report

Sundry ID: 2765107**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 12/07/2023**Time Sundry Submitted:** 03:35**Date Operation Actually Began:** 10/22/2023

Actual Procedure: XTO Permian Operating, LLC. has Plugged and abandoned the above mentioned well per the attached procedure and WBD, XTO respectfully requests your approval.

SR Attachments

Actual Procedure

Blackbart_15_Fed_2H_P_A_Summary_Report_w.WBD_20231207153455.pdf

Well Name: BLACKBART 15 FEDERAL
COM**Well Location:** T25S / R29E / SEC 15 /
SWSE /**County or Parish/State:** EDDY /
NM**Well Number:** 2H**Type of Well:** OIL WELL**Allottee or Tribe Name:****Lease Number:** NMNM14778**Unit or CA Name:****Unit or CA Number:****US Well Number:** 3001540797**Well Status:** Abandoned**Operator:** XTO ENERGY
INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KRISTEN HOUSTON**Signed on:** DEC 07, 2023 03:35 PM**Name:** XTO ENERGY INCORPORATED**Title:** Regulatory Analyst**Street Address:** 6401 HOLIDAY HILL ROAD BLDG 5**City:** MIDLAND**State:** TX**Phone:** (432) 620-6700**Email address:** KRISTEN.HOUSTON@EXXONMOBIL.COM

Field

Representative Name:**Street Address:****City:****State:****Zip:****Phone:****Email address:**

BLM Point of Contact

BLM POC Name: JAMES A AMOS**BLM POC Title:** Acting Assistant Field Manager**BLM POC Phone:** 5752345927**BLM POC Email Address:** jamos@blm.gov**Disposition:** Accepted**Disposition Date:** 12/08/2023**Signature:** James A Amos

Blackbart 15 Federal 02H
API 3001540797
P&A Summary Report

10/22/23: MIRU Hot oiler. Hold PSMS. Line fire/pressure/Gas release/ H2S checks. PT surface lines to 1500 psig. OWU to production Csg 15 psi. Pump 75 bbls TFW w/ 15 gals DN98 @ 225 degrees F. Observed Intermediate push out 8 oz. from thermal expansion. OWU Tbg. 200 psi. Pump 50 bbls TFW w/ 10 gals DN98 @ 180°F. SWI. Release Hot Oiler.

10/23/23: Spot equipment. LOTO. Back fill cellar with caliche and gravel. RU PU and RU. Disassemble flowline. Function test BOPE. SWON.

10/24/23: Pump 20 bbl 10# brine. ND Tree. NU BOPE. Torque and test. Low and high. RU workfloor and tbg equipment. TOH with 224 joints 2-7/8 J-55. RU hydrotester and test 224 joints. RD tester.

10/25/23: Pick up 24 joints and went down to top perf at 7900'. No tag. TOH with 245 joints 2-7/8 EUE. RU wireline and set a CIBP at 7200'. RD wireline and TIH with per sub and 30 joints. SWI.

10/26/23: TIH with 223 joints and circulate 153 bbls gel brine. Test CIBP to 500 psi for 30 minutes. RU Big E. Bottom of tbg 7200. Pump 50 sacks. TOH and lay down 68 joints. Bottom of tbg at 5000 ft. Spot another 25-sack balanced plug. TOH and lay down 55 joints.

10/27/23: RU cement trucks. Bottom of tbg 3250. Spot 40 sacks of cement. Lay down 13 joints. WOC. Went back and tagged at 2842. TOH with tbg. Bottom of tbg 770. Spot another 25-sack plug. WOC. TOH and lay down last 23 joints.

10/28/23: TIH with 15 joints and tag 513. TOH and lay down tbg. RD workfloor. ND BOPE. TIH with 3 joints and 10 ft sub. Pump cement to surface. RD PU and RU. Well plugged.




Schematic - Wellbore - Vertical

Well Name: Blackbart 15 Federal 002H

API/UWI 3001540797	SAP Cost Center ID 1570461001	Permit Number	State/Province New Mexico	County Eddy
Surface Location T25S-R29E-S15	Spud Date 10/31/2012 00:00	Original KB Elevation (ft) 3,103.00	Ground Elevation (ft) 3,086.00	KB-Ground Distance (ft) 17.00

Vertical schematic (actual)



Cement; 0.0-100.0 ftKB; 10

Surface; 17 1/2 in; 715.0 ftKB

Cement; 513.0-770.0 ftKB; 25

Casing; Surface; 13 3/8 in; 48.00 lb/ft; H-40; 17.0-715.0 ftKB

Intermediate; 12 1/4 in; 3,200.0 ftKB

Cement; 2,842.0-3,250.0 ftKB; 40

Casing; Intermediate; 9 5/8 in; 36.00 lb/ft; J-55; 17.0-3,200.0 ftKB

Cement; 4,742.0-5,000.0 ftKB; 25

Cement; 6,707.0-7,200.0 ftKB; 50 sxs plug

CIBP; 7,200.0-7,203.0 ftKB; CIBP wireline set

Production; 7 7/8 in; 12,330.0 ftKB

PBTD; 12,255.0 ftKB; 11/16/2012

Casing; Production; 5 1/2 in; 17.00 lb/ft; P-110; 17.0-12,317.0 ftKB

TD - Original Hole; 12,330.0 ftKB

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 292795

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 292795
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/23/2024