

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-025-35305
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 19552
7. Lease Name or Unit Agreement Name South Hobbs G/SA Unit
8. Well Number 242
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs; Grayburg - San Andres
4. Well Location Unit Letter <u>A</u> : <u>1556</u> feet from the <u>NORTH</u> line and <u>1102</u> feet from the <u>EAST</u> line Section <u>5</u> Township <u>19S</u> Range <u>38E</u> NMPM County <u>LEA</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3617' (GL)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator  
Occidental Permian LTD.

3. Address of Operator  
P.O. Box 4294, Houston, TX 77210

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐ PNR ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see performed procedure and final WBD attached.

Approved for plugging of well bore only. Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms, [www.emnrd.state.nm.us](http://www.emnrd.state.nm.us)

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roni Mathew TITLE Regulatory Advisor DATE 02/02/2024

Type or print name Roni Mathew E-mail address: roni\_mathew@oxy.com PHONE: 713.215.7827

**For State Use Only**

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 2/23/24  
 Conditions of Approval ( )

## Daily Reports


**01/26/24** Dug out cellar. Spotted in equipment and RU on well. Set and checked COFO. SICP-0 psi. Function tested BOP. NDWH. NUBOP. RU work floor and tbg equipment. RU RTX WL. RIH w/ 4.5 gauge ring and tagged @ 3760'. Performed CBL from 3760' to surface. RDWL. Secured well. SDON.

**01/29/24** SICP-0 psi. Picked up 121 jts of 2 3/8 ws and tagged TOC @ 3803'. Circulated 90 bbls of salt gel. Tested 5.5 casing to 500 psi. Held good. We were having pump issues so we secured the well and called mechanic.

**01/30/24** SITP/CP-0 psi. Spotted 60 sxs of class c cmt @ 3803' and displaced w/12.3 bbls to 3210'. POH w/20 stands. WOC. RIH w/10 stands and tagged TOC @ 3217'. Laid down 15 joints to put EOT @ 2717'. Spotted 25 sxs of class c cmt. Displaced w/9.6 bbls to 2470'. No tag required. Laid down 50 joints and stood back 18 stands. RIH w/AD1 packer and 18 stands. Set packer @ 1137'. RUWL. Perforated 5.5 casing @ 1618'. RDWL. Unable to establish inj rate. NMOCD gave us approval to drop below perfs and spot. RIH w/ 8 stands to put the EOT @ 1674'. Spotted 25 sxs of class c cmt and displaced w/5.5 bbls to 1427'. POH w/20 stands. Secured well. SDON

**01/31/24** SITP/CP-0 psi. RIH w/ 15 stands and tagged TOC @ 1404'. LD 38 joints and stood back 7 stands. RUWL. Perforated 5.5 csg @ 400'. Unable to establish injection rate at 400'. Perforated @ 100'. Established rate 2 bbl/min @ 500 psi. Was not circulating. RIH w/7 stands to put EOT @ 442'. Spotted 45 sxs of class c cmt to surface. Laid down 14 joints. Rigged down tbg equipment and work floor. NDBOP. NUWH. Squeezed 32 sxs w/ sip of 300 psi. Rigged down cmt equipment and pulling unit.

## Final P&amp;A'd WBD



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

COMMENTS  
  
Action 310852

COMMENTS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 310852
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	2/26/2024

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 310852

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 310852
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release	2/23/2024