

Well Name: JAMES RANCH UNIT DI 1A ENNIS	Well Location: T22S / R30E / SEC 21 / SEnw / 32.380888 / -103.886825	County or Parish/State: EDDY / NM
Well Number: 115Y	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0006808, NMNM02953	Unit or CA Name: JAMES RANCH, JAMES RANCH UNIT	Unit or CA Number: NMNM070965Z, NMNM70965X
US Well Number: 3001545611	Well Status: Plugged and Abandoned	Operator: XTO PERMIAN OPERATING LLC

WELL RECORD CLEANUP
XTO Permian Operating LLC, discovered during well record review that this document hadn't been previously submitted to NMOCD.

Subsequent Report

Accepted for Record Only

SUBJECT TO LIKE
APPROVAL BY BLM

Xf

NMOCD 2/28/24

Type of Submission: Subsequent Report	Type of Action Plug and Abandonment
Date Sundry Submitted: 10/13/2020	
Disposition: Accepted	Disposition Date: 10/09/2020
Remarks: 1. Cut off temp WH 2. Tag TOC at 374'. 3. Test lines to 3000 psi. 4. Circulate 296 sx Class C, 14.8ppg cmt fr/374' to surf. WOC 4 hrs. 5. Top off 16" surface csg with sacrete. 6. Cut off WH. Install dry hole marker 7. Skid Rig	



Schematic - Vertical with Perfs

Well Name: James Ranch Unit DI 1A Ennis 115Y

API/UWI 3001545611	SAP Cost Center ID 1632521001	Permit Number BLM	State/Province New Mexico	County Eddy
Surface Location S21-T22S-R30E	Spud Date 6/24/2020 19:30	Original KB Elevation (ft) 3,192.00	Ground Elevation (ft) 3,160.00	KB-Ground Distance (ft) 32.00

MD (ftKB)	TVD (ftKB)	Incl (°)	Vertical schematic (actual)
-704.6	-704.6	0.0	
-459.1	-459.1	0.0	
-213.6	-213.6	0.0	
31.8	31.8	0.2	
31.9	31.9	0.2	
32.0	32.0	0.2	
32.1	32.1	0.2	
32.2	32.2	0.2	
54.6	54.6	0.3	
77.1	77.1	0.4	
99.6	99.6	0.5	
122.0	122.0	0.7	
157.8	157.8	0.9	
193.6	193.6	1.1	
229.3	229.3	1.1	
265.1	265.1	1.1	
292.3	292.3	1.1	
319.6	319.5	1.1	
346.8	346.7	1.1	
374.0	374.0	1.0	
402.2	402.2	1.0	
430.4	430.4	0.9	
458.7	458.6	0.9	
486.9	486.8	0.8	
487.2	487.1	0.8	
487.5	487.5	0.8	
487.9	487.8	0.8	
488.2	488.1	0.8	
498.7	498.6	0.8	
509.2	509.1	0.8	
519.7	519.6	0.8	
530.2	530.1	0.8	
530.7	530.6	0.8	
531.2	531.1	0.8	
531.7	531.6	0.8	
532.2	532.1	0.8	
554.4	554.4	0.8	
576.7	576.7	0.8	
599.0	598.9	0.8	

Cement; Cement Plug - P & A (plug); 374.0 ftKB

Conductor; 30 in; 122.0 ftKB

Conductor; 30 in; 122.0 ftKB

Surface; 20 in; 532.0 ftKB

Surface; 16 in; 532.0 ftKB
TD - Original Hole; 532.0 ftKB

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 314415

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 314415
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	2/28/2024