

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report 1 of 6

Well Name: POKER LAKE UNIT Well Location: T24S / R30E / SEC 30 / County or Parish/State: EDDY /

SWSE /

Well Number: 241 Allottee or Tribe Name: Type of Well: OIL WELL

Lease Number: NMLC069627A Unit or CA Name: POKER LAKE **Unit or CA Number:**

DELAWARE C NMNM71016G

US Well Number: 3001534308 Well Status: Abandoned **Operator:** XTO PERMIAN

OPERATING LLC

Accepted for record -NMOCD gc2/29/2024

Subsequent Report

Sundry ID: 2758814

Type of Action: Plug and Abandonment Type of Submission: Subsequent Report

Date Sundry Submitted: 11/09/2023 Time Sundry Submitted: 02:05

Date Operation Actually Began: 08/24/2022

Actual Procedure: XTO Permian Operating, LLC. respectfully requests approval of P&A subsequent report for the above mentioned well. Please find attached P&A Summary Report as well as Current P&A WBD.

SR Attachments

Actual Procedure

Poker_Lake_Unit_24_P_A_Summary_Report_and_WBD_20231109140535.pdf

Released to Imaging: 2/29/2024 3:49:42 PM

County or Parish/State: EDDY Page Well Location: T24S / R30E / SEC 30 /

SWSE /

Well Number: 241 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC069627A Unit or CA Name: POKER LAKE **Unit or CA Number:**

DELAWARE C NMNM71016G

US Well Number: 3001534308 Well Status: Abandoned **Operator:** XTO PERMIAN

OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KRISTEN HOUSTON Signed on: NOV 09, 2023 02:05 PM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND State: TX

Phone: (432) 620-6700

Email address: KRISTEN.HOUSTON@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

Disposition Date: 12/13/2023 Disposition: Accepted

Signature: James A Amos

Poker Lake Unit 241 API 3001534308 P&A Summary Report

8/24/22: MIRU, Spot rig mat, RU WOR, spot containment, Space out set Pump, BD pit, Frac tank, Cmt bulk tank, BD well to pit, FB @ 50 bbls oil RU pump, pump 50 bbls down csg, load & PT tbg 500 psi @5 min (test good) RU work floor and rod tools, Prep to TOH rods, SWI, SDFD,

8/25/22: LD 1) Polish rod, 76) 1" 89) 7/8", 7) 3/4" Rod parted pin end, RD rod tools & RU work floor, slips, elevators. MIRU WLU, check stray voltage (.10) PT Lub 500 psi@5 min test good, RIH WL perf drain holles@4346 ft. POOH RDMO WLU and equip.

8/26/22: Land test hanger w/TWCV, NU, FT, PT 5K BOP, Charted & Pressure tested Pipe ram 250 low @ 5 min and 1000 psi high @ 5 min. Test good, Bleed off pressure. Remove pup joint. Closed blind ram. Pressure test Blind Rams 250 low @ 5 min and 1000 psi high @ 5 min. Test Good, Bleed off pressure, remove test hanger & TWCV, RDMO WSI.

8/29/22: Pump 20 bbls down TBG Unset Pump, TOH Lay Down (100) 3/4 rods- Prep floor for TBG TOH 100 jts, 114 stands in derrick (228 jts).

8/30/22: MIRU TWG, Make Up Adapter Flange and Pumping tee. Pick up Lubricator with tools inside. Make up Lube bump up, FT/PT Lube to 1000 psig. Good Test. RIH w/ 1 7/16 Cable Head, 3 1/8 CCL, 3 1/8 Plug Shoot, JB 4.50, Tagged @ 5617' made several attempts, last set down pulling up and took weight, pulled 400# over. POH with WL. Lay down all WL Equipment. Called and have scrapper and bit headed this way. PU 4 3/4 bit & 4 1/2 scrapper w/ 177 jts 5593'.

8/31/22: Con't TIH w/ B & S 288 jts 7214' TOH Lay down BHA. MIRU TWG, Make Up Adapter Flange and Pumping tee. Pick up Lubricator with tools inside. Make up Lube bump up, FT/PT Lube to 1000 psig. Good Test RIH w/ 1 7/16 Cable Head, 3 1/8 CCL, 3 1/8 Plug Shoot, GR/JB 4.50, Went to 7300' POH, Collar @ 7200' PU 3.98 CIPB RIH Set @ 7210' POH RDMO WL. TIH 4' PS and 40 jts.

9/1/22: Con't TIH tag CIPB 7210' SB 1 stand, PU (2) 10' Subs EOT @ 7187' Pump 10bbls FW ahead, 4bbls surry (25 sxs), 5 bbls FW behind, 35 bbls displacement, SB 20 Stands, WOC 4 hrs. TIH TTOC @ 6604' TOH SB 87 stands lay down 52 jts.

9/2/22: MIRU WL- RIH 5 1/2 CIBP Set @ 5550'. POH RDMO WL PU 4' PS and 175 jts TCIBP @ 5550' Circulated 130bbl/32sxs MLF. PT cs & CIBP to 600 PSIG for 30 minutes. Tst OK. BLM rep on site to witness test. Pump 25 sxs Class C CMT, Displace with 30 bbls MLF- SB 20 Stands.

9/6/22: TIH, TTOC @ 5339', TOH LD TBG to 3520' spot 40 sks CMT, WOC, TOH LD TBG to 704', perf @ 704' and squeeze

9/7/22: Spot CMT @ 750', WOC, TTOC @ 641' pump Surface plug

9/8/22: TTOC 440', PT TOC, Perf @440', SQZ 65 sks Class C CMT, WOC, EIR 1 bpm @ 500 PSI Perf @100', SQZ 65 SKS Class C CMT. WOC overnight


9/9/22: PT (800 psi) CMT, TTOC (@370'), SQZ CMT (28 SKS) 370' to 140', TTOC @ 140', Perf @ 140', SQZ 68 sx class C to surf. Cut of WH and set DHM.

TO ENERGY

Schematic - Vertical

Well Name: POKER LAKE UNIT 241

	SAP Cost Center ID 1138171001			State/Province New Mexico		County Eddy	
Surface Location T24S-R30E-S30							KB-Ground Distance (ft) 17.40
Field Name Nash Draw (Del, BS	S, AV)	North/South Distance (ft) 840.0	North/South Reference FSL	East/West Distance (ft) 2,030.0	East/West Reference FEL		Longitude (°) 103° 55' 5.264" W
Well Classification Oil				Well Status Shut-In for Market Conditions		Method Of Production Beam	



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 294501

CONDITIONS

Operator:	OGRID:
XTO ENERGY, INC	5380
6401 Holiday Hill Road	Action Number:
Midland, TX 79707	294501
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	None	2/29/2024