

Well Name: COOGAN FEDERAL	Well Location: T21S / R37E / SEC 1 / NWSW / 32.5143109 / -103.1220435	County or Parish/State: LEA / NM
Well Number: 3	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC065525	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002530640	Well Status: Abandoned	Operator: CONTANGO RESOURCES LLC

Accepted for record –NMOCD gc2/29/2024

Subsequent Report

Sundry ID: 2762169

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 11/17/2023	Time Sundry Submitted: 09:28
Date Operation Actually Began: 10/05/2023	

Actual Procedure: Coogan Federal 003 Description of Work Performed: 1. MIRU P&A rig. Started POOH and scanning rods. Found rods parted at rod 167. Attempted to unset TAC, unsuccessful (10/5/2023). 2. Fished and finished POOH scanning rods (10/6/2023). 3. Continued working on unsetting TAC. POOH scanning tubing. RIH w/ 5-1/2" CIBP on tbg. CIBP got stuck @ 4,087'. Worked to free CIBP (10/9/2023). 4. POOH w/ tbg, found bad collar on bottom of tbg. TIH w/ shoe on tbg. Tagged @ 3,811', POOH w/ tbg & tools (10/10/2023). 5. RIH w/ skirted bit, drill collars and tbg. Tagged @ 3,811'. Broke circulation. Drilled at 3,811' for 5 hours, did not make any hole. Noticed bearings in returns. POOH w/ tbg & tools. Lost all cones on bit (10/11/2023). 6. RIH w/ tbg. Tag @ 3,811'. Waiting on response from BLM (10/12/2023). 7. POOH w/ tbg. RIH w/ magnet on tbg. Tagged @ 3,775'. POOH w/ magnet and recovered 1 cone off of bit. Ran magnet again, POOH w/ tbg was plugged off. Finished POOH w/ tbg and magnet, recovered another cone off of bit (10/13/2023). 8. Ran impression block on tbg, tagged @ 3,775'. POOH, found impression of cone on impression block. RIH w/ magnet on tbg, POOH, recovered third cone. RIH w/ impression block, tagged @ 3,775', POOH. Found marks in the middle of impression block (10/16/2023). 9. RIH w/ cut-rite shoe on tbg, tagged @ 3,775'. RU power swivel, drilled down 1.5', quit making hole. POOH, had a piece of CIBP in the shoe. RIH w/ shoe on tbg (10/17/2023). 10. RU power swivel. Drilled on CIBP for 5 minutes, fell through. Worked down to 5,325', POOH. Shoe was worn. RIH w/ bit & drill collars on tbg (10/18/2023). 11. RU power swivel, tagged @ 5,325', drilled on CIBP. Drilled down to 5,377', started POOH w/ tbg (10/19/2023). 12. POOH w/ tbg & bit. Bit was missing 1 cone. RIH w/ shoe on tbg, tagged @ 5,338'. RU power swivel, worked down to 5,379', quit making hole. POOH, shoe was worn out (10/20/2023). 13. RIH w/ magnet on tbg, tagged @ 5,451'. POOH, recovered piece of cast iron on magnet. RIH w/ shoe on tbg, tagged @ 5,451', RU power swivel. Worked down to 5,457', started POOH w/ tbg (10/23/2023). 14. RIH w/ tbg, tagged @ 5,419', RU power swivel. Drilled down to 5,425', quit making hole. POOH w/ tbg, shoe was

Well Name: COOGAN FEDERAL	Well Location: T21S / R37E / SEC 1 / NWSW / 32.5143109 / -103.1220435	County or Parish/State: LEA / NM
Well Number: 3	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC065525	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002530640	Well Status: Abandoned	Operator: CONTANGO RESOURCES LLC

worn. RU wireline. RIH w/ CBL, tagged @ 5,425', ran CBL from 5,425' to surface. Found TOC @ 2,250'. RDMO wireline (10/24/2023). 15. RIH w/ tbg, tag @ 5,425'. Spot 35 sxs Class C cmt from 5,100' to 5,425'. WOC for 4 hours. Tag TOC @ 5,071'. Cmt was still soft, pull up hole to 4,132' (10/25/2023). 16. Tag TOC @ 5,107'. Pressure tested csg to 500 psi for 30 minutes, good test. Circulated well w/ WBM. Pull tbg up to 4,256'. Spot 25 sxs Class C cmt from 4,117' to 4,257'. WOC for 4 hours. Tag TOC @ 4,048'. Pull tbg up to 2,876'. Spot 25 sxs Class C cmt from 2,746' to 2,875' (10/26/2023). 17. Tag TOC @ 2,584'. POOH w/ tbg. RIH w/ pkr & tbg, set pkr @ 1,182'. RU wireline, perf @ 1,790', POOH w/ wireline. Establish circulation, circ/sqz'd 71 sxs Class C cmt. WOC 4 hours. Unset pkr, tag TOC @ 1,521'. Pull tbg up to 62'. Set pkr. RU wireline, perf @ 200', gun did not go off. RD wireline (10/27/2023). 18. RU wireline, perf @ 200', POOH w/ wireline. Circulated 50 sxs Class C cmt from 200' to surface. ND BOP, topped off csg w/ cmt. RDMO P&A rig. Cut off wellhead 3' below ground level. Verified cmt to surface in csg and annuli. Installed dry hole marker. Covered cellar. Dug up & cut off rig anchors (10/30/2023).

SR Attachments

Actual Procedure

Coogan_Federal_3____Description_of_Work_Performed_20231117092747.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KRISTY POLK

Signed on: NOV 17, 2023 09:27 AM

Name: CONTANGO RESOURCES LLC

Title: Regulatory Analyst

Street Address: 1717 SOUTH BOULDER SUITE 900

City: TULSAState: OK

Phone: (918) 748-3349

Email address: KRISTY.POLK@CONTANGO.COM

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

Well Name: COOGAN FEDERAL		Well Location: T21S / R37E / SEC 1 / NWSW / 32.5143109 / -103.1220435	County or Parish/State: LEA / NM
Well Number: 3	Type of Well: OIL WELL		Allottee or Tribe Name:
Lease Number: NMLC065525	Unit or CA Name:	Unit or CA Number:	
US Well Number: 3002530640	Well Status: Abandoned	Operator: CONTANGO RESOURCES LLC	

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Phone: 5752345927

Disposition: Accepted

Signature: James A Amos

BLM POC Title: Acting Assistant Field Manager


BLM POC Email Address: jamos@blm.gov

Disposition Date: 12/08/2023

Coogan Federal 003

Description of Work Performed:

1. MIRU P&A rig. Started POOH and scanning rods. Found rods parted at rod 167. Attempted to unset TAC, unsuccessful (10/5/2023).
2. Fished and finished POOH scanning rods (10/6/2023).
3. Continued working on unsetting TAC. POOH scanning tubing. RIH w/ 5-1/2" CIBP on tbg. CIBP got stuck @ 4,087'. Worked to free CIBP (10/9/2023).
4. POOH w/ tbg, found bad collar on bottom of tbg. TIH w/ shoe on tbg. Tagged @ 3,811', POOH w/ tbg & tools (10/10/2023).
5. RIH w/ skirted bit, drill collars and tbg. Tagged @ 3,811'. Broke circulation. Drilled at 3,811' for 5 hours, did not make any hole. Noticed bearings in returns. POOH w/ tbg & tools. Lost all cones on bit (10/11/2023).
6. RIH w/ tbg. Tag @ 3,811'. Waiting on response from BLM (10/12/2023).
7. POOH w/ tbg. RIH w/ magnet on tbg. Tagged @ 3,775'. POOH w/ magnet and recovered 1 cone off of bit. Ran magnet again, POOH w/ tbg was plugged off. Finished POOH w/ tbg and magnet, recovered another cone off of bit (10/13/2023).
8. Ran impression block on tbg, tagged @ 3,775'. POOH, found impression of cone on impression block. RIH w/ magnet on tbg, POOH, recovered third cone. RIH w/ impression block, tagged @ 3,775', POOH. Found marks in the middle of impression block (10/16/2023).
9. RIH w/ cut-rite shoe on tbg, tagged @ 3,775'. RU power swivel, drilled down 1.5', quit making hole. POOH, had a piece of CIBP in the shoe. RIH w/ shoe on tbg (10/17/2023).
10. RU power swivel. Drilled on CIBP for 5 minutes, fell through. Worked down to 5,325', POOH. Shoe was worn. RIH w/ bit & drill collars on tbg (10/18/2023).
11. RU power swivel, tagged @ 5,325', drilled on CIBP. Drilled down to 5,377', started POOH w/ tbg (10/19/2023).
12. POOH w/ tbg & bit. Bit was missing 1 cone. RIH w/ shoe on tbg, tagged @ 5,338'. RU power swivel, worked down to 5,379', quit making hole. POOH, shoe was worn out (10/20/2023).
13. RIH w/ magnet on tbg, tagged @ 5,451'. POOH, recovered piece of cast iron on magnet. RIH w/ shoe on tbg, tagged @ 5,451', RU power swivel. Worked down to 5,457', started POOH w/ tbg (10/23/2023).
14. RIH w/ tbg, tagged @ 5,419', RU power swivel. Drilled down to 5,425', quit making hole. POOH w/ tbg, shoe was worn. RU wireline. RIH w/ CBL, tagged @ 5,425', ran CBL from 5,425' to surface. Found TOC @ 2,250'. RDMO wireline (10/24/2023).
15. RIH w/ tbg, tag @ 5,425'. Spot 35 sxs Class C cmt from 5,100' to 5,425'. WOC for 4 hours. Tag TOC @ 5,071'. Cmt was still soft, pull up hole to 4,132' (10/25/2023).
16. Tag TOC @ 5,107'. Pressure tested csg to 500 psi for 30 minutes, good test. Circulated well w/ WBM. Pull tbg up to 4,256'. Spot 25 sxs Class C cmt from 4,117' to 4,257'. WOC for 4 hours. Tag TOC @ 4,048'. Pull tbg up to 2,876'. Spot 25 sxs Class C cmt from 2,746' to 2,875' (10/26/2023).
17. Tag TOC @ 2,584'. POOH w/ tbg. RIH w/ pkr & tbg, set pkr @ 1,182'. RU wireline, perf @ 1,790', POOH w/ wireline. Establish circulation, circ/sqz'd 71 sxs Class C cmt. WOC 4 hours. Unset pkr, tag TOC @ 1,521'. Pull tbg up to 62'. Set pkr. RU wireline, perf @ 200', gun did not go off. RD wireline (10/27/2023).
18. RU wireline, perf @ 200', POOH w/ wireline. Circulated 50 sxs Class C cmt from 200' to surface. ND BOP, topped off csg w/ cmt. RDMO P&A rig. Cut off wellhead 3' below ground level. Verified cmt to surface in csg and annuli. Installed dry hole marker. Covered cellar. Dug up & cut off rig anchors (10/30/2023).



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 293580

COMMENTS

Operator: Contango Resources, LLC 111 E. 5TH STREET FORT WORTH, TX 76102	OGRID: 330447
	Action Number: 293580
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	2/29/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 293580

CONDITIONS

Operator: Contango Resources, LLC 111 E. 5TH STREET FORT WORTH, TX 76102	OGRID: 330447
	Action Number: 293580
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/29/2024