

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report 1 of 5

Well Name: JAMES RANCH UNIT Well Location: T23S / R31E / SEC 17 / County or Parish/State: EDDY /

SWNW /

Well Number: 57 **Allottee or Tribe Name:** Type of Well: OIL WELL

Lease Number: NMLC071988B Unit or CA Name: CONSL DWRM FMN **Unit or CA Number:**

PA ABC

NMNM70965K

US Well Number: 3001527887 Well Status: Abandoned **Operator:** XTO PERMIAN

OPERATING LLC

Accepted for record –NMOCD gc3/1/2024

Subsequent Report

Sundry ID: 2767503

Type of Action: Plug and Abandonment Type of Submission: Subsequent Report

Date Sundry Submitted: 12/28/2023 Time Sundry Submitted: 09:17

Date Operation Actually Began: 12/11/2023

Actual Procedure: XTO Permian Operating, LLC. respectfully requests your approval of this subsequent plug and abandonment of the above mentioned well. Please see attached summary report and WBD.

SR Attachments

Actual Procedure

James_Ranch_Unit_57_P_A_Summary_Report___WBD_20231228091440.pdf

Well Location: T23S / R31E / SEC 17 / County or Parish/State: EDDY Page 2 of

SWNW /

Well Number: 57 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC071988B Unit or CA Name: CONSL DWRM FMN Unit or CA Number:

PA ABC NMNM70965K

US Well Number: 3001527887 Well Status: Abandoned Operator: XTO PERMIAN

OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KRISTEN HOUSTON Signed on: DEC 28, 2023 09:15 AM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND State: TX

Phone: (432) 620-6700

Email address: KRISTEN.HOUSTON@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

Disposition: Accepted Disposition Date: 01/04/2024

Signature: James A Amos

James Ranch Unit 057 API Number 3001527887 P&A Summary Report

12/11/23: Move equipment to location, spot and rig up. PT rev unit lines and PT tbg. Test held solid @ 500 psi. TOH st back rods. Believed we had parted rods and the plan was to go in and fish them out (rod weight was 10k) after pulling all the rods out it was discovered that the part was at the pump. (84 ea. 1" rids, 81 ea. 7/8" rods and 141 ea. 3/4" rods). Secured well. Verified well secure. SDFN.

12/12/23: Spot and RU WLU & HOU. Pumped 100 bbls FW w/DN 95 down backside. RIH tagged @ 3811'. Worked it and got down to 4503' and shot holes in tbg. RDMO WLU. Pumped 70 bbls 10# brine down tbg @ 130 degrees. TIH rods. TOH LD rods. Secured well. Verified well secure. SDFN

12/13/23: LD 74-3/4' rods. Function test BOP. Verify 0 psi on csg ND WH rls TAC RIH/w tbg hanger & TWC NU BOP. PT BOP 2500psi High 10 mins 250 low for 5 mins test good. POH/w TWC. POH/w 123 jts 2 7/8" 6.5# L-80 tbg to perf tbg. RU mud bucket cont POH/w 110 jts LD TAC & BHA. RIH/w 233 jts tbg EOT 7712' SWI SDFD.

12/14/23: RIH tag 7829'/w 237 jts 2 7/8" 6.5# L-80 tbg. WO BLM for approval to proceed/w PA. Keith Immatty/w BLM approved to proceed. RU cmt trk pressure test lines 1500psi no leaks. Pump 55 bbls BW, 5 bbl FW spacer, 8 bbls 15.6# class H cmt,2 bbl FW spacer, & displaced/w 41 bbls BW well on vacuum. RD cmt trk wait 10 mins LD 8 jts POH/w 115 stds RU TWG WL RIH/w 4.5" GRJB. RIH/w 5.5" CIBP set 7750' POH RDWL load csg/w 87 bbls BW SWI SDFD.

12/15/23: PT csg to 500psi for 30 min held good. RIH/w 235 jts 2 7/8" 6.5# L-80 tbg tag CIBP 7749' circ 100 bbls gel BW. WO cmt trk mix 60 bbls gel BW & cont to circ gel to surface. Batch 35 sks class H cmt. Pump 5 bbls FW spacer, 6.6 bbls class H cmt 2 bbl FW spacer, 42 bbl BW displacement cmt plug 7534'-7,534'. RD POH/w 40jts reverse circ 35 bbls SWI SDFW.

12/18/23: RIH TTOC 7534'/w 229 jts tbg. LD 56 jts 2 7/8" tbg EOT 5699'/w 173 jts spot 30 sks class C cmt 5700'-5,396'. LD 49 Jts. POH/w 62 stds. MIRU Renegade WL go thru voltage checks PT lube to 800psi. RIH/w CBL log from 5000' up to surface/w 500psi. showing cmt stringer 3400'-3150'. Zota Steven's/w BLM approved to perf 3100'. RIH/w 3 1/8' perf gun to 3100" pressure csg to 500psi perf well start circ down a csg up amulas POH/w WL RDMO WL. Circ 80 bbls FW down csg up annulus SWI SDFD.

12/19/23: Wildcat BOP changed out quick connect (plugged). Function test BOP. Circ 80 bbls FW RIH/w 124 jts 2 7/8" tbg EOT4087' MIRU cmt trk. Pump 5 bbls FW spacer 23.6 bbls 14.8# class C cmt slurry displaced 19 bbls well .5 bbl out of balance (4088'-3100') RD cmt trk. LD 30 jts 2 7/8" tbg & 10 stds to derrick pulling dry EOT 2025'. Reverse circ 25 bbls Shut in TIW valve. Circ blue dye down csg up annulus at 88 bbls recovered 2 bbls cmt cont circ blue dye surfaced 138 bbls pump total of 145 bbls WOC. RIH TTOC 3103' LD 65 jts SWI SDFN.


12/20/23: LD 30 jts 2 7/8" ND BOP NU WH. MIRU cmt trks pressure test lines to 1500 psi test good. Break circ pump 10 bbls FW followed by 850 sks cmt 180 bbls circ down csg up annulus. (Cmt fr 3,100' to surface both sides). RD cmt trks. RDMO WB PA'd. XTO to cut off WH and install DHM.



Schematic - Vertical with Perfs

Well Name: James Ranch Unit 057

API/UWI 3001527887	SAP Cost Center ID 1136711001	Permit Number		State/Province New Mexico		County Eddy	
Surface Location T23S-R31E-S17		Spud Date 6/12/1994 17:30	Original KB El 3,327.00	evation (ft)	Ground Elevation (ft) 3,314.00		KB-Ground Distance (ft) 13.00



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 300500

CONDITIONS

Operator:	OGRID:
XTO ENERGY, INC	5380
6401 Holiday Hill Road	Action Number:
Midland, TX 79707	300500
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	None	3/1/2024