

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: RED STAG 5/32 B2OB Well Location: T22S / R34E / SEC 5 / County or Parish/State: /

FED COM SESE /

Allottee or Tribe Name: Well Number: 1H Type of Well: OIL WELL

Lease Number: NMNM114989 **Unit or CA Name: Unit or CA Number:** 

**US Well Number: 3002550330** Well Status: Producing Oil Well Operator: MEWBOURNE OIL

COMPANY

## **Subsequent Report**

**Sundry ID: 2702980** 

Type of Action: Drilling Operations Type of Submission: Subsequent Report

Date Sundry Submitted: 11/14/2022 Time Sundry Submitted: 02:51

**Date Operation Actually Began:** 10/04/2022

Actual Procedure: TD'ed 17 1/2" hole @ 1920'. Ran 1905' of 13 " 54.5# J55 ST&C Csg. cmt w/900 sks Class C w/2% Extender & 1% CaCl2 (yd @ 2.11 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/288 bbls of BW. Plug down @ 8:45 P.M. 10/07/22. Circ 180 sks of cmt to the cellar. At 7:00 P.M. 10/08/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.5 PPG EMW. Drilled out at 12 1/4". 10/12/2022 TD'ed 12 1/4" hole @ 5433'. Ran 5418' of 9 " 36# J55 LT&C Csg. cmt 1st stage w/300 sks Class C w/2% Gel, 0.45% Retarder & 0.1#/sk Suspension agent. (yd @ 1.96 cuft/sk @ 12.8 PPG). Tail w/200 sks Class C w/0.25% Retarder (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/409 bbls of FW. Plug down @ 3:15 P.M. 10/12/22. Inflate ECP w/2120#. Dropped bomb & opened DV tool w/675#. Circ 272 sks cmt off DV tool. Cmt 2nd stage w/900 sks Class C w/2% Gypsum, 0.5% CaCl2 & 1/4#/sk Poly Flake (yd @ 2.16 cuft/sk @ 12.4 PPG). Tail w/100 sks Class C Neat (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/298 bbls of FW. Plug down @ 7:45 P.M. 10/12/22 & closed DV tool w/2635#. Circ 65 sks of cmt to the pit. At 4:00 P.M. 10/13/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.0 PPG EMW. Drilled out at 8 3/4". 10/18/2022 TD'ed 8 ¾" hole @ 10233'. Ran 10158' of 7" 29# HCIP110 BT&C Csg. cmt w/500 sks Class C w/20% Strength Enhancer, 24% Glass Beads, 0.6% Suspension agent & 0.35#/sk Polyflake (yd @ 3.60 cuft/sk @ 9.8 PPG). Tail w/400 sks Class H w/0.45% Retarder (yd @ 1.18 cuft/sk @ 15.6 PPG). Displaced w/374 bbls of OBM. Plug down @ 12:45 A.M. 10/19/22. Circ 208 sks of cmt to the pit. At 4:30 P.M. 10/19/22, tested csg to 1500# for 30 mins, held OK. FIT to 11.0 PPG EMW. Drilled out at 6 1/8". 11/03/2022 TD'ed 6 1/8" hole @ 21485' MD. Ran 4 1/2" 13.5# P110IC TSH Wedge 461 Csg of 9922' (top of liner) to 21483'. cmt w/950 Sks 35:65 Poz Class H w/3% Gel, 3% Gypsum, 0.35% Fluid loss, 0.3% Suspension Agent & 0.3% Retarder (1.49 ft³/sk @ 13.5 ppg). Pump 5 bbls sugar FW. Drop dart. Displaced w/20 bbls of sugar FW & 250 bbls of sugar BW. Lift pressure 3210# @ 3 BPM. Plug down @ 4:30 P.M. 11/04/22. Bumped plug w/3710#. Set packer w/100k#. Sting out of liner w/2500# on DP. Displaced 7"

ceived by OCD: 5/11/2023 3:31:55 PM Well Name: RED STAG 5/32 B2OB

FED COM

Well Location: T22S / R34E / SEC 5 /

SESE /

County or Parish/State: / Page 2 0

Well Number: 1H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM114989

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3002550330** 

Well Status: Producing Oil Well

Operator: MEWBOURNE OIL

COMPANY

csg w/314 bbls of BW w/polymer sweep. Circ 245 sks of cmt off liner top. At 6:00 P.M. 11/04/22, tested liner top to 2500# for 30 mins, held OK. Rig released to walk @ 6:00 A.M.

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: RUBY OJEDA Signed on: NOV 14, 2022 02:51 PM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: 4801 BUSINESS PARK BLVD

City: HOBBS State: NM

Phone: (575) 393-5905

Email address: RCABALLERO@MEWBOURNE.COM

## **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name: JONATHON W SHEPARD** 

**BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972

**BLM POC Email Address:** jshepard@blm.gov

**Disposition:** Accepted

**Disposition Date:** 12/01/2022

Signature: Jonathon Shepard

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 216183

### **CONDITIONS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	216183
	Action Type:
	[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/7/2024