District I 1625 N French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax. (575) 393-0720

## State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

	Operato	BRADENHEAD T	EST REPORT		
He	1Rm5TRON	Property Name	Corf	30-025-	
		A ()			
UL - Lot Section To	wiship Range	7. Surface Loc		,	
[8]	175 35E	Feet from		Feet From E/W Line	County
TA'D WELL		Well State	us		
YES NO	YES SHUT-IN	NO INJ		DUCER	
		OBSERVED I	SWD OIL	GAS 9-	DATE . 6-2027
	(A)Surface		1		
Pressure		(B)Interm(1)	(C)Interm(2)	(D)Prod Csng	(E)Tubing
Flow Characteristics	0	5\$		40	
Puff				70	120
Steady Flow	(Y)/ N	Y/N	Y/N	Y/N	CO2
Surges	Y/N	YO	Y/N	Y/N	WTR_
Down to nothing	Y/N	Y / N	Y/N	Y/N	GAS _
Gas or Oil	Y/N	(Y/N	Y/N	Y/N	Type of Fluid Injected for
Water	Y/N	Y / N	Y/N	Y/N	Waterflood if applies
	- / (5	Y/N	Y/N	Y/N	-
Remarks Please state for each	string (A,B,C,D,E) pertii	nent information regarding blee	d down or continuous build	up if applies.	
Signature:  Printed name:  Title:  E-mail Address:	Ly RAY DERATION	MANAGER		IL CONSERVATION	DIVISION
Date: 9-6-2023	Phone: 57	5420-63-	72		— <u> </u>
	Winness:		/		

INSTRUCTIONS ON BACK OF THIS FORM

## PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

1. Record pressure reading on gauge.

- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 265141

## **CONDITIONS**

Operator:	OGRID:
ARMSTRONG ENERGY CORP	1092
P.O. Box 1973	Action Number:
Roswell, NM 88202	265141
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

## CONDITIONS

Created By		Condition Date
kfortner	None	3/14/2024