District I 1625 N French Dr. Hobbs, NM 88240 Phone: (575) 393-6161 Fax. (575) 393-0720

## State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

		BRADENHE		DEPOS	Pilice					
	Operato		AD IEST	REPORT			<u>. 1</u>			
7/11	RMSIRON	Property Name	34 C	1920	30-6	APTINUMN	-35962			
$\mathcal{M}_{\mathcal{D}_{\mathcal{C}}}$	Si/JEA	5191F				THE RESERVE AND ADDRESS OF THE PARTY OF THE	yell No.			
UL-Lot Section 7. Surface Location										
	Witship Range	F	eet from	N/S Line	12					
	105 34F	3	30	5	Feet From	E/W Line	County			
TA'D WELL	Y	Well	Status			$\sim$	LOA			
YES NO	YES SHUT-IN	NO (INJ) IN.	ECTOR	PR	RODUCER					
		(143)	SWI	OIL	GAS	9-	DATE 6-2023			
	`						2000			
OBSERVED DATA										
	(A)Surface	(B)Interm(1)	I (C)	nterm(2)		1				
Pressure	0		1611	itterin(2)	(D)Prod Cs	ng	(E)Tubing			
Flow Characteristics	NONE					>	IP-0			
Puff	(Y) N	Y/N		2// 22	No	NF				
Steady Flow	Y/N	Y/N		Y/N	Y		CO2			
Surges	Y / (N)	Y/N		Y/N Y/N		N	WTR			
Down to nothing	Y/N	Y/N		Y/N		N/	Type of Fluid			
Gas or Oil Water	Y / (1)	Y/N		X/N	V I		Injected for Waterflood if			
water	Y //N	Y/N		Y/N	Y /		applies.			
		l	1							
Remarks - Please state for each	string (A,B,C,D,E) pertin	ent information								
		mormanon regard	ing bleed down	or continuous bu	ild up if applies.					
							l l			
^										
Signature:	V									
- Joel	my lay				OIL CONSERY	VATION	DIVISION			
Printed name: Rocky XAV					OIL CONSERVATION DIVISION  Entered into RBDMS					
Tide: p5/d OpERA HONS MANAGON					Re-test					
E-mail Address:										
Date: 9-6-202	Phone: 37	5 420-	637	1			7			
	Witness:		7				1			

INSTRUCTIONS ON BACK OF THIS FORM

## PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

Record pressure reading on gauge.

- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 265136

## **CONDITIONS**

Operator:	OGRID:		
ARMSTRONG ENERGY CORP	1092		
P.O. Box 1973	Action Number:		
Roswell, NM 88202	265136		
	Action Type:		
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)		

## CONDITIONS

Created By		Condition Date
kfortner	None	3/14/2024