

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011
Submit one copy to appropriate District Office
☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 4/5/22
⁴ API Number 30-015-46703	⁵ Pool Name PIERCE CROSSING; BONE SPRING, EAST	⁶ Pool Code 96473
⁷ Property Code 326251	⁸ Property Name Mr Potato Head 11-14 Fed Com	⁹ Well Number 332H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	11	24S	29E		350	North	2046	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
^{no.} O	14	24S	29E		100	South	2040	East	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/5/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil

IV. Well Completion Data

²¹ Spud Date 10/3/21	²² Ready Date 4/5/22	²³ TD 20300	²⁴ PBTD 20,296 MD/10,064 TVD	²⁵ Perforations 10300 MD/10035 TVD - 20271 MD/10064 TVD	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	409	470 sx CLC; Circ 271 sx		
9-7/8"	8-5/8"	9615	780 sx CLC; Circ 299 sx		
7-7/8"	5-1/2"	20286	1463 sx CLG; Circ 0		
	Tubing:	0			

V. Well Test Data

³¹ Date New Oil 4/14/22	³² Gas Delivery Date 4/14/22	³³ Test Date 4/14/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure 1946 psi
³⁷ Choke Size	³⁸ Oil 2016 bbl	³⁹ Water 7034 bbl	⁴⁰ Gas 4462 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvN.com			Approval Date: 3/18/2024		
Date: 4/29/2022		Phone: 405-552-3513			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46703	² Pool Code 96473	³ Pool Name PIERCE CROSSING; BONE SPRING, EAST
⁴ Property Code 326251	⁵ Property Name MR POTATO HEAD 11-14 FED COM	⁶ Well Number 332H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3074.9

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	11	24 S	29 E		350	NORTH	2046	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	14	24 S	29 E		100	SOUTH	2040	EAST	EDDY

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 11 LAT. = 32.2394174°N LONG. = 103.9637841°W NMSP EAST (FT) N = 451030.14 E = 655595.01 W/4 CORNER SEC. 11 LAT. = 32.2321189°N LONG. = 103.9637714°W NMSP EAST (FT) N = 448375.07 E = 655608.09 SECTION CORNER LAT. = 32.2248207°N LONG. = 103.9637576°W NMSP EAST (FT) N = 445720.12 E = 655621.49 W/4 CORNER SEC. 14 LAT. = 32.2175269°N LONG. = 103.9637524°W NMSP EAST (FT) N = 443066.77 E = 655632.22 SW CORNER SEC. 14 LAT. = 32.2102312°N LONG. = 103.9637487°W NMSP EAST (FT) N = 440412.71 E = 655642.49		N89°43'58"E 2654.99 FT SURFACE LOCATION 2046' 350' MR POTATO HEAD 11-14 FED COM 332H ELEV. = 3074.9' LAT. = 32.2384622°N (NAD83) LONG. = 103.9571666°W NMSP EAST (FT) N = 450689.77 E = 657642.26 QUARTER CORNER LAT. = 32.2248366°N LONG. = 103.9551903°W NMSP EAST (FT) N = 445735.13 E = 658270.76 S/4 CORNER SEC. 14 LAT. = 32.2102547°N LONG. = 103.9551948°W NMSP EAST (FT) N = 440430.47 E = 658288.01		N89°37'38"E 2652.93 FT KICK OFF POINT 222' FNL, 2070' FEL LAT. = 32.2388212°N LONG. = 103.9533141°W NMSP EAST (FT) N = 451042.47 E = 658249.35 FIRST TAKE POINT 528' FNL, 1956' FEL LAT. = 32.2379806°N LONG. = 103.9529448°W LAST TAKE POINT 129' FSL, 2042' FEL LAT. = 32.2106154°N LONG. = 103.9532436°W LTP BOTTOM OF HOLE 2040'		NE CORNER SEC. 11 LAT. = 32.2394475°N LONG. = 103.9466205°W NMSP EAST (FT) N = 451059.78 E = 660901.66 E/4 CORNER SEC. 11 LAT. = 32.2321433°N LONG. = 103.9466133°W NMSP EAST (FT) N = 448402.62 E = 660913.48 SECTION CORNER LAT. = 32.2248497°N LONG. = 103.9466130°W NMSP EAST (FT) N = 445749.34 E = 660923.11 E/4 CORNER SEC. 14 LAT. = 32.2175659°N LONG. = 103.9466300°W NMSP EAST (FT) N = 443099.57 E = 660927.38 SE CORNER SEC. 14 LAT. = 32.2102810°N LONG. = 103.9466437°W NMSP EAST (FT) N = 440449.43 E = 660932.70	
AS-DRILLED							

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shayda Omoumi 4/12/2022
Signature Date

Shayda Omoumi
Printed Name

shayda.omoumi@dv.com
E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

APRIL 5, 2022
Date of Survey

[Signature]
Signature and Seal of Professional Surveyor

Certificate Number: **12797**
Survey No. **7027D**

Intent ☐ As Drilled ☒

API # 30-015-46703		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: MR POTATO HEAD 11-14 FED COM	Well Number 332H

Kick Off Point (KOP)

UL B	Section 11	Township 24S	Range 29E	Lot	Feet 222	From N/S NORTH	Feet 2070	From E/W EAST	County EDDY
Latitude 32.2388212					Longitude 103.9533141				NAD 83

First Take Point (FTP)

UL B	Section 11	Township 24S	Range 29E	Lot	Feet 528	From N/S NORTH	Feet 1956	From E/W EAST	County EDDY
Latitude 32.2379806					Longitude 103.9529448				NAD 83

Last Take Point (LTP)

UL O	Section 14	Township 24S	Range 29E	Lot	Feet 129	From N/S SOUTH	Feet 2042	From E/W EAST	County EDDY
Latitude 32.2106154					Longitude 103.9532436				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Devon Energy

Eddy County, NM (NAD83)

Mr Potato Head 11-14 Fed Com

Mr Potato Head 11-14 Fed Com 332H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

02 November, 2021

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 332H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Well:	Mr Potato Head 11-14 Fed Com 332H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Mr Potato Head 11-14 Fed Com			
Site Position:		Northing:	451,030.14 usft	Latitude:	32.239417
From:	Map	Easting:	655,595.01 usft	Longitude:	-103.963784
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.20 °

Well	Mr Potato Head 11-14 Fed Com 332H					
Well Position	+N/-S	0.00 usft	Northing:	450,689.77 usft	Latitude:	32.238462
	+E/-W	0.00 usft	Easting:	657,642.26 usft	Longitude:	-103.957167
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,074.90 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	9/17/2021	6.69	59.85	47,438.20450866

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	172.98	

Survey Program	Date	11/1/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
148.00	20,300.00	Survey #1 (Wellbore #1)	OWSG (Rev2) MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	450,689.77	657,642.26	32.238462	-103.957167
148.00	0.40	1.00	148.00	0.52	0.01	450,690.29	657,642.27	32.238464	-103.957167
178.00	0.60	358.70	178.00	0.78	0.01	450,690.55	657,642.27	32.238464	-103.957167
274.00	1.00	355.10	273.99	2.12	-0.08	450,691.89	657,642.19	32.238468	-103.957167
350.00	1.60	339.40	349.97	3.77	-0.51	450,693.54	657,641.76	32.238473	-103.957168
426.00	1.70	337.90	425.94	5.81	-1.30	450,695.58	657,640.96	32.238478	-103.957171
520.00	1.80	337.70	519.89	8.46	-2.39	450,698.23	657,639.88	32.238486	-103.957174
615.00	0.30	235.70	614.88	9.71	-3.16	450,699.48	657,639.11	32.238489	-103.957177
710.00	0.50	204.10	709.88	9.19	-3.53	450,698.96	657,638.73	32.238488	-103.957178
805.00	0.40	230.40	804.87	8.60	-3.96	450,698.37	657,638.31	32.238486	-103.957180
900.00	0.60	254.50	899.87	8.25	-4.69	450,698.02	657,637.57	32.238485	-103.957182
995.00	0.60	290.70	994.86	8.30	-5.64	450,698.07	657,636.63	32.238485	-103.957185

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 332H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Well:	Mr Potato Head 11-14 Fed Com 332H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,090.00	0.80	296.80	1,089.86	8.77	-6.70	450,698.54	657,635.57	32.238486	-103.957188
1,185.00	1.00	302.90	1,184.85	9.52	-7.98	450,699.29	657,634.28	32.238489	-103.957193
1,280.00	1.30	303.30	1,279.83	10.56	-9.58	450,700.33	657,632.68	32.238491	-103.957198
1,375.00	1.80	299.80	1,374.79	11.89	-11.78	450,701.66	657,630.49	32.238495	-103.957205
1,469.00	2.00	308.50	1,468.74	13.65	-14.34	450,703.42	657,627.92	32.238500	-103.957213
1,564.00	1.50	22.70	1,563.71	15.83	-15.16	450,705.60	657,627.11	32.238506	-103.957216
1,659.00	3.10	67.70	1,658.63	17.95	-12.30	450,707.72	657,629.96	32.238512	-103.957206
1,754.00	5.70	76.50	1,753.35	20.03	-5.34	450,709.80	657,636.93	32.238517	-103.957184
1,849.00	7.70	82.40	1,847.69	21.97	5.56	450,711.74	657,647.83	32.238523	-103.957149
1,945.00	9.60	83.50	1,942.60	23.73	19.89	450,713.50	657,662.16	32.238527	-103.957102
2,040.00	11.90	84.70	2,035.92	25.53	37.52	450,715.30	657,679.78	32.238532	-103.957045
2,135.00	11.60	84.20	2,128.93	27.40	56.77	450,717.17	657,699.04	32.238537	-103.956983
2,230.00	10.80	83.00	2,222.12	29.45	75.11	450,719.22	657,717.37	32.238543	-103.956924
2,325.00	9.70	82.00	2,315.60	31.65	91.87	450,721.42	657,734.13	32.238548	-103.956869
2,421.00	9.90	88.50	2,410.21	32.99	108.13	450,722.76	657,750.39	32.238552	-103.956817
2,516.00	10.10	92.80	2,503.76	32.80	124.61	450,722.57	657,766.88	32.238551	-103.956763
2,611.00	9.60	92.40	2,597.36	32.06	140.85	450,721.83	657,783.11	32.238549	-103.956711
2,707.00	9.40	94.40	2,692.05	31.12	156.66	450,720.89	657,798.93	32.238546	-103.956660
2,802.00	9.40	97.70	2,785.77	29.49	172.08	450,719.26	657,814.35	32.238542	-103.956610
2,897.00	9.60	100.50	2,879.47	27.00	187.56	450,716.77	657,829.83	32.238535	-103.956560
2,992.00	10.10	93.70	2,973.07	25.02	203.66	450,714.79	657,845.93	32.238529	-103.956508
3,087.00	9.80	93.80	3,066.64	23.95	220.04	450,713.72	657,862.31	32.238526	-103.956455
3,183.00	8.40	95.30	3,161.43	22.76	235.18	450,712.53	657,877.44	32.238523	-103.956406
3,278.00	9.10	91.40	3,255.33	21.94	249.60	450,711.71	657,891.86	32.238520	-103.956359
3,373.00	12.70	87.20	3,348.60	22.26	267.54	450,712.03	657,909.81	32.238521	-103.956301
3,468.00	13.60	85.10	3,441.11	23.73	289.10	450,713.50	657,931.37	32.238525	-103.956232
3,564.00	13.10	83.90	3,534.51	25.85	311.17	450,715.62	657,953.43	32.238530	-103.956160
3,659.00	12.40	83.20	3,627.17	28.20	332.00	450,717.97	657,974.26	32.238537	-103.956093
3,755.00	11.80	82.60	3,721.04	30.68	351.97	450,720.45	657,994.23	32.238543	-103.956028
3,850.00	11.60	81.60	3,814.06	33.33	371.05	450,723.10	658,013.32	32.238550	-103.955966
3,945.00	11.50	80.10	3,907.14	36.35	389.83	450,726.12	658,032.09	32.238558	-103.955906
4,041.00	10.90	77.90	4,001.31	39.90	408.13	450,729.67	658,050.40	32.238568	-103.955846
4,137.00	10.10	75.80	4,095.70	43.87	425.17	450,733.64	658,067.43	32.238579	-103.955791
4,232.00	10.60	75.40	4,189.16	48.11	441.70	450,737.88	658,083.96	32.238590	-103.955738
4,327.00	10.60	74.80	4,282.54	52.61	458.59	450,742.38	658,100.85	32.238602	-103.955683
4,423.00	12.00	78.30	4,376.68	56.95	476.88	450,746.72	658,119.14	32.238614	-103.955624
4,518.00	13.60	81.40	4,469.31	60.62	497.60	450,750.39	658,139.86	32.238624	-103.955557
4,613.00	14.20	80.70	4,561.53	64.17	520.14	450,753.94	658,162.40	32.238634	-103.955484
4,708.00	13.40	79.30	4,653.79	68.10	542.45	450,757.87	658,184.72	32.238644	-103.955412
4,803.00	12.10	78.70	4,746.44	72.09	563.04	450,761.86	658,205.30	32.238655	-103.955345
4,898.00	11.60	78.40	4,839.42	75.97	582.16	450,765.74	658,224.42	32.238665	-103.955283
4,994.00	11.30	78.40	4,933.51	79.80	600.82	450,769.57	658,243.09	32.238676	-103.955223
5,089.00	11.30	78.40	5,026.67	83.54	619.06	450,773.31	658,261.32	32.238686	-103.955164
5,184.00	11.00	78.60	5,119.87	87.20	637.06	450,776.97	658,279.32	32.238696	-103.955105
5,280.00	10.80	78.90	5,214.14	90.75	654.86	450,780.52	658,297.13	32.238705	-103.955048
5,375.00	10.10	78.90	5,307.56	94.06	671.77	450,783.83	658,314.04	32.238714	-103.954993
5,470.00	9.50	79.60	5,401.18	97.08	687.66	450,786.85	658,329.92	32.238723	-103.954942
5,565.00	10.50	84.40	5,494.74	99.34	703.98	450,789.11	658,346.25	32.238729	-103.954889
5,660.00	10.50	85.90	5,588.14	100.81	721.23	450,790.58	658,363.50	32.238732	-103.954833
5,755.00	9.00	85.20	5,681.77	102.05	737.27	450,791.82	658,379.54	32.238736	-103.954781
5,851.00	9.60	85.20	5,776.51	103.34	752.73	450,793.12	658,395.00	32.238739	-103.954731
5,946.00	9.90	85.80	5,870.14	104.61	768.77	450,794.38	658,411.04	32.238742	-103.954679
6,041.00	8.60	84.30	5,963.90	105.91	783.98	450,795.68	658,426.25	32.238746	-103.954630
6,136.00	10.20	85.20	6,057.62	107.32	799.44	450,797.09	658,441.70	32.238750	-103.954580
6,231.00	11.50	85.50	6,150.92	108.77	817.26	450,798.54	658,459.52	32.238753	-103.954522

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 332H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Well:	Mr Potato Head 11-14 Fed Com 332H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,326.00	11.20	85.60	6,244.06	110.22	835.90	450,799.99	658,478.16	32.238757	-103.954462
6,422.00	12.70	85.30	6,337.98	111.80	855.71	450,801.57	658,497.98	32.238761	-103.954398
6,517.00	12.30	85.60	6,430.73	113.43	876.21	450,803.20	658,518.47	32.238766	-103.954332
6,612.00	11.50	85.20	6,523.68	115.00	895.74	450,804.77	658,538.00	32.238770	-103.954268
6,707.00	12.90	84.90	6,616.54	116.73	915.74	450,806.50	658,558.00	32.238774	-103.954204
6,802.00	12.40	85.00	6,709.23	118.56	936.46	450,808.33	658,578.72	32.238779	-103.954137
6,897.00	11.10	84.30	6,802.24	120.36	955.72	450,810.13	658,597.99	32.238784	-103.954074
6,993.00	11.60	85.00	6,896.36	122.12	974.53	450,811.89	658,616.80	32.238789	-103.954014
7,088.00	10.10	83.30	6,989.66	123.93	992.32	450,813.70	658,634.58	32.238793	-103.953956
7,183.00	11.00	78.30	7,083.05	126.74	1,009.47	450,816.51	658,651.73	32.238801	-103.953901
7,278.00	11.80	78.10	7,176.18	130.58	1,027.85	450,820.35	658,670.11	32.238811	-103.953841
7,373.00	11.80	77.00	7,269.17	134.76	1,046.82	450,824.53	658,689.08	32.238823	-103.953780
7,469.00	9.40	72.20	7,363.53	139.37	1,063.85	450,829.14	658,706.11	32.238835	-103.953724
7,564.00	10.10	72.60	7,457.15	144.23	1,079.19	450,834.00	658,721.45	32.238848	-103.953675
7,659.00	12.30	78.30	7,550.34	148.78	1,097.05	450,838.55	658,739.31	32.238861	-103.953617
7,754.00	11.60	82.20	7,643.29	152.12	1,116.42	450,841.89	658,758.68	32.238870	-103.953554
7,849.00	8.70	79.80	7,736.79	154.69	1,132.96	450,844.46	658,775.22	32.238877	-103.953501
7,944.00	6.10	75.60	7,830.99	157.22	1,144.92	450,846.99	658,787.18	32.238883	-103.953462
8,040.00	5.00	75.50	7,926.54	159.54	1,153.91	450,849.31	658,796.17	32.238890	-103.953433
8,135.00	6.10	80.80	8,021.09	161.38	1,162.90	450,851.15	658,805.16	32.238895	-103.953404
8,230.00	6.20	85.50	8,115.55	162.59	1,173.00	450,852.36	658,815.26	32.238898	-103.953371
8,326.00	5.80	85.90	8,211.02	163.34	1,183.00	450,853.11	658,825.27	32.238900	-103.953339
8,421.00	3.70	85.40	8,305.69	163.93	1,190.85	450,853.70	658,833.11	32.238901	-103.953313
8,517.00	2.90	90.40	8,401.53	164.16	1,196.36	450,853.93	658,838.63	32.238902	-103.953296
8,612.00	2.50	105.40	8,496.42	163.60	1,200.76	450,853.37	658,843.03	32.238900	-103.953281
8,707.00	2.50	144.70	8,591.34	161.36	1,203.96	450,851.13	658,846.22	32.238894	-103.953271
8,802.00	1.70	169.20	8,686.28	158.28	1,205.42	450,848.05	658,847.69	32.238886	-103.953266
8,897.00	1.10	223.30	8,781.25	156.23	1,205.06	450,846.00	658,847.32	32.238880	-103.953268
8,992.00	1.50	217.90	8,876.23	154.59	1,203.67	450,844.36	658,845.93	32.238876	-103.953272
9,087.00	1.50	207.90	8,971.20	152.51	1,202.32	450,842.28	658,844.59	32.238870	-103.953276
9,182.00	1.60	204.50	9,066.16	150.20	1,201.19	450,839.97	658,843.46	32.238864	-103.953280
9,277.00	1.90	221.90	9,161.12	147.82	1,199.59	450,837.59	658,841.86	32.238857	-103.953285
9,373.00	2.90	217.70	9,257.03	144.72	1,197.04	450,834.49	658,839.31	32.238849	-103.953294
9,468.00	2.60	211.20	9,351.92	140.97	1,194.46	450,830.74	658,836.72	32.238838	-103.953302
9,575.00	2.40	205.80	9,458.82	136.88	1,192.22	450,826.65	658,834.49	32.238827	-103.953309
9,692.00	2.70	217.50	9,575.71	132.49	1,189.48	450,822.26	658,831.75	32.238815	-103.953318
KOP @ 9692' MD, 218' FNL, 2070' FEL									
9,787.00	11.60	158.40	9,669.95	121.80	1,191.64	450,811.57	658,833.91	32.238786	-103.953311
9,882.00	21.50	156.80	9,760.90	96.86	1,202.04	450,786.63	658,844.31	32.238717	-103.953278
9,977.00	27.80	156.00	9,847.20	60.58	1,217.93	450,750.35	658,860.19	32.238617	-103.953227
10,044.00	35.20	158.20	9,904.29	28.33	1,231.47	450,718.10	658,873.74	32.238528	-103.953184
10,139.00	52.80	156.90	9,972.36	-32.37	1,256.68	450,657.40	658,898.95	32.238361	-103.953103
10,234.00	70.40	158.20	10,017.36	-109.33	1,288.40	450,580.44	658,930.66	32.238149	-103.953001
10,329.00	81.70	169.10	10,040.29	-197.57	1,314.06	450,492.20	658,956.32	32.237906	-103.952919
10,425.00	86.30	183.90	10,050.38	-292.57	1,319.82	450,397.20	658,962.08	32.237645	-103.952902
10,520.00	88.00	188.00	10,055.11	-386.92	1,309.98	450,302.85	658,952.24	32.237386	-103.952934
10,615.00	88.20	186.00	10,058.26	-481.15	1,298.41	450,208.62	658,940.67	32.237127	-103.952973
10,710.00	89.60	184.80	10,060.08	-575.71	1,289.47	450,114.06	658,931.74	32.236867	-103.953003
10,805.00	90.00	183.40	10,060.41	-670.46	1,282.68	450,019.31	658,924.94	32.236607	-103.953026
10,900.00	90.70	187.50	10,059.83	-765.01	1,273.66	449,924.76	658,915.92	32.236347	-103.953056
10,995.00	91.90	186.80	10,057.68	-859.24	1,261.84	449,830.53	658,904.10	32.236088	-103.953096
11,090.00	89.20	188.10	10,056.77	-953.43	1,249.52	449,736.34	658,891.79	32.235829	-103.953136
11,185.00	89.50	188.30	10,057.84	-1,047.45	1,235.97	449,642.32	658,878.24	32.235571	-103.953181
11,280.00	88.30	185.10	10,059.67	-1,141.77	1,224.89	449,548.00	658,867.16	32.235312	-103.953218
11,375.00	87.50	183.20	10,063.15	-1,236.45	1,218.02	449,453.32	658,860.29	32.235052	-103.953242

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 332H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Well:	Mr Potato Head 11-14 Fed Com 332H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,470.00	89.20	182.00	10,065.88	-1,331.31	1,213.71	449,358.46	658,855.98	32.234791	-103.953257
11,566.00	91.30	181.30	10,065.47	-1,427.26	1,210.95	449,262.51	658,853.22	32.234527	-103.953267
11,661.00	89.50	179.60	10,064.80	-1,522.25	1,210.20	449,167.52	658,852.47	32.234266	-103.953270
11,756.00	90.90	178.20	10,064.47	-1,617.23	1,212.03	449,072.54	658,854.29	32.234005	-103.953265
11,851.00	90.90	178.50	10,062.98	-1,712.18	1,214.76	448,977.59	658,857.03	32.233744	-103.953258
11,946.00	91.10	180.60	10,061.32	-1,807.15	1,215.51	448,882.62	658,857.77	32.233483	-103.953256
12,042.00	91.00	178.90	10,059.56	-1,903.13	1,215.93	448,786.64	658,858.19	32.233219	-103.953256
12,162.00	89.70	180.40	10,058.83	-2,023.12	1,216.66	448,666.65	658,858.93	32.232889	-103.953255
12,258.00	89.80	180.50	10,059.25	-2,119.12	1,215.91	448,570.65	658,858.17	32.232625	-103.953259
12,353.00	90.30	180.70	10,059.16	-2,214.11	1,214.91	448,475.66	658,857.18	32.232364	-103.953263
12,448.00	88.50	180.30	10,060.16	-2,309.10	1,214.08	448,380.67	658,856.35	32.232103	-103.953267
12,543.00	90.30	180.70	10,061.15	-2,404.09	1,213.25	448,285.68	658,855.52	32.231842	-103.953270
12,638.00	90.20	180.30	10,060.74	-2,499.08	1,212.43	448,190.69	658,854.69	32.231581	-103.953274
12,733.00	89.20	180.10	10,061.24	-2,594.08	1,212.09	448,095.69	658,854.36	32.231320	-103.953276
12,828.00	89.20	180.30	10,062.56	-2,689.07	1,211.76	448,000.70	658,854.03	32.231059	-103.953278
12,923.00	88.80	180.10	10,064.22	-2,784.05	1,211.43	447,905.72	658,853.70	32.230798	-103.953281
13,018.00	90.90	180.70	10,064.47	-2,879.05	1,210.77	447,810.72	658,853.03	32.230537	-103.953284
13,113.00	91.30	180.50	10,062.65	-2,974.02	1,209.77	447,715.75	658,852.04	32.230275	-103.953288
13,209.00	89.10	179.00	10,062.31	-3,070.01	1,210.19	447,619.76	658,852.46	32.230012	-103.953288
13,304.00	88.80	179.00	10,064.05	-3,164.98	1,211.85	447,524.79	658,854.11	32.229751	-103.953284
13,399.00	87.80	178.80	10,066.87	-3,259.92	1,213.67	447,429.85	658,855.94	32.229490	-103.953279
13,494.00	89.30	179.20	10,069.27	-3,354.87	1,215.33	447,334.90	658,857.59	32.229229	-103.953275
13,589.00	89.30	179.10	10,070.43	-3,449.86	1,216.74	447,239.91	658,859.00	32.228967	-103.953271
13,684.00	91.80	181.30	10,069.52	-3,544.84	1,216.41	447,144.93	658,858.67	32.228706	-103.953273
13,780.00	91.10	181.00	10,067.09	-3,640.79	1,214.48	447,048.98	658,856.75	32.228443	-103.953281
13,875.00	89.70	181.10	10,066.43	-3,735.77	1,212.74	446,954.00	658,855.01	32.228182	-103.953287
13,970.00	87.70	180.60	10,068.58	-3,830.73	1,211.33	446,859.04	658,853.60	32.227921	-103.953293
14,065.00	89.80	179.90	10,070.66	-3,925.70	1,210.92	446,764.07	658,853.18	32.227659	-103.953295
14,160.00	93.60	181.40	10,067.84	-4,020.63	1,209.84	446,669.14	658,852.11	32.227399	-103.953300
14,255.00	91.60	180.30	10,063.53	-4,115.51	1,208.43	446,574.26	658,850.70	32.227138	-103.953306
14,351.00	90.20	180.00	10,062.02	-4,211.50	1,208.18	446,478.27	658,850.45	32.226874	-103.953307
14,446.00	90.70	180.20	10,061.28	-4,306.50	1,208.02	446,383.27	658,850.28	32.226613	-103.953309
14,541.00	88.90	180.20	10,061.61	-4,401.49	1,207.69	446,288.28	658,849.95	32.226352	-103.953311
14,636.00	89.20	180.70	10,063.18	-4,496.47	1,206.94	446,193.30	658,849.20	32.226091	-103.953315
14,731.00	88.50	179.90	10,065.09	-4,591.45	1,206.44	446,098.32	658,848.71	32.225829	-103.953317
14,826.00	88.50	179.60	10,067.58	-4,686.42	1,206.86	446,003.35	658,849.12	32.225568	-103.953317
14,921.00	87.70	179.70	10,070.73	-4,781.36	1,207.44	445,908.41	658,849.70	32.225307	-103.953316
15,017.00	89.10	180.00	10,073.41	-4,877.32	1,207.69	445,812.45	658,849.95	32.225044	-103.953317
15,101.00	90.16	181.06	10,073.95	-4,961.32	1,206.91	445,728.45	658,849.18	32.224813	-103.953320
X SEC @ 15101' MD, 0' FNL, 2055' FEL									
15,112.00	90.30	181.20	10,073.90	-4,972.31	1,206.69	445,717.46	658,848.96	32.224783	-103.953321
15,207.00	91.20	178.90	10,072.66	-5,067.30	1,206.61	445,622.47	658,848.87	32.224521	-103.953322
15,302.00	91.80	179.40	10,070.17	-5,162.26	1,208.02	445,527.51	658,850.28	32.224260	-103.953319
15,397.00	89.80	178.90	10,068.85	-5,257.23	1,209.43	445,432.54	658,851.69	32.223999	-103.953315
15,492.00	92.40	178.60	10,067.02	-5,352.18	1,211.50	445,337.59	658,853.76	32.223738	-103.953310
15,588.00	88.80	178.10	10,066.02	-5,448.12	1,214.26	445,241.65	658,856.53	32.223475	-103.953302
15,683.00	92.40	179.20	10,065.02	-5,543.07	1,216.50	445,146.70	658,858.77	32.223213	-103.953296
15,778.00	93.60	179.20	10,060.05	-5,637.93	1,217.83	445,051.84	658,860.09	32.222953	-103.953293
15,873.00	93.30	178.70	10,054.33	-5,732.74	1,219.56	444,957.03	658,861.83	32.222692	-103.953288
15,968.00	92.30	179.70	10,049.69	-5,827.62	1,220.89	444,862.15	658,863.15	32.222431	-103.953285
16,064.00	90.60	179.70	10,047.26	-5,923.58	1,221.39	444,766.19	658,863.66	32.222167	-103.953284
16,159.00	88.90	180.30	10,047.68	-6,018.58	1,221.39	444,671.19	658,863.66	32.221906	-103.953285
16,254.00	89.80	180.50	10,048.76	-6,113.57	1,220.73	444,576.20	658,862.99	32.221645	-103.953289
16,349.00	87.50	180.70	10,050.99	-6,208.53	1,219.73	444,481.24	658,862.00	32.221384	-103.953293
16,444.00	86.90	180.30	10,055.64	-6,303.41	1,218.91	444,386.36	658,861.17	32.221123	-103.953297

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 332H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Well:	Mr Potato Head 11-14 Fed Com 332H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,539.00	87.90	180.00	10,059.94	-6,398.31	1,218.66	444,291.46	658,860.92	32.220863	-103.953299
16,635.00	87.30	179.60	10,063.96	-6,494.23	1,218.99	444,195.54	658,861.26	32.220599	-103.953299
16,730.00	89.40	178.90	10,066.70	-6,589.17	1,220.23	444,100.60	658,862.50	32.220338	-103.953296
16,825.00	91.20	179.00	10,066.20	-6,684.15	1,221.98	444,005.62	658,864.24	32.220077	-103.953291
16,920.00	91.10	178.40	10,064.30	-6,779.11	1,224.13	443,910.66	658,866.40	32.219816	-103.953285
17,015.00	87.80	175.40	10,065.21	-6,873.94	1,229.27	443,815.83	658,871.53	32.219555	-103.953270
17,110.00	89.40	176.40	10,067.53	-6,968.67	1,236.06	443,721.10	658,878.32	32.219295	-103.953249
17,206.00	91.00	177.90	10,067.19	-7,064.54	1,240.83	443,625.23	658,883.09	32.219031	-103.953235
17,301.00	90.90	179.40	10,065.62	-7,159.50	1,243.07	443,530.27	658,885.33	32.218770	-103.953228
17,396.00	93.10	180.90	10,062.30	-7,254.43	1,242.82	443,435.34	658,885.08	32.218509	-103.953230
17,491.00	92.80	180.50	10,057.41	-7,349.30	1,241.66	443,340.47	658,883.92	32.218248	-103.953235
17,586.00	91.90	180.30	10,053.52	-7,444.21	1,241.00	443,245.56	658,883.26	32.217987	-103.953238
17,682.00	90.40	181.00	10,051.59	-7,540.19	1,239.91	443,149.58	658,882.17	32.217723	-103.953243
17,777.00	88.80	180.20	10,052.26	-7,635.17	1,238.91	443,054.60	658,881.18	32.217462	-103.953247
17,872.00	88.70	180.20	10,054.33	-7,730.15	1,238.58	442,959.62	658,880.85	32.217201	-103.953249
17,967.00	90.40	180.50	10,055.07	-7,825.14	1,238.00	442,864.63	658,880.27	32.216940	-103.953252
18,062.00	88.80	180.50	10,055.74	-7,920.13	1,237.17	442,769.64	658,879.44	32.216679	-103.953256
18,157.00	90.90	180.90	10,055.99	-8,015.12	1,236.01	442,674.65	658,878.28	32.216418	-103.953261
18,253.00	89.10	180.50	10,055.99	-8,111.11	1,234.84	442,578.66	658,877.10	32.216154	-103.953266
18,348.00	91.20	181.40	10,055.74	-8,206.09	1,233.26	442,483.68	658,875.53	32.215893	-103.953272
18,442.00	89.10	180.80	10,055.49	-8,300.07	1,231.46	442,389.70	658,873.72	32.215635	-103.953279
18,538.00	90.60	182.00	10,055.74	-8,396.03	1,229.11	442,293.74	658,871.38	32.215371	-103.953288
18,633.00	89.20	180.80	10,055.91	-8,491.00	1,226.79	442,198.77	658,869.06	32.215110	-103.953296
18,728.00	89.70	180.50	10,056.82	-8,585.99	1,225.72	442,103.78	658,867.98	32.214849	-103.953301
18,823.00	89.50	179.80	10,057.48	-8,680.99	1,225.47	442,008.78	658,867.73	32.214588	-103.953303
18,918.00	90.00	182.80	10,057.90	-8,775.95	1,223.31	441,913.82	658,865.58	32.214327	-103.953311
19,013.00	89.20	181.10	10,058.56	-8,870.89	1,220.08	441,818.88	658,862.34	32.214066	-103.953322
19,109.00	90.20	181.10	10,059.06	-8,966.87	1,218.24	441,722.90	658,860.50	32.213802	-103.953329
19,204.00	89.70	179.90	10,059.15	-9,061.86	1,217.41	441,627.91	658,859.67	32.213541	-103.953333
19,299.00	89.70	179.20	10,059.64	-9,156.86	1,218.15	441,532.91	658,860.42	32.213280	-103.953332
19,394.00	89.80	178.90	10,060.06	-9,251.84	1,219.73	441,437.93	658,861.99	32.213019	-103.953328
19,489.00	90.00	178.70	10,060.22	-9,346.82	1,221.72	441,342.95	658,863.98	32.212757	-103.953322
19,584.00	89.10	178.10	10,060.97	-9,441.78	1,224.37	441,247.99	658,866.64	32.212496	-103.953315
19,680.00	89.80	179.10	10,061.89	-9,537.75	1,226.72	441,152.02	658,868.98	32.212233	-103.953308
19,774.00	89.80	178.80	10,062.22	-9,631.73	1,228.44	441,058.04	658,870.70	32.211974	-103.953304
19,870.00	89.80	178.70	10,062.56	-9,727.71	1,230.53	440,962.06	658,872.80	32.211710	-103.953298
19,965.00	90.70	178.20	10,062.14	-9,822.67	1,233.10	440,867.10	658,875.37	32.211449	-103.953291
20,060.00	90.50	177.50	10,061.15	-9,917.60	1,236.67	440,772.17	658,878.93	32.211188	-103.953281
20,155.00	89.00	176.60	10,061.56	-10,012.47	1,241.55	440,677.30	658,883.82	32.210928	-103.953266
20,243.00	89.10	176.10	10,063.02	-10,100.28	1,247.16	440,589.49	658,889.42	32.210686	-103.953249
20,298.00	89.10	176.10	10,063.88	-10,155.14	1,250.90	440,534.63	658,893.16	32.210535	-103.953237
X LTP @ 20298' MD, 100' FSL, 2041' FEL									
20,300.00	89.10	176.10	10,063.92	-10,157.14	1,251.03	440,532.63	658,893.30	32.210530	-103.953237
PBHL; 98' FSL, 2041' FEL									

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
PBHL - Mr. Potato Head	0.00	0.00	0.00	-10,155.11	1,229.88	440,534.66	658,872.14	32.210536	-103.953305
- actual wellpath misses target center by 10062.58usft at 20155.00usft MD (10061.56 TVD, -10012.47 N, 1241.55 E)									
- Point									

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 332H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3074.9' + KB 25' @ 3099.90usft
Well:	Mr Potato Head 11-14 Fed Com 332H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
9,692.00	9,575.71	132.49	1,189.48	KOP @ 9692' MD, 218' FNL, 2070' FEL
15,101.00	10,073.95	-4,961.32	1,206.91	X SEC @ 15101' MD, 0' FNL, 2055' FEL
20,298.00	10,063.88	-10,155.14	1,250.90	X LTP @ 20298' MD, 100' FSL, 2041' FEL
20,300.00	10,063.92	-10,157.14	1,251.03	PBHL; 98' FSL, 2041' FEL

Checked By: _____

Approved By: _____

Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-46703
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Mr Potato Head 11-14 Fed Com
4. Well Location Unit Letter <u>C</u> : <u>350</u> feet from the <u>North</u> line and <u>2046</u> feet from the <u>West</u> line Section <u>11</u> Township <u>24S</u> Range <u>29E</u> NMPM County <u>Eddy</u>		8. Well Number 332H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3074.9'		9. OGRID Number 6137
		10. Pool name or Wildcat PIERCE CROSSING; BONE SPRING, EAST

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2/5/22-4/5/22: MIRU WL & PT. TIH & ran CBL, found TOC @ 6100'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 10300' MD/10035' TVD - 20271' MD/10064' TVD, total 1204 holes. Frac totals 18,287,492# proppant, 37 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 20296' MD/10064' TVD. CHC, FWB, ND BOP. Tubing will be run at later date. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 4/29/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmn.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-015-46703						
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Mr Potato Head 11-14 Fed Com 6. Well Number: 332H				
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
Devon Energy Production Company, L.P.						6137				
10. Address of Operator						11. Pool name or Wildcat				
333 West Sheridan Avenue, Oklahoma City, OK 73102						PIERCE CROSSING; BONE SPRING, EAST				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	11	24S	29E		350	North	2046	West	Eddy
BH:	O	14	24S	29E		100	South	2040	East	Eddy
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)				
10/3/21	10/29/21	11/1/21		4/5/22		3074.9' GL				
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
20300 MD, 10064 TVD			20,296 MD/10,064 TVD			Yes		CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
10300 MD/10035 TVD-20271 MD/10064 TVD, BONE SPRING, EAST										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		409		17-1/2"		470 sx CIC; circ 271 sx		
8-5/8"		32		9615		9-7/8"		780 sx CIC; circ 299 sx		
5-1/2"		20		20286		7-7/8"		1463 sx CIC; circ 0		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
10300 MD/10035 TVD - 20271 MD/10064 TVD, total 1204 holes						DEPTH INTERVAL				AMOUNT AND KIND MATERIAL USED
						10300 MD-20271 MD				Acidize and frac in 41 stages. See detailed summary attached.
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
4/5/22		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
4/14/22	24			2016	4462	7034	2213.293651			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
psi	1946 psi									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)								30. Test Witnessed By		
Sold										
31. List Attachments										
Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Shayda Omoumi		Title		Regulatory Compliance Associate		Date 4/29/2022
E-mail Address		shayda.omoumi@dvn.com								

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 319151

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 319151
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 319151

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 319151
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	3/18/2024