

Well Name: PATRIOT 30 FEDERAL	Well Location: T20S / R29E / SEC 30 / NESW / 32.5417304 / -104.1172507	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM03677	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001533471	Well Status: Abandoned	Operator: MEWBOURNE OIL COMPANY

Subsequent Report

Sundry ID: 2738449

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/23/2024

Time Sundry Submitted: 06:14

Date Operation Actually Began: 02/02/2024

Actual Procedure: 02/02/24 MIRU plugging equipment. Dug out cellar. Removed flange & NU BOP. Pumped 185 bbls H2O @ 4 BPM. 02/05/24-02/06/24 RIH w/ drill bit, tagged @ 7740'. Drilled down to 8100'. Circ'd hole clean. Tagged existing CIBP @ 11,025'. 02/07/24 RIH w/ tbg to 9800'. 02/08/24 Tagged existing CIBP @ 11,025'. Circ'd hole w/ 80 nnls MLF & 20 sxs of salt gel. Spotted 25 sx class H cmt @ 11,025-10,793'. WOC & Tagged @ 10,750'. Spotted 25 sx class H cmt @ 9194-8962'. WOC. 02/09/24 Tagged plug @ 8955'. Set 5 1/2 @ 7568'. Circ'd hole w/ MLF & 44 sx salt gel. Spotted 25 sx class H cmt @ 7568-7336'. WOC. 02/12/24 Tagged plug @ 7320'. Spotted 25 sx class C cmt @ 5782-5532'. WOC & tagged plug @ 5482'. 02/13/24 Perf'd @ 3050'. Pressured up on perms to 500 PSI. Spotted 65 sx class C cmt @ 3177-2527'. WOC & Tagged @ 2522'. Perf'd @ 1340'. Established injection rate & circulation in in 9 5/8 & 13 3/8". Sqz'd 100 sx class C cmt @ 1340-1212'. WOC. 02/14/24 Tagged plug @ 1145'. Perf'd @ 580'. Sqz'd 380 sx class C cmt to surface. Circulated to surface in 9 5/8 & 13 3/8. Rigged down & moved off. 02/19/24 Moved in backhoe and welder. Cut off well head & anchors. Gabriel Dennis Brockman w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Well Name: PATRIOT 30 FEDERAL

Well Location: T20S / R29E / SEC 30 /
NESW / 32.5417304 / -104.1172507

County or Parish/State: EDDY /
NM

Well Number: 1

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMNM03677

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001533471

Well Status: Abandoned

Operator: MEWBOURNE OIL
COMPANY

SR Attachments

Actual Procedure

Plugged_Mewbourne_Patriot_30_Federal__1_WBD_20240223061323.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JACKIE LATHAN

Signed on: FEB 23, 2024 06:13 AM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: PO Box 5270

City: Hobbs

State: NM

Phone: (575) 393-5905

Email address: Jlathan@mewbourne.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 03/06/2024

Signature: James A Amos

Mewbourne Oil Company

Author: Abby @ BCM

Well Name: Patriot 30 Federal

Field: Bone Springs, East (3713)

County: Eddy

State: NM

Spud Date:

PLUGGED

Well No.: #1

API #: 30-015-33471


Location: Sec 30, T20S, R29E

1650 FSL & 1650 FWL

GL:

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	20	K55	94#	388	26	700	0
1st Inter Csg	13 3/8	J55	54.5#	1,275	17 1/2	1,025	0
2nd Inter Csg	9 5/8	J55 & P110	40#	3,000	12 1/4	1,305	0
Prod Csg	5 1/2	HCP110 & N80	17#	11,890	8 3/4	2,750	2,700

Formation Tops	
Cap Reef	1290
Delaware	3123
Bone Spring	5708
Wolfcamp	9147
Strawn	10343
Atoka	10804
Morrow	11338
Barnett	11792
LTD	11887



- 20 csg set @ 388 with 700 cmt sx
7. Perf'd @ 580'. Sqz'd 380 sx class C cmt to surface. Circulated to surface in 9 5/8 & 13 3/8.
- 13 3/8 csg set @ 1,275 with 1,025 cmt sx
6. Perf'd @ 1340'. Established injection rate & circulation in in 9 5/8 & 13 3/8". Sqz'd 100 sx class C cmt @ 1340-1212'. WOC & Tagged plug @ 1145'
- 9 5/8 csg set @ 3,000 with 1,305 cmt sx
5. Perf'd @ 3050'. Pressured up on perfs to 500 PSI. Spotted 65 sx class C cmt @ 3177-2527'. WOC & Tagged @ 2522'.
4. Spotted 25 sx class C cmt @ 5782-5532'. WOC & tagged plug @ 5482'.
3. Set 5 1/2 @ 7568'. Circ'd hole w/ MLF & 44 sx salt gel. Spotted 25 sx class H cmt @ 7568-7336'. WOC & Tagged plug @ 7320'.
CIBP @ 7946' w/ 35' cmt dump bailed
Perfs @ 7618-7668'
2. Spotted 25 sx class H cmt @ 9194-8962'. WOC & Tagged plug @ 8955'.
1. Tagged existing CIBP @ 11,025'. Circ'd hole w/ 80 nnls MLF & 20 sxs of salt gel. Spotted 25 sx class H cmt @ 11,025-10,793'. WOC & Tagged @ 10,750'.
CIBP @ 11,025'
Perfs @ 11090-11510'

5 1/2 csg set @ 11,890 with 2,750 cmt sx

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 321017

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 321017
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	4/4/2024