

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 4/5/22
⁴ API Number 30-015-46720	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 326251	⁸ Property Name Mr Potato Head 11-14 Fed Com	⁹ Well Number 712H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	11	24S	29E		350	North	1986	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	14	24S	29E		114	South	2064	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/5/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil

IV. Well Completion Data

²¹ Spud Date 10/4/21	²² Ready Date 4/5/22	²³ TD 20500	²⁴ PBSD 20,482 MD/10,478 TVD	²⁵ Perforations 10737 - 20469	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	409	470 sx CIC; Circ 181 sx		
9-7/8"	8-5/8"	9468	700 sx CIC & POZ MIX; Circ 0		
7-7/8"	5-1/2"	20484	2291 sx CIG; Circ 164 sx		
	Tubing:	0			

V. Well Test Data

³¹ Date New Oil 4/14/22	³² Gas Delivery Date 4/14/22	³³ Test Date 4/14/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure 2157 psi
³⁷ Choke Size	³⁸ Oil 2398 bbl	³⁹ Water 5208 bbl	⁴⁰ Gas 5207 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dm.com			Approval Date: 4/17/2024		
Date: 5/4/2022		Phone: 405-552-3513			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46720	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 326251	⁵ Property Name MR POTATO HEAD 11-14 FED COM	⁶ Well Number 712H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3073.6

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	11	24 S	29 E		350	NORTH	1986	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	14	24 S	29 E		114	SOUTH	2064	WEST	EDDY

¹² Dedicated Acres 1280	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Shayda Omoumi</i> 4/12/2022 Signature Date Shayda Omoumi Printed Name shayda.omoumi@dvn.com E-mail Address 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. APRIL 5, 2022 Date of Survey <i>Shayda Omoumi</i> Signature and Seal of Professional Surveyor Certificate Number: 12797 Survey No. 7029D
--	--

Intent ☐ As Drilled ☒

API # 30-015-46720		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: MR POTATO HEAD 11-14 FED COM	Well Number 712H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	11	24S	29E		242	NORTH	2060	WEST	EDDY
Latitude 32.2387590					Longitude 103.9571223				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	11	24S	29E		746	NORTH	2077	WEST	EDDY
Latitude 32.2373740					Longitude 103.9570656				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
N	14	24S	29E		145	SOUTH	2065	WEST	EDDY
Latitude 32.2106492					Longitude 103.9570740				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-46722		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: MR POTATO HEAD 11-14 FED COM	Well Number 623H

KZ 06/29/2018

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 712H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Well:	Mr Potato Head 11-14 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Mr Potato Head 11-14 Fed Com			
Site Position:		Northing:	451,030.14 usft	Latitude:	32.239417
From:	Map	Easting:	655,595.01 usft	Longitude:	-103.963784
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.20 °

Well	Mr Potato Head 11-14 Fed Com 712H					
Well Position	+N/-S	0.00 usft	Northing:	450,689.49 usft	Latitude:	32.238462
	+E/-W	0.00 usft	Easting:	657,582.27 usft	Longitude:	-103.957361
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,073.60 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	9/17/2021	6.69	59.85	47,438.19356482

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	179.30	

Survey Program	Date	12/6/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
148.00	20,500.00	Survey #1 (Wellbore #1)	OWSG (Rev2) MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	450,689.49	657,582.27	32.238462	-103.957361
148.00	1.40	87.10	147.99	0.09	1.81	450,689.58	657,584.08	32.238462	-103.957355
211.00	2.20	82.10	210.95	0.30	3.77	450,689.79	657,586.05	32.238463	-103.957349
306.00	3.20	82.60	305.85	0.89	8.21	450,690.38	657,590.48	32.238464	-103.957334
350.00	3.60	81.70	349.77	1.25	10.79	450,690.74	657,593.07	32.238465	-103.957326
426.00	3.60	80.80	425.62	1.97	15.51	450,691.46	657,597.78	32.238467	-103.957311
521.00	3.80	49.10	520.43	4.51	20.83	450,694.00	657,603.11	32.238474	-103.957293
616.00	3.40	7.70	615.26	9.36	23.59	450,698.85	657,605.87	32.238488	-103.957284
711.00	3.80	350.20	710.07	15.26	23.43	450,704.75	657,605.71	32.238504	-103.957285
806.00	3.90	350.30	804.86	21.54	22.35	450,711.03	657,604.63	32.238521	-103.957288
901.00	1.00	331.30	899.76	25.46	21.41	450,714.95	657,603.68	32.238532	-103.957291
995.00	0.40	243.90	993.76	26.03	20.72	450,715.52	657,603.00	32.238533	-103.957294

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 712H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Well:	Mr Potato Head 11-14 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,091.00	0.40	272.30	1,089.76	25.90	20.08	450,715.39	657,602.36	32.238533	-103.957296
1,186.00	0.70	303.20	1,184.75	26.23	19.27	450,715.72	657,601.54	32.238534	-103.957298
1,281.00	0.90	298.70	1,279.74	26.91	18.13	450,716.40	657,600.40	32.238536	-103.957302
1,375.00	1.40	301.30	1,373.72	27.86	16.50	450,717.35	657,598.77	32.238539	-103.957307
1,470.00	1.50	303.00	1,468.69	29.14	14.46	450,718.63	657,596.74	32.238542	-103.957314
1,565.00	1.40	306.20	1,563.66	30.50	12.49	450,719.99	657,594.76	32.238546	-103.957320
1,660.00	1.10	309.80	1,658.64	31.77	10.85	450,721.26	657,593.12	32.238549	-103.957325
1,755.00	1.10	302.00	1,753.62	32.84	9.37	450,722.33	657,591.65	32.238552	-103.957330
1,850.00	1.30	292.80	1,848.60	33.74	7.61	450,723.23	657,589.88	32.238555	-103.957336
1,946.00	1.30	292.20	1,944.58	34.57	5.60	450,724.06	657,587.87	32.238557	-103.957342
2,041.00	1.60	3.00	2,039.55	36.30	4.67	450,725.79	657,586.94	32.238562	-103.957345
2,136.00	2.70	30.00	2,134.49	39.56	5.86	450,729.05	657,588.13	32.238571	-103.957341
2,231.00	2.80	31.00	2,229.38	43.49	8.17	450,732.98	657,590.44	32.238582	-103.957334
2,326.00	2.50	30.30	2,324.28	47.27	10.41	450,736.76	657,592.68	32.238592	-103.957327
2,422.00	2.40	39.60	2,420.19	50.62	12.75	450,740.11	657,595.02	32.238601	-103.957319
2,517.00	2.40	51.90	2,515.11	53.38	15.58	450,742.87	657,597.86	32.238609	-103.957310
2,612.00	2.40	29.30	2,610.02	56.35	18.12	450,745.84	657,600.39	32.238617	-103.957302
2,707.00	2.30	34.40	2,704.94	59.65	20.17	450,749.14	657,602.44	32.238626	-103.957295
2,803.00	2.10	49.00	2,800.87	62.40	22.59	450,751.89	657,604.86	32.238633	-103.957287
2,898.00	2.40	30.20	2,895.80	65.26	24.90	450,754.75	657,607.17	32.238641	-103.957280
2,993.00	2.60	29.70	2,990.71	68.85	26.97	450,758.34	657,609.24	32.238651	-103.957273
3,088.00	2.20	25.20	3,085.63	72.37	28.81	450,761.86	657,611.09	32.238661	-103.957267
3,184.00	1.90	19.00	3,181.57	75.54	30.11	450,765.03	657,612.39	32.238669	-103.957263
3,279.00	1.90	16.30	3,276.52	78.54	31.07	450,768.03	657,613.34	32.238678	-103.957260
3,374.00	1.90	13.60	3,371.46	81.59	31.88	450,771.08	657,614.16	32.238686	-103.957257
3,469.00	1.90	9.60	3,466.41	84.67	32.51	450,774.16	657,614.79	32.238695	-103.957255
3,565.00	1.80	4.30	3,562.36	87.74	32.89	450,777.23	657,615.17	32.238703	-103.957253
3,660.00	1.80	1.20	3,657.31	90.72	33.04	450,780.21	657,615.31	32.238711	-103.957253
3,755.00	2.10	0.00	3,752.26	93.95	33.07	450,783.44	657,615.34	32.238720	-103.957253
3,851.00	3.60	22.00	3,848.14	98.51	34.20	450,788.00	657,616.47	32.238733	-103.957249
3,946.00	4.70	29.30	3,942.89	104.67	37.22	450,794.16	657,619.49	32.238749	-103.957239
4,042.00	4.40	23.50	4,038.59	111.47	40.61	450,800.96	657,622.89	32.238768	-103.957228
4,137.00	4.80	30.80	4,133.28	118.23	44.10	450,807.72	657,626.37	32.238787	-103.957217
4,233.00	5.20	35.00	4,228.92	125.24	48.65	450,814.73	657,630.93	32.238806	-103.957202
4,328.00	5.30	32.70	4,323.52	132.46	53.49	450,821.95	657,635.77	32.238826	-103.957186
4,424.00	5.20	31.00	4,419.12	139.92	58.13	450,829.41	657,640.40	32.238846	-103.957171
4,519.00	5.10	28.50	4,513.73	147.32	62.36	450,836.81	657,644.63	32.238866	-103.957158
4,614.00	4.10	31.70	4,608.43	153.92	66.16	450,843.41	657,648.43	32.238885	-103.957145
4,709.00	3.40	37.00	4,703.22	159.06	69.64	450,848.55	657,651.91	32.238899	-103.957134
4,804.00	3.10	38.30	4,798.07	163.33	72.93	450,852.82	657,655.20	32.238910	-103.957123
4,899.00	1.50	23.90	4,892.99	166.48	75.02	450,855.97	657,657.30	32.238919	-103.957116
4,995.00	1.10	342.06	4,988.97	168.51	75.25	450,858.00	657,657.52	32.238925	-103.957116
5,090.00	0.80	341.40	5,083.95	170.00	74.76	450,859.49	657,657.03	32.238929	-103.957117
5,185.00	0.80	348.80	5,178.95	171.28	74.41	450,860.77	657,656.69	32.238932	-103.957118
5,280.00	0.70	343.30	5,273.94	172.49	74.12	450,861.98	657,656.39	32.238936	-103.957119
5,376.00	0.50	339.10	5,369.93	173.44	73.80	450,862.93	657,656.08	32.238938	-103.957120
5,471.00	0.30	309.20	5,464.93	173.99	73.46	450,863.48	657,655.74	32.238940	-103.957121
5,566.00	0.30	260.10	5,559.93	174.10	73.02	450,863.59	657,655.30	32.238940	-103.957123
5,661.00	0.40	272.00	5,654.93	174.07	72.45	450,863.56	657,654.72	32.238940	-103.957125
5,756.00	0.60	264.60	5,749.92	174.04	71.62	450,863.53	657,653.89	32.238940	-103.957127
5,852.00	0.80	251.60	5,845.92	173.78	70.48	450,863.27	657,652.76	32.238939	-103.957131
5,947.00	0.80	256.50	5,940.91	173.41	69.21	450,862.90	657,651.48	32.238938	-103.957135
6,042.00	1.00	248.00	6,035.89	172.95	67.80	450,862.44	657,650.07	32.238937	-103.957140
6,137.00	1.20	242.10	6,130.88	172.17	66.15	450,861.66	657,648.42	32.238935	-103.957145
6,232.00	1.10	233.90	6,225.86	171.17	64.53	450,860.66	657,646.81	32.238932	-103.957150

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 712H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Well:	Mr Potato Head 11-14 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,327.00	1.30	231.90	6,320.84	169.97	62.95	450,859.46	657,645.22	32.238929	-103.957155
6,422.00	1.20	225.40	6,415.81	168.60	61.39	450,858.09	657,643.67	32.238925	-103.957160
6,518.00	0.80	212.70	6,511.80	167.33	60.31	450,856.82	657,642.59	32.238921	-103.957164
6,613.00	0.70	197.40	6,606.79	166.22	59.78	450,855.71	657,642.06	32.238918	-103.957166
6,708.00	0.80	187.50	6,701.78	165.01	59.52	450,854.50	657,641.80	32.238915	-103.957167
6,803.00	0.80	199.00	6,796.77	163.72	59.22	450,853.21	657,641.49	32.238912	-103.957167
6,898.00	0.80	198.50	6,891.77	162.47	58.79	450,851.96	657,641.07	32.238908	-103.957169
6,994.00	1.00	181.80	6,987.75	161.00	58.55	450,850.49	657,640.83	32.238904	-103.957170
7,089.00	1.20	180.40	7,082.74	159.17	58.52	450,848.66	657,640.80	32.238899	-103.957170
7,184.00	1.20	172.60	7,177.72	157.19	58.64	450,846.68	657,640.92	32.238894	-103.957169
7,279.00	1.30	174.10	7,272.69	155.13	58.88	450,844.62	657,641.16	32.238888	-103.957169
7,374.00	2.20	166.70	7,367.65	152.29	59.41	450,841.78	657,641.69	32.238880	-103.957167
7,469.00	3.10	162.90	7,462.55	148.06	60.59	450,837.55	657,642.86	32.238869	-103.957163
7,565.00	3.50	157.40	7,558.39	142.87	62.48	450,832.36	657,644.75	32.238854	-103.957157
7,660.00	3.10	155.50	7,653.23	137.86	64.65	450,827.35	657,646.93	32.238840	-103.957150
7,755.00	2.70	151.20	7,748.11	133.56	66.80	450,823.05	657,649.07	32.238829	-103.957143
7,850.00	1.80	140.00	7,843.03	130.45	68.84	450,819.94	657,651.11	32.238820	-103.957137
7,945.00	1.90	138.30	7,937.98	128.13	70.84	450,817.62	657,653.12	32.238814	-103.957130
8,040.00	1.90	141.10	8,032.93	125.73	72.88	450,815.22	657,655.15	32.238807	-103.957124
8,136.00	1.80	146.10	8,128.88	123.24	74.72	450,812.73	657,656.99	32.238800	-103.957118
8,231.00	1.70	155.00	8,223.84	120.73	76.15	450,810.22	657,658.42	32.238793	-103.957113
8,327.00	2.00	155.40	8,319.79	117.91	77.45	450,807.40	657,659.72	32.238785	-103.957109
8,422.00	1.80	143.90	8,414.73	115.20	79.01	450,804.69	657,661.29	32.238778	-103.957104
8,518.00	0.60	152.60	8,510.71	113.54	80.13	450,803.03	657,662.41	32.238773	-103.957100
8,612.00	0.90	186.60	8,604.70	112.37	80.28	450,801.86	657,662.55	32.238770	-103.957100
8,708.00	1.10	197.40	8,700.69	110.74	79.91	450,800.23	657,662.19	32.238766	-103.957101
8,803.00	0.80	196.60	8,795.68	109.23	79.45	450,798.72	657,661.73	32.238762	-103.957103
8,898.00	0.60	0.80	8,890.67	109.09	79.27	450,798.58	657,661.54	32.238761	-103.957103
8,993.00	0.40	56.10	8,985.67	109.78	79.55	450,799.27	657,661.83	32.238763	-103.957102
9,088.00	0.30	68.00	9,080.67	110.05	80.06	450,799.54	657,662.33	32.238764	-103.957101
9,183.00	0.50	294.50	9,175.67	110.32	79.91	450,799.81	657,662.19	32.238765	-103.957101
9,278.00	1.20	256.70	9,270.66	110.26	78.57	450,799.75	657,660.84	32.238764	-103.957106
9,374.00	1.50	255.00	9,366.63	109.71	76.37	450,799.20	657,658.65	32.238763	-103.957113
9,428.00	1.80	243.40	9,420.61	109.14	74.93	450,798.63	657,657.21	32.238761	-103.957117
9,500.00	2.00	243.20	9,492.57	108.07	72.80	450,797.56	657,655.07	32.238758	-103.957124
9,595.00	2.10	236.40	9,587.51	106.36	69.87	450,795.85	657,652.15	32.238754	-103.957134
9,691.00	1.70	243.90	9,683.46	104.76	67.13	450,794.25	657,649.40	32.238749	-103.957143
9,786.00	1.20	246.60	9,778.42	103.75	64.95	450,793.24	657,647.22	32.238747	-103.957150
9,881.00	0.90	262.40	9,873.41	103.25	63.30	450,792.74	657,645.57	32.238745	-103.957155
9,976.00	1.50	187.50	9,968.39	101.92	62.39	450,791.41	657,644.67	32.238742	-103.957158
KOP @ 9976' MD, 249' FNL, 2049' FWL									
10,071.00	15.00	175.10	10,062.19	88.38	63.29	450,777.87	657,645.56	32.238704	-103.957155
10,166.00	24.90	174.20	10,151.38	56.15	66.36	450,745.64	657,648.64	32.238616	-103.957146
10,262.00	37.10	176.10	10,233.52	6.97	70.39	450,696.46	657,652.67	32.238481	-103.957133
10,357.00	45.10	176.30	10,305.05	-55.29	74.52	450,634.20	657,656.79	32.238309	-103.957120
10,452.00	60.00	175.70	10,362.65	-130.31	79.80	450,559.18	657,662.08	32.238103	-103.957104
10,547.00	65.80	175.80	10,405.91	-214.62	86.07	450,474.87	657,668.34	32.237871	-103.957085
10,642.00	73.70	178.80	10,438.77	-303.57	90.20	450,385.92	657,672.48	32.237627	-103.957073
10,737.00	77.70	178.20	10,462.23	-395.57	92.62	450,293.92	657,674.89	32.237374	-103.957066
10,828.00	82.30	180.30	10,478.03	-485.15	93.78	450,204.34	657,676.05	32.237128	-103.957063
10,923.00	89.40	180.60	10,484.90	-579.84	93.03	450,109.65	657,675.31	32.236867	-103.957067
11,018.00	88.50	179.70	10,486.64	-674.82	92.78	450,014.67	657,675.06	32.236606	-103.957068
11,113.00	91.10	179.40	10,486.97	-769.81	93.53	449,919.68	657,675.80	32.236345	-103.957067
11,208.00	91.40	179.20	10,484.90	-864.78	94.69	449,824.71	657,676.96	32.236084	-103.957064
11,303.00	92.00	179.80	10,482.08	-959.73	95.52	449,729.76	657,677.79	32.235823	-103.957063

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 712H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Well:	Mr Potato Head 11-14 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,398.00	91.10	179.90	10,479.51	-1,054.70	95.77	449,634.79	657,678.04	32.235562	-103.957063
11,494.00	89.40	180.50	10,479.10	-1,150.69	95.43	449,538.80	657,677.71	32.235298	-103.957065
11,589.00	90.10	180.80	10,479.51	-1,245.68	94.35	449,443.81	657,676.63	32.235037	-103.957070
11,684.00	88.20	181.80	10,480.92	-1,340.64	92.20	449,348.85	657,674.47	32.234776	-103.957078
11,779.00	87.50	182.40	10,484.48	-1,435.51	88.72	449,253.98	657,671.00	32.234515	-103.957090
11,874.00	87.30	182.40	10,488.79	-1,530.33	84.75	449,159.16	657,667.02	32.234255	-103.957104
11,970.00	88.90	181.70	10,491.98	-1,626.21	81.31	449,063.28	657,663.59	32.233991	-103.957116
12,065.00	89.90	180.80	10,492.97	-1,721.18	79.24	448,968.31	657,661.52	32.233730	-103.957124
12,160.00	90.90	180.50	10,492.31	-1,816.17	78.16	448,873.32	657,660.44	32.233469	-103.957129
12,255.00	90.90	180.90	10,490.82	-1,911.15	77.00	448,778.34	657,659.28	32.233208	-103.957133
12,350.00	90.20	180.60	10,489.90	-2,006.14	75.76	448,683.35	657,658.04	32.232947	-103.957139
12,445.00	89.90	179.70	10,489.82	-2,101.14	75.51	448,588.35	657,657.79	32.232686	-103.957140
12,540.00	88.60	179.50	10,491.06	-2,196.13	76.18	448,493.36	657,658.45	32.232425	-103.957139
12,635.00	88.90	179.70	10,493.14	-2,291.10	76.84	448,398.39	657,659.11	32.232163	-103.957138
12,731.00	90.20	179.90	10,493.89	-2,387.10	77.17	448,302.39	657,659.45	32.231900	-103.957138
12,826.00	91.80	179.50	10,492.23	-2,482.08	77.67	448,207.41	657,659.95	32.231639	-103.957138
12,921.00	89.60	179.90	10,491.07	-2,577.06	78.17	448,112.43	657,660.44	32.231377	-103.957137
13,016.00	88.90	180.00	10,492.32	-2,672.05	78.25	448,017.44	657,660.53	32.231116	-103.957138
13,111.00	88.80	180.50	10,494.22	-2,767.03	77.84	447,922.46	657,660.11	32.230855	-103.957140
13,207.00	89.30	180.40	10,495.81	-2,863.02	77.08	447,826.47	657,659.36	32.230591	-103.957144
13,302.00	89.60	179.70	10,496.73	-2,958.01	77.00	447,731.48	657,659.27	32.230330	-103.957145
13,397.00	88.70	179.40	10,498.13	-3,053.00	77.75	447,636.49	657,660.02	32.230069	-103.957144
13,492.00	91.30	179.50	10,498.13	-3,147.98	78.66	447,541.51	657,660.93	32.229808	-103.957142
13,587.00	91.30	179.50	10,495.98	-3,242.96	79.49	447,446.53	657,661.76	32.229547	-103.957141
13,682.00	91.10	179.10	10,493.99	-3,337.93	80.65	447,351.56	657,662.92	32.229286	-103.957138
13,777.00	91.60	180.40	10,491.75	-3,432.90	81.06	447,256.59	657,663.34	32.229025	-103.957138
13,873.00	88.90	179.40	10,491.33	-3,528.89	81.23	447,160.60	657,663.50	32.228761	-103.957138
13,968.00	88.40	180.50	10,493.57	-3,623.86	81.31	447,065.63	657,663.59	32.228500	-103.957139
14,063.00	86.20	179.80	10,498.05	-3,718.75	81.06	446,970.74	657,663.34	32.228239	-103.957141
14,158.00	91.00	180.00	10,500.37	-3,813.69	81.23	446,875.80	657,663.50	32.227978	-103.957141
14,253.00	89.40	179.00	10,500.03	-3,908.68	82.06	446,780.81	657,664.33	32.227717	-103.957140
14,348.00	93.30	179.40	10,497.80	-4,003.63	83.38	446,685.86	657,665.66	32.227456	-103.957137
14,444.00	93.70	179.80	10,491.94	-4,099.45	84.05	446,590.04	657,666.33	32.227193	-103.957135
14,539.00	92.70	180.30	10,486.63	-4,194.30	83.97	446,495.19	657,666.24	32.226932	-103.957137
14,634.00	89.80	179.10	10,484.56	-4,289.26	84.47	446,400.23	657,666.74	32.226671	-103.957136
14,729.00	88.30	178.60	10,486.14	-4,384.23	86.37	446,305.26	657,668.65	32.226410	-103.957131
14,824.00	88.00	178.30	10,489.20	-4,479.14	88.94	446,210.35	657,671.22	32.226149	-103.957124
14,919.00	90.10	178.50	10,490.78	-4,574.09	91.59	446,115.40	657,673.87	32.225888	-103.957116
15,014.00	90.00	180.20	10,490.69	-4,669.08	92.67	446,020.41	657,674.95	32.225627	-103.957114
15,110.00	89.20	181.30	10,491.37	-4,765.06	91.41	445,924.43	657,673.69	32.225363	-103.957119
15,205.00	89.90	181.70	10,492.11	-4,860.03	88.93	445,829.46	657,671.20	32.225102	-103.957128
15,300.00	89.60	179.90	10,492.53	-4,955.01	87.60	445,734.48	657,669.88	32.224841	-103.957134
15,306.00	89.77	179.88	10,492.56	-4,961.01	87.61	445,728.48	657,669.89	32.224824	-103.957134
X SEC @ 15306' MD, 0' FNL, 2073' FWL									
15,395.00	92.30	179.60	10,490.95	-5,049.99	88.02	445,639.50	657,670.29	32.224580	-103.957133
15,490.00	95.00	181.40	10,484.90	-5,144.78	87.19	445,544.71	657,669.47	32.224319	-103.957137
15,585.00	93.50	180.90	10,477.86	-5,239.50	85.29	445,449.99	657,667.56	32.224059	-103.957144
15,681.00	89.50	180.80	10,475.35	-5,335.43	83.87	445,354.06	657,666.14	32.223795	-103.957150
15,776.00	88.50	180.70	10,477.01	-5,430.41	82.62	445,259.08	657,664.90	32.223534	-103.957155
15,871.00	88.00	180.90	10,479.91	-5,525.36	81.30	445,164.13	657,663.57	32.223273	-103.957161
15,966.00	88.70	179.20	10,482.65	-5,620.31	81.22	445,069.18	657,663.49	32.223012	-103.957162
16,061.00	89.30	179.60	10,484.30	-5,715.29	82.21	444,974.20	657,664.48	32.222751	-103.957160
16,157.00	91.00	179.40	10,484.05	-5,811.29	83.05	444,878.20	657,665.32	32.222487	-103.957158
16,252.00	89.90	178.90	10,483.31	-5,906.27	84.46	444,783.22	657,666.73	32.222226	-103.957155
16,347.00	90.10	179.40	10,483.31	-6,001.26	85.87	444,688.23	657,668.14	32.221965	-103.957151

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 712H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Well:	Mr Potato Head 11-14 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,442.00	93.20	180.90	10,480.57	-6,096.21	85.62	444,593.28	657,667.89	32.221704	-103.957153
16,537.00	91.00	180.90	10,477.09	-6,191.12	84.13	444,498.37	657,666.40	32.221443	-103.957159
16,632.00	93.30	180.80	10,473.53	-6,286.04	82.72	444,403.45	657,664.99	32.221182	-103.957165
16,727.00	91.30	179.60	10,469.71	-6,380.96	82.39	444,308.53	657,664.66	32.220921	-103.957167
16,823.00	90.30	180.10	10,468.37	-6,476.95	82.64	444,212.54	657,664.91	32.220657	-103.957167
16,918.00	90.80	181.00	10,467.46	-6,571.94	81.73	444,117.55	657,664.00	32.220396	-103.957171
17,013.00	88.30	180.00	10,468.21	-6,666.92	80.90	444,022.57	657,663.17	32.220135	-103.957175
17,108.00	87.60	180.80	10,471.61	-6,761.86	80.24	443,927.63	657,662.51	32.219874	-103.957178
17,203.00	88.30	179.80	10,475.00	-6,856.79	79.74	443,832.70	657,662.01	32.219613	-103.957181
17,299.00	89.60	182.00	10,476.76	-6,952.76	78.23	443,736.73	657,660.51	32.219349	-103.957187
17,394.00	89.80	179.20	10,477.26	-7,047.74	77.24	443,641.75	657,659.51	32.219088	-103.957191
17,489.00	89.60	181.00	10,477.76	-7,142.73	77.07	443,546.76	657,659.35	32.218827	-103.957192
17,584.00	89.80	178.80	10,478.26	-7,237.73	77.24	443,451.76	657,659.51	32.218566	-103.957193
17,679.00	87.80	176.30	10,480.25	-7,332.61	81.30	443,356.88	657,663.57	32.218305	-103.957181
17,775.00	88.20	177.40	10,483.60	-7,428.40	86.57	443,261.09	657,668.84	32.218042	-103.957165
17,870.00	90.60	178.90	10,484.59	-7,523.34	89.63	443,166.15	657,671.91	32.217781	-103.957156
17,965.00	89.40	177.80	10,484.59	-7,618.30	92.37	443,071.19	657,674.64	32.217520	-103.957148
18,060.00	87.70	176.20	10,486.99	-7,713.13	97.34	442,976.36	657,679.61	32.217259	-103.957133
18,155.00	90.40	177.30	10,488.57	-7,807.95	102.72	442,881.54	657,685.00	32.216998	-103.957117
18,250.00	92.20	177.10	10,486.41	-7,902.81	107.36	442,786.68	657,689.64	32.216737	-103.957103
18,346.00	92.30	177.10	10,482.65	-7,998.61	112.21	442,690.88	657,694.49	32.216474	-103.957089
18,440.00	92.00	176.60	10,479.12	-8,092.40	117.38	442,597.09	657,699.65	32.216216	-103.957073
18,536.00	91.30	177.40	10,476.35	-8,188.23	122.40	442,501.26	657,704.67	32.215953	-103.957058
18,631.00	90.20	178.40	10,475.11	-8,283.16	125.88	442,406.33	657,708.15	32.215692	-103.957048
18,726.00	89.20	178.30	10,475.61	-8,378.12	128.61	442,311.37	657,710.89	32.215431	-103.957040
18,821.00	90.70	180.20	10,475.69	-8,473.10	129.86	442,216.39	657,712.13	32.215170	-103.957037
18,916.00	90.00	181.20	10,475.11	-8,568.09	128.70	442,121.40	657,710.97	32.214909	-103.957042
19,011.00	89.70	180.80	10,475.36	-8,663.07	127.04	442,026.42	657,709.31	32.214647	-103.957048
19,106.00	87.60	180.90	10,477.60	-8,758.03	125.63	441,931.46	657,707.91	32.214386	-103.957054
19,202.00	86.00	180.90	10,482.96	-8,853.87	124.13	441,835.62	657,706.40	32.214123	-103.957060
19,297.00	86.20	180.30	10,489.42	-8,948.64	123.13	441,740.85	657,705.41	32.213862	-103.957064
19,392.00	87.70	179.30	10,494.47	-9,043.50	123.46	441,645.99	657,705.74	32.213602	-103.957064
19,487.00	90.40	178.40	10,496.05	-9,138.46	125.37	441,551.03	657,707.65	32.213341	-103.957059
19,582.00	91.90	179.40	10,494.14	-9,233.42	127.19	441,456.07	657,709.47	32.213080	-103.957054
19,677.00	92.80	179.50	10,490.25	-9,328.34	128.11	441,361.15	657,710.38	32.212819	-103.957052
19,757.00	92.70	179.30	10,486.41	-9,408.24	128.94	441,281.25	657,711.22	32.212599	-103.957050
19,772.00	93.50	178.80	10,485.60	-9,423.21	129.19	441,266.28	657,711.47	32.212558	-103.957050
19,867.00	92.20	179.50	10,480.87	-9,518.08	130.60	441,171.41	657,712.87	32.212297	-103.957046
19,963.00	92.80	179.50	10,476.69	-9,613.99	131.43	441,075.50	657,713.71	32.212033	-103.957045
20,058.00	90.90	180.40	10,473.62	-9,708.93	131.52	440,980.56	657,713.79	32.211772	-103.957045
20,153.00	89.40	180.90	10,473.37	-9,803.92	130.44	440,885.57	657,712.71	32.211511	-103.957050
20,248.00	89.40	180.90	10,474.36	-9,898.91	128.95	440,790.58	657,711.22	32.211250	-103.957056
20,343.00	89.00	181.10	10,475.69	-9,993.88	127.29	440,695.61	657,709.56	32.210989	-103.957062
20,443.00	89.00	181.70	10,477.44	-10,093.84	124.85	440,595.65	657,707.12	32.210714	-103.957071
20,500.00	89.00	181.70	10,478.43	-10,150.80	123.16	440,538.69	657,705.43	32.210558	-103.957078
PBHL & LTP @ 20500' MD, 112' FSL, 2063' FWL									

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Mr Potato Head 11-14 Fed Com 712H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Site:	Mr Potato Head 11-14 Fed Com	MD Reference:	GE 3073.6' + KB 25' @ 3098.60usft
Well:	Mr Potato Head 11-14 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
9,976.00	9,968.39	101.92	62.39	KOP @ 9976' MD, 249' FNL, 2049' FWL	
15,306.00	10,492.56	-4,961.01	87.61	X SEC @ 15306' MD, 0' FNL, 2073' FWL	
20,500.00	10,478.43	-10,150.80	123.16	PBHL & LTP @ 20500' MD, 112' FSL, 2063' FWL	

Checked By: _____

Approved By: _____

Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-46720
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Mr Potato Head 11-14 Fed Com
4. Well Location Unit Letter C : 350 feet from the North line and 1986 feet from the West line Section 11 Township 24S Range 29E NMPM County Eddy		8. Well Number 712H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3073.6'		9. OGRID Number 6137
		10. Pool name or Wildcat PURPLE SAGE; WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 10737'-20469', total 1474 holes. Frac totals 24,991,145# proppant, 44 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 20482' MD/10478' TVD. CHC, FWB, ND BOP. Tubing will be run at later date. TOP 4/5/2022.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 5/4/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmr.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-015-46720						
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Mr Potato Head 11-14 Fed Com 6. Well Number: 712H				
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
Devon Energy Production Company, L.P.						6137				
10. Address of Operator						11. Pool name or Wildcat				
333 West Sheridan Avenue, Oklahoma City, OK 73102						PURPLE SAGE; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	11	24S	29E		350	North	1986	West	Eddy
BH:	N	14	24S	29E		114	South	2064	West	Eddy
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		3073.6' GL		
10/4/21	11/22/21	11/25/21		4/5/22						
18. Total Measured Depth of Well			19. Plug Back Measured Depth		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run			
20500 MD, 10478 TVD			20,482 MD/10,478 TVD		Yes		RBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name										
10737-20469, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		409		17-1/2"		470 sx CIC; circ 181 sx		
8-5/8"		32		9468		9-7/8"		700 sx CIC & POZ MIX; circ 0		
5-1/2"		20		20484		7-7/8"		2291 sx CIC; circ 164 sx		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE	DEPTH SET	PACKER SET		
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
10737 - 20469, total 1474 holes						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10737-20469		Acidize and frac in 50 stages. See detailed summary attached.		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
4/5/22		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
4/14/22	24			2398	5207	5208	2171.392827			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
psi	2157 psi									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Shayda Omoumi		Title		Regulatory Compliance Associate		Date 5/4/2022
E-mail Address		shayda.omoumi@dvn.com								

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 234			
Salt - 523			
Base of Salt - 2954			
Lamar - 3192			
Delaware - 3220			
Cherry Canyon - 4045			
Brushy Canyon - 5663			
1st Bone Spring Lime - 6916			
1st Bone Spring Sand - 7947			
2nd Bone Spring Sand - 8762			
3rd Bone Spring Lime - 9098			
3rd Bone Spring Sand - 9895			
Wolfcamp - 10221			
Strawn - 11915			

No. 1, from..... N/A..... to..... N/A.....
No. 2, from..... N/A..... to..... N/A.....
No. 3, from..... N/A..... to..... N/A.....
No. 4, from..... N/A..... to..... N/A.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 329284

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 329284
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 329284

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 329284
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/17/2024