

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. PO BOX 50250 MIDLAND, TX 79710		² OGRID Number 16696
		³ Reason for Filing Code/ Effective Date NW - 10/17/2023
⁴ API Number 30 - 0 25-51698	⁵ Pool Name RED TANK; BONE SPRING, EAST	
		⁶ Pool Code 51687
⁷ Property Code 325625	⁸ Property Name AVOGATO 30 31 STATE COM	⁹ Well Number 72H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	30	22S	33E		420	North	2295	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	31	22S	33E		51	South	2095	West	Lea
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 10/23/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	Centerion Pipeline, L.P.	O
248749	DCP Midstream, L.P.	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
7/22/2023	10/17/2023	21566' MD; 11394' TVD	21522' MD, 11393' TVD	11611-21356	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2"	13 3/8" 54.5# J55	1075'	1103sx - TOC 0'		
12 1/4"	7 5/8" 29.7# HCL80	11075'	4529sx - TOC 0'		
6 3/4"	5 1/2" 20# P110	21546'	809sx - TOC 10539'		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
10/23/2023	10/23/2023	10/31/2023	24 hours		242
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
0	819	1531	911		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Sarah McKinney</i>			OIL CONSERVATION DIVISION		
Printed name: Sarah McKinney			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: Regulatory Analyst Sr.			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: sarah_mckinney@oxy.com			Approval Date: <i>4/25/2024</i>		
Date: 12/20/2023		Phone: 713-215-7295			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
As-Drilled Plat

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-51698		Pool Code 51687	Pool Name RED TANK; BONE SPRING, EAST
Property Code 325625	Property Name AVOGATO 30_31 STATE COM		Well Number 72H
OGRID No. 16696	Operator Name OXY USA INC.		Elevation 3695.3'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	30	22-S	33-E		420	NORTH	2295	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	31	22-S	33-E		51	SOUTH	2095	WEST	LEA
Dedicated Acres 613.28	Joint or Infill Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

SEE PAGE 2



OXY USA INC.

Lea County, NM (NAD83-NME)

Avogato 30_31

Avogato 30_31 State Com 72H

OH / 72821

Design: Surveys (H&P 466)

Standard Survey Report

29 August, 2023





Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Avogato 30_31 State Com 72H
Project:	Lea County, NM (NAD83-NME)	TVD Reference:	RKB @ 3720.30usft (H&P 466)
Site:	Avogato 30_31	MD Reference:	RKB @ 3720.30usft (H&P 466)
Well:	Avogato 30_31 State Com 72H	North Reference:	Grid
Wellbore:	OH / 72821	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 466)	Database:	USAEDMDB

Project	Lea County, NM (NAD83-NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Avogato 30_31		
Site Position:		Northing:	498,699.30 usft
From:	Map	Easting:	763,833.80 usft
Position Uncertainty:	1.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 22' 8.165438 N
		Longitude:	103° 36' 45.659808 W

Well	Avogato 30_31 State Com 72H		
Well Position	+N/-S	0.00 usft	Northing: 498,699.20 usft
	+E/-W	0.00 usft	Easting: 763,933.40 usft
Position Uncertainty	2.00 usft	Wellhead Elevation:	usft
Grid Convergence:	0.386 °	Ground Level:	3,695.30 usft

Wellbore	OH / 72821				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IFR	7/19/2023	6.366	59.949	47,664.00000000

Design	Surveys (H&P 466)				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	180.69	

Survey Program	Date	8/29/2023			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
230.00	982.00	Phoenix MWD Surveys - SQC Final 1 (OH	A009Mb_MWD+IFR1+SA	OWSG MWD + IFR1 + Sag Correction	
1,171.00	21,566.00	Phoenix MWD Surveys - SQC Final 2 (OH	SQC_C705a_MWD+IFR1	OWSG MWD + IFR1 + Sag + FDIR Correction	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
230.00	0.76	93.88	229.99	-0.10	1.52	0.08	0.33	0.33	0.00	
First Phoenix MWD Survey										
289.00	0.70	98.56	288.99	-0.18	2.27	0.16	0.14	-0.10	7.93	
356.00	0.76	94.92	355.98	-0.28	3.12	0.24	0.11	0.09	-5.43	
511.00	0.72	90.22	510.97	-0.37	5.11	0.31	0.05	-0.03	-3.03	
604.00	0.54	98.52	603.96	-0.44	6.13	0.37	0.22	-0.19	8.92	
698.00	0.63	85.95	697.96	-0.47	7.09	0.38	0.17	0.10	-13.37	
793.00	0.67	88.15	792.95	-0.42	8.16	0.32	0.05	0.04	2.32	



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Avogato 30_31 State Com 72H
Project:	Lea County, NM (NAD83-NME)	TVD Reference:	RKB @ 3720.30usft (H&P 466)
Site:	Avogato 30_31	MD Reference:	RKB @ 3720.30usft (H&P 466)
Well:	Avogato 30_31 State Com 72H	North Reference:	Grid
Wellbore:	OH / 72821	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 466)	Database:	USAEDMDB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
888.00	0.68	77.35	887.95	-0.27	9.27	0.16	0.13	0.01	-11.37
982.00	0.80	83.79	981.94	-0.08	10.46	-0.05	0.16	0.13	6.85
1,171.00	0.98	68.86	1,170.92	0.64	13.28	-0.80	0.15	0.10	-7.90
1,266.00	0.89	72.10	1,265.90	1.16	14.74	-1.34	0.11	-0.09	3.41
1,361.00	0.51	76.85	1,360.90	1.49	15.86	-1.68	0.40	-0.40	5.00
1,455.00	0.14	86.38	1,454.89	1.59	16.38	-1.79	0.40	-0.39	10.14
1,550.00	0.18	53.21	1,549.89	1.69	16.61	-1.89	0.10	0.04	-34.92
1,645.00	0.18	69.86	1,644.89	1.83	16.87	-2.03	0.05	0.00	17.53
1,739.00	0.17	54.67	1,738.89	1.96	17.13	-2.17	0.05	-0.01	-16.16
1,834.00	0.22	83.89	1,833.89	2.06	17.42	-2.27	0.12	0.05	30.76
1,929.00	0.40	178.69	1,928.89	1.75	17.61	-1.96	0.50	0.19	99.79
2,023.00	1.23	191.35	2,022.88	0.43	17.42	-0.64	0.90	0.88	13.47
2,118.00	1.20	185.19	2,117.86	-1.56	17.13	1.35	0.14	-0.03	-6.48
2,213.00	1.31	180.87	2,212.84	-3.64	17.02	3.43	0.15	0.12	-4.55
2,307.00	1.29	169.78	2,306.81	-5.75	17.19	5.54	0.27	-0.02	-11.80
2,402.00	1.33	165.78	2,401.79	-7.87	17.65	7.66	0.11	0.04	-4.21
2,497.00	1.32	176.56	2,496.76	-10.03	17.99	9.82	0.26	-0.01	11.35
2,591.00	1.44	205.22	2,590.74	-12.18	17.55	11.97	0.74	0.13	30.49
2,686.00	1.39	201.47	2,685.71	-14.34	16.62	14.13	0.11	-0.05	-3.95
2,781.00	1.34	197.03	2,780.68	-16.47	15.88	16.28	0.12	-0.05	-4.67
2,875.00	1.25	189.04	2,874.66	-18.53	15.39	18.35	0.21	-0.10	-8.50
2,970.00	1.36	184.06	2,969.63	-20.68	15.15	20.50	0.17	0.12	-5.24
3,065.00	1.37	178.49	3,064.61	-22.94	15.10	22.76	0.14	0.01	-5.86
3,160.00	1.46	168.80	3,159.58	-25.26	15.36	25.08	0.27	0.09	-10.20
3,255.00	1.51	161.87	3,254.55	-27.64	15.99	27.45	0.20	0.05	-7.29
3,349.00	1.58	160.15	3,348.51	-30.04	16.81	29.83	0.09	0.07	-1.83
3,444.00	1.26	177.18	3,443.48	-32.31	17.31	32.10	0.55	-0.34	17.93
3,538.00	1.04	198.67	3,537.46	-34.15	17.09	33.94	0.51	-0.23	22.86
3,633.00	0.97	190.73	3,632.45	-35.76	16.66	35.56	0.16	-0.07	-8.36
3,727.00	1.32	168.00	3,726.43	-37.60	16.74	37.40	0.60	0.37	-24.18
3,822.00	0.43	119.42	3,821.42	-38.85	17.28	38.63	1.14	-0.94	-51.14
3,917.00	1.07	75.16	3,916.41	-38.79	18.45	38.57	0.86	0.67	-46.59
4,012.00	1.52	77.48	4,011.39	-38.29	20.53	38.04	0.48	0.47	2.44
4,107.00	1.86	76.61	4,106.35	-37.66	23.26	37.38	0.36	0.36	-0.92
4,201.00	1.63	76.18	4,200.30	-36.99	26.05	36.67	0.25	-0.24	-0.46
4,296.00	0.32	250.34	4,295.29	-36.76	27.11	36.43	2.05	-1.38	183.33
4,391.00	0.49	189.88	4,390.29	-37.25	26.79	36.92	0.46	0.18	-63.64
4,485.00	0.86	167.08	4,484.28	-38.33	26.88	38.00	0.48	0.39	-24.26
4,580.00	1.36	140.83	4,579.27	-39.90	27.75	39.56	0.74	0.53	-27.63
4,674.00	1.33	137.90	4,673.24	-41.57	29.18	41.22	0.08	-0.03	-3.12
4,769.00	0.14	193.47	4,768.23	-42.50	29.90	42.14	1.32	-1.25	58.49
4,863.00	0.10	189.47	4,862.23	-42.70	29.86	42.33	0.04	-0.04	-4.26
4,937.00	0.09	179.97	4,936.23	-42.82	29.85	42.45	0.03	-0.01	-12.84



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Avogato 30_31 State Com 72H
Project:	Lea County, NM (NAD83-NME)	TVD Reference:	RKB @ 3720.30usft (H&P 466)
Site:	Avogato 30_31	MD Reference:	RKB @ 3720.30usft (H&P 466)
Well:	Avogato 30_31 State Com 72H	North Reference:	Grid
Wellbore:	OH / 72821	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 466)	Database:	USAEDMDB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,041.00	0.04	77.99	5,040.23	-42.89	29.88	42.53	0.10	-0.05	-98.06
5,136.00	0.04	266.85	5,135.23	-42.89	29.88	42.52	0.08	0.00	-180.15
5,231.00	0.25	164.81	5,230.23	-43.09	29.90	42.72	0.28	0.22	-107.41
5,325.00	0.41	196.15	5,324.23	-43.61	29.86	43.25	0.25	0.17	33.34
5,420.00	0.19	200.08	5,419.23	-44.08	29.71	43.72	0.23	-0.23	4.14
5,515.00	0.20	89.55	5,514.23	-44.23	29.83	43.87	0.34	0.01	-116.35
5,610.00	0.21	351.48	5,609.23	-44.06	29.97	43.69	0.33	0.01	-103.23
5,704.00	0.22	71.66	5,703.23	-43.83	30.11	43.46	0.29	0.01	85.30
5,799.00	0.19	77.42	5,798.22	-43.74	30.44	43.37	0.04	-0.03	6.06
5,894.00	0.23	310.15	5,893.22	-43.58	30.45	43.21	0.40	0.04	-133.97
5,989.00	0.22	135.09	5,988.22	-43.59	30.43	43.22	0.47	-0.01	-184.27
6,084.00	0.19	238.95	6,083.22	-43.80	30.42	43.43	0.34	-0.03	109.33
6,178.00	0.21	317.98	6,177.22	-43.75	30.17	43.38	0.27	0.02	84.07
6,273.00	0.20	290.81	6,272.22	-43.56	29.90	43.20	0.10	-0.01	-28.60
6,368.00	0.21	143.97	6,367.22	-43.64	29.85	43.28	0.41	0.01	-154.57
6,557.00	0.22	277.52	6,556.22	-43.88	29.69	43.51	0.21	0.01	70.66
6,747.00	0.14	318.74	6,746.22	-43.65	29.18	43.30	0.08	-0.04	21.69
6,842.00	2.39	320.98	6,841.19	-42.03	27.86	41.69	2.37	2.37	2.36
6,936.00	4.55	313.33	6,935.01	-37.95	23.91	37.65	2.35	2.30	-8.14
7,031.00	6.20	311.60	7,029.59	-31.95	17.33	31.74	1.75	1.74	-1.82
7,126.00	7.50	307.64	7,123.91	-24.76	8.58	24.66	1.46	1.37	-4.17
7,221.00	7.56	304.84	7,218.10	-17.41	-1.45	17.42	0.39	0.06	-2.95
7,315.00	7.18	303.95	7,311.32	-10.59	-11.40	10.73	0.42	-0.40	-0.95
7,410.00	8.01	304.80	7,405.48	-3.50	-21.76	3.76	0.88	0.87	0.89
7,505.00	8.04	304.28	7,499.55	4.02	-32.69	-3.62	0.08	0.03	-0.55
7,600.00	8.17	304.83	7,593.61	11.62	-43.72	-11.09	0.16	0.14	0.58
7,789.00	8.50	309.52	7,780.61	28.18	-65.52	-27.38	0.40	0.17	2.48
7,884.00	8.55	312.61	7,874.56	37.43	-76.13	-36.50	0.48	0.05	3.25
7,979.00	8.45	316.77	7,968.52	47.29	-86.11	-46.25	0.66	-0.11	4.38
8,067.68	8.66	317.03	8,056.21	56.92	-95.12	-55.77	0.24	0.23	0.29
HL: 8067.68' MD, 8.66° Inc									
8,073.00	8.67	317.04	8,061.47	57.51	-95.67	-56.35	0.24	0.23	0.28
8,168.00	8.63	315.07	8,155.39	67.80	-105.58	-66.51	0.31	-0.04	-2.07
8,263.00	7.96	311.05	8,249.40	77.16	-115.57	-75.76	0.93	-0.71	-4.23
8,357.00	8.89	305.94	8,342.38	85.70	-126.36	-84.17	1.27	0.99	-5.44
8,452.00	8.61	303.81	8,436.28	93.96	-138.22	-92.29	0.45	-0.29	-2.24
8,547.00	8.21	298.69	8,530.26	101.18	-150.07	-99.36	0.89	-0.42	-5.39
8,641.00	8.42	295.74	8,623.27	107.39	-162.16	-105.42	0.51	0.22	-3.14
8,736.00	8.65	292.82	8,717.22	113.18	-175.01	-111.06	0.52	0.24	-3.07
8,831.00	8.27	293.20	8,811.18	118.64	-187.88	-116.36	0.40	-0.40	0.40
8,926.00	8.33	293.54	8,905.19	124.08	-200.47	-121.65	0.08	0.06	0.36
9,049.00	7.79	292.51	9,026.97	130.83	-216.33	-128.21	0.45	-0.44	-0.84
9,115.00	7.77	292.41	9,092.37	134.25	-224.59	-131.52	0.04	-0.03	-0.15
9,209.00	8.04	290.62	9,185.47	138.98	-236.62	-136.11	0.39	0.29	-1.90



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Avogato 30_31 State Com 72H
Project:	Lea County, NM (NAD83-NME)	TVD Reference:	RKB @ 3720.30usft (H&P 466)
Site:	Avogato 30_31	MD Reference:	RKB @ 3720.30usft (H&P 466)
Well:	Avogato 30_31 State Com 72H	North Reference:	Grid
Wellbore:	OH / 72821	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 466)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,304.00	8.27	291.17	9,279.51	143.79	-249.21	-140.77	0.26	0.24	0.58
9,399.00	7.81	291.87	9,373.58	148.66	-261.57	-145.49	0.50	-0.48	0.74
9,494.00	7.05	288.07	9,467.78	152.87	-273.10	-149.56	0.95	-0.80	-4.00
9,589.00	6.37	292.04	9,562.13	156.66	-283.53	-153.22	0.87	-0.72	4.18
9,683.00	6.06	292.59	9,655.58	160.52	-292.94	-156.97	0.34	-0.33	0.59
9,778.00	6.23	292.81	9,750.03	164.45	-302.33	-160.78	0.18	0.18	0.23
9,873.00	6.18	300.83	9,844.48	169.07	-311.47	-165.29	0.91	-0.05	8.44
9,967.00	5.82	313.13	9,937.97	174.92	-319.29	-171.05	1.42	-0.38	13.09
10,062.00	5.81	327.54	10,032.48	182.27	-325.39	-178.32	1.53	-0.01	15.17
10,157.00	5.93	334.33	10,126.98	190.75	-330.09	-186.75	0.74	0.13	7.15
10,251.00	6.18	340.10	10,220.46	199.88	-333.92	-195.83	0.70	0.27	6.14
10,346.00	6.38	339.26	10,314.89	209.63	-337.53	-205.53	0.23	0.21	-0.88
10,441.00	6.66	343.24	10,409.28	219.84	-340.99	-215.70	0.56	0.29	4.19
10,531.00	6.71	349.33	10,498.67	230.00	-343.47	-225.84	0.79	0.06	6.77
10,591.00	7.05	351.83	10,558.23	237.09	-344.64	-232.91	0.76	0.57	4.17
10,651.00	6.01	355.66	10,617.84	243.87	-345.40	-239.68	1.88	-1.73	6.38
10,746.00	2.45	149.44	10,712.71	247.09	-344.74	-242.90	8.71	-3.75	161.87
10,841.00	4.53	166.21	10,807.53	241.69	-342.81	-237.53	2.42	2.19	17.65
10,936.00	7.65	169.96	10,901.98	231.82	-340.82	-227.69	3.31	3.28	3.95
11,026.00	7.69	169.36	10,991.17	220.00	-338.66	-215.90	0.10	0.04	-0.67
11,118.00	12.57	166.83	11,081.71	204.20	-335.24	-200.13	5.33	5.30	-2.75
11,213.00	31.78	165.74	11,169.27	169.56	-326.64	-165.60	20.22	20.22	-1.15
11,307.00	43.28	164.66	11,243.70	114.31	-311.97	-110.53	12.25	12.23	-1.15
11,402.00	59.04	165.89	11,303.09	42.95	-293.31	-39.40	16.62	16.59	1.29
11,497.00	67.73	171.95	11,345.64	-40.30	-277.18	43.64	10.77	9.15	6.38
11,544.00	71.12	172.90	11,362.15	-83.91	-271.39	87.18	7.46	7.21	2.02
11,591.00	79.87	171.82	11,373.91	-128.96	-265.33	132.16	18.75	18.62	-2.30
11,686.00	85.82	170.98	11,385.74	-222.12	-251.24	225.14	6.32	6.26	-0.88
11,740.00	84.72	171.85	11,390.20	-275.33	-243.21	278.25	2.59	-2.04	1.61
11,780.00	86.80	173.84	11,393.15	-314.91	-238.24	317.76	7.19	5.20	4.98
11,875.00	86.17	175.81	11,398.98	-409.34	-229.69	412.08	2.17	-0.66	2.07
11,969.00	87.09	178.43	11,404.50	-503.05	-224.97	505.73	2.95	0.98	2.79
12,064.00	90.39	183.42	11,406.59	-597.97	-226.51	600.66	6.30	3.47	5.25
12,159.00	91.28	186.89	11,405.21	-692.56	-235.04	695.35	3.77	0.94	3.65
12,253.00	90.88	186.66	11,403.44	-785.88	-246.13	788.80	0.49	-0.43	-0.24
12,348.00	91.37	186.18	11,401.57	-880.27	-256.75	883.31	0.72	0.52	-0.51
12,442.00	91.15	185.28	11,399.51	-973.78	-266.13	976.92	0.99	-0.23	-0.96
12,537.00	91.49	183.62	11,397.32	-1,068.46	-273.50	1,071.69	1.78	0.36	-1.75
12,632.00	92.36	180.49	11,394.12	-1,163.33	-276.91	1,166.60	3.42	0.92	-3.29
12,726.00	87.90	176.84	11,393.91	-1,257.27	-274.72	1,260.50	6.13	-4.74	-3.88
12,821.00	87.63	174.26	11,397.62	-1,351.90	-267.35	1,355.03	2.73	-0.28	-2.72
12,916.00	89.98	175.18	11,399.60	-1,446.47	-258.61	1,449.49	2.66	2.47	0.97
13,016.00	85.85	175.28	11,403.24	-1,546.04	-250.31	1,548.95	4.13	-4.13	0.10



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Avogato 30_31 State Com 72H
Project:	Lea County, NM (NAD83-NME)	TVD Reference:	RKB @ 3720.30usft (H&P 466)
Site:	Avogato 30_31	MD Reference:	RKB @ 3720.30usft (H&P 466)
Well:	Avogato 30_31 State Com 72H	North Reference:	Grid
Wellbore:	OH / 72821	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 466)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,110.00	83.82	175.51	11,411.70	-1,639.35	-242.79	1,642.16	2.17	-2.16	0.24
13,205.00	85.18	176.00	11,420.80	-1,733.65	-235.79	1,736.37	1.52	1.43	0.52
13,300.00	87.75	176.79	11,426.66	-1,828.27	-229.83	1,830.92	2.83	2.71	0.83
13,394.00	89.98	177.76	11,428.52	-1,922.14	-225.36	1,924.72	2.59	2.37	1.03
13,489.00	93.30	178.81	11,425.80	-2,017.04	-222.52	2,019.59	3.67	3.49	1.11
13,584.00	92.47	179.29	11,421.02	-2,111.91	-220.95	2,114.42	1.01	-0.87	0.51
13,679.00	92.03	179.27	11,417.29	-2,206.83	-219.75	2,209.32	0.46	-0.46	-0.02
13,773.00	91.69	178.71	11,414.24	-2,300.76	-218.10	2,303.23	0.70	-0.36	-0.60
13,868.00	91.38	178.63	11,411.70	-2,395.70	-215.89	2,398.14	0.34	-0.33	-0.08
13,962.00	91.83	178.31	11,409.06	-2,489.63	-213.38	2,492.03	0.59	0.48	-0.34
14,057.00	90.85	178.32	11,406.84	-2,584.56	-210.59	2,586.92	1.03	-1.03	0.01
14,151.00	90.81	178.29	11,405.48	-2,678.51	-207.81	2,680.83	0.05	-0.04	-0.03
14,246.00	90.79	177.93	11,404.15	-2,773.45	-204.68	2,775.72	0.38	-0.02	-0.38
14,341.00	90.66	177.80	11,402.95	-2,868.38	-201.14	2,870.60	0.19	-0.14	-0.14
14,436.00	90.93	177.62	11,401.63	-2,963.29	-197.34	2,965.46	0.34	0.28	-0.19
14,531.00	90.40	177.50	11,400.53	-3,058.20	-193.30	3,060.31	0.57	-0.56	-0.13
14,625.00	91.22	176.48	11,399.20	-3,152.06	-188.37	3,154.11	1.39	0.87	-1.09
14,720.00	90.48	175.29	11,397.79	-3,246.80	-181.55	3,248.76	1.47	-0.78	-1.25
14,814.00	90.89	174.69	11,396.67	-3,340.44	-173.34	3,342.29	0.77	0.44	-0.64
14,909.00	90.34	174.51	11,395.65	-3,435.01	-164.40	3,436.74	0.61	-0.58	-0.19
15,004.00	88.94	175.97	11,396.25	-3,529.67	-156.52	3,531.31	2.13	-1.47	1.54
15,098.00	90.89	177.28	11,396.39	-3,623.50	-150.98	3,625.06	2.50	2.07	1.39
15,193.00	90.78	179.13	11,395.00	-3,718.44	-148.01	3,719.96	1.95	-0.12	1.95
15,287.00	90.57	180.05	11,393.89	-3,812.43	-147.34	3,813.94	1.00	-0.22	0.98
15,382.00	91.03	180.52	11,392.57	-3,907.42	-147.81	3,908.92	0.69	0.48	0.49
15,476.00	91.09	180.74	11,390.83	-4,001.40	-148.84	4,002.91	0.24	0.06	0.23
15,571.00	91.16	180.92	11,388.96	-4,096.37	-150.22	4,097.89	0.20	0.07	0.19
15,665.00	91.23	180.79	11,387.00	-4,190.34	-151.62	4,191.87	0.16	0.07	-0.14
15,760.00	90.82	181.28	11,385.30	-4,285.31	-153.34	4,286.85	0.67	-0.43	0.52
15,854.00	91.16	181.70	11,383.68	-4,379.26	-155.78	4,380.83	0.57	0.36	0.45
15,949.00	90.96	181.20	11,381.92	-4,474.22	-158.18	4,475.80	0.57	-0.21	-0.53
16,044.00	90.91	180.22	11,380.37	-4,569.20	-159.36	4,570.79	1.03	-0.05	-1.03
16,139.00	91.05	180.23	11,378.75	-4,664.18	-159.73	4,665.77	0.15	0.15	0.01
16,233.00	90.75	180.01	11,377.27	-4,758.17	-159.93	4,759.75	0.40	-0.32	-0.23
16,328.00	90.67	179.98	11,376.09	-4,853.16	-159.92	4,854.74	0.09	-0.08	-0.03
16,332.83	90.69	180.01	11,376.04	-4,857.99	-159.92	4,859.57	0.68	0.41	0.54
SL: 16332.83' MD, 90.69° Inc									
16,423.00	91.06	180.49	11,374.66	-4,948.15	-160.31	4,949.73	0.68	0.41	0.54
16,517.00	91.46	180.86	11,372.59	-5,042.12	-161.42	5,043.70	0.58	0.43	0.39
16,612.00	91.28	181.14	11,370.32	-5,137.08	-163.08	5,138.67	0.35	-0.19	0.29
16,707.00	91.51	180.35	11,368.01	-5,232.04	-164.31	5,233.64	0.87	0.24	-0.83
16,801.00	91.62	180.86	11,365.44	-5,326.00	-165.30	5,327.61	0.55	0.12	0.54
16,896.00	90.56	179.44	11,363.63	-5,420.98	-165.55	5,422.58	1.87	-1.12	-1.49
16,990.00	90.24	178.45	11,362.98	-5,514.96	-163.82	5,516.54	1.11	-0.34	-1.05



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Avogato 30_31 State Com 72H
Project:	Lea County, NM (NAD83-NME)	TVD Reference:	RKB @ 3720.30usft (H&P 466)
Site:	Avogato 30_31	MD Reference:	RKB @ 3720.30usft (H&P 466)
Well:	Avogato 30_31 State Com 72H	North Reference:	Grid
Wellbore:	OH / 72821	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 466)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
17,084.00	90.32	177.57	11,362.52	-5,608.90	-160.56	5,610.43	0.94	0.09	-0.94
17,179.00	90.47	176.62	11,361.86	-5,703.78	-155.74	5,705.24	1.01	0.16	-1.00
17,274.00	89.92	176.40	11,361.54	-5,798.60	-149.96	5,799.99	0.62	-0.58	-0.23
17,368.00	89.63	177.11	11,361.91	-5,892.45	-144.64	5,893.76	0.82	-0.31	0.76
17,462.00	89.60	178.26	11,362.54	-5,986.37	-140.84	5,987.63	1.22	-0.03	1.22
17,557.00	89.85	178.91	11,363.00	-6,081.34	-138.50	6,082.57	0.73	0.26	0.68
17,652.00	89.84	179.73	11,363.25	-6,176.33	-137.37	6,177.54	0.86	-0.01	0.86
17,746.00	89.49	179.73	11,363.80	-6,270.32	-136.93	6,271.52	0.37	-0.37	0.00
17,841.00	89.78	179.79	11,364.41	-6,365.32	-136.53	6,366.51	0.31	0.31	0.06
17,936.00	90.37	179.56	11,364.28	-6,460.32	-135.99	6,461.49	0.67	0.62	-0.24
18,030.00	90.20	179.13	11,363.82	-6,554.31	-134.91	6,555.46	0.49	-0.18	-0.46
18,125.00	90.57	179.12	11,363.18	-6,649.30	-133.46	6,650.43	0.39	0.39	-0.01
18,220.00	90.42	181.22	11,362.36	-6,744.29	-133.75	6,745.41	2.22	-0.16	2.21
18,314.00	90.54	181.91	11,361.57	-6,838.25	-136.31	6,839.40	0.75	0.13	0.73
18,409.00	90.44	181.94	11,360.76	-6,933.19	-139.50	6,934.37	0.11	-0.11	0.03
18,503.00	90.46	181.33	11,360.02	-7,027.15	-142.19	7,028.36	0.65	0.02	-0.65
18,598.00	90.52	181.32	11,359.21	-7,122.12	-144.38	7,123.35	0.06	0.06	-0.01
18,693.00	90.48	181.58	11,358.38	-7,217.09	-146.79	7,218.34	0.28	-0.04	0.27
18,787.00	90.48	182.32	11,357.59	-7,311.03	-149.98	7,312.31	0.79	0.00	0.79
18,882.00	90.55	181.81	11,356.74	-7,405.96	-153.41	7,407.28	0.54	0.07	-0.54
18,977.00	90.50	179.92	11,355.86	-7,500.95	-154.84	7,502.27	1.99	-0.05	-1.99
19,072.00	90.62	178.06	11,354.94	-7,595.92	-153.17	7,597.22	1.96	0.13	-1.96
19,166.00	91.07	177.75	11,353.55	-7,689.85	-149.73	7,691.10	0.58	0.48	-0.33
19,261.00	90.50	177.61	11,352.25	-7,784.76	-145.89	7,785.96	0.62	-0.60	-0.15
19,356.00	90.58	177.89	11,351.35	-7,879.68	-142.16	7,880.83	0.31	0.08	0.29
19,451.00	89.47	177.56	11,351.31	-7,974.61	-138.39	7,975.70	1.22	-1.17	-0.35
19,545.00	88.90	177.26	11,352.65	-8,068.50	-134.14	8,069.53	0.69	-0.61	-0.32
19,640.00	88.37	177.45	11,354.91	-8,163.37	-129.76	8,164.34	0.59	-0.56	0.20
19,735.00	88.44	177.14	11,357.56	-8,258.23	-125.27	8,259.14	0.33	0.07	-0.33
19,829.00	88.47	177.17	11,360.09	-8,352.08	-120.61	8,352.93	0.05	0.03	0.03
19,924.00	88.43	178.71	11,362.66	-8,446.98	-117.20	8,447.78	1.62	-0.04	1.62
20,018.00	88.96	180.82	11,364.80	-8,540.95	-116.81	8,541.74	2.31	0.56	2.24
20,113.00	88.96	181.75	11,366.53	-8,635.91	-118.94	8,636.72	0.98	0.00	0.98
20,207.00	89.01	181.41	11,368.19	-8,729.86	-121.53	8,730.69	0.37	0.05	-0.36
20,302.00	89.02	181.53	11,369.82	-8,824.81	-123.97	8,825.67	0.13	0.01	0.13
20,397.00	88.86	181.50	11,371.58	-8,919.76	-126.48	8,920.64	0.17	-0.17	-0.03
20,492.00	89.09	182.13	11,373.28	-9,014.70	-129.49	9,015.61	0.71	0.24	0.66
20,587.00	89.04	181.04	11,374.83	-9,109.65	-132.12	9,110.58	1.15	-0.05	-1.15
20,681.00	88.96	181.58	11,376.47	-9,203.61	-134.27	9,204.56	0.58	-0.09	0.57
20,776.00	88.88	181.06	11,378.26	-9,298.57	-136.45	9,299.54	0.55	-0.08	-0.55
20,870.00	88.90	179.56	11,380.08	-9,392.55	-136.96	9,393.52	1.60	0.02	-1.60
20,965.00	89.04	179.14	11,381.79	-9,487.53	-135.88	9,488.47	0.47	0.15	-0.44
21,060.00	88.74	179.16	11,383.63	-9,582.50	-134.48	9,583.42	0.32	-0.32	0.02



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Avogato 30_31 State Com 72H
Project:	Lea County, NM (NAD83-NME)	TVD Reference:	RKB @ 3720.30usft (H&P 466)
Site:	Avogato 30_31	MD Reference:	RKB @ 3720.30usft (H&P 466)
Well:	Avogato 30_31 State Com 72H	North Reference:	Grid
Wellbore:	OH / 72821	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 466)	Database:	USAEDMDB

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
21,154.00	88.94	179.13	11,385.53	-9,676.47	-133.07	9,677.37	0.22	0.21	-0.03	
21,249.00	88.88	179.34	11,387.34	-9,771.44	-131.80	9,772.32	0.23	-0.06	0.22	
21,344.00	88.90	179.21	11,389.18	-9,866.42	-130.60	9,867.27	0.14	0.02	-0.14	
21,439.00	88.72	179.35	11,391.15	-9,961.39	-129.41	9,962.22	0.24	-0.19	0.15	
21,446.00	88.76	179.27	11,391.31	-9,968.39	-129.33	9,969.22	1.28	0.57	-1.14	
Final Phoenix MWD Survey										
21,516.78	88.76	179.27	11,392.84	-10,039.14	-128.42	10,039.96	0.00	0.00	0.00	
LTP: 21516.78' MD, 88.76° Inc										
21,566.00	88.76	179.27	11,393.91	-10,088.35	-127.80	10,089.16	0.00	0.00	0.00	
Projection to TD										

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
230.00	229.99	-0.10	1.52	First Phoenix MWD Survey	
8,067.68	8,056.21	56.92	-95.12	HL: 8067.68' MD, 8.66° Inc	
16,332.83	11,376.04	-4,857.99	-159.92	SL: 16332.83' MD, 90.69° Inc	
21,446.00	11,391.31	-9,968.39	-129.33	Final Phoenix MWD Survey	
21,516.78	11,392.84	-10,039.14	-128.42	LTP: 21516.78' MD, 88.76° Inc	
21,566.00	11,393.91	-10,088.35	-127.80	Projection to TD	

Intent ☐ As Drilled ☒

API # 30-025-51698		
Operator Name: OXY USA INC.	Property Name: AVOGATO 30 31 STATE COM	Well Number 72H

Kick Off Point (KOP)

UL C	Section 30	Township 22S	Range 33E	Lot	Feet 214'	From N/S North	Feet 1961'	From E/W West	County Lea
Latitude 32.369500					Longitude -103.613442			NAD Nad83	

First Take Point (FTP)

UL C	Section 30	Township 22S	Range 33E	Lot	Feet 567'	From N/S North	Feet 2032'	From E/W West	County Lea
Latitude 32.368405					Longitude -103.612729			NAD Nad83	

Last Take Point (LTP)

UL N	Section 31	Township 22S	Range 33E	Lot	Feet 261	From N/S South	Feet 2094	From E/W West	County Lea
Latitude 32.341660					Longitude -103.612515			NAD Nad83	

Is this well the defining well for the Horizontal Spacing Unit? ☐ NoIs this well an infill well? ☐ Yes

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-51696		
Operator Name: OXY USA INC.	Property Name: Avogato 30 31 State Com	Well Number 1H

KZ 06/29/2018

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-025-51698										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name AVOGATO 30 31 STATE COM				
						6. Well Number: 72H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator OXY USA INC.						9. OGRID 16696				
10. Address of Operator PO Box 50250, MIDLAND, TX 79710						11. Pool name or Wildcat RED TANK; BONE SPRING, EAST				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	30	22S	33E		420	North	2295	West	Lea
BH:	N	31	22S	33E		51	South	2095	West	Lea
13. Date Spudded 7/22/2023	14. Date T.D. Reached 8/17/2023	15. Date Rig Released 8/21/2023			16. Date Completed (Ready to Produce) 10/17/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3695.3' GR		
18. Total Measured Depth of Well 21566' MD; 11394' TVD			19. Plug Back Measured Depth 21522' MD, 11393' TVD			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CBL/GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11611-21356, Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.5# J55		1075'		17 1/2"		1103sx - TOC 0'		
7 5/8"		29.7# HCL80		11075'		12 1/4"		4529sx - TOC 0'		
5 1/2"		20# P110		21546'		6 3/4"		809sx - TOC 10539'		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN					
26. Perforation record (interval, size, and number) 11611-21356, 0.42", 1200 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11611-21356		24,639,120 #s sand, 337,776 bbls produced		
								water, 9,573 bbls brackish water.		
28. PRODUCTION										
Date First Production 10/23/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 10/31/2023	Hours Tested 24 hours	Choke Size 0	Prod'n For Test Period	Oil - Bbl 819	Gas - MCF 911	Water - Bbl. 1531	Gas - Oil Ratio 1112			
Flow Tubing Press.	Casing Pressure 242	Calculated 24-Hour Rate	Oil - Bbl. 819	Gas - MCF 911	Water - Bbl. 1531	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C104c, C102, WBD, Directional Survey, CBL										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Sarah McKinney		Title Regulatory Analyst Sr.			Date 12/20/2023			
E-mail Address sarah_mckinney@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler	T. Bell Canyon	T. Ojo Alamo	T. Penn A "
T. Salado 1524	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3433	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4916	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5796	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 7023	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 9840	T. Todilto	
T. Abo	T. 1 st Bone Springs 9910	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 10181	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11033	T. Chinle	
T. Cisco (Bough C)	T. Wolfcamp	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
AVOGATO 30 31 STATE COM 72H
API No. 30-025-51698



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 296743

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 296743
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 296743

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 296743
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/25/2024