

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-35344

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.
312268

7. Lease Name or Unit Agreement Name
Cooper G

8. Well Number 001

9. OGRID Number
013300

10. Pool name or Wildcat
Jalmat (Yates)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Petroleum Exploration Company LTD, Limited P

3. Address of Operator
P O Box 548 BreckenRidge, Texas 76424

4. Well Location
Unit Letter N 660 feet from the South line and 1980 feet from the West line
Section 11 Township 24S Range 36E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3354.0 GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Set CIBP @ appx. 2987-3037' to cover open perms at 3087-3795', Drop ~~2~~^{35'} cement sacks cement to cover CIBP, Fill backside with 2% KCL, Rig up Kill truck and run MIT to 500 PSI, Chart and record.

Would like to start work on 5-10-24

**Condition of Approval: notify
OCD Hobbs office 24 hours
prior of running MIT Test & Chart**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Kevin Breckel

TITLE Production Foreman

DATE 5-6-24

Type or print name Kevin Breckel

E-mail address: kbreckel@petexltd.com

PHONE: 2545590881

For State Use Only

APPROVED BY:

Kerry Fortner

TITLE Compliance Officer A

DATE 5/7/24

Conditions of Approval (if any):

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-35344

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.
312268

7. Lease Name or Unit Agreement Name
Cooper G

8. Well Number 001

9. OGRID Number
013300

10. Pool name or Wildcat
Jalmat (Yates)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Petroleum Exploration Company LTD, Limited P

3. Address of Operator
P O Box 548 BreckenRidge, Texas 76424

4. Well Location
Unit Letter N 660 feet from the South line and 1980 feet from the West line
Section 11 Township 24S Range 36E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3354.0 GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Set CIBP @ appx. 2987-3037' to cover open perms at 3087-3795', Drop 2 sacks cement to cover CIBP, Fill backside with 2% KCL, Rig up Kill truck and run MIT to 500 PSI, Chart and record.

Would like to start work on 5-10-24

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Kevin Breckel

TITLE Production Foreman

DATE 5-6-24

Type or print name Kevin Breckel

E-mail address: kbreckel@petexltd.com

PHONE: 2545590881

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

Last Updated: 12/16/2013 04:25 PM

Field Name		Lease Name		Well No.
Jalmat (Yates)		Cooper G		1
County, State			API No.	
Lea, New Mexico			30025353440000	
Version	Version Tag			
0				
G.L. (ft)	K.B. (ft)	Sec.	Township/Block	Range/Survey
3,354.0		11	T-24S	R-36E
Operator		Well Status	Latitude	Longitude
Breck Operating Corp		Oil	32.226370	103.238270
Footage Call				
660' FSL & 1980' FWL From Section				
PropNum		Spud Date	Comp. Date	
25184		1/23/2001	4/10/2001	
Additional Information				
Prepared By		Updated By	Last Updated	
Joe Lechner		Joe Lechner	12/16/2013 4:25 PM	

Hole Summary

Date	O.D. (in)	Top (MD ft)	Bottom (MD ft)	Comments
1/22/2001	12.250	0	455	
1/29/2001	7.875	455	3,850	

Tubular Summary

Date	Description	O.D. (in)	Wt (lb/ft)	Grade	Top (MD ft)	Bottom (MD ft)
1/22/2001	Surface Casing	8.625			0	455
1/29/2001	Production Casing	5.500			0	3,770
7/29/2010	Tubing	2.375			0	3,250
7/29/2010	Rods	0.750			0	150
7/29/2010	Rods	0.625			150	3,225

Casing Cement Summary

Date	No. Sx	Csg. O.D. (in)	Top (MD ft)	Bottom (MD ft)	Comments
1/22/2001	255	8.625	0	455	
1/29/2001	1,125	5.500	0	3,850	

Tools/Problems Summary

Date	Tool Type	O.D. (in)	I.D. (in)	Top (MD ft)	Bottom (MD ft)
7/29/2010	R Pump	2.000	0.000	3,225	3,237
7/29/2010	Nipple	2.375	1.750	3,237	0
2/21/2001	CIBP	5.500	0.000	3,290	0

Cement Plug Summary


Date	No. Sx	O.D. (in)	Top (MD ft)	Bottom (MD ft)	Comments
1/29/2001		5.500	3,800	3,850	PBTD

Perforation Summary

C	Date	Perf. Status	Formation	OA Top (MD ft)	OA Bottom (MD ft)	Shots
	7/24/2001	Open		3,087	3,228	25
	2/25/2001	Open		3,584	3,796	25

Formation Tops Summary

Formation	Top (MD ft)	Comments
Yates	3,077	
7 Rivers	3,310	
Queen	3,584	



0

0.75" @ 150'

8.625" @ 455'

TOC @ 0'

12.25" @ 455'

1,000

2,000

3,000

Op Perfs 3087-3228'

7 Rivers

Op Perfs 3584-3796'

Cmt Plug @ 3800'

Yates

CIBP @ 3290'

Queen

5.5" @ 3770'

7.875" @ 3850'

4,000

Last Updated: 5/7/2024

Field Name		Lease Name		Well No.
Jalmat (Yates)		Cooper G		1
County, State			API No.	
Lea, New Mexico			30025353440000	
Version	Version Tag			
0				
G.L. (ft)	K.B. (ft)	Sec.	Township/Block	Range/Survey
3,354.0		11	T-24S	R-36E
Operator		Well Status	Latitude	Longitude
Petroleum Exploration		Oil	32.226370	103.238270
Footage Call				
660' FSL & 1980' FWL From Section				
PropNum		Spud Date	Comp. Date	
25184		1/23/2001	4/10/2001	
Additional Information				
Plan to set CIBP @ appx. 2987'-3037' w/ 2 sx of cement to cover CIBP				

Hole Summary

Date	O.D. (in)	Top (MD ft)	Bottom (MD ft)	Comments
1/22/2001	12.250	0	455	
1/29/2001	7.875	455	3,850	

Tubular Summary

Date	Description	O.D. (in)	Wt (lb/ft)	Grade	Top (MD ft)	Bottom (MD ft)
1/22/2001	Surface Casing	8.625			0	455
1/29/2001	Production Casing	5.500			0	3,770

Casing Cement Summary

Date	No. Sx	Csg. O.D. (in)	Top (MD ft)	Bottom (MD ft)	Comments
1/22/2001	255	8.625	0	455	
1/29/2001	1,125	5.500	0	3,850	

Tools/Problems Summary

Date	Tool Type	O.D. (in)	I.D. (in)	Top (MD ft)	Bottom (MD ft)

Cement Plug Summary

Date	No. Sx	O.D. (in)	Top (MD ft)	Bottom (MD ft)	Comments
1/29/2001		5.500	3,800	3,850	PBTD

Perforation Summary

C	Date	Perf. Status	Formation	OA Top (MD ft)	OA Bottom (MD ft)	Shots
	7/24/2001	Open		3,087	3,228	25
	2/25/2001	Open		3,584	3,796	25

Formation Tops Summary

Formation	Top (MD ft)	Comments
Yates	3,077	
7 Rivers	3,310	
Queen	3,584	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 341464

CONDITIONS

Operator: Petroleum Exploration Company Ltd., Limited P P.O. Box 548 Breckenridge, TX 76424	OGRID: 374138
	Action Number: 341464
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA status MIT/BHT	5/7/2024