

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural
Resources

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

Oil Conservation Division
1220 South St. Francis Dr.

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		² OGRID Number 7377	
		³ Reason for Filing Code/ Effective Date NW 01/01/2022	
⁴ API Number 30 - 025-48566	⁵ Pool Name PITCHFORK RANCH; WOLFCAMP, SOUTH		⁶ Pool Code 96994
⁷ Property Code 315169	⁸ Property Name ANDELE 16 STATE COM		⁹ Well Number 707H

II. ¹⁰ Surface Location

UL or lot no. O	Section 16	Township 25S	Range 34E	Lot Idn	Feet from the 326	North/South Line SOUTH	Feet from the 1506	East/West line EAST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. A	Section 16	Township 25S	Range 34E	Lot Idn	Feet from the 107	North/South line NORTH	Feet from the 843	East/West line EAST	County LEA
¹² Lse Code	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 07/10/2021	²² Ready Date 01/01/2022	²³ TD 17,541	²⁴ PBTD 17,513	²⁵ Perforations 12,750 - 17,513	²⁶ DHC, MC		
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement	
12 1/4		9 5/8"		1089'		480 SXS CL C/CIRC	
8 3/4"		7 5/8"		12,042'		1780 SXS CL C&H/CIRC	
8 1/2"		5 1/2"		17,523'		540 SXS CL H TOC 8852' CBL	

V. Well Test Data

³¹ Date New Oil 01/01/2022	³² Gas Delivery Date 01/01/2022	³³ Test Date 01/02/2022	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1442
³⁷ Choke Size 64	³⁸ Oil 2709	³⁹ Water 5620	⁴⁰ Gas 3875		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Kay Maddox			OIL CONSERVATION DIVISION Approved by: Title: Approval Date: 		
Printed name: Kay Maddox					
Title: SENIOR REGULATORY SPECIALIST					
E-mail Address: kay_maddox@eogresources.com					
Date: 02/03/2022		Phone: 432-638-8475			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48566		² Pool Code 96994	³ Pool Name PITCHFORK RANCH; WOLFCAMP, SOUTH
⁴ Property Code 315169	⁵ Property Name ANDELE 16 STATE COM		⁶ Well Number 707H
⁷ OGRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.		⁹ Elevation 3348'


¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	16	25-S	34-E	-	326'	SOUTH	1506'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	16	25-S	34-E	-	107'	NORTH	843'	EAST	LEA

¹² Dedicated Acres 320.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------







Midland

Lea County, NM (NAD 83 NME)

Andele 16 State Com

#707H

OH

Design: OH

Midland PVA

09 September, 2021



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3374.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3374.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Andele 16 State Com		
Site Position:		Northing:	409,927.00 usft
From:	Map	Easting:	805,232.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 7' 26.755 N
		Longitude:	103° 28' 51.210 W
		Grid Convergence:	0.45 °

Well		#707H				
Well Position	+N/-S	0.0 usft	Northing:	409,973.00 usft	Latitude:	32° 7' 26.974 N
	+E/-W	0.0 usft	Easting:	808,224.00 usft	Longitude:	103° 28' 16.415 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,348.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	9/1/2021	6.47	59.82	47,423.45516531

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	7.23

Survey Program	Date	9/6/2021		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
200.0	17,541.0	Gordon MWD (OH)	EOG MWD+IFR1	MWD + IFR1



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3374.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3374.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0
200.0	0.99	123.31	200.0	-0.9	1.4	0.49	0.49	0.00	-1.7	0.0
308.0	1.43	127.44	308.0	-2.3	3.3	0.42	0.41	3.82	-4.0	0.2
394.0	1.59	150.67	393.9	-4.0	4.7	0.73	0.19	27.01	-5.8	2.2
481.0	1.74	145.45	480.9	-6.1	6.1	0.25	0.17	-6.00	-8.5	1.5
568.0	1.48	134.06	567.9	-8.0	7.6	0.47	-0.30	-13.09	-11.0	-0.4
667.0	1.69	134.34	666.8	-9.9	9.6	0.21	0.21	0.28	-13.8	-0.4
763.0	1.87	150.55	762.8	-12.2	11.4	0.55	0.19	16.89	-16.3	3.9
859.0	1.81	152.66	858.7	-15.0	12.8	0.09	-0.06	2.20	-19.2	4.5
955.0	1.27	138.81	954.7	-17.1	14.2	0.68	-0.56	-14.43	-22.2	-0.6
1,151.0	1.49	172.55	1,150.6	-21.3	16.0	0.42	0.11	17.21	-23.2	13.1
1,246.0	3.82	132.78	1,245.5	-24.6	18.5	2.99	2.45	-41.86	-28.8	-6.1
1,342.0	6.49	122.80	1,341.1	-29.8	25.4	2.92	2.78	-10.40	-31.1	-12.4
1,438.0	7.33	105.94	1,436.5	-34.4	35.8	2.28	0.87	-17.56	-29.5	-21.5
1,534.0	8.05	104.08	1,531.6	-37.7	48.2	0.79	0.75	-1.94	-31.5	-21.1
1,629.0	7.94	107.47	1,625.7	-41.3	61.0	0.51	-0.12	3.57	-35.7	-17.9
1,724.0	8.76	107.63	1,719.7	-45.4	74.1	0.86	0.86	0.17	-39.3	-16.9
1,819.0	9.39	110.55	1,813.5	-50.4	88.3	0.82	0.66	3.07	-44.9	-14.2
1,914.0	9.94	113.09	1,907.1	-56.3	103.1	0.73	0.58	2.67	-51.2	-11.9
2,010.0	10.29	117.00	2,001.6	-63.4	118.3	0.80	0.36	4.07	-58.5	-8.6
2,105.0	8.44	106.91	2,095.4	-69.3	132.6	2.60	-1.95	-10.62	-61.2	-19.2
2,201.0	8.39	101.24	2,190.3	-72.7	146.2	0.87	-0.05	-5.91	-62.9	-23.7
2,297.0	8.83	100.56	2,285.3	-75.4	160.3	0.47	0.46	-0.71	-66.9	-22.4
2,392.0	6.09	103.79	2,379.4	-78.0	172.3	2.92	-2.88	3.40	-70.3	-16.6
2,486.0	5.80	102.73	2,472.9	-80.2	181.8	0.33	-0.31	-1.13	-69.7	-16.2
2,582.0	6.70	102.85	2,568.4	-82.5	192.0	0.94	0.94	0.12	-70.0	-14.3
2,677.0	6.73	103.39	2,662.7	-85.0	202.8	0.07	0.03	0.57	-71.1	-12.0



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3374.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3374.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
2,771.0	8.12	101.87	2,755.9	-87.7	214.7	1.49	1.48	-1.62	-72.9	-12.1
2,867.0	5.71	111.48	2,851.2	-90.8	225.8	2.78	-2.51	10.01	-75.0	1.5
2,963.0	5.24	112.82	2,946.8	-94.3	234.3	0.51	-0.49	1.40	-73.8	3.3
3,059.0	6.05	107.94	3,042.3	-97.5	243.1	0.98	0.84	-5.08	-72.9	-2.5
3,154.0	6.29	108.30	3,136.8	-100.7	252.8	0.26	0.25	0.38	-72.9	-1.2
3,249.0	7.21	103.85	3,231.1	-103.8	263.5	1.11	0.97	-4.68	-73.6	-5.7
3,345.0	7.50	100.01	3,326.3	-106.3	275.6	0.59	0.30	-4.00	-75.2	-8.7
3,440.0	7.19	104.76	3,420.5	-108.9	287.4	0.72	-0.33	5.00	-77.6	-0.5
3,535.0	7.06	103.22	3,514.8	-111.8	298.8	0.24	-0.14	-1.62	-79.3	-1.1
3,630.0	7.61	98.61	3,609.0	-114.0	310.7	0.85	0.58	-4.85	-81.1	-5.4
3,726.0	7.58	106.62	3,704.2	-116.8	323.1	1.10	-0.03	8.34	-83.4	7.8
3,821.0	6.79	113.58	3,798.4	-120.8	334.3	1.24	-0.83	7.33	-83.4	18.4
3,917.0	6.85	115.74	3,893.8	-125.6	344.6	0.27	0.06	2.25	-83.7	21.2
4,013.0	7.16	115.09	3,989.1	-130.6	355.2	0.33	0.32	-0.68	-85.3	19.7
4,109.0	8.01	115.11	4,084.2	-136.0	366.7	0.89	0.89	0.02	-87.7	19.3
4,205.0	6.93	121.00	4,179.4	-141.8	377.7	1.38	-1.12	6.14	-87.4	27.3
4,300.0	6.23	122.30	4,273.8	-147.5	387.0	0.75	-0.74	1.37	-87.6	27.7
4,396.0	6.85	118.12	4,369.1	-153.0	396.4	0.81	0.65	-4.35	-90.0	19.9
4,492.0	5.49	100.84	4,464.6	-156.6	406.0	2.38	-1.42	-18.00	-91.7	-7.1
4,587.0	5.88	101.50	4,559.1	-158.4	415.2	0.42	0.41	0.69	-91.2	-4.1
4,682.0	7.73	106.18	4,653.5	-161.1	426.1	2.03	1.95	4.93	-92.2	4.9
4,777.0	9.17	111.62	4,747.4	-165.7	439.3	1.73	1.52	5.73	-95.1	14.4
4,873.0	7.36	112.93	4,842.4	-170.9	452.1	1.90	-1.89	1.36	-98.2	16.6
4,969.0	7.56	113.52	4,937.6	-175.8	463.5	0.22	0.21	0.61	-100.1	17.5
5,065.0	8.80	113.33	5,032.6	-181.3	476.0	1.29	1.29	-0.20	-103.5	17.1
5,160.0	9.22	116.12	5,126.5	-187.5	489.5	0.64	0.44	2.94	-107.2	21.8
5,256.0	8.12	115.86	5,221.4	-193.8	502.6	1.15	-1.15	-0.27	-111.5	20.7



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3374.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3374.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
5,352.0	7.08	116.77	5,316.5	-199.5	513.9	1.09	-1.08	0.95	-113.5	21.8
5,448.0	6.22	117.24	5,411.9	-204.5	523.8	0.90	-0.90	0.49	-114.1	21.9
5,544.0	6.13	119.08	5,507.3	-209.4	532.9	0.23	-0.09	1.92	-113.4	24.5
5,640.0	6.13	116.49	5,602.8	-214.1	542.0	0.29	0.00	-2.70	-114.3	18.5
5,736.0	6.30	117.72	5,698.2	-218.9	551.3	0.22	0.18	1.28	-113.9	20.1
5,831.0	6.64	114.35	5,792.6	-223.6	560.9	0.54	0.36	-3.55	-115.3	12.8
5,927.0	6.19	116.06	5,888.0	-228.1	570.6	0.51	-0.47	1.78	-115.3	15.8
6,023.0	6.44	113.57	5,983.4	-232.6	580.2	0.39	0.26	-2.59	-116.1	10.4
6,119.0	6.59	109.43	6,078.8	-236.5	590.3	0.51	0.16	-4.31	-117.0	2.2
6,214.0	6.47	108.05	6,173.2	-240.0	600.5	0.21	-0.13	-1.45	-117.6	0.1
6,310.0	6.03	105.37	6,268.6	-243.0	610.5	0.55	-0.46	-2.79	-117.7	-4.3
6,406.0	6.00	108.07	6,364.1	-245.9	620.2	0.30	-0.03	2.81	-117.5	2.3
6,502.0	6.03	105.13	6,459.5	-248.8	629.8	0.32	0.03	-3.06	-117.2	-2.6
6,598.0	5.56	103.73	6,555.1	-251.2	639.2	0.51	-0.49	-1.46	-116.6	-4.0
6,694.0	5.22	104.08	6,650.6	-253.4	647.9	0.36	-0.35	0.36	-115.3	-1.7
6,789.0	5.27	101.01	6,745.2	-255.3	656.4	0.30	0.05	-3.23	-113.7	-6.0
6,884.0	5.01	102.84	6,839.9	-257.0	664.7	0.32	-0.27	1.93	-112.2	-0.5
6,979.0	4.36	103.16	6,934.5	-258.8	672.3	0.68	-0.68	0.34	-109.9	1.8
7,074.0	3.67	99.47	7,029.3	-260.1	678.8	0.78	-0.73	-3.88	-106.4	-3.2
7,169.0	2.86	87.16	7,124.1	-260.5	684.2	1.12	-0.85	-12.96	-99.4	-21.9
7,264.0	3.70	49.66	7,219.0	-258.4	688.9	2.37	0.88	-39.47	-66.0	-70.0
7,358.0	3.66	50.07	7,312.8	-254.5	693.5	0.05	-0.04	0.44	-67.8	-60.5
7,454.0	3.50	46.55	7,408.6	-250.5	698.0	0.28	-0.17	-3.67	-65.7	-55.2
7,548.0	3.38	49.10	7,502.5	-246.7	702.2	0.21	-0.13	2.71	-69.1	-43.1
7,644.0	2.83	50.79	7,598.3	-243.4	706.1	0.58	-0.57	1.76	-70.6	-31.8
7,738.0	1.92	62.72	7,692.2	-241.2	709.3	1.10	-0.97	12.69	-73.7	-9.4
7,834.0	1.37	65.77	7,788.2	-240.0	711.8	0.58	-0.57	3.18	-72.7	-1.1



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3374.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3374.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
7,930.0	1.49	76.17	7,884.2	-239.2	714.1	0.30	0.12	10.83	-71.7	14.0
8,026.0	1.35	94.26	7,980.1	-239.0	716.4	0.49	-0.15	18.84	-65.9	36.0
8,121.0	1.38	129.27	8,075.1	-239.8	718.4	0.86	0.03	36.85	-35.4	68.0
8,215.0	1.07	155.23	8,169.1	-241.3	719.6	0.67	-0.33	27.62	-4.0	77.1
8,311.0	0.88	176.67	8,265.1	-242.9	720.1	0.42	-0.20	22.33	22.9	73.5
8,407.0	1.27	173.11	8,361.1	-244.6	720.2	0.41	0.41	-3.71	16.5	74.8
8,502.0	1.18	175.45	8,456.0	-246.7	720.4	0.11	-0.09	2.46	17.5	74.1
8,597.0	1.12	170.77	8,551.0	-248.6	720.7	0.12	-0.06	-4.93	9.5	75.2
8,692.0	1.11	188.34	8,646.0	-250.4	720.7	0.36	-0.01	18.49	29.9	69.1
8,787.0	1.02	204.78	8,741.0	-252.1	720.2	0.33	-0.09	17.31	46.5	58.0
8,883.0	0.91	180.94	8,837.0	-253.6	719.8	0.43	-0.11	-24.83	17.6	71.5
8,978.0	0.90	195.58	8,932.0	-255.1	719.6	0.24	-0.01	15.41	33.6	65.0
9,074.0	1.13	211.43	9,027.9	-256.6	718.9	0.38	0.24	16.51	48.4	53.5
9,170.0	0.96	232.67	9,123.9	-257.9	717.8	0.44	-0.18	22.12	62.8	32.7
9,266.0	0.56	230.53	9,219.9	-258.7	716.8	0.42	-0.42	-2.23	60.3	35.0
9,362.0	0.36	259.78	9,315.9	-259.0	716.1	0.31	-0.21	30.47	69.0	1.3
9,458.0	0.17	63.26	9,411.9	-259.0	716.0	0.55	-0.20	170.29	-65.6	-20.8
9,554.0	0.31	97.47	9,507.9	-259.0	716.3	0.20	0.15	35.64	-66.3	19.8
9,650.0	1.80	128.42	9,603.9	-260.0	717.8	1.61	1.55	32.24	-48.4	51.2
9,746.0	2.02	131.71	9,699.8	-262.0	720.2	0.26	0.23	3.43	-48.6	54.0
9,842.0	3.15	145.06	9,795.7	-265.3	723.0	1.33	1.18	13.91	-39.1	64.2
9,938.0	3.18	144.00	9,891.6	-269.6	726.1	0.07	0.03	-1.10	-45.5	63.4
10,034.0	3.62	136.89	9,987.4	-274.0	729.7	0.63	0.46	-7.41	-58.7	57.0
10,130.0	2.59	163.41	10,083.3	-278.3	732.4	1.81	-1.07	27.62	-32.0	78.5
10,226.0	1.85	159.99	10,179.2	-281.8	733.5	0.78	-0.77	-3.56	-40.4	76.3
10,321.0	1.57	208.48	10,274.2	-284.4	733.5	1.50	-0.29	51.04	28.1	82.0
10,417.0	1.69	227.39	10,370.1	-286.5	731.8	0.57	0.12	19.70	50.5	68.9



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3374.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3374.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
10,512.0	1.00	217.66	10,465.1	-288.1	730.2	0.76	-0.73	-10.24	35.9	76.2
10,608.0	0.93	177.92	10,561.1	-289.6	729.8	0.69	-0.07	-41.40	-22.5	81.0
10,704.0	1.95	282.52	10,657.1	-290.0	728.2	2.46	1.06	108.96	82.6	2.1
10,800.0	1.53	292.52	10,753.0	-289.2	725.4	0.54	-0.44	10.42	78.8	-12.0
10,896.0	1.18	303.48	10,849.0	-288.1	723.4	0.45	-0.36	11.42	72.9	-26.5
10,991.0	1.11	342.75	10,944.0	-286.7	722.3	0.81	-0.07	41.34	38.0	-66.0
11,183.0	1.33	355.08	11,135.9	-282.7	721.6	0.18	0.11	6.42	19.0	-72.2
11,279.0	0.85	337.09	11,231.9	-280.9	721.2	0.61	-0.50	-18.74	38.6	-63.2
11,375.0	1.23	268.32	11,327.9	-280.3	719.9	1.27	0.40	-71.64	71.6	12.4
11,566.0	2.98	327.42	11,518.8	-276.2	715.2	1.35	0.92	30.94	41.4	-53.3
11,662.0	2.29	329.10	11,614.7	-272.4	712.8	0.72	-0.72	1.75	35.4	-54.4
11,758.0	2.35	310.81	11,710.6	-269.5	710.4	0.77	0.06	-19.05	46.9	-41.2
11,854.0	1.83	302.61	11,806.6	-267.4	707.6	0.62	-0.54	-8.54	48.8	-34.3
11,950.0	1.55	298.98	11,902.5	-265.9	705.2	0.31	-0.29	-3.78	48.0	-31.3
11,998.0	1.96	300.75	11,950.5	-265.2	703.9	0.86	0.85	3.69	45.6	-32.7
12,079.0	2.96	295.25	12,031.4	-263.6	700.8	1.27	1.23	-6.79	45.0	-28.3
12,160.0	3.65	334.94	12,112.3	-260.4	697.8	2.88	0.85	49.00	12.4	-49.2
KOP, MD:12160.0', TVD:12112.3', N/S:-260.4', E/W:697.8', INC:3.65										
12,175.0	3.92	340.07	12,127.3	-259.5	697.4	2.88	1.80	34.18	7.3	-49.9
12,271.0	20.55	10.22	12,220.8	-239.6	699.3	17.99	17.32	31.41	-24.5	-48.0
12,323.7	25.28	9.12	12,269.3	-219.4	702.8	9.01	8.97	-2.09	-28.6	-51.4
FTP Crossing, MD:12323.7', TVD:12269.3', N/S:-219.4', E/W:702.8', INC:25.28										
12,366.0	29.08	8.48	12,306.9	-200.3	705.7	9.01	8.98	-1.51	-30.9	-54.5
12,462.0	38.00	0.99	12,386.9	-147.6	709.7	10.23	9.29	-7.80	-26.5	-62.0
12,558.0	50.76	353.15	12,455.4	-80.8	705.7	14.45	13.29	-8.17	-21.2	-60.6
12,654.0	58.56	347.88	12,511.0	-3.7	692.7	9.27	8.12	-5.49	-17.2	-48.4
12,750.0	62.71	347.04	12,558.0	78.0	674.5	4.39	4.32	-0.87	-5.8	-29.5



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3374.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3374.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
12,846.0	70.64	346.88	12,596.0	163.8	654.6	8.26	8.26	-0.17	13.3	-8.9
12,942.0	88.49	350.13	12,613.3	255.9	636.0	18.89	18.59	3.39	29.0	8.5
12,994.0	91.99	352.98	12,613.1	307.3	628.3	8.68	6.73	5.48	29.4	15.8
13,037.0	91.12	350.22	12,611.9	349.9	622.0	6.73	-2.02	-6.42	28.9	21.7
13,069.0	93.00	351.85	12,610.8	381.4	617.1	7.77	5.87	5.09	28.2	26.5
13,133.0	93.34	358.67	12,607.2	445.1	611.8	10.65	0.53	10.66	25.2	31.6
13,228.0	95.16	1.64	12,600.2	539.8	612.0	3.66	1.92	3.13	19.3	30.8
13,324.0	93.33	1.13	12,593.1	635.5	614.3	1.98	-1.91	-0.53	13.4	27.8
13,420.0	92.30	1.35	12,588.4	731.4	616.4	1.10	-1.07	0.23	9.9	25.1
13,516.0	89.33	1.70	12,587.0	827.3	619.0	3.12	-3.09	0.36	9.8	21.9
13,611.0	90.11	0.41	12,587.5	922.3	620.7	1.59	0.82	-1.36	11.5	19.6
13,707.0	89.55	2.82	12,587.8	1,018.3	623.4	2.58	-0.58	2.51	13.0	16.3
13,803.0	90.36	0.83	12,587.8	1,114.2	626.5	2.24	0.84	-2.07	14.2	12.6
13,899.0	92.18	359.85	12,585.7	1,210.2	627.1	2.15	1.90	-1.02	13.3	11.4
13,994.0	90.53	1.18	12,583.5	1,305.1	627.9	2.23	-1.74	1.40	12.0	9.9
14,090.0	91.20	1.16	12,582.0	1,401.1	629.9	0.70	0.70	-0.02	11.2	7.4
14,186.0	93.50	1.17	12,578.1	1,497.0	631.8	2.40	2.40	0.01	8.0	4.8
14,282.0	93.22	357.52	12,572.5	1,592.8	630.7	3.81	-0.29	-3.80	3.1	5.3
14,377.0	92.49	359.70	12,567.7	1,687.7	628.4	2.42	-0.77	2.29	-1.0	7.0
14,472.0	89.08	359.58	12,566.4	1,782.6	627.8	3.59	-3.59	-0.13	-1.6	6.9
14,567.0	90.03	358.65	12,567.2	1,877.6	626.4	1.40	1.00	-0.98	-0.2	7.8
14,663.0	89.92	358.50	12,567.2	1,973.6	624.0	0.19	-0.11	-0.16	0.6	9.6
14,759.0	91.18	357.99	12,566.3	2,069.5	621.0	1.42	1.31	-0.53	0.3	11.9
14,862.0	92.50	358.79	12,563.0	2,172.4	618.1	1.50	1.28	0.78	-2.2	14.1
14,957.0	90.00	0.58	12,560.9	2,267.4	617.6	3.24	-2.63	1.88	-3.6	14.0
15,052.0	90.45	359.99	12,560.5	2,362.4	618.1	0.78	0.47	-0.62	-3.3	12.9
15,147.0	91.01	359.16	12,559.3	2,457.4	617.4	1.05	0.59	-0.87	-3.8	13.0



EOG Resources

Midland PVA

Company: Midland
 Project: Lea County, NM (NAD 83 NME)
 Site: Andele 16 State Com
 Well: #707H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #707H
 TVD Reference: KB = 26' @ 3374.0usft
 MD Reference: KB = 26' @ 3374.0usft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
15,243.0	91.37	359.26	12,557.3	2,553.4	616.1	0.39	0.37	0.10	-5.1	13.7
15,339.0	91.51	359.04	12,554.9	2,649.3	614.6	0.27	0.15	-0.23	-6.7	14.5
15,435.0	91.49	358.55	12,552.4	2,745.3	612.6	0.51	-0.02	-0.51	-8.1	15.9
15,530.0	91.46	359.80	12,549.9	2,840.2	611.3	1.32	-0.03	1.32	-9.4	16.7
15,625.0	91.88	359.26	12,547.2	2,935.2	610.5	0.72	0.44	-0.57	-11.1	16.9
15,720.0	92.69	359.34	12,543.4	3,030.1	609.3	0.86	0.85	0.08	-13.8	17.4
15,815.0	91.43	1.63	12,540.0	3,125.0	610.1	2.75	-1.33	2.41	-16.1	16.0
15,911.0	90.45	1.30	12,538.4	3,221.0	612.6	1.08	-1.02	-0.34	-16.5	12.9
16,006.0	89.80	1.43	12,538.2	3,315.9	614.8	0.70	-0.68	0.14	-15.6	10.0
16,101.0	89.97	1.34	12,538.4	3,410.9	617.1	0.20	0.18	-0.09	-14.3	7.1
16,197.0	91.01	1.78	12,537.6	3,506.9	619.7	1.18	1.08	0.46	-13.8	3.9
16,292.0	89.94	0.17	12,536.8	3,601.9	621.4	2.03	-1.13	-1.69	-12.3	1.7
16,388.0	90.17	359.90	12,536.7	3,697.9	621.4	0.37	0.24	-0.28	-10.1	1.0
16,484.0	90.59	359.51	12,536.0	3,793.9	620.9	0.60	0.44	-0.41	-8.4	0.9
16,579.0	91.21	0.52	12,534.6	3,888.8	621.0	1.25	0.65	1.06	-7.6	0.2
16,675.0	91.80	1.66	12,532.0	3,984.8	622.8	1.34	0.61	1.19	-7.8	-2.2
16,770.0	92.47	1.79	12,528.5	4,079.7	625.6	0.72	0.71	0.14	-9.1	-5.7
16,866.0	90.62	0.26	12,525.9	4,175.6	627.3	2.50	-1.93	-1.59	-9.3	-8.0
16,961.0	87.14	359.77	12,527.8	4,270.6	627.4	3.70	-3.66	-0.52	-5.2	-8.7
17,057.0	86.44	0.20	12,533.1	4,366.4	627.3	0.86	-0.73	0.45	2.5	-9.2
17,152.0	87.03	0.29	12,538.5	4,461.3	627.8	0.63	0.62	0.09	10.2	-10.3
17,248.0	87.39	0.44	12,543.2	4,557.2	628.4	0.41	0.37	0.16	17.2	-11.5
17,344.0	88.01	0.73	12,547.1	4,653.1	629.3	0.71	0.65	0.30	23.3	-13.1
17,440.0	88.66	1.10	12,549.9	4,749.0	630.9	0.78	0.68	0.39	28.4	-15.2
17,486.0	88.99	0.81	12,550.8	4,795.0	631.6	0.95	0.72	-0.63	30.5	-16.3
Last MWD Survey (MD=17486.0')										



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3374.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3374.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
17,541.0	88.99	0.81	12,551.8	4,850.0	632.4	0.00	0.00	0.00	32.8	-17.4
Projection to Bit (MD=17541.0')										

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
12,160.0	12,112.3	-260.4	697.8	KOP, MD:12160.0', TVD:12112.3', N/S:-260.4', E/W:697.8', INC:3.65
12,323.7	12,269.3	-219.4	702.8	FTP Crossing, MD:12323.7', TVD:12269.3', N/S:-219.4', E/W:702.8', INC:25.28
17,486.0	12,550.8	4,795.0	631.6	Last MWD Survey (MD=17486.0')
17,541.0	12,551.8	4,850.0	632.4	Projection to Bit (MD=17541.0')

Checked By: _____ Approved By: _____ Date: _____

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE
KAY MADDOX 02/02/2022



Lea County, NM (NAD 83 NME)

Andele 16 State Com #707H

Plan #2

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #707H

KB = 26' @ 3374.0usft 3348.0
Northing 409973.00 Easting 808224.00 Latitude 32° 7' 26.974 N Longitude 103° 28' 16.415 W

SECTION DETAILS








Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	1150.0	0.00	0.00	1150.0	0.0	0.0	0.00	0.00	0.0	
3	1459.9	6.20	112.62	1459.3	-6.4	15.5	2.00	112.62	-4.4	
4	7651.5	6.20	112.62	7614.7	-263.6	632.5	0.00	0.00	-181.9	
5	7961.4	0.00	0.00	7924.0	-270.0	648.0	2.00	180.00	-186.3	Brushy Top (Andele 16 State Com #707H)
6	12144.9	0.00	0.00	12107.5	-270.0	648.0	0.00	0.00	-186.3	
7	12900.9	90.72	359.63	12584.9	213.5	644.9	12.00	359.63	292.9	TGT#1(Andele 16 State Com #707H)
8	13928.2	90.72	359.63	12572.0	1240.6	638.3	2.00	0.00	1311.0	TGT#2(Andele 16 State Com #707H)
9	13943.4	90.42	359.63	12571.8	1255.9	638.2	0.00	-180.00	1326.2	TGT#3(Andele 16 State Com #707H)
10	15302.2	90.42	359.63	12562.0	2614.6	629.4	0.00	0.00	2673.0	
11	15314.9	90.67	359.63	12561.9	2627.3	629.3	2.00	0.00	2685.6	
12	16160.8	90.67	359.63	12552.0	3473.1	623.9	0.00	0.00	3524.0	
13	16196.5	91.38	359.63	12551.4	3508.8	623.6	2.00	0.00	3559.4	
14	17537.1	91.38	359.63	12519.0	4849.0	615.0	0.00	0.00	4887.8	PBHL (Andele 16 State Com #707H)

CASING DETAILS

No casing data is available

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

Name	TVD	+N/-S	+E/-W	Northing	Easting
Brushy Top (Andele 16 State Com #707H)	7924.0	-270.0	648.0	409703.00	808872.00
PBHL (Andele 16 State Com #707H)	12519.0	4849.0	615.0	414822.00	808839.00
TGT#3(Andele 16 State Com #707H)	12552.0	3473.1	623.9	413446.10	808847.87
TGT#2(Andele 16 State Com #707H)	12562.0	2614.6	629.4	412587.60	808853.40
TGT#1(Andele 16 State Com #707H)	12572.0	1240.6	638.3	411213.60	808862.26
FTP (Andele 16 State Com #707H)	12586.0	-220.0	648.0	409753.00	808872.00



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-48566
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name ANDELE 16 STATE COM
8. Well Number 707H
9. OGRID Number 7377
10. Pool name or Wildcat PITCHFORK RANCH; WOLFCAMP, SOUTH

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator EOG RESOURCES INC	
3. Address of Operator PO BOX 2267 MIDLAND, TX 79702	
4. Well Location Unit Letter O : 326 feet from the SOUTH line and 1506 feet from the EAST line Section 16 Township 25S Range 34E NMPM County LEA	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3348' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Completion	☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

09/08/2021 RIG RELEASED
09/11/2021 MIRU TEST VOID TO 5000 PSI, SEALS AND FLANGES TO 8500 PSI
09/26/2021 BEGIN PERF AND FRAC
10/04/2021 FINISH 17 STAGES PERF AND FRAC 12,750 - 17,513' W/1005 3 1/8" SHOTS,
FRAC W/11,375,980 LBS PROPPANT AND 174,846 BBLS LOAD FLUID
10/06/2021 DRILLED OUT PLUGS AND CLEANOUT WELLBORE
01/01/2022 OPENED WELL TO FLOWBACK - DATE OF FIRST PRODUCTION

Spud Date:

07/10/2021

Rig Release Date:

09/08/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE KAY MADDOX TITLE Regulatory Specialist DATE 02/03/2022

Type or print name Kay Maddox E-mail address: kay_maddox@eogresources.com PHONE: 432-638-8475

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name ANDELE 16 STATE COM 6. Well Number: 707H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____																		
8. Name of Operator EOG RESOURCES INC						9. OGRID 7377												
10. Address of Operator PO BOX 2267 MIDLAND, TEXAS 79702						11. Pool name or Wildcat PITCHFORK RANCH; WOLFCAMP, SOUTH												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	O	16	25S	34E		326	SOUTH	1506	EAST	LEA								
BH:	A	16	25S	34E		107	NORTH	843	EAST	LEA								
13. Date Spudded 07/10/2021	14. Date T.D. Reached 09/06/2021		15. Date Rig Released 09/08/2021			16. Date Completed (Ready to Produce) 01/01/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3348' GR										
18. Total Measured Depth of Well MD 17,541' TVD 12,551'			19. Plug Back Measured Depth MD 17,513' TVD 12,551'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run None										
22. Producing Interval(s), of this completion - Top, Bottom, Name WOLFCAMP 12,750 - 17,513'																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
9 5/8"		36# J-55		1089'		12 1/4"		480 SXS CL C/CIRC										
7 5/8"		29.7# ECP-110		12,042'		8 3/4"		1780 SXSCL C & H/ CIRC										
5 1/2"		20# ICP-110		17,523'		8 1/2"		540 SXS CL H TOC		8852' CBL								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET											
26. Perforation record (interval, size, and number) 12,750 - 17,513' 3 1/8" 1005 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>DEPTH INTERVAL</td> <td>AMOUNT AND KIND MATERIAL USED</td> </tr> <tr> <td>12,750 - 17,513'</td> <td>Frac w/11,375,980 lbs proppant; 174,846 bbls load fld</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	12,750 - 17,513'	Frac w/11,375,980 lbs proppant; 174,846 bbls load fld				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
12,750 - 17,513'	Frac w/11,375,980 lbs proppant; 174,846 bbls load fld																	
28. PRODUCTION																		
Date First Production 01/01/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING												
Date of Test 01/02/2022	Hours Tested 24	Choke Size 64	Prod'n For Test Period	Oil - Bbl 2709	Gas - MCF 3875	Water - Bbl. 5620	Gas - Oil Ratio 1430											
Flow Tubing Press.	Casing Pressure 1442	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 46												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By										
31. List Attachments C-102, C-103, C-104, Directional Survey, As-Completed plat																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																		
33. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD 1927 1983																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature Kay Maddox Name Kay Maddox Title Regulatory Analyst Date 02/02/2022																		
E-mail Address kay_maddox@eogresources.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico				Northwestern New Mexico			
T. Anhy	Rustler	974'	T. Canyon	Brushy	8093'	T. Ojo Alamo	T. Penn A"
T. Salt		1329'	T. Strawn			T. Kirtland	T. Penn. "B"
B. Salt		5252'	T. Atoka			T. Fruitland	T. Penn. "C"
T. Yates			T. Miss			T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers			T. Devonian			T. Cliff House	T. Leadville
T. Queen			T. Silurian			T. Menefee	T. Madison
T. Grayburg			T. Montoya			T. Point Lookout	T. Elbert
T. San Andres			T. Simpson			T. Mancos	T. McCracken
T. Glorieta			T. McKee			T. Gallup	T. Ignacio Otzte
T. Paddock			T. Ellenburger			Base Greenhorn	T. Granite
T. Blinebry			T. Gr. Wash			T. Dakota	
T. Tubb			T. Delaware Sand			T. Morrison	
T. Drinkard			T. Bone Springs			T. Todilto	
T. Abo			T. 1st BS Sand	10,489'		T. Entrada	
T. Wolfcamp	12,556'		T. 2nd BS Sand	11,003'		T. Wingate	
T. Penn			T. 3rd BS Sand	12,088'		T. Chinle	
T. Cisco (Bough C)			T.			T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 78235

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 78235
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 78235

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 78235
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	None	5/15/2024