

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 4/15/22
⁴ API Number 30-015-47324	⁵ Pool Name SAND DUNES; BONE SPRING, SOUTH	⁶ Pool Code 53805
⁷ Property Code 325417	⁸ Property Name Todd 36-25 State Fed Com	⁹ Well Number 338H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	36	23S	31E		180	South	945	East	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	25	23S	31E		100	North	1136	East	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/15/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil

IV. Well Completion Data

²¹ Spud Date 10/30/21	²² Ready Date 4/15/22	²³ TD 21835	²⁴ PBTD 21,814 MD/11,643 TVD	²⁵ Perforations 11900 MD/11649 TVD - 21803 MD/11643 TVD	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	894	690 sx CIC; Circ 276 sx		
9-7/8"	8-5/8"	11075	925 sx CIC; Circ 0		
7-7/8"	5-1/2"	21817	2090 sx CIH; Circ 254 sx		
	Tubing:	0			

V. Well Test Data

³¹ Date New Oil 4/23/22	³² Gas Delivery Date 4/23/22	³³ Test Date 4/23/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure 3430 psi
³⁷ Choke Size	³⁸ Oil 1598 bbl	³⁹ Water 6295 bbl	⁴⁰ Gas 4302 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvnm.com			Approval Date: 5/16/2024		
Date: 5/4/2022		Phone: 405-552-3513			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
611 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-47324	Pool Code 53805	Pool Name SAND DUNES; BONE SPRING, SOUTH
Property Code 325417	Property Name TODD 36-25 STATE FED COM	Well Number 338H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3517.7'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	36	23-S	31-E		180	SOUTH	945	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	25	23-S	31-E		100	NORTH	1136	EAST	EDDY
Dedicated Acres 640	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<u>TODD 36-25 STATE FED COM 338H</u> EL: 3517.7' LAT: 32.254162 LON: 103.726036 N: 456728.53 E: 729072.65 <u>KICK OFF POINT</u> 42' FSL 1100' FEL SEC. 36 LAT: 32.253784 LON: 103.726538 N: 456589.86 E: 728918.29 <u>FIRST TAKE POINT</u> 531' FSL 1129' FEL SEC. 36 LAT: 32.255128 LON: 103.726633 N: 457078.66 E: 728886.31 <u>LAST TAKE POINT</u> 132' FNL 1135' FEL SEC. 25 LAT: 32.282323 LON: 103.726641 N: 466972.15 E: 728827.95 <u>BOTTOM OF HOLE</u> LAT: 32.282411 LON: 103.726644 N: 467004.13 E: 728826.83 Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.	OPERATOR CERTIFICATION I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Shayda Omoumi</i> 5/3/2022 Signature Date Shayda Omoumi Printed Name shayda.omoumi@dvn.com E-mail Address SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature & Seal of Professional Surveyor 04/25/2022 Certificate No. 22404 B.L. LAMAN DRAWN BY: CM
--	---

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Devon Energy

Eddy County, NM (NAD83)

Todd 36-25 State Fed Com

Todd 36-25 State Fed Com 338H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

09 December, 2021

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 338H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Well:	Todd 36-25 State Fed Com 338H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Todd 36-25 State Fed Com				
Site Position:		Northing:	456,728.53 usft	Latitude:	32.254162	
From:	Map	Easting:	729,072.65 usft	Longitude:	-103.726037	
Position Uncertainty:		0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.32 °

Well	Todd 36-25 State Fed Com 338H					
Well Position	+N/-S	0.00 usft	Northing:	456,728.53 usft	Latitude:	32.254162
	+E/-W	0.00 usft	Easting:	729,072.65 usft	Longitude:	-103.726037
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,517.70 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	9/21/2021	6.59	59.90	47,467.09024568

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	358.63	

Survey Program	Date	12/9/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
151.00	21,835.00	Survey #1 (Wellbore #1)	OWSG (Rev2) MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	456,728.53	729,072.65	32.254162	-103.726037
151.00	0.50	158.06	151.00	-0.61	0.25	456,727.92	729,072.89	32.254161	-103.726036
275.00	0.60	153.57	274.99	-1.69	0.74	456,726.84	729,073.38	32.254158	-103.726034
368.00	0.70	169.83	367.99	-2.69	1.05	456,725.84	729,073.70	32.254155	-103.726033
461.00	0.80	167.81	460.98	-3.88	1.29	456,724.65	729,073.94	32.254152	-103.726033
555.00	0.80	174.76	554.97	-5.18	1.49	456,723.35	729,074.14	32.254148	-103.726032
648.00	0.70	186.18	647.96	-6.39	1.49	456,722.14	729,074.13	32.254145	-103.726032
741.00	0.70	196.55	740.95	-7.50	1.27	456,721.03	729,073.91	32.254142	-103.726033
834.00	0.70	188.20	833.95	-8.61	1.02	456,719.92	729,073.67	32.254139	-103.726034
985.00	0.50	211.60	984.94	-10.08	0.55	456,718.45	729,073.19	32.254135	-103.726035
1,078.00	0.40	208.20	1,077.94	-10.71	0.18	456,717.82	729,072.83	32.254133	-103.726036
1,171.00	0.40	193.50	1,170.93	-11.31	-0.05	456,717.22	729,072.60	32.254131	-103.726037

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 338H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Well:	Todd 36-25 State Fed Com 338H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,264.00	0.40	205.70	1,263.93	-11.92	-0.27	456,716.61	729,072.38	32.254130	-103.726038
1,357.00	0.20	164.00	1,356.93	-12.37	-0.36	456,716.16	729,072.28	32.254128	-103.726038
1,450.00	0.20	222.70	1,449.93	-12.65	-0.43	456,715.88	729,072.22	32.254128	-103.726038
1,545.00	0.20	142.60	1,544.93	-12.90	-0.44	456,715.63	729,072.21	32.254127	-103.726038
1,640.00	0.10	162.90	1,639.93	-13.11	-0.31	456,715.42	729,072.33	32.254126	-103.726038
1,735.00	0.20	145.20	1,734.93	-13.33	-0.20	456,715.20	729,072.45	32.254126	-103.726038
1,829.00	1.40	254.60	1,828.92	-13.77	-1.21	456,714.77	729,071.44	32.254125	-103.726041
1,924.00	2.70	268.00	1,923.86	-14.15	-4.56	456,714.38	729,068.08	32.254124	-103.726052
2,019.00	4.40	259.10	2,018.67	-14.92	-10.38	456,713.61	729,062.27	32.254122	-103.726071
2,115.00	4.60	257.80	2,114.38	-16.43	-17.76	456,712.10	729,054.89	32.254118	-103.726094
2,210.00	4.80	246.60	2,209.06	-18.81	-25.13	456,709.72	729,047.52	32.254111	-103.726118
2,305.00	5.10	243.00	2,303.71	-22.31	-32.54	456,706.22	729,040.11	32.254102	-103.726142
2,400.00	5.80	236.70	2,398.28	-26.86	-40.31	456,701.67	729,032.33	32.254089	-103.726168
2,494.00	5.90	234.40	2,491.79	-32.28	-48.21	456,696.25	729,024.43	32.254074	-103.726193
2,590.00	5.80	234.30	2,587.29	-37.98	-56.16	456,690.55	729,016.48	32.254059	-103.726219
2,685.00	5.50	235.90	2,681.83	-43.34	-63.83	456,685.19	729,008.82	32.254044	-103.726244
2,780.00	5.30	236.40	2,776.40	-48.32	-71.26	456,680.21	729,001.39	32.254031	-103.726268
2,875.00	5.10	234.80	2,871.01	-53.18	-78.36	456,675.35	728,994.29	32.254018	-103.726291
2,970.00	5.10	232.90	2,965.64	-58.16	-85.18	456,670.37	728,987.47	32.254004	-103.726313
3,065.00	5.30	230.30	3,060.25	-63.51	-91.92	456,665.02	728,980.72	32.253989	-103.726335
3,160.00	4.80	233.20	3,154.88	-68.69	-98.48	456,659.84	728,974.17	32.253975	-103.726357
3,255.00	4.40	235.20	3,249.57	-73.15	-104.66	456,655.38	728,967.99	32.253963	-103.726377
3,351.00	4.40	235.80	3,345.29	-77.33	-110.73	456,651.20	728,961.92	32.253952	-103.726396
3,446.00	4.10	236.70	3,440.03	-81.24	-116.58	456,647.29	728,956.07	32.253941	-103.726415
3,541.00	4.00	237.60	3,534.79	-84.88	-122.21	456,643.65	728,950.43	32.253931	-103.726434
3,636.00	3.40	237.90	3,629.59	-88.15	-127.40	456,640.38	728,945.25	32.253922	-103.726450
3,731.00	2.90	238.80	3,724.45	-90.89	-131.84	456,637.64	728,940.81	32.253915	-103.726465
3,826.00	2.30	224.90	3,819.35	-93.49	-135.24	456,635.04	728,937.41	32.253908	-103.726476
3,922.00	2.30	204.20	3,915.27	-96.61	-137.39	456,631.92	728,935.26	32.253899	-103.726483
4,017.00	1.80	198.70	4,010.21	-99.76	-138.65	456,628.77	728,934.00	32.253890	-103.726487
4,112.00	2.20	190.70	4,105.15	-102.97	-139.47	456,625.56	728,933.18	32.253882	-103.726490
4,207.00	2.90	183.00	4,200.06	-107.16	-139.93	456,621.37	728,932.71	32.253870	-103.726491
4,302.00	2.50	184.30	4,294.95	-111.62	-140.21	456,616.91	728,932.43	32.253858	-103.726492
4,398.00	1.40	207.00	4,390.90	-114.76	-140.90	456,613.77	728,931.74	32.253849	-103.726495
4,493.00	1.20	210.20	4,485.87	-116.65	-141.93	456,611.88	728,930.72	32.253844	-103.726498
4,588.00	1.00	211.20	4,580.86	-118.22	-142.86	456,610.31	728,929.79	32.253840	-103.726501
4,683.00	0.80	202.00	4,675.85	-119.54	-143.54	456,608.99	728,929.11	32.253836	-103.726503
4,778.00	1.00	212.30	4,770.83	-120.86	-144.23	456,607.67	728,928.42	32.253832	-103.726505
4,874.00	1.00	208.60	4,866.82	-122.30	-145.08	456,606.23	728,927.57	32.253829	-103.726508
4,969.00	1.00	209.40	4,961.80	-123.75	-145.88	456,604.78	728,926.77	32.253825	-103.726511
5,064.00	1.00	221.80	5,056.79	-125.09	-146.84	456,603.44	728,925.81	32.253821	-103.726514
5,159.00	1.00	218.10	5,151.78	-126.36	-147.90	456,602.17	728,924.74	32.253817	-103.726517
5,254.00	0.90	223.30	5,246.76	-127.56	-148.93	456,600.97	728,923.72	32.253814	-103.726521
5,349.00	0.80	225.80	5,341.75	-128.56	-149.91	456,599.97	728,922.73	32.253811	-103.726524
5,444.00	0.80	234.30	5,436.74	-129.41	-150.93	456,599.12	728,921.72	32.253809	-103.726527
5,540.00	0.70	236.70	5,532.73	-130.13	-151.96	456,598.40	728,920.68	32.253807	-103.726531
5,635.00	0.80	247.30	5,627.73	-130.70	-153.06	456,597.83	728,919.59	32.253806	-103.726534
5,730.00	0.70	236.00	5,722.72	-131.28	-154.15	456,597.25	728,918.49	32.253804	-103.726538
5,825.00	0.80	235.30	5,817.71	-131.98	-155.18	456,596.55	728,917.47	32.253802	-103.726541
5,920.00	0.70	240.60	5,912.70	-132.65	-156.23	456,595.88	728,916.42	32.253800	-103.726545
6,016.00	0.70	241.40	6,008.70	-133.21	-157.26	456,595.32	728,915.39	32.253799	-103.726548
6,111.00	0.70	231.60	6,103.69	-133.85	-158.22	456,594.68	728,914.43	32.253797	-103.726551
6,206.00	0.80	246.20	6,198.68	-134.48	-159.28	456,594.05	728,913.36	32.253795	-103.726554
6,301.00	0.80	242.80	6,293.67	-135.05	-160.48	456,593.48	728,912.17	32.253794	-103.726558
6,396.00	1.10	230.50	6,388.66	-135.94	-161.77	456,592.60	728,910.87	32.253791	-103.726562

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 338H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Well:	Todd 36-25 State Fed Com 338H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,491.00	0.40	303.30	6,483.65	-136.33	-162.75	456,592.20	728,909.89	32.253790	-103.726566
6,586.00	0.40	326.10	6,578.65	-135.88	-163.21	456,592.65	728,909.43	32.253792	-103.726567
6,681.00	0.40	308.00	6,673.65	-135.40	-163.66	456,593.13	728,908.99	32.253793	-103.726569
6,776.00	0.40	223.40	6,768.64	-135.43	-164.15	456,593.10	728,908.50	32.253793	-103.726570
6,872.00	1.10	212.50	6,864.64	-136.45	-164.88	456,592.08	728,907.77	32.253790	-103.726573
6,967.00	1.50	222.90	6,959.61	-138.13	-166.21	456,590.40	728,906.43	32.253785	-103.726577
7,062.00	1.90	222.20	7,054.57	-140.21	-168.12	456,588.32	728,904.53	32.253780	-103.726583
7,157.00	1.80	220.60	7,149.52	-142.51	-170.15	456,586.02	728,902.50	32.253773	-103.726590
7,252.00	0.60	208.70	7,244.50	-144.08	-171.35	456,584.45	728,901.29	32.253769	-103.726594
7,347.00	0.80	342.50	7,339.49	-143.88	-171.79	456,584.65	728,900.85	32.253770	-103.726595
7,442.00	0.90	330.20	7,434.48	-142.60	-172.36	456,585.93	728,900.28	32.253773	-103.726597
7,538.00	1.50	15.70	7,530.46	-140.74	-172.40	456,587.79	728,900.25	32.253778	-103.726597
7,633.00	1.50	15.90	7,625.43	-138.35	-171.72	456,590.18	728,900.93	32.253785	-103.726595
7,728.00	1.30	13.80	7,720.40	-136.10	-171.12	456,592.43	728,901.52	32.253791	-103.726593
7,823.00	1.00	17.70	7,815.38	-134.27	-170.61	456,594.26	728,902.03	32.253796	-103.726591
7,918.00	0.40	4.30	7,910.38	-133.15	-170.34	456,595.38	728,902.31	32.253799	-103.726590
8,013.00	1.80	40.30	8,005.36	-131.68	-169.35	456,596.85	728,903.30	32.253803	-103.726587
8,109.00	2.10	44.00	8,101.30	-129.26	-167.15	456,599.27	728,905.50	32.253810	-103.726580
8,204.00	1.80	51.20	8,196.25	-127.08	-164.78	456,601.45	728,907.87	32.253816	-103.726572
8,299.00	1.60	50.20	8,291.20	-125.29	-162.60	456,603.24	728,910.05	32.253821	-103.726565
8,394.00	1.20	61.00	8,386.18	-123.96	-160.71	456,604.57	728,911.94	32.253824	-103.726559
8,489.00	0.90	56.30	8,481.16	-123.07	-159.22	456,605.46	728,913.43	32.253827	-103.726554
8,584.00	0.90	91.70	8,576.15	-122.67	-157.85	456,605.86	728,914.80	32.253828	-103.726550
8,679.00	1.20	112.20	8,671.13	-123.07	-156.18	456,605.46	728,916.46	32.253827	-103.726544
8,774.00	0.70	108.30	8,766.12	-123.63	-154.71	456,604.90	728,917.93	32.253825	-103.726539
8,869.00	0.80	144.10	8,861.11	-124.35	-153.77	456,604.18	728,918.87	32.253823	-103.726536
8,965.00	1.10	168.60	8,957.10	-125.80	-153.20	456,602.73	728,919.45	32.253819	-103.726535
9,060.00	1.30	186.10	9,052.08	-127.76	-153.13	456,600.77	728,919.52	32.253814	-103.726534
9,155.00	1.20	190.20	9,147.06	-129.81	-153.42	456,598.72	728,919.22	32.253808	-103.726535
9,250.00	1.20	215.40	9,242.04	-131.60	-154.17	456,596.93	728,918.47	32.253803	-103.726538
9,345.00	1.10	201.10	9,337.02	-133.26	-155.08	456,595.27	728,917.57	32.253799	-103.726541
9,440.00	0.90	179.00	9,432.00	-134.86	-155.39	456,593.67	728,917.25	32.253794	-103.726542
9,535.00	0.80	180.20	9,526.99	-136.27	-155.38	456,592.26	728,917.26	32.253790	-103.726542
9,630.00	1.10	172.50	9,621.98	-137.84	-155.27	456,590.69	728,917.38	32.253786	-103.726541
9,725.00	1.10	180.70	9,716.96	-139.65	-155.16	456,588.88	728,917.49	32.253781	-103.726541
9,821.00	1.20	182.80	9,812.94	-141.58	-155.22	456,586.95	728,917.43	32.253776	-103.726541
9,916.00	0.90	194.30	9,907.93	-143.29	-155.45	456,585.24	728,917.19	32.253771	-103.726542
10,011.00	0.80	210.70	10,002.92	-144.59	-155.97	456,583.94	728,916.67	32.253767	-103.726544
10,106.00	1.10	235.80	10,097.90	-145.67	-157.07	456,582.86	728,915.58	32.253764	-103.726547
10,201.00	1.40	205.90	10,192.88	-147.23	-158.33	456,581.30	728,914.32	32.253760	-103.726552
10,296.00	1.70	201.80	10,287.85	-149.58	-159.36	456,578.95	728,913.29	32.253754	-103.726555
10,391.00	0.80	211.40	10,382.82	-151.45	-160.23	456,577.08	728,912.42	32.253749	-103.726558
10,487.00	1.30	13.20	10,478.82	-150.97	-160.33	456,577.56	728,912.32	32.253750	-103.726558
10,582.00	1.40	19.20	10,573.79	-148.82	-159.70	456,579.71	728,912.95	32.253756	-103.726556
10,677.00	1.40	27.00	10,668.76	-146.69	-158.79	456,581.84	728,913.85	32.253762	-103.726553
10,772.00	1.00	42.80	10,763.74	-145.05	-157.70	456,583.48	728,914.94	32.253766	-103.726549
10,867.00	1.30	38.60	10,858.72	-143.60	-156.47	456,584.93	728,916.18	32.253770	-103.726545
10,963.00	1.50	20.00	10,954.69	-141.57	-155.36	456,586.96	728,917.29	32.253776	-103.726542
11,032.00	1.40	20.30	11,023.67	-139.93	-154.76	456,588.60	728,917.89	32.253780	-103.726540
11,104.00	1.30	15.20	11,095.65	-138.31	-154.24	456,590.22	728,918.41	32.253785	-103.726538
11,197.00	7.60	357.40	11,188.33	-131.14	-154.24	456,597.39	728,918.41	32.253804	-103.726538
KOP @ 11197' MD, 49' FSL, 1099' FEL									
11,290.00	22.10	357.90	11,277.98	-107.39	-155.16	456,621.14	728,917.48	32.253870	-103.726541
11,354.00	28.36	358.88	11,335.85	-80.13	-155.90	456,648.40	728,916.74	32.253945	-103.726542
X FTP @ 11354' MD, 100' FSL, 1101' FEL									

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 338H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Well:	Todd 36-25 State Fed Com 338H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,383.00	31.20	359.20	11,361.01	-65.73	-156.14	456,662.80	728,916.50	32.253984	-103.726543
11,476.00	43.30	357.10	11,434.91	-9.59	-158.10	456,718.94	728,914.55	32.254139	-103.726548
11,569.00	51.10	354.40	11,498.05	58.39	-163.25	456,786.92	728,909.39	32.254325	-103.726564
11,662.00	55.40	351.70	11,553.69	132.32	-172.32	456,860.85	728,900.33	32.254529	-103.726592
11,755.00	64.50	355.50	11,600.23	212.23	-181.16	456,940.76	728,891.49	32.254749	-103.726619
11,848.00	71.00	359.40	11,635.43	298.15	-184.91	457,026.68	728,887.73	32.254985	-103.726629
11,941.00	83.40	357.50	11,656.00	388.63	-187.40	457,117.16	728,885.25	32.255234	-103.726636
12,035.00	91.50	357.00	11,660.18	482.35	-191.90	457,210.88	728,880.74	32.255491	-103.726649
12,128.00	88.90	354.70	11,659.85	575.09	-198.63	457,303.62	728,874.02	32.255746	-103.726669
12,221.00	91.60	358.20	11,659.45	667.89	-204.39	457,396.42	728,868.26	32.256001	-103.726686
12,314.00	91.00	357.20	11,657.34	760.79	-208.12	457,489.32	728,864.53	32.256257	-103.726696
12,409.00	89.30	355.30	11,657.09	855.58	-214.33	457,584.11	728,858.31	32.256518	-103.726714
12,504.00	90.50	357.70	11,657.25	950.39	-220.13	457,678.92	728,852.51	32.256778	-103.726731
12,599.00	90.60	359.20	11,656.34	1,045.35	-222.70	457,773.88	728,849.95	32.257039	-103.726738
12,694.00	90.50	0.60	11,655.43	1,140.34	-222.87	457,868.87	728,849.78	32.257300	-103.726737
12,789.00	90.50	0.10	11,654.60	1,235.33	-222.29	457,963.86	728,850.36	32.257562	-103.726733
12,884.00	89.80	358.80	11,654.35	1,330.33	-223.20	458,058.86	728,849.45	32.257823	-103.726734
12,979.00	91.20	1.90	11,653.52	1,425.31	-222.62	458,153.84	728,850.03	32.258084	-103.726731
13,074.00	90.60	1.00	11,652.03	1,520.26	-220.22	458,248.79	728,852.43	32.258345	-103.726721
13,169.00	90.40	359.90	11,651.20	1,615.26	-219.47	458,343.79	728,853.18	32.258606	-103.726717
13,264.00	90.80	359.20	11,650.21	1,710.25	-220.22	458,438.78	728,852.43	32.258867	-103.726718
13,359.00	90.30	358.20	11,649.29	1,805.22	-222.37	458,533.75	728,850.28	32.259128	-103.726723
13,454.00	90.00	357.00	11,649.05	1,900.13	-226.35	458,628.66	728,846.30	32.259389	-103.726734
13,549.00	91.40	358.60	11,647.89	1,995.05	-229.99	458,723.58	728,842.65	32.259650	-103.726744
13,644.00	91.90	359.00	11,645.15	2,089.99	-231.98	458,818.52	728,840.66	32.259911	-103.726749
13,739.00	91.40	1.00	11,642.41	2,184.94	-231.98	458,913.47	728,840.66	32.260172	-103.726747
13,835.00	89.30	3.70	11,641.83	2,280.85	-228.05	459,009.38	728,844.60	32.260435	-103.726733
13,930.00	89.00	3.40	11,643.24	2,375.65	-222.17	459,104.18	728,850.48	32.260696	-103.726712
14,025.00	89.10	2.50	11,644.81	2,470.51	-217.28	459,199.04	728,855.37	32.260957	-103.726694
14,120.00	89.20	2.10	11,646.22	2,565.43	-213.47	459,293.96	728,859.18	32.261217	-103.726680
14,215.00	91.80	2.10	11,645.39	2,660.35	-209.98	459,388.88	728,862.66	32.261478	-103.726667
14,310.00	88.40	2.10	11,645.23	2,755.27	-206.50	459,483.80	728,866.14	32.261739	-103.726654
14,406.00	88.20	2.10	11,648.07	2,851.17	-202.99	459,579.70	728,869.66	32.262003	-103.726641
14,501.00	88.70	359.50	11,650.65	2,946.11	-201.66	459,674.64	728,870.98	32.262264	-103.726635
14,596.00	91.30	359.40	11,650.65	3,041.10	-202.57	459,769.63	728,870.07	32.262525	-103.726636
14,691.00	91.60	359.00	11,648.24	3,136.06	-203.90	459,864.59	728,868.75	32.262786	-103.726639
14,786.00	89.90	357.70	11,647.00	3,231.01	-206.64	459,959.54	728,866.01	32.263047	-103.726646
14,881.00	89.80	357.20	11,647.25	3,325.91	-210.86	460,054.44	728,861.78	32.263308	-103.726658
14,976.00	91.20	357.50	11,646.42	3,420.81	-215.25	460,149.34	728,857.39	32.263569	-103.726670
15,071.00	90.90	356.60	11,644.68	3,515.66	-220.14	460,244.19	728,852.50	32.263830	-103.726685
15,166.00	88.30	357.30	11,645.34	3,610.52	-225.20	460,339.05	728,847.45	32.264090	-103.726699
15,261.00	88.10	359.50	11,648.32	3,705.43	-227.85	460,433.96	728,844.80	32.264351	-103.726706
15,356.00	88.90	359.70	11,650.81	3,800.39	-228.51	460,528.92	728,844.14	32.264612	-103.726706
15,451.00	90.70	0.30	11,651.14	3,895.39	-228.51	460,623.92	728,844.14	32.264873	-103.726705
15,546.00	90.30	0.00	11,650.31	3,990.38	-228.26	460,718.91	728,844.38	32.265135	-103.726702
15,642.00	90.70	0.00	11,649.48	4,086.38	-228.26	460,814.91	728,844.38	32.265398	-103.726700
15,737.00	89.20	359.20	11,649.56	4,181.37	-228.93	460,909.90	728,843.72	32.265660	-103.726701
15,831.00	90.40	359.20	11,649.89	4,275.36	-230.24	461,003.89	728,842.41	32.265918	-103.726703
15,926.00	89.50	358.40	11,649.97	4,370.34	-232.23	461,098.87	728,840.42	32.266179	-103.726708
16,021.00	90.40	358.70	11,650.05	4,465.31	-234.63	461,193.84	728,838.02	32.266440	-103.726714
16,116.00	90.20	0.60	11,649.55	4,560.30	-235.21	461,288.83	728,837.44	32.266701	-103.726714
16,211.00	89.20	0.30	11,650.05	4,655.30	-234.46	461,383.83	728,838.18	32.266962	-103.726710
16,306.00	88.50	0.10	11,651.96	4,750.27	-234.13	461,478.80	728,838.51	32.267223	-103.726707
16,402.00	91.40	2.80	11,652.04	4,846.22	-231.70	461,574.76	728,840.94	32.267487	-103.726698
16,497.00	91.10	2.10	11,649.97	4,941.11	-227.64	461,669.64	728,845.00	32.267748	-103.726683

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 338H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Well:	Todd 36-25 State Fed Com 338H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,592.00	90.10	1.70	11,648.98	5,036.06	-224.50	461,764.59	728,848.15	32.268009	-103.726671
16,654.00	90.43	1.90	11,648.69	5,098.02	-222.55	461,826.55	728,850.10	32.268179	-103.726663
X SEC @ 16654' MD, 0' FSL, 1168' FEL									
16,687.00	90.60	2.00	11,648.40	5,131.00	-221.43	461,859.53	728,851.22	32.268270	-103.726659
16,783.00	90.40	2.00	11,647.56	5,226.94	-218.08	461,955.47	728,854.57	32.268533	-103.726647
16,878.00	87.60	0.50	11,649.22	5,321.89	-216.01	462,050.42	728,856.64	32.268794	-103.726638
16,973.00	87.00	0.10	11,653.69	5,416.79	-215.51	462,145.32	728,857.14	32.269055	-103.726635
17,068.00	88.80	0.90	11,657.17	5,511.71	-214.68	462,240.24	728,857.97	32.269316	-103.726630
17,163.00	89.20	0.60	11,658.83	5,606.69	-213.44	462,335.22	728,859.21	32.269577	-103.726625
17,258.00	88.60	0.10	11,660.65	5,701.67	-212.86	462,430.20	728,859.79	32.269838	-103.726621
17,354.00	91.20	0.50	11,660.82	5,797.66	-212.35	462,526.19	728,860.29	32.270102	-103.726618
17,449.00	91.40	0.40	11,658.67	5,892.63	-211.61	462,621.16	728,861.04	32.270363	-103.726613
17,544.00	91.10	0.40	11,656.59	5,987.61	-210.94	462,716.14	728,861.70	32.270624	-103.726610
17,639.00	91.20	0.50	11,654.69	6,082.59	-210.20	462,811.12	728,862.45	32.270885	-103.726605
17,734.00	89.10	358.50	11,654.44	6,177.57	-211.03	462,906.10	728,861.62	32.271146	-103.726606
17,829.00	88.50	358.40	11,656.43	6,272.52	-213.60	463,001.05	728,859.05	32.271407	-103.726613
17,924.00	88.00	357.90	11,659.33	6,367.42	-216.66	463,095.95	728,855.98	32.271668	-103.726621
18,020.00	89.30	358.10	11,661.59	6,463.33	-220.01	463,191.86	728,852.63	32.271932	-103.726630
18,115.00	89.30	357.20	11,662.75	6,558.25	-223.91	463,286.78	728,848.74	32.272193	-103.726641
18,210.00	89.30	357.00	11,663.91	6,653.12	-228.71	463,381.65	728,843.93	32.272454	-103.726655
18,305.00	88.20	356.60	11,665.98	6,747.95	-234.01	463,476.48	728,838.63	32.272714	-103.726670
18,400.00	90.70	358.50	11,666.90	6,842.84	-238.07	463,571.37	728,834.57	32.272975	-103.726682
18,496.00	91.10	359.30	11,665.39	6,938.81	-239.92	463,667.34	728,832.73	32.273239	-103.726686
18,591.00	90.00	358.00	11,664.48	7,033.78	-242.16	463,762.31	728,830.49	32.273500	-103.726691
18,686.00	90.70	358.10	11,663.90	7,128.72	-245.39	463,857.25	728,827.26	32.273761	-103.726700
18,782.00	89.20	356.60	11,663.98	7,224.61	-249.83	463,953.14	728,822.82	32.274025	-103.726713
18,877.00	88.50	355.50	11,665.89	7,319.36	-256.37	464,047.90	728,816.28	32.274285	-103.726732
18,972.00	91.40	357.70	11,665.97	7,414.18	-262.00	464,142.71	728,810.64	32.274546	-103.726749
19,067.00	92.10	359.10	11,663.07	7,509.10	-264.65	464,237.63	728,807.99	32.274807	-103.726756
19,163.00	91.60	358.30	11,659.97	7,605.02	-266.83	464,333.55	728,805.82	32.275071	-103.726761
19,258.00	91.10	359.90	11,657.73	7,699.98	-268.32	464,428.51	728,804.32	32.275332	-103.726764
19,353.00	90.10	358.40	11,656.74	7,794.96	-269.73	464,523.49	728,802.92	32.275593	-103.726767
19,449.00	92.60	0.40	11,654.47	7,890.92	-270.74	464,619.45	728,801.91	32.275857	-103.726768
19,544.00	90.70	0.10	11,651.74	7,985.87	-270.32	464,714.40	728,802.32	32.276118	-103.726765
19,639.00	89.30	359.30	11,651.74	8,080.87	-270.82	464,809.40	728,801.83	32.276379	-103.726765
19,734.00	90.70	2.10	11,651.74	8,175.85	-269.66	464,904.38	728,802.99	32.276640	-103.726760
19,829.00	92.10	2.80	11,649.42	8,270.73	-265.60	464,999.26	728,807.05	32.276901	-103.726745
19,925.00	91.30	2.30	11,646.57	8,366.59	-261.33	465,095.12	728,811.32	32.277164	-103.726729
20,020.00	90.30	2.00	11,645.24	8,461.51	-257.77	465,190.04	728,814.88	32.277425	-103.726716
20,115.00	89.20	1.40	11,645.66	8,556.47	-254.95	465,285.00	728,817.70	32.277686	-103.726705
20,210.00	90.00	0.60	11,646.32	8,651.45	-253.29	465,379.98	728,819.36	32.277947	-103.726698
20,304.00	90.10	1.20	11,646.24	8,745.44	-251.81	465,473.97	728,820.83	32.278205	-103.726691
20,400.00	88.90	0.20	11,647.08	8,841.43	-250.64	465,569.96	728,822.00	32.278469	-103.726686
20,495.00	92.30	2.30	11,646.08	8,936.38	-248.57	465,664.91	728,824.08	32.278730	-103.726677
20,590.00	92.40	2.80	11,642.19	9,031.20	-244.35	465,759.73	728,828.30	32.278991	-103.726662
20,685.00	90.10	2.50	11,640.11	9,126.07	-239.96	465,854.60	728,832.69	32.279251	-103.726646
20,780.00	89.20	1.70	11,640.69	9,221.01	-236.48	465,949.54	728,836.17	32.279512	-103.726633
20,876.00	89.70	1.70	11,641.62	9,316.96	-233.63	466,045.49	728,839.02	32.279776	-103.726622
20,971.00	89.90	2.10	11,641.95	9,411.91	-230.48	466,140.44	728,842.17	32.280037	-103.726610
21,066.00	90.20	0.40	11,641.86	9,506.88	-228.41	466,235.41	728,844.24	32.280298	-103.726602
21,161.00	89.30	359.00	11,642.28	9,601.87	-228.90	466,330.40	728,843.74	32.280559	-103.726602
21,256.00	88.70	359.10	11,643.94	9,696.85	-230.48	466,425.38	728,842.17	32.280820	-103.726605
21,352.00	89.30	358.70	11,645.61	9,792.81	-232.32	466,521.34	728,840.33	32.281084	-103.726609
21,447.00	91.10	358.70	11,645.28	9,887.78	-234.48	466,616.31	728,838.17	32.281345	-103.726614
21,542.00	90.70	358.90	11,643.79	9,982.75	-236.46	466,711.28	728,836.18	32.281606	-103.726619

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 338H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.7' + KB 22.5" @ 3540.20usft
Well:	Todd 36-25 State Fed Com 338H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
21,637.00	90.00	358.30	11,643.21	10,077.72	-238.79	466,806.25	728,833.86	32.281867	-103.726625
21,732.00	90.00	357.70	11,643.21	10,172.66	-242.10	466,901.19	728,830.55	32.282128	-103.726634
21,779.00	89.90	358.00	11,643.25	10,219.63	-243.86	466,948.16	728,828.78	32.282257	-103.726639
21,835.00	89.90	358.00	11,643.35	10,275.59	-245.82	467,004.13	728,826.83	32.282411	-103.726644
PBHL & LTP @ 21835' MD, 100' FNL, 1136' FEL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
11,197.00	11,188.33	-131.14	-154.24	KOP @ 11197' MD, 49' FSL, 1099' FEL	
11,354.00	11,335.85	-80.13	-155.90	X FTP @ 11354' MD, 100' FSL, 1101' FEL	
16,654.00	11,648.69	5,098.02	-222.55	X SEC @ 16654' MD, 0' FSL, 1168' FEL	
21,835.00	11,643.35	10,275.59	-245.82	PBHL & LTP @ 21835' MD, 100' FNL, 1136' FEL	

Checked By:	_____	Approved By:	_____	Date:	_____
-------------	-------	--------------	-------	-------	-------

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-47324
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Todd 36-25 State Fed Com
4. Well Location Unit Letter <u>P</u> : <u>180</u> feet from the <u>South</u> line and <u>945</u> feet from the <u>East</u> line Section <u>36</u> Township <u>23S</u> Range <u>31E</u> NMPM County <u>Eddy</u>		8. Well Number 338H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3517.7'		9. OGRID Number 6137
		10. Pool name or Wildcat SAND DUNES; BONE SPRING, SOUTH

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 11900' MD/11649' TVD - 21803' MD/11643' TVD, total 1474 holes. Frac totals 24,764,781# proppant, 47 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 21,814' MD/11,643' TVD. CHC, FWB, ND BOP. Tubing will be run at later date. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 5/4/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmn.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011			
		1. WELL API NO.		30-015-47324				
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN				
		3. State Oil & Gas Lease No.						
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								
4. Reason for filing:						5. Lease Name or Unit Agreement Name		
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						Todd 36-25 State Fed Com 6. Well Number:		
7. Type of Completion:						338H		
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER								
8. Name of Operator						9. OGRID		
Devon Energy Production Company, L.P.						6137		
10. Address of Operator						11. Pool name or Wildcat		
333 West Sheridan Avenue, Oklahoma City, OK 73102						SAND DUNES; BONE SPRING, SOUTH		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	
Surface:	P	36	23S	31E		180	South	
BH:	A	25	23S	31E		100	North	
							East	
							Eddy	
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		
10/30/21	12/2/21	12/5/21		4/15/22		3517.7' GL		
18. Total Measured Depth of Well		19. Plug Back Measured Depth		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
21835 MD, 11643 TVD		21,814 MD/11,643 TVD		Yes		RBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name								
11900 MD/11649 TVD-21803 MD/11643 TVD, BONE SPRING								
23. CASING RECORD (Report all strings set in well)								
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED			
13-3/8"	54.5	894	17-1/2"	690 sx CIC; circ 276 sx				
8-5/8"	32	11075	9-7/8"	925 sx CIC; circ 0	TOC @ 30			
5-1/2"	20	21817	7-7/8"	2090 sx CH; circ 254 sx				
24. LINER RECORD				25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET	
26. Perforation record (interval, size, and number)				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
11900 MD/11649 TVD - 21803 MD/11643 TVD, total 1474 holes				DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 11900 - 21803 MD Acidize and frac in 50 stages. See detailed summary attached.				
28. PRODUCTION								
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)			Well Status (Prod. or Shut-in)			
4/15/22		Flowing			Producing			
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio	
4/23/22	24			1598	4302	6295	2692.115144	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)		
psi	3430 psi							
29. Disposition of Gas (Sold, used for fuel, vented, etc.)						30. Test Witnessed By		
Sold								
31. List Attachments								
Directional Survey, Logs								
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								
33. If an on-site burial was used at the well, report the exact location of the on-site burial:								
Latitude		Longitude		NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief								
Signature	Printed Name			Title	Regulatory Compliance Associate		Date	
	Shayda Omoumi						5/4/2022	
E-mail Address		shayda.omoumi@dvn.com						

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 344610

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 344610
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 344610

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 344610
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	5/16/2024