


**PERFORATING - WIRELINE SERVICES**

<<< Fold Here >>>

Comments


THANK YOU FOR USING BASIN WELL LOGGING
LOG CORRALTED TO ALLIED OPEN HOLE LOG 1-15-2019
ADJUSTED -20" & API NUMBER COPIED FROM LOG

Released to Imaging: 5/20/2024 4:57:50 PM




Database File	wlu 2309-24n wsw.db
Dataset Pathname	pass3.1
Presentation Format	rcblsect
Dataset Creation	Wed Jan 23 08:59:07 2019
Charted by	Depth in Feet scaled 1:240

LTEN	385	TT (usec)	285	0	AMP (mV)	100	0	AMPS1	120	200	VDL (usec)	1200	1	Cement Map	8
0 (lb1450	-9	CCL	1		TT3FT		0	AMPS2	120						
	0	GR (GAPI)	200	1200	(usec)	200	0	AMPS3	120						
					Amplifide Amplitude		0	AMPS4	120						
				0	(mV)	20	0	AMPS5	120						
							0	AMPS6	120						
							0	AMPS7	120						
							0	AMPS8	120						




100

200




300

400



500


600



700


800

900




1000

1100




1200

1300




1400

1500



1600


1700



1800



1900

2000




2100

2200




2300

2400





2500

2600



2700


2800



2900


3000

3100




3200

3300




3400

3500





3600

3700



3800


3900



4000

4100

4200




4300

4400


4500

4600





4700

4800



4900


5000



5100

5200

5300




5400

5500


5600

5700




5800

5900



6000


6100



6200


6300

6400




6500

6600




6700

6800




6900


7000



7100

7200





Calibration Report

Database File wlu 2309-24n wsw.db
 Dataset Pathname pass3.1
 Dataset Creation Wed Jan 23 08:59:07 2019

Gamma Ray Calibration Report

Serial Number: 110773
 Tool Model: Btm_Detector
 Performed: Mon Jan 21 13:19:31 2019

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 1.0000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: FW1505-7
 Tool Model: Probe275T

Calibration Casing Diameter: 7.000 in
 Calibration Depth: 52.975 ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	0.806	0.000	62.165	77.110	-0.001
CAL	0.000	1.055				
5'	-0.078	0.917	0.000	62.165	62.479	4.867
SUM						
S1	0.000	0.758	0.000	100.000	131.969	-0.001
S2	-0.001	0.743	0.000	100.000	134.385	0.101
S3	-0.023	0.775	0.000	100.000	125.244	2.893
S4	0.000	0.777	0.000	100.000	128.743	-0.001
S5	0.000	0.921	0.000	100.000	108.521	-0.001

Received by OCD: 5/20/2024 4:57:03 PM

Page 37 of 38

S6	-0.027	1.040	0.000	100.000	93.750	2.510
S7	0.000	0.988	0.000	100.000	101.224	-0.001
S8	0.000	0.838	0.000	100.000	119.282	-0.001

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.000	1.055	1.000	0.000

Air Zero Calibration, performed (Not Performed):

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 346082

CONDITIONS

Operator: NEW MEXICO ENERGY MINERALS & NATURAL RESOURCE 1220 S St Francis Dr Santa Fe , NM 87504	OGRID: 264235
	Action Number: 346082
	Action Type: [IM-SD] Well File Support Doc (ENG) (IM-AWF)

CONDITIONS

Created By	Condition	Condition Date
pgoetze	None	5/20/2024