| ewed by UCD: 3/15/2024 9:54:51 AM I.S. Department of the Interior UREAU OF LAND MANAGEMENT | | Sundry Print Repo |
|--|---|----------------------------------|
| Well Name: ALLEY CAT 17-20 FED COM | Well Location: T23S / R32E / SEC 17 / NENE / 32.3105289 / -103.6898331 | County or Parish/State: LEA / NM |
| Well Number: 615H | Type of Well: OIL WELL | Allottee or Tribe Name: |
| Lease Number: NMNM62223 | Unit or CA Name: | Unit or CA Number: |
| US Well Number: | Operator: DEVON ENERGY PRODUCTION COMPANY LP | |

Notice of Intent

Sundry ID: 2788919

Type of Submission: Notice of Intent

Date Sundry Submitted: 05/08/2024

Date proposed operation will begin: 05/08/2024

Type of Action: APD Change Time Sundry Submitted: 07:13

Procedure Description: Devon Energy Production Co., L.P. (Devon) respectfully requests to change the BHL and update the casing/cement design on the subject well. Please see attached revised C102, drill plan (offline cement variance included), and directional plan. Permitted BHL: SESE, 20 FSL, 1000 FEL, 20-23S-32E Proposed BHL: SESE, 20 FSL, 825 FEL, 20-23S-32E No new leases have been added since approved APD APD ID: 10400085550

NOI Attachments

Procedure Description

WA018443697_ALLEY_CAT_17_20_FED_COM_615H_WL_R3_20240508071211.pdf

Alley_Cat_17_20_Fed_Com_615H_20240508071210.pdf

10.750_45.5_J55_SEAH_20240508071210.pdf

Alley_Cat_17_20_Fed_Com_615H_Directional_Plan_05_01_24_20240508071209.pdf

8.625_32_P110HSCY_MO_FXL_with_95__RBW__20240508071210.pdf

5.5_20__P110HP_CDC_HTQ_20240508071209.pdf

| eceived by OCD: 5/15/2024 9:54:51 AM Well Name: ALLEY CAT 17-20 FED COM | Well Location: T23S / R32E / SEC 17 / NENE / 32.3105289 / -103.6898331 | County or Parish/State: LER 2 of NM |
|---|---|-------------------------------------|
| Well Number: 615H | Type of Well: OIL WELL | Allottee or Tribe Name: |
| Lease Number: NMNM62223 | Unit or CA Name: | Unit or CA Number: |
| US Well Number: | Operator: DEVON ENERGY PRODUCTION COMPANY LP | |
| Conditions of Approv | al | |
| Specialist Review | | |

Alley_Cat_17_20_Fed_Com_615_Sundry_ID_2788919_20240515093822.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Name: DEVON ENERGY PRODUCTION COMPANY LP

Operator Electronic Signature: SHAYDA OMOUMI

Title: Regulatory Compliance Associate 3

Street Address: 333 W SHERIDAN AVE

City: OKLAHOMA CITY State: OK

Phone: (405) 235-3611

Email address: SHAYDA.OMOUMI@DVN.COM

Field

Representative Name: Street Address: City: Phone: Email address:

BLM Point of Contact

BLM POC Name: LONG VO BLM POC Phone: 5759885402 Disposition: Approved Signature: Long Vo BLM POC Title: Petroleum Engineer BLM POC Email Address: LVO@BLM.GOV Disposition Date: 05/15/2024

11

State:

Signed on: MAY 08, 2024 07:12 AM

Zip:

Received by OCD: 5/15/2024 9:54:51 AM

| eceived by OCD. 5/15/20 | 47 7.37.31 /101 | | 1 uge 5 |
|--|---|---|---|
| Form 3160-5 (June 2019) | UNITED STAT DEPARTMENT OF THE BUREAU OF LAND MA | FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No. | |
| Do not use | | PORTS ON WELLS to drill or to re-enter an APD) for such proposals. | 6. If Indian, Allottee or Tribe Name |
| | IIT IN TRIPLICATE - Other ins | tructions on page 2 | 7. If Unit of CA/Agreement, Name and/or No. |
| 1. Type of Well | Gas Well Other | | 8. Well Name and No. |
| 2. Name of Operator | | | 9. API Well No. |
| 3a. Address | | 3b. Phone No. <i>(include area code)</i> | 10. Field and Pool or Exploratory Area |
| 4. Location of Well (Footage, Se | ec., T.,R.,M., or Survey Descriptio | n) | 11. Country or Parish, State |
| 1: | 2. CHECK THE APPROPRIATE | BOX(ES) TO INDICATE NATURE O | F NOTICE, REPORT OR OTHER DATA |
| TYPE OF SUBMISSION | | ТҮРЕ | OF ACTION |
| Notice of Intent | Acidize | Deepen [Hydraulic Fracturing] | Production (Start/Resume) Water Shut-Off Reclamation Well Integrity |
| Subsequent Report | Casing Repair Change Plans | New Construction | Recomplete Other Temporarily Abandon |
| Final Abandonment Noti | | = - | Water Disposal |
| the proposal is to deepen dir the Bond under which the w completion of the involved of | ectionally or recomplete horizont ork will be perfonned or provide operations. If the operation results ent Notices must be filed only aft | ally, give subsurface locations and mea the Bond No. on file with BLM/BIA. R in a multiple completion or recompleti | arting date of any proposed work and approximate duration thereof. sured and true vertical depths of all pertinent markers and zones. Att equired subsequent reports must be filed within 30 days following ion in a new interval, a Form 3160-4 must be filed once testing has b ion, have been completed and the operator has detennined that the sit |

| 14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) | | | |
|--|-----------------|--|-----------|
| 1 | Title | | |
| Signature | Date | | |
| Signature [| | | |
| THE SPACE FOR FEDER | RAL OR STATE OF | FICE USE | |
| Approved by | | | |
| | Title | Date | |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject leas which would entitle the applicant to conduct operations thereon. | | | |
| Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within | | llfully to make to any department or agency of the Unite | ed States |

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NENE / 475 FNL / 515 FEL / TWSP: 23S / RANGE: 32E / SECTION: 17 / LAT: 32.3105289 / LONG: -103.6898331 (TVD: 0 feet, MD: 0 feet) PPP: NENE / 100 FNL / 1000 FEL / TWSP: 23S / RANGE: 32E / SECTION: 17 / LAT: 32.3115526 / LONG: -103.6914032 (TVD: 11930 feet, MD: 12075 feet) PPP: NESE / 2460 FSL / 1002 FEL / TWSP: 23S / RANGE: 32E / SECTION: 17 / LAT: 32.3040752 / LONG: -103.6913998 (TVD: 12025 feet, MD: 14600 feet) BHL: SESE / 20 FSL / 1000 FEL / TWSP: 23S / RANGE: 32E / SECTION: 20 / LAT: 32.2828505 / LONG: -103.6913903 (TVD: 12045 feet, MD: 22318 feet)

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

AMENDED REPORT

Page 6 of 52

| | | | | | | EAGE DEDIC | | | | | |
|-----------------------------|-----------------------|-------------------------|---|------------------------|-------------------------|------------------|----------------------|----------------|-------------|--|--|
| 1 | API Number | r | | ² Pool Code | 9 | | ³ Pool Na | ame | | | |
| | | | | 98248 | | WC-02 | 25 G-08 S2432 | 217P; UPR W | C | | |
| ⁴ Property C | Code | | | | ⁵ Property | Name | | 6 | Well Number | | |
| | | | | AL | LEY CAT 17 | 20 FED COM | | | 615H | | |
| ⁷ OGRID N | No. | | ⁸ Operator Name ⁹ Elevation | | | | | | | | |
| 6137 | | | DEVON ENERGY PRODUCTION COMPANY, L.P. 3644.6 | | | | | | | | |
| | | | | | [™] Surfac | e Location | | | | | |
| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County | | |
| Α | 17 | 23 S | 32 E | | 475 | NORTH | 515 | EAST | LEA | | |
| | | | пF | Bottom H | lole Location | If Different Fr | om Surface | | | | |
| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County | | |
| Р | 20 | 23 S | 32 E | | 20 | SOUTH | 825 | EAST LEA | | | |
| ² Dedicated Acre | s ¹³ Joint | or Infill ¹⁴ | Consolidatio | n Code | ¹⁵ Order No. | | | | | | |
| 640 | | | | | | | | | | | |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

| | ALLEY CAT 17 20 FED COM 615H | 17 OPERATOR CERTIFICATION |
|---|--|---|
| <u>(Д</u> N89'25'44"Е 2637.38 FT <mark>В</mark> N89'21'37"Е 2632.81 FT © | EL. = 3644.6 GEODETIC COORDINATES | I hereby certify that the information contained herein is true and complete |
| FTP | NAD 83 NMSP EAST | to the best of my knowledge and belief, and that this organization either |
| 515'+ | | owns a working interest or unleased mineral interest in the land including |
| | E.= 740141.48 LAT. = 32.3105289'N | the proposed bottom hole location or has a right to drill this well at this |
| NMNM 018848 NMNM 062223 | LONG. = 103.6898331'W | location pursuant to a contract with an owner of such a mineral or working |
| +57" | CALLS 7 FNL 826 FEL FIRST TAKE POINT (PPP 1) | interest, or to a voluntary pooling agreement or a compulsory pooling |
| 300.2 | N.= 477716 E.= 739828 E.= 739829 E.= 739829 | order heretofore entered by the division. |
| SEC. 17 | $\begin{array}{c} \text{Lat.} = 32,31158429\\ \text{Long.} = \underline{-103.69092245}\\ \text{Long.} = 103.690932245\\ \end{array}$ | Shauda Amount 5/1/2024 |
| E PPP 2 | | Signature Date |
| | LAST TAKE POINT BOTTOM OF HOLE 100' FSL, 825' FEL 20' FSL, 825' FEL | Shayda Omoumi |
| C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | E.= 739895.14 E.= 739895.62 | Printed Name |
| | LAT. = 32.2830724'N LAT. = 32.2828525'N LONG. = 103.6908241'W LONG. = 103.6908241'W | |
| 20'2 | PPP 2 PPP 3 | shayda.omoumi@dvn.com |
| | 2642' FNL, 825' FEL 0' FSL, 825' FEL N.= 475129.51 N.= 472489.15 | E-mail Address |
| N89'29'46"E N89'23'14"E 2633.83 FT M 2634.84 FT | EAT 52.5045050 N EAT 52.2575112 N | |
| | LONG. = 103.6908338'W LONG. = 103.6908305'W | ¹⁸ SURVEYOR CERTIFICATION |
| 2643.09 | | I hereby certify that the well location shown on this plat |
| | | was plotted from field notes of actual surveys made by |
| ∧ NMNM 0559539 NMNM 086153 0,0 - | | me or under my supervision, and that the same is true |
| | CORNER COORDINATES TABLE NAD 83 NMSP EAST A - N.= 477724.51 E.= 735384.50 | and correct to the best of my belief. |
| $ \bigcirc \ - \ - \ - \ - \ - \ - \ - \ - \ - \$ |) B - N.= 477750.79 E.= 738021.18 C - N.= 477780.18 E.= 740653.25 | APRIL 19, 2024 |
| | D – N.= 475137.91 E.= 740670.42 E – N.= 472497.97 E.= 740686.53 | Date of Survey |
| 2638.70 2638.62 | F - N.= 469855.52 E.= 740704.48 G - N.= 467217.53 E.= 740720.53 | MEXX |
| | H - N.= 467190.86 E.= 738084.99 I - N.= 467168.68 E.= 735450.43 | A BAS BOX ATA |
| | J – N.= 469806.75 E.= 735434.10 K – N.= 472446.64 E.= 735419.26 | |
| BOTTOM | L - N.= 475084.23 E.= 735403.66 M - N.= 472469.80 E.= 738052.41 | Signature and Seal of Professional Surveyor: |
| | | |
| ☐ \$89'31'03" ¥ 2635.23 FT ⊕ \$89'25'13" ¥ 2636 25 FT € | | PPOLECCION |
| | WELL PATH | TUP SORVEY NO. 9365C |
| | | |

Received by OCD: 5/15/2024 9:54:51 AM

| ļ | lr | J | t | e | r | J. | t |
|---|----|---|---|---|---|----|---|
| | | | | | | | |

API #

| Operator Name: | Property Name: | Well Number |
|--|-------------------------|-------------|
| DEVON ENERGY PRODUCTION COMPANY, L.P. | ALLEY CAT 17 20 FED COM | 615H |

Kick Off Point (KOP)

| UL A | Section 17 | Township 23S | Range 32E | Lot | Feet 57 | From N/S NORTH | Feet 826 | From E/W EAST | County LEA |
|-------------|---------------|-----------------|--------------|--------------|------------|-------------------|-------------|------------------|---------------|
| Latitude | | | | | Longitude | | NAD | | |
| 32.31158429 | | | | -103.6909224 | 5 | 83 | | | |

First Take Point (FTP)

| UL | Section | Township | Range | Lot | Feet | From N/S | Feet | From E/W | County |
|----|------------------------|----------|-------|-----|---------------------------|----------|------|----------|-----------|
| A | 17 | 23S | 32E | | 100 | NORTH | 825 | EAST | LEA |
| | Latitude 32.3115551 | | | | Longitude 103.6908 | 3369 | | | NAD 83 |

Last Take Point (LTP)

| UL P | Section 20 | Township 23S | Range 32E | Lot | Feet 100 | From N/S SOUTH | Feet 825 | From E/W EAST | County LEA |
|------------------------|------------|-----------------|--------------|-------|-------------|-------------------|-------------|------------------|---------------|
| Latitude 32.2830724 | | | | | Longitud | | | NAD 83 | |
| 32.2030724 | | | | 103.0 | 103.6908241 | | | 05 | |

Is this well the defining well for the Horizontal Spacing Unit? N

Is this well an infill well?

| Y | |
|---|--|
| | |

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

| API # | | |
|--|-------------------------|-------------|
| Operator Name: | Property Name: | Well Number |
| DEVON ENERGY PRODUCTION COMPANY, L.P. | ALLEY CAT 17-20 FED COM | 714H |

KZ 06/29/2018

1. Geologic Formations

| TVD of target | 12045 | Pilot hole depth | N/A |
|---------------|-------|------------------------------|-----|
| MD at TD: | 22304 | Deepest expected fresh water | |

Basin

| Dusin | | | |
|----------------------|---------|----------------|----------|
| | Depth | Water/Mineral | |
| Formation | (TVD) | Bearing/Target | Hazards* |
| | from KB | Zone? | |
| Rustler | 1000 | | |
| Salt | 3000 | | |
| Base of Salt | 4650 | | |
| Delaware | 4690 | | |
| Cherry Canyon | 5840 | | |
| Brushy Canyon | 6800 | | |
| 1st Bone Spring Lime | 8540 | | |
| Bone Spring 1st | 9700 | | |
| Bone Spring 2nd | 10340 | | |
| 3rd Bone Spring Lime | 10790 | | |
| Bone Spring 3rd | 11520 | | |
| Wolfcamp | 11930 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

*H2S, water flows, loss of circulation, abnormal pressures, etc.

| | | | Wt | | | Casing | Interval | Casing | Interval |
|---|----------|-----------|--------|------------|---------|--------------|----------|---------------|----------|
| Н | ole Size | Csg. Size | (PPF) | Grade Conn | | From (MD) | To (MD) | From (TVD) | To (TVD) |
| | 14 3/4 | 10 3/4 | 45 1/2 | J-55 | BTC | 0 | 1025 | 0 | 1025 |
| | 9 7/8 | 8 5/8 | 32 | P110HSCY | MOFXL | 0 | 11390 | 0 | 11390 |
| | 7 7/8 | 5 1/2 | 20 | P110HP | CDC-HTQ | 0 | 22304 | 0 | 12045 |

2. Casing Program (Primary Design)

• All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 IILB.1.h Must have table for contingency casing.

3. Cementing Program (Primary Design)

Assuming no returns are established while drilling, Devon requests to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy canyon to surface.

Devon will report to the BLM the volume of fluid (limited to 1 bbls) used to flush intermediate casing valves following backside cementing procedures.

| Casing | # Sks | тос | Wt. ppg | Yld (ft3/sack) | Slurry Description |
|------------|--|-------|-------------------------------|-------------------|---|
| Surface | 618 | Surf | 13.2 | 1.44 | Lead: Class C Cement + additives |
| Int 1 | 475 | Surf | 13.0 | 2.3 | 2nd State: Bradenhead Squeeze - Lead: Class C Cement + additives |
| Int I | 528 6843 13.2 1.44 Tail: Class H / C + additiv | | Tail: Class H / C + additives | | |
| Production | 117 | 9490 | 9 | 3.27 | Lead: Class H /C + additives |
| rioduction | 1431 | 11490 | 13.2 | 1.44 | Tail: Class H / C + additives |

Devon Energy requests to offline cement on intermediate strings that are set in formations shallower than the Wolfcamp. Prior to commencing offline cementing operations, the well will be monitored for any abnormal pressures and confirmed to be static. A dual manifold system (equipped with chokes) for the returns will also be utilized as a redundancy. All equipment used for offline cementing will have a minimum 5M rating to match intermediate sections' 5M BOPE requirements

| Casing String | % Excess |
|----------------|----------|
| Surface | 50% |
| Intermediate 1 | 30% |
| Prod | 10% |

| BOP installed and tested before drilling which hole? | Size? | Min. Required WP | Туре | | ~ | Tested to: | | | |
|---|---|------------------------|-------------|--------------|----------------|--------------------------------|--|---|--|
| | | | An | nular | Х | 50% of rated working pressure | | | |
| Int 1 | 13-5/8" | 5M | Bline | d Ram | X | | | | |
| | 15 5/0 | 5111 | 1 | e Ram | | 5M | | | |
| | | | | le Ram | Х | 5101 | | | |
| | | | Other* | | | | | | |
| | | | Annul | ar (5M) | Х | 100% of rated working pressure | | | |
| Production | duction 13-5/8" 10M Blind Ram Pipe Ram | 12 5/0" | 12 5/9" | 13 5/8" | 10M | Blind Ram | | Х | |
| Troduction | | | 10M | | | | | | |
| | | | | le Ram | X | 10101 | | | |
| | | | Other* | | | | | | |
| | | | Annul | Annular (5M) | | | | | |
| | | | Blind Ram | | | | | | |
| | | | Pipe Ram | | | | | | |
| | | | Doub | le Ram | | | | | |
| | | | Other* | | | | | | |
| N A variance is requested for | the use of a | a diverter on | the surface | casing. See | attached for s | schematic. | | | |
| Y A variance is requested to r | run a 5 M ai | nnular on a | 10M system | l | | | | | |

5. Mud Program (Three String Design)

| Section | Туре | Weight (ppg) |
|--------------|-----------------|-----------------|
| Surface | FW Gel | 8.5-9 |
| Intermediate | DBE / Cut Brine | 10-10.5 |
| Production | OBM | 10-10.5 |

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

| What will be used to monitor the loss or gain of fluid? | DVT/Decen/Viewel Monitoring |
|---|-----------------------------|
| What will be used to monitor the loss or gain of fluid? | PVT/Pason/Visual Monitoring |

6. Logging and Testing Procedures

| Logging, C | oring and Testing |
|------------|---|
| | Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the |
| Х | Completion Rpeort and sbumitted to the BLM. |
| | No logs are planned based on well control or offset log information. |
| | Drill stem test? If yes, explain. |
| | Coring? If yes, explain. |

| Additional | logs planned | Interval |
|------------|--------------|-------------------------|
| | Resistivity | Int. shoe to KOP |
| | Density | Int. shoe to KOP |
| Х | CBL | Production casing |
| Х | Mud log | Intermediate shoe to TD |
| | PEX | |

7. Drilling Conditions

| Condition | Specfiy what type and where? |
|----------------------------|------------------------------|
| BH pressure at deepest TVD | 6576 |
| Abnormal temperature | No |

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

| Hydrogren S | Hydrogren Sulfide (H2S) monitors will be installed prior to drilling out the surface shoe. If H2S is detected in concentrations | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|
| greater than | greater than 100 ppm, the operator will comply with the provisions of Onshore Oil and Gas Order #6. If Hydrogen Sulfide is | | | | | | | |
| encountered | measured values and formations will be provided to the BLM. | | | | | | | |
| Ν | H2S is present | | | | | | | |
| Y | H2S plan attached. | | | | | | | |

8. Other facets of operation

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
 - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.,
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2, all COAs and NMOCD regulations).

 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.

- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pa.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. A that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
 - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments

X Directional Plan Other, describe




<u>10-3/4"</u> <u>45.50#</u> <u>0.400"</u> <u>J-55</u>

Dimensions (Nominal)

| Outside Diameter Wall Inside Diameter Drift | 10.750 0.400 9.950 9.875 | in. in. in. in. |
|--|-----------------------------------|--------------------------|
| Weight, T&C Weight, PE | 45.500 44.260 | lbs/ft lbs/ft |
| Internal Yield Pressure at Minimum Yield | | |
| Collapse | 2090 | psi |
| Internal Yields Pressure | | |
| PE | 3580 | psi |
| STC | 3580 | psi |
| BTC | 3580 | psi |
| Yield Strength, Pipe Body | 715 | 1000 lbs |
| Joint Strength, STC | | |
| STC | 493 | 1000 lbs |
| BTC | 796 | 1000 lbs |

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.



| devon | | Well: County: | | 7-20 Fed Corr | 1 615H | | | | Geodetic System: U | JS State Plane 1983 North American Datum 1927 |
|-------|--------------------|------------------|-------------------|--------------------|------------------|--------------------|--------------------|------------------|--------------------|--|
| | | | Permit Plan | | | | | | Ellipsoid: (| |
| | | | Permit Plan | | | | | | | 8001 - NM East (NAD83) |
| | | | | | | | | | | |
| | MD (ft) | INC (°) | AZI (°) | TVD (ft) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) | Comment | |
| - | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | SHL | |
| | 100.00 | 0.00 | 323.00 | 100.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 200.00 | 0.00 | 323.00 | 200.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 300.00 | 0.00 | 323.00 | 300.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 400.00 500.00 | 0.00 0.00 | 323.00 323.00 | 400.00 500.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | | |
| | 600.00 | 0.00 | 323.00 | 600.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 700.00 | 0.00 | 323.00 | 700.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 800.00 | 0.00 | 323.00 | 800.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 900.00 | 0.00 | 323.00 | 900.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1000.00 1100.00 | 0.00 0.00 | 323.00 323.00 | 1000.00 1100.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | Rustler, | |
| | 1200.00 | 0.00 | 323.00 | 1200.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1300.00 | 0.00 | 323.00 | 1300.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1400.00 | 0.00 | 323.00 | 1400.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1500.00 | 0.00 | 323.00 | 1500.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1600.00 | 0.00 | 323.00 | 1600.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1700.00 1800.00 | 0.00 0.00 | 323.00 323.00 | 1700.00 1800.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | | |
| | 1900.00 | 0.00 | 323.00 | 1900.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 2000.00 | 0.00 | 323.00 | 2000.00 | 0.00 | 0.00 | 0.00 | 0.00 | Start Tangent | |
| | 2100.00 | 2.00 | 323.00 | 2099.98 | 1.39 | -1.05 | -1.37 | 2.00 | | |
| | 2200.00 | 4.00 | 323.00 | 2199.84 | 5.57 | -4.20 | -5.47 | 2.00 | | |
| | 2300.00 2400.00 | 6.00 8.00 | 323.00 323.00 | 2299.45 2398.70 | 12.53 22.27 | -9.44 -16.78 | -12.30 -21.85 | 2.00 2.00 | | |
| | 2400.00 | 10.00 | 323.00 | 2398.70 | 34.76 | -26.19 | -34.11 | 2.00 | Hold Tangent | |
| | 2600.00 | 10.00 | 323.00 | 2595.95 | 48.63 | -36.64 | -47.72 | 0.00 | ····· | |
| | 2700.00 | 10.00 | 323.00 | 2694.43 | 62.49 | -47.09 | -61.33 | 0.00 | | |
| | 2800.00 | 10.00 | 323.00 | 2792.91 | 76.36 | -57.54 | -74.94 | 0.00 | | |
| | 2900.00 3000.00 | 10.00 10.00 | 323.00 323.00 | 2891.39 2989.87 | 90.23 104.10 | -67.99 -78.44 | -88.54 -102.15 | 0.00 0.00 | | |
| | 3010.29 | 10.00 | 323.00 | 3000.00 | 104.10 | -79.52 | -102.15 | 0.00 | Salt | |
| | 3100.00 | 10.00 | 323.00 | 3088.35 | 117.97 | -88.90 | -115.76 | 0.00 | | |
| | 3200.00 | 10.00 | 323.00 | 3186.83 | 131.84 | -99.35 | -129.37 | 0.00 | | |
| | 3300.00 | 10.00 | 323.00 | 3285.31 | 145.70 | -109.80 | -142.98 | 0.00 | | |
| | 3400.00 3500.00 | 10.00 10.00 | 323.00 323.00 | 3383.79 3482.27 | 159.57 173.44 | -120.25 -130.70 | -156.59 -170.20 | 0.00 0.00 | | |
| | 3600.00 | 10.00 | 323.00 | 3580.75 | 187.31 | -141.15 | -183.81 | 0.00 | | |
| | 3700.00 | 10.00 | 323.00 | 3679.23 | 201.18 | -151.60 | -197.42 | 0.00 | | |
| | 3800.00 | 10.00 | 323.00 | 3777.72 | 215.04 | -162.05 | -211.02 | 0.00 | | |
| | 3900.00 | 10.00 | 323.00 | 3876.20 | 228.91 | -172.50 | -224.63 | 0.00 | | |
| | 4000.00 4100.00 | 10.00 10.00 | 323.00 323.00 | 3974.68 4073.16 | 242.78 256.65 | -182.95 -193.40 | -238.24 -251.85 | 0.00 0.00 | | |
| | 4200.00 | 10.00 | 323.00 | 4073.10 | 270.52 | -203.85 | -265.46 | 0.00 | | |
| | 4300.00 | 10.00 | 323.00 | 4270.12 | 284.38 | -214.30 | -279.07 | 0.00 | | |
| | 4400.00 | 10.00 | 323.00 | 4368.60 | 298.25 | -224.75 | -292.68 | 0.00 | | |
| | 4500.00 | 10.00 | 323.00 | 4467.08 | 312.12 | -235.20 | -306.29 | 0.00 | | |
| | 4600.00 | 10.00 | 323.00 | 4565.56 | 325.99 | -245.65 | -319.90 | 0.00 | Pace of Calt | |
| | 4685.74 4700.00 | 10.00 10.00 | 323.00 323.00 | 4650.00 4664.04 | 337.88 339.86 | -254.61 -256.10 | -331.56 -333.50 | 0.00 0.00 | Base of Salt | |
| | 4726.36 | 10.00 | 323.00 | 4690.00 | 343.51 | -258.86 | -337.09 | 0.00 | Delaware | |
| | 4800.00 | 10.00 | 323.00 | 4762.52 | 353.72 | -266.55 | -347.11 | 0.00 | | |
| | 4900.00 | 10.00 | 323.00 | 4861.00 | 367.59 | -277.00 | -360.72 | 0.00 | | |
| | 4999.37 | 10.00 | 323.00 | 4958.86 | 381.37 | -287.39 | -374.25 -374.33 | 0.00 2.01 | Drop to Vertical | |
| | 5000.00 5100.00 | 9.99 7.99 | 323.00 323.00 | 4959.48 5058.25 | 381.46 393.94 | -287.45 -296.85 | -374.55 | 2.01 | | |
| | 5200.00 | 5.99 | 323.00 | 5157.50 | 403.65 | -304.17 | -396.11 | 2.00 | | |
| | 5300.00 | 3.99 | 323.00 | 5257.12 | 410.60 | -309.41 | -402.92 | 2.00 | | |
| | 5400.00 | 1.99 | 323.00 | 5356.98 | 414.76 | -312.54 | -407.01 | 2.00 | | |
| | 5499.37 | 0.00 | 323.00 | 5456.33 | 416.13 | -313.58 | -408.36 | 2.00 | Hold Vertical | |
| | 5500.00 5600.00 | 0.00 0.00 | 179.63 179.63 | 5456.96 5556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.01 0.00 | | |
| | 5700.00 | 0.00 | 179.63 | 5556.96 5656.96 | 416.13 | -313.58 | -408.36 -408.36 | 0.00 | | |
| | 5800.00 | 0.00 | 179.63 | 5756.96 | 416.13 | -313.58 | -408.36 | 0.00 | | |
| | 5883.04 | 0.00 | 179.63 | 5840.00 | 416.13 | -313.58 | -408.36 | 0.00 | Cherry Canyon | |
| | 5900.00 | 0.00 | 179.63 | 5856.96 | 416.13 | -313.58 | -408.36 | 0.00 | | |
| | 6000.00 6100.00 | 0.00 | 179.63 179.63 | 5956.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 | 0.00 0.00 | | |
| | 6100.00 6200.00 | 0.00 0.00 | 179.63 179.63 | 6056.96 6156.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 | | |
| | 6300.00 | 0.00 | 179.63 | 6256.96 | 416.13 | -313.58 | -408.36 | 0.00 | | |
| | | | | | | | | | | |

| ř | | | | | | | | | |
|-------|----------------------|------------------|------------------|----------------------|------------------|--------------------|--------------------|----------------|--|
| . — | | Malle | Allow Cot 1 | 7-20 Eed Com | 6154 | | | | Geodetic System: US State Plane 1983 |
| devon | | Well: County: | | 7-20 Fed Com | Πεισ | | | | Geodetic System: US State Plane 1983 Datum: North American Datum 1927 |
| | | | Permit Plar | ı | | | | | Ellipsoid: Clarke 1866 |
| | | Design: | Permit Plar | 1 #1 | | | | | Zone: 3001 - NM East (NAD83) |
| | MD | INC | AZI | TVD | NS | EW | vs | DLS | |
| _ | (ft) | (°) | (°) | (ft) | (ft) | (ft) | (ft) | (°/100ft) | Comment |
| | 6400.00 | 0.00 | 179.63 | 6356.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 6500.00 6600.00 | 0.00 0.00 | 179.63 179.63 | 6456.96 6556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 6700.00 | 0.00 | 179.63 | 6656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 6800.00 | 0.00 | 179.63 | 6756.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 6843.04 | 0.00 | 179.63 | 6800.00 | 416.13 | -313.58 | -408.36 | 0.00 | Brushy Canyon |
| | 6900.00 7000.00 | 0.00 0.00 | 179.63 179.63 | 6856.96 6956.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 7000.00 | 0.00 | 179.63 | 7056.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7200.00 | 0.00 | 179.63 | 7156.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7300.00 | 0.00 | 179.63 | 7256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7400.00 | 0.00 | 179.63 | 7356.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7500.00 7600.00 | 0.00 0.00 | 179.63 179.63 | 7456.96 7556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 7700.00 | 0.00 | 179.63 | 7656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7800.00 | 0.00 | 179.63 | 7756.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7900.00 | 0.00 | 179.63 | 7856.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8000.00 8100.00 | 0.00 0.00 | 179.63 179.63 | 7956.96 8056.96 | 416.13 416.13 | -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 8200.00 | 0.00 | 179.63 | 8156.96 | 416.13 | -313.58 -313.58 | -408.36 | 0.00 | |
| | 8300.00 | 0.00 | 179.63 | 8256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8400.00 | 0.00 | 179.63 | 8356.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8500.00 | 0.00 | 179.63 | 8456.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8583.04 8600.00 | 0.00 0.00 | 179.63 179.63 | 8540.00 8556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | 1st Bone Spring Lime |
| | 8700.00 | 0.00 | 179.63 | 8656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8800.00 | 0.00 | 179.63 | 8756.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8900.00 | 0.00 | 179.63 | 8856.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9000.00 9100.00 | 0.00 0.00 | 179.63 179.63 | 8956.96 9056.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 9200.00 | 0.00 | 179.63 | 9156.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9300.00 | 0.00 | 179.63 | 9256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9400.00 | 0.00 | 179.63 | 9356.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9500.00 9600.00 | 0.00 0.00 | 179.63 179.63 | 9456.96 9556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 9700.00 | 0.00 | 179.63 | 9656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9743.04 | 0.00 | 179.63 | 9700.00 | 416.13 | -313.58 | -408.36 | 0.00 | Bone Spring 1st |
| | 9800.00 | 0.00 | 179.63 | 9756.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9900.00 10000.00 | 0.00 0.00 | 179.63 179.63 | 9856.96 9956.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 10100.00 | 0.00 | 179.63 | 10056.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10200.00 | 0.00 | 179.63 | 10156.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10300.00 | 0.00 | 179.63 | 10256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10383.04 | 0.00 | 179.63 | 10340.00 | 416.13 | -313.58 | -408.36 | 0.00 | Bone Spring 2nd |
| | 10400.00 10500.00 | 0.00 0.00 | 179.63 179.63 | 10356.96 10456.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 10600.00 | 0.00 | 179.63 | 10556.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10700.00 | 0.00 | 179.63 | 10656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10800.00 10833.04 | 0.00 0.00 | 179.63 179.63 | 10756.96 10790.00 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | 3rd Bone Spring Lime |
| | 10833.04 | 0.00 | 179.63 | 10790.00 | 416.13 | -313.58 | -408.36 | 0.00 | Sid Bolle Spring Line |
| | 11000.00 | 0.00 | 179.63 | 10956.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 11100.00 | 0.00 | 179.63 | 11056.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 11200.00 11300.00 | 0.00 0.00 | 179.63 179.63 | 11156.96 11256.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 11400.00 | 0.00 | 179.63 | 11256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 11490.08 | 0.00 | 179.63 | 11447.04 | 416.13 | -313.58 | -408.36 | 0.00 | КОР |
| | 11500.00 | 0.99 | 179.63 | 11456.96 | 416.05 | -313.58 | -408.27 | 10.00 | |
| | 11563.24 | 7.32 | 179.63 | 11520.00 | 411.47 | -313.55 | -403.69 | 10.00 | Bone Spring 3rd |
| | 11600.00 11700.00 | 10.99 20.99 | 179.63 179.63 | 11556.29 11652.30 | 405.62 378.11 | -313.51 -313.33 | -397.85 -370.35 | 10.00 10.00 | |
| | 11800.00 | 30.99 | 179.63 | 11742.07 | 334.34 | -313.05 | -326.60 | 10.00 | |
| | 11900.00 | 40.99 | 179.63 | 11822.87 | 275.65 | -312.67 | -267.94 | 10.00 | |
| | 12000.00 | 50.99 | 179.63 | 11892.26 | 203.82 | -312.21 | -196.14 | 10.00 | |
| | 12064.58 12100.00 | 57.45 60.99 | 179.63 179.63 | 11930.00 11948.12 | 151.46 121.03 | -311.87 -311.67 | -143.80 -113.39 | 10.00 10.00 | Wolfcamp / Point of Penetration |
| | 12200.00 | 70.99 | 179.63 | 11948.76 | 29.80 | -311.07 | -22.20 | 10.00 | |
| | 12300.00 | 80.99 | 179.63 | 12012.93 | -67.10 | -310.46 | 74.66 | 10.00 | |
| | 12388.64 | 89.86 | 179.63 | 12020.00 | -155.37 | -309.89 | 162.89 | 10.00 | Landing Point |
| | 12400.00 | 89.86 | 179.63 | 12020.03 | -166.73 | -309.82 | 174.24 | 0.00 | |
| | | | | | | | | | |

| 0077010 | | Well | Allev Cat 1 | 7-20 Fed Com | 615H | | | | Geodetic System: US State Plane 1983 |
|---------|----------------------|----------------|----------------------------|----------------------|----------------------|--------------------|--------------------|------------------|--------------------------------------|
| devon | | County: | | 20100 001 | 101511 | | | | Datum: North American Datum 1927 |
| | | | Permit Plar Permit Plar | | | | | | Ellipsoid: Clarke 1866 |
| | | - | | | | | | | Zone: 3001 - NM East (NAD83) |
| | MD (ft) | INC (°) | AZI (°) | TVD (ft) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) | Comment |
| - | 12500.00 | 89.86 | 179.63 | 12020.28 | -266.73 | -309.17 | 274.19 | 0.00 | |
| | 12600.00 | 89.86 | 179.63 | 12020.53 | -366.72 | -308.52 | 374.14 | 0.00 | |
| | 12700.00 12800.00 | 89.86 | 179.63 | 12020.79 12021.04 | -466.72 | -307.88 | 474.10 | 0.00 | |
| | 12800.00 | 89.86 89.86 | 179.63 179.63 | 12021.04 | -566.72 -666.72 | -307.23 -306.58 | 574.05 674.00 | 0.00 0.00 | |
| | 13000.00 | 89.86 | 179.63 | 12021.54 | -766.71 | -305.94 | 773.95 | 0.00 | |
| | 13100.00 | 89.86 | 179.63 | 12021.79 | -866.71 | -305.29 | 873.90 | 0.00 | |
| | 13200.00 | 89.86 | 179.63 | 12022.05 | -966.71 | -304.65 | 973.86 | 0.00 | |
| | 13300.00 13400.00 | 89.86 89.86 | 179.63 179.63 | 12022.30 12022.55 | -1066.71 -1166.70 | -304.00 -303.35 | 1073.81 1173.76 | 0.00 0.00 | |
| | 13400.00 | 89.86 | 179.63 | 12022.33 | -1266.70 | -303.55 | 1273.71 | 0.00 | |
| | 13600.00 | 89.86 | 179.63 | | -1366.70 | -302.06 | 1373.66 | 0.00 | |
| | 13700.00 | 89.86 | 179.63 | 12023.31 | -1466.70 | -301.42 | 1473.62 | 0.00 | |
| | 13800.00 | 89.86 | 179.63 | 12023.56 | | -300.77 | 1573.57 | 0.00 | |
| | 13900.00 14000.00 | 89.86 | 179.63 179.63 | 12023.81 12024.07 | -1666.69 | -300.12 -299.48 | 1673.52 | 0.00 0.00 | |
| | 14000.00 | 89.86 89.86 | 179.63 | 12024.07 | | -299.48 | 1773.47 1873.43 | 0.00 | |
| | 14200.00 | 89.86 | 179.63 | 12024.57 | | -298.19 | 1973.38 | 0.00 | |
| | 14300.00 | 89.86 | 179.63 | 12024.82 | -2066.68 | -297.54 | 2073.33 | 0.00 | |
| | 14400.00 | 89.86 | 179.63 | 12025.07 | -2166.68 | -296.89 | 2173.28 | 0.00 | |
| | 14500.00 | 89.86 | 179.63 | 12025.33 | -2266.68 | -296.25 | 2273.23 | 0.00 | |
| | 14600.00 14700.00 | 89.86 89.86 | 179.63 179.63 | 12025.58 12025.83 | -2366.68 -2466.67 | -295.60 -294.96 | 2373.19 2473.14 | 0.00 0.00 | |
| | 14800.00 | 89.86 | 179.63 | 12025.05 | -2566.67 | -294.31 | 2573.09 | 0.00 | |
| | 14900.00 | 89.86 | 179.63 | 12026.34 | -2666.67 | -293.66 | 2673.04 | 0.00 | |
| | 15000.00 | 89.86 | 179.63 | 12026.59 | -2766.67 | -293.02 | 2772.99 | 0.00 | |
| | 15100.00 | 89.86 | 179.63 | 12026.84 | -2866.66 | -292.37 | 2872.95 | 0.00 | |
| | 15200.00 15300.00 | 89.86 89.86 | 179.63 179.63 | 12027.09 12027.34 | -2966.66 -3066.66 | -291.73 -291.08 | 2972.90 3072.85 | 0.00 0.00 | |
| | 15400.00 | 89.86 | 179.63 | 12027.60 | -3166.66 | -290.43 | 3172.80 | 0.00 | |
| | 15500.00 | 89.86 | 179.63 | 12027.85 | -3266.65 | -289.79 | 3272.75 | 0.00 | |
| | 15600.00 | 89.86 | 179.63 | 12028.10 | -3366.65 | -289.14 | 3372.71 | 0.00 | |
| | 15700.00 | 89.86 | 179.63 | 12028.35 | -3466.65 | -288.50 | 3472.66 | 0.00 | |
| | 15800.00 | 89.86 89.86 | 179.63 179.63 | 12028.61 12028.86 | -3566.65 -3666.64 | -287.85 -287.20 | 3572.61 | 0.00 0.00 | |
| | 15900.00 16000.00 | 89.86 | 179.63 | 12028.86 | -3766.64 | -287.20 | 3672.56 3772.51 | 0.00 | |
| | 16100.00 | 89.86 | 179.63 | 12029.36 | -3866.64 | -285.91 | 3872.47 | 0.00 | |
| | 16200.00 | 89.86 | 179.63 | 12029.61 | -3966.64 | -285.27 | 3972.42 | 0.00 | |
| | 16300.00 | 89.86 | 179.63 | 12029.87 | -4066.63 | -284.62 | 4072.37 | 0.00 | |
| | 16400.00 16500.00 | 89.86 89.86 | 179.63 179.63 | 12030.12 12030.37 | -4166.63 -4266.63 | -283.97 -283.33 | 4172.32 4272.27 | 0.00 0.00 | |
| | 16600.00 | 89.86 | 179.63 | 12030.37 | -4200.03 | -282.68 | 4372.23 | 0.00 | |
| | 16700.00 | 89.86 | 179.63 | 12030.88 | -4466.62 | -282.04 | 4472.18 | 0.00 | |
| | 16800.00 | 89.86 | 179.63 | 12031.13 | -4566.62 | -281.39 | 4572.13 | 0.00 | |
| | 16900.00 | 89.86 | 179.63 | 12031.38 | -4666.62 | -280.74 | 4672.08 | 0.00 | |
| | 17000.00 17100.00 | 89.86 | 179.63 | 12031.63 | -4766.62 | -280.10 | 4772.03 4871.99 | 0.00 | |
| | 17200.00 | 89.86 89.86 | 179.63 179.63 | 12031.89 12032.14 | -4866.62 -4966.61 | -279.45 -278.81 | 4971.99 | 0.00 0.00 | |
| | 17300.00 | 89.86 | 179.63 | 12032.39 | -5066.61 | -278.16 | 5071.89 | 0.00 | |
| | 17400.00 | 89.86 | 179.63 | 12032.64 | -5166.61 | -277.51 | 5171.84 | 0.00 | |
| | 17500.00 | 89.86 | 179.63 | 12032.89 | -5266.61 | -276.87 | 5271.79 | 0.00 | |
| | 17600.00 | 89.86 | 179.63 | 12033.15 | -5366.60 | -276.22 | 5371.75 | 0.00 | |
| | 17700.00 17800.00 | 89.86 89.86 | 179.63 179.63 | 12033.40 12033.65 | -5466.60 -5566.60 | -275.58 -274.93 | 5471.70 5571.65 | 0.00 0.00 | |
| | 17900.00 | 89.86 | 179.63 | 12033.90 | -5666.60 | -274.28 | 5671.60 | 0.00 | |
| | 18000.00 | 89.86 | 179.63 | 12034.16 | -5766.59 | -273.64 | 5771.55 | 0.00 | |
| | 18100.00 | 89.86 | 179.63 | 12034.41 | -5866.59 | -272.99 | 5871.51 | 0.00 | |
| | 18200.00 | 89.86 | 179.63 | 12034.66 | -5966.59 | -272.35 | 5971.46 | 0.00 | |
| | 18300.00 | 89.86 | 179.63 | 12034.91 | -6066.59 | -271.70 | 6071.41 | 0.00 | |
| | 18400.00 18500.00 | 89.86 89.86 | 179.63 179.63 | 12035.16 12035.42 | -6166.58 -6266.58 | -271.05 -270.41 | 6171.36 6271.31 | 0.00 0.00 | |
| | 18600.00 | 89.86 | 179.63 | 12035.67 | -6366.58 | -269.76 | 6371.27 | 0.00 | |
| | 18700.00 | 89.86 | 179.63 | 12035.92 | -6466.58 | -269.12 | 6471.22 | 0.00 | |
| | 18800.00 | 89.86 | 179.63 | 12036.17 | -6566.57 | -268.47 | 6571.17 | 0.00 | |
| | 18900.00 | 89.86 | 179.63 | 12036.43 | -6666.57 | -267.82 | 6671.12 | 0.00 | |
| | 19000.00 19100.00 | 89.86 89.86 | 179.63 179.63 | 12036.68 12036.93 | -6766.57 -6866.57 | -267.18 -266.53 | 6771.07 6871.03 | 0.00 0.00 | |
| | 19200.00 | 89.86 | 179.63 | 12030.93 | -6966.56 | -265.89 | 6970.98 | 0.00 | |
| | 19300.00 | 89.86 | 179.63 | 12037.44 | -7066.56 | -265.24 | 7070.93 | 0.00 | |
| | | | | | -7166.56 | | | 0.00 | |

| evon | | County: | | 7-20 Fed Con | n 615H | | | | Geodetic System: US State Plane 1983 Datum: North American Datum 1927 Ellipsoid: Clarke 1866 |
|------|----------|------------------------|--------|--------------|-----------|---------|----------|-----------|--|
| | | Design: Permit Plan #1 | | | | | | | Zone: 3001 - NM East (NAD83) |
| | MD | INC | AZI | TVD | NS | EW | vs | DLS | Comment |
| | (ft) | (°) | (°) | (ft) | (ft) | (ft) | (ft) | (°/100ft) | Comment |
| | 19500.00 | 89.86 | 179.63 | 12037.94 | -7266.56 | -263.95 | 7270.84 | 0.00 | |
| | 19600.00 | 89.86 | 179.63 | 12038.19 | -7366.56 | -263.30 | 7370.79 | 0.00 | |
| | 19700.00 | 89.86 | 179.63 | 12038.44 | -7466.55 | -262.65 | 7470.74 | 0.00 | |
| | 19800.00 | 89.86 | 179.63 | 12038.70 | -7566.55 | -262.01 | 7570.69 | 0.00 | |
| | 19900.00 | 89.86 | 179.63 | 12038.95 | -7666.55 | -261.36 | 7670.64 | 0.00 | |
| | 20000.00 | 89.86 | 179.63 | 12039.20 | -7766.55 | -260.72 | 7770.60 | 0.00 | |
| | 20100.00 | 89.86 | 179.63 | 12039.45 | -7866.54 | -260.07 | 7870.55 | 0.00 | |
| | 20200.00 | 89.86 | 179.63 | 12039.71 | -7966.54 | -259.42 | 7970.50 | 0.00 | |
| | 20300.00 | 89.86 | 179.63 | 12039.96 | -8066.54 | -258.78 | 8070.45 | 0.00 | |
| | 20400.00 | 89.86 | 179.63 | 12040.21 | -8166.54 | -258.13 | 8170.40 | 0.00 | |
| | 20500.00 | 89.86 | 179.63 | 12040.46 | -8266.53 | -257.49 | 8270.36 | 0.00 | |
| | 20600.00 | 89.86 | 179.63 | 12040.71 | -8366.53 | -256.84 | 8370.31 | 0.00 | |
| | 20700.00 | 89.86 | 179.63 | 12040.97 | -8466.53 | -256.19 | 8470.26 | 0.00 | |
| | 20800.00 | 89.86 | 179.63 | 12041.22 | -8566.53 | -255.55 | 8570.21 | 0.00 | |
| | 20900.00 | 89.86 | 179.63 | 12041.47 | -8666.52 | -254.90 | 8670.16 | 0.00 | |
| | 21000.00 | 89.86 | 179.63 | 12041.72 | -8766.52 | -254.26 | 8770.12 | 0.00 | |
| | 21100.00 | 89.86 | 179.63 | 12041.98 | -8866.52 | -253.61 | 8870.07 | 0.00 | |
| | 21200.00 | 89.86 | 179.63 | 12042.23 | -8966.52 | -252.96 | 8970.02 | 0.00 | |
| | 21300.00 | 89.86 | 179.63 | 12042.48 | -9066.51 | -252.32 | 9069.97 | 0.00 | |
| | 21400.00 | 89.86 | 179.63 | 12042.73 | -9166.51 | -251.67 | 9169.92 | 0.00 | |
| | 21500.00 | 89.86 | 179.63 | 12042.99 | -9266.51 | -251.03 | 9269.88 | 0.00 | |
| | 21600.00 | 89.86 | 179.63 | 12043.24 | -9366.51 | -250.38 | 9369.83 | 0.00 | |
| | 21700.00 | 89.86 | 179.63 | 12043.49 | -9466.50 | -249.73 | 9469.78 | 0.00 | |
| | 21800.00 | 89.86 | 179.63 | 12043.74 | -9566.50 | -249.09 | 9569.73 | 0.00 | |
| | 21900.00 | 89.86 | 179.63 | 12043.99 | -9666.50 | -248.44 | 9669.68 | 0.00 | |
| | 22000.00 | 89.86 | 179.63 | 12044.25 | -9766.50 | -247.80 | 9769.64 | 0.00 | |
| | 22100.00 | 89.86 | 179.63 | 12044.50 | -9866.49 | -247.15 | 9869.59 | 0.00 | |
| | 22200.00 | 89.86 | 179.63 | 12044.75 | -9966.49 | -246.50 | 9969.54 | 0.00 | |
| | 22223.90 | 89.86 | 179.63 | 12044.81 | -9990.39 | -246.35 | 9993.43 | 0.00 | exit |
| | 22300.00 | 89.86 | 179.63 | 12045.00 | -10066.49 | -245.86 | 10069.49 | 0.00 | |
| | 22303.90 | 89.86 | 179.63 | 12045.00 | -10070.39 | -245.86 | 10073.39 | 0.00 | BHL |

| etal One Corp. | | | | MO-FXL 8- | -5/8 32.0 | |
|----------------------------|---|--|--|---|--|--|
| | MO-FXL | | CDS# | P110HSCY | | |
| Metal <mark>O</mark> ne | *1 Pipe Body: Borusan P110H | *1 Pipe Body: Borusan P110HSCY MinYS125ksi | | | | |
| | | 95%RBW Special Drift 7.875" | | | | |
| | | Connection Data Sheet | | | | |
| | | Chief | Date | 16-Jar | · = · | |
| | Geometry | <u>Imperia</u> | <u>l</u> | <u>S.I.</u> | | |
| | Pipe Body | | | D440UCOV | | |
| | Grade *1 MinYS *1 | P110HSCY | l ta i | P110HSCY | lue! | |
| | | 125 | ksi | 125 | ksi | |
| MO-FXL | Pipe OD (D) | 8 5/8 | in lb/ft | 219.08 | mm | |
| | Weight | 32.00 | 11/di | 47.68 | kg/m | |
| | Actual weight | 31.10 | Lu | 46.34 | kg/m | |
| | Wall Thickness (t) | 0.352 | in | 8.94 | mm | |
| | Pipe ID (d) | 7.921 | in | 201.19 | mm | |
| | Pipe body cross section | 9.149 | in ² | 5,902 | mm ² | |
| $\uparrow \leftrightarrow$ | Special Drift Dia. *1 | 7.875 | in | 200.03 | mm | |
| | - | - | - | - | - | |
| Box | O a man a still a m | | | | | |
| critical | Connection | 0.005 | : | 040.00 | | |
| area | Box OD (W) | 8.625 | in | 219.08 | mm | |
| 5 | PIN ID | 7.921 | in | 201.19 | mm | |
| 5 | Make up Loss | 3.847 | in | 97.71 | mm | |
| $\zeta \leftarrow c$ | _ | 5.853 | in ² | 3686 | mm ² | |
| Make | Joint load efficiency | 69 | % | 69 | % | |
| ip | Thread Taper Number of Threads | 1. | | 2" per ft) TPI | | |
| Pin critical | | | | | | |
| aroa | Performance Properties | for Pipe Body | | | | |
| area | Performance Properties S.M.Y.S. *1 | for Pipe Body 1,144 | kips | 5,087 | kN | |
| area | Performance Properties S.M.Y.S. *1 M.I.Y.P. *1 | | <mark>kips</mark> psi | 5,087 66.83 | kN MPa | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 | 1,144 | kips psi psi | | | |
| area | S.M.Y.S. *1 | 1,144 9,690 4,300 | psi psi | 66.83 29.66 | MPa MPa | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 | 1,144 9,690 4,300 ied Minimum YIE | psi <mark>psi</mark> LD Strer | 66.83 29.66 ngth of Pipe bod | MPa MPa | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Specit | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield | psi <mark>psi</mark> LD Strer | 66.83 29.66 ngth of Pipe bod | MPa MPa | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Speci M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield w.2, 10/17/2023 | psi psi LD Strer Pressur | 66.83 29.66 ngth of Pipe body re of Pipe body | MPa MPa y | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Speci M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 95 | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.87 | psi psi LD Strer Pressur 5, Collap | 66.83 29.66 ngth of Pipe body re of Pipe body | MPa MPa y | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Speci M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.87 | psi psi LD Strer Pressur 5, Collap 1 | 66.83 29.66 ngth of Pipe body re of Pipe body | MPa MPa y 00psi | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Speci M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 99 Performance Properties | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.875 for Connection 789 kips (| psi psi LD Strer Pressur 5, Collap 1 69% | 66.83 29.66 ngth of Pipe body e of Pipe body ose Strength 4,3 of S.M.Y.S.) | MPa MPa y 00psi | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Speci M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 99 Performance Properties Tensile Yield load | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.875 for Connection 789 kips 789 kips | psi psi LD Strer Pressur 5, Collap 1 69% | 66.83 29.66 ngth of Pipe body re of Pipe body use Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) | MPa MPa y 00psi | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Specit M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 99 Performance Properties Tensile Yield load Min. Compression Yield | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.875 for Connection 789 kips (789 kips (| psi psi LD Strer Pressur 5, Collap 5, Collap 69% 69% 70% | 66.83 29.66 ngth of Pipe body re of Pipe body use Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) | MPa MPa ly 00psi | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Specit M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 99 Performance Properties Tensile Yield load Min. Compression Yield Internal Pressure | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.875 for Connection 789 kips (789 kips (| psi psi LD Strer Pressur 5, Collap 5, Collap 69% 69% 70% | 66.83 29.66 agth of Pipe body ase Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) of M.I.Y.P.) of Collapse St | MPa MPa ly 00psi | |
| Area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Speci M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 9! Performance Properties Tensile Yield load Min. Compression Yield Internal Pressure External Pressure Max. DLS (deg. /100ft) | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.875 for Connection 789 kips (789 kips (| psi psi LD Strer Pressur 5, Collap 5, Collap 1 69% 70% 100% c | 66.83 29.66 agth of Pipe body ase Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) of M.I.Y.P.) of Collapse St | MPa MPa ly 00psi | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Specit M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 99 Performance Properties Tensile Yield load Min. Compression Yield Internal Pressure External Pressure | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.875 for Connection 789 kips 789 kips 6,780 psi (| psi psi LD Strer Pressur 5, Collap 1 69% 69% 70% 100% c 2 | 66.83 29.66 agth of Pipe body ase Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) of M.I.Y.P.) of Collapse St 9 | MPa MPa y 00psi rength | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Specit M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 9! Performance Properties Tensile Yield load Min. Compression Yield Internal Pressure External Pressure External Pressure Max. DLS (deg. /100ft) Recommended Torque Min. | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.879 for Connection 789 kips 789 kips 6,780 psi (6,780 psi (| psi psi LD Strer Pressur 5, Collap 1 69% 69% 70% 100% c 2 ft-lb | 66.83 29.66 agth of Pipe body ase Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) of M.I.Y.P.) of Collapse St 9 | MPa MPa y 00psi rength | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Specit M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 99 Performance Properties Tensile Yield load Min. Compression Yield Internal Pressure External Pressure External Pressure Max. DLS (deg. /100ft) Recommended Torque Min. Opti. | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.875 for Connection 789 kips 789 kips 6,780 psi (6,780 psi (13,600 14,900 | psi psi LD Strer Pressur 5, Collap 1 69% 69% 70% 100% c 2 ft-lb ft-lb | 66.83 29.66 agth of Pipe body ase Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) of M.I.Y.P.) of Collapse St 9 18,400 20,200 | MPa MPa y 00psi rength N-m | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Specit M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 99 Performance Properties Tensile Yield load Min. Compression Yield Internal Pressure External Pressure External Pressure Max. DLS (deg. /100ft) Recommended Torque Min. Opti. Max. | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.873 for Connection 789 kips 789 kips 6,780 psi (6,780 psi (13,600 14,900 16,200 | psi psi LD Strer Pressur 5, Collap 1 69% 69% 70% 100% c 2 ft-lb ft-lb ft-lb | 66.83 29.66 agth of Pipe body ase Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) of M.I.Y.P.) of Collapse St 9 18,400 20,200 21,900 | MPa MPa y 00psi rength N-m N-m N-m | |
| area | S.M.Y.S. *1 M.I.Y.P. *1 Collapse Strength *1 Note S.M.Y.S.= Specit M.I.Y.P. = Minim *1: Borusan: SOP-12-F05 Re P110HSCY: MinYS125ksi, 99 Performance Properties Tensile Yield load Min. Compression Yield Internal Pressure External Pressure External Pressure Max. DLS (deg. /100ft) Recommended Torque Min. Opti. | 1,144 9,690 4,300 ied Minimum YIE um Internal Yield v.2, 10/17/2023 5%RBW, SD7.875 for Connection 789 kips (789 kips (6,780 psi (6,780 psi (13,600 14,900 16,200 28,400 | psi psi LD Strer Pressur 5, Collap 1 69% 69% 70% 100% c 2 ft-lb ft-lb ft-lb ft-lb ft-lb | 66.83 29.66 agth of Pipe body ase Strength 4,3 of S.M.Y.S.) of S.M.Y.S.) of M.I.Y.P.) of Collapse St 9 18,400 20,200 21,900 38,500 | MPa MPa y 00psi rength N-m N-m N-m N-m | |

Statements regarding the suitability of products for certain types of applications are based on Metal One's knowledge of typical requirements that are often placed on Metal One products in standard well configurations. Such statements are not binding statements about the suitability of products for a particular placed of Metal One products in standard weil comparations. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application The products described in this Connection Data Sheet are not recommended for use in deep water offshore applications. For more information, please refer to <u>http://www.mtlo.co.jp/mo-con/_images/top/WebsiteTerms_Active_20333287_1.pdf</u> the contents of which are incorporated by reference into this Connection

Data Sheet.

Page 20 of 52

U. S. Steel Tubular Products 5.500" 20.00lb/ft (0.361" Wall) P110 HP USS-CDC HTQ[®]

| | | Y | | |
|-----------------------------------|---------|--------------------------|------------|--|
| MECHANICAL PROPERTIES | Pipe | USS-CDC HTQ [®] | | |
| Minimum Yield Strength | 125,000 | | psi | |
| Maximum Yield Strength | 140,000 | | psi | |
| Minimum Tensile Strength | 130,000 | | psi | |
| DIMENSIONS | Pipe | USS-CDC HTQ [®] | | |
| Outside Diameter | 5.500 | 6.300 | in. | |
| Wall Thickness | 0.361 | | in. | |
| Inside Diameter | 4.778 | 4.778 | in. | |
| Standard Drift | 4.653 | 4.653 | in. | |
| Alternate Drift | | | in. | |
| Nominal Linear Weight, T&C | 20.00 | | lb/ft | |
| Plain End Weight | 19.83 | | lb/ft | |
| SECTION AREA | Pipe | USS-CDC HTQ [®] | | |
| Critical Area | 5.828 | 5.828 | sq. in. | |
| Joint Efficiency | | 97.0 | % | |
| PERFORMANCE | Pipe | USS-CDC HTQ [®] | | |
| Minimum Collapse Pressure | 13,150 | 13,150 | psi | |
| External Pressure Leak Resistance | | 10,520 | psi | |
| Minimum Internal Yield Pressure | 14,360 | 14,360 | psi | |
| Minimum Pipe Body Yield Strength | 729,000 | | lb | |
| Joint Strength | | 707,000 | lb | |
| Compression Rating | | 424,000 | lb | |
| Reference Length | | 23,567 | ft | |
| Maximum Uniaxial Bend Rating | | 60.6 | deg/100 ft | |
| MAKE-UP DATA | Pipe | USS-CDC HTQ [®] | | |
| Make-Up Loss | | 4.63 | in. | |
| Minimum Make-Up Torque | | 14,500 | ft-lb | |
| Maximum Make-Up Torque | | 20,500 | ft-lb | |
| Connection Yield Torque | | 25,300 | ft-lb | |

1. Other than proprietary collapse and connection values, performance properties have been calculated using standard equations defined by API 5C3 and do not incorporate any additional design or safety factors. Calculations assume nominal pipe OD, nominal wall thickness and Specified Minimum Yield Strength (SMYS).

2. Uniaxial bending rating shown is structural only, and equal to compression efficiency.

3. Torques have been calculated assuming a thread compound friction factor of 1.0 and are recommended only. Field make-up torques may require adjustment based on actual field conditions (e.g. make-up speed, temperature, thread compound, etc.).

4. Reference length is calculated by joint strength divided by nominal threaded and coupled weight with 1.5 safety factor.

5. Connection external pressure leak resistance has been verified to 80% API pipe body collapse pressure following the guidelines of API 5C5 Cal II.

Legal Notice

USS - CDC HTQ[®] (High Torque Casing Drilling Connection) is a trademark of U. S. Steel Corporation. This product is a modified API Buttress threaded and coupled connection designed for drilling with casing applications. All material contained in this publication is for general information only. This material should not therefore be used or relied upon for any specific application without independent competent professional examination and verification of accuracy, suitability and applicability. Anyone making use of this material does so at their own risk and assumes any and all liability resulting from such use. U. S. Steel disclaims any and all expressed or implied warranties of fitness for any general or particular application.

U. S. Steel Tubular Products 460 Wildwood Forest Drive, Suite 300S Spring, Texas 77380 1-877-893-9461 connections@uss.com www.usstubular.com

| erved by UCD: 3/15/2024 9:54:51 AM J.S. Department of the Interior SUREAU OF LAND MANAGEMENT | | Sundry Print Repo |
|--|---|----------------------------------|
| Well Name: ALLEY CAT 17-20 FED COM | Well Location: T23S / R32E / SEC 17 / NENE / 32.3105289 / -103.6898331 | County or Parish/State: LEA / NM |
| Well Number: 615H | Type of Well: OIL WELL | Allottee or Tribe Name: |
| Lease Number: NMNM62223 | Unit or CA Name: | Unit or CA Number: |
| US Well Number: | Operator: DEVON ENERGY PRODUCTION COMPANY LP | |

Notice of Intent

Sundry ID: 2788919

Type of Submission: Notice of Intent

Date Sundry Submitted: 05/08/2024

Date proposed operation will begin: 05/08/2024

Type of Action: APD Change Time Sundry Submitted: 07:13

Procedure Description: Devon Energy Production Co., L.P. (Devon) respectfully requests to change the BHL and update the casing/cement design on the subject well. Please see attached revised C102, drill plan (offline cement variance included), and directional plan. Permitted BHL: SESE, 20 FSL, 1000 FEL, 20-23S-32E Proposed BHL: SESE, 20 FSL, 825 FEL, 20-23S-32E No new leases have been added since approved APD APD ID: 10400085550

NOI Attachments

Procedure Description

WA018443697_ALLEY_CAT_17_20_FED_COM_615H_WL_R3_20240508071211.pdf

Alley_Cat_17_20_Fed_Com_615H_20240508071210.pdf

10.750_45.5_J55_SEAH_20240508071210.pdf

Alley_Cat_17_20_Fed_Com_615H_Directional_Plan_05_01_24_20240508071209.pdf

8.625_32_P110HSCY_MO_FXL_with_95__RBW__20240508071210.pdf

5.5_20__P110HP_CDC_HTQ_20240508071209.pdf

| Received by OCD: 5/15/2024 9:54:51 AM Well Name: ALLEY CAT 17-20 FED COM | Well Location: T23S / R32E / SEC 17 / NENE / 32.3105289 / -103.6898331 | County or Parish/State: LEA / 2 0 | | |
|--|---|-----------------------------------|--|--|
| Well Number: 615H | Type of Well: OIL WELL | Allottee or Tribe Name: | | |
| Lease Number: NMNM62223 | Unit or CA Name: | Unit or CA Number: | | |
| US Well Number: | Operator: DEVON ENERGY PRODUCTION COMPANY LP | | | |

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAYDA OMOUMI Name: DEVON ENERGY PRODUCTION COMPANY LP Title: Regulatory Compliance Associate 3 Street Address: 333 W SHERIDAN AVE City: OKLAHOMA CITY State: OK

Phone: (405) 235-3611

Email address: SHAYDA.OMOUMI@DVN.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

Zip:

Signed on: MAY 08, 2024 07:12 AM

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

| OPERATOR'S NAME: | Devon Energy Production Company LP |
|-------------------------|------------------------------------|
| LEASE NO.: | NMNM62223 |
| LOCATION: | Section 17, T.23 S., R.32 E., NMPM |
| COUNTY: | Lea County, New Mexico |

| WELL NAME & NO.: | Alley Cat 17-20 Fed Com 615H |
|----------------------------|------------------------------|
| SURFACE HOLE FOOTAGE: | 475'/N & 515'/E |
| BOTTOM HOLE FOOTAGE | 20'/S & 825'/E |
| ATS/API ID: | ATS-22-1297 |
| APD ID: | 10400085550 |
| Sundry ID: | 2788919 |

COA

| H2S | Yes | | | | |
|-------------------------|---------------------------|----------------|----------------|--|--|
| Potash | None 🔽 | | | | |
| Cave/Karst Potential | Low | | | | |
| Cave/Karst Potential | Critical | | | | |
| Variance | C None | • Flex Hose | C Other | | |
| Wellhead | Conventional and Multibow | /I _ | | | |
| Other | 4 String | Capitan Reef | WIPP | | |
| | | None | | | |
| Other | Pilot Hole | 🖾 Open Annulus | | | |
| | None 🔻 | | | | |
| Cementing | Contingency Squeeze | Echo-Meter | Primary Cement | | |
| | None 🔻 | Int 1 🔹 | Squeeze | | |
| | | | None 🚽 | | |
| Special | 🖾 Water | COM | Unit Unit | | |
| Requirements | Disposal/Injection | | | | |
| Special | Batch Sundry | | | | |
| Requirements | | | | | |
| Special | Break Testing | Offline | Casing | | |
| Requirements | | Cementing | Clearance | | |
| Variance | | | | | |

A. HYDROGEN SULFIDE

A Hydrogen Sulfide (H2S) Drilling Plan shall be activated 500 feet prior to drilling into the **Delaware** formation. As a result, the Hydrogen Sulfide area must meet **43 CFR part 3170 Subpart 3176** requirements, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, please provide measured values and formations to the BLM.

B. CASING

- The 10-3/4 inch surface casing shall be set at approximately 1215 feet (a minimum of 25 feet (Lea County) into the Rustler Anhydrite and above the salt when present, and below usable fresh water) and cemented to the surface. The surface hole shall be 14 3/4 inch in diameter.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
 - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
 - d. If cement falls back, remedial cementing will be done prior to drilling out that string.

Intermediate casing must be kept fluid filled to meet BLM minimum collapse requirement.

2. The minimum required fill of cement behind the 8-5/8 inch intermediate casing is:

Option 1 (Single Stage):

• Cement to surface. If cement does not circulate see B.1.a, c-d above.

Option 2:

Operator has proposed to cement in two stages by conventionally cementing the first stage and performing a bradenhead squeeze on the second stage, contingent upon no returns to surface.

- a. First stage: Operator will cement with intent to reach the top of the Brushy Canyon at 6800' (528 sxs Class H/C+ additives).
- b. Second stage:
 - Operator will perform bradenhead squeeze and top-out. Cement to surface. If cement does not reach surface, the appropriate BLM office shall be notified. (Squeeze 475 sxs Class C)

Operator has proposed to pump down 10-3/4" X 8-5/8" annulus after primary cementing stage. <u>Operator must run Echo-meter to verify Cement Slurry/Fluid top in the annulus Or operator shall run a CBL from TD of the 8-5/8" casing to surface after the second stage BH to verify TOC.</u>

Submit results to the BLM. No displacement fluid/wash out shall be utilized at the top of the cement slurry between second stage BH and top out. Operator must run one CBL per Well Pad.

If cement does not reach surface, the next casing string must come to surface.

Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.

- 3. The minimum required fill of cement behind the 5-1/2 inch production casing is:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

C. PRESSURE CONTROL

1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'

2.

Option 1:

- a. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi. Annular which shall be tested to **5000 (5M)** psi.
- b. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the **8-5/8** inch intermediate casing shoe shall be **5000 (5M)** psi.

Option 2:

Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the **10-3/4** inch surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi.

- a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
- b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
- c. Manufacturer representative shall install the test plug for the initial BOP test.
- d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- e. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.

D. SPECIAL REQUIREMENT (S)

Communitization Agreement

- The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- The operator will submit an as-drilled survey well plat of the well completion, but are not limited to, those specified in 43 CFR part 3170 Subpart 3171
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. <u>When the Communitization Agreement number is known, it shall also be on the sign.</u>

BOPE Break Testing Variance (Approved)

- BOPE Break Testing is ONLY permitted for 5M BOPE or less. (Annular preventer must be tested to a minimum of 70% of BOPE working pressure and shall be higher than the MASP)
- BOPE Break Testing is NOT permitted to drilling the production hole section.

- Variance only pertains to the intermediate hole-sections and no deeper than the Bone Springs formation.
- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer (575-706-2779) prior to the commencement of any BOPE Break Testing operations.
- A full BOPE test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOPE test will be required. (200' TVD tolerance between intermediate shoes is allowable).
- The BLM is to be contacted (575-689-5981 Lea County) 4 hours prior to BOPE tests.
- As a minimum, a full BOPE test shall be performed at **21**-day intervals.
- In the event any repairs or replacement of the BOPE is required, the BOPE shall test as per 43 CFR part 3170 Subpart 3172.
- If in the event break testing is not utilized, then a full BOPE test would be conducted.

Offline Cementing

Operator has been (Approved) to pump the proposed cement program offline in the Intermediate(s) interval.

Offline cementing should commence within 24 hours of landing the casing for the interval.

Notify the BLM 4hrs prior to cementing offline at Lea County: 575-689-5981.

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)
 - Lea County Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575) 689-5981
- 1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
 - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
 - b. When the operator proposes to set surface casing with Spudder Rig
 - Notify the BLM when moving in and removing the Spudder Rig.
 - Notify the BLM when moving in the 2nd Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
 - BOP/BOPE test to be conducted per **43** CFR part **3170** Subpart **3172** as soon as 2nd Rig is rigged up on well.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.
- 3. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report when present.
- A. CASING

- 1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
- <u>Wait on cement (WOC) for Potash Areas:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least <u>24 hours</u>. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 3. <u>Wait on cement (WOC) for Water Basin:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least <u>8 hours</u>. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
- 8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.
- B. PRESSURE CONTROL

- All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in 43 CFR part 3170 Subpart 3172 and API STD 53 Sec. 5.3.
- 2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
- 3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
- 4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.
 - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
 - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-

off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).

- b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)
- c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to 43 CFR part 3170 Subpart 3172 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for water basin (8 hours) or potash (24 hours) or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
- d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per 43 CFR part 3170 Subpart 3172.
- C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

Long Vo (LVO) 5/15/2024

Received by OCD

Final Abandonment Notice

| eceived by OCD: 5/15/2024 | 4 9:54:51 AM | | Page 33 of 52 | | | |
|------------------------------------|--|--|---|--|--|--|
| - | UNITED STAT DEPARTMENT OF THE UREAU OF LAND MAI | FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No. | | | | |
| Do not use th | Y NOTICES AND REP is form for proposals II. Use Form 3160-3 (/ | 6. If Indian, Allottee or Tribe Name | | | | |
| SUBMI | IN TRIPLICATE - Other inst | 7. If Unit of CA/Agreement, Name and/or No. | | | | |
| 1. Type of Well | as Well Other | 8. Well Name and No. | | | | |
| 2. Name of Operator | | | 9. API Well No. | | | |
| 3a. Address | | 3b. Phone No. <i>(include area code)</i> | 10. Field and Pool or Exploratory Area | | | |
| 4. Location of Well (Footage, Sec. | T.,R.,M., or Survey Description | 11. Country or Parish, State | | | | |
| 12. | CHECK THE APPROPRIATE | BOX(ES) TO INDICATE NATURE OF | NOTICE, REPORT OR OTHER DATA | | | |
| TYPE OF SUBMISSION | | TYPE OF ACTION | | | | |
| Notice of Intent | Acidize | Deepen Hydraulic Fracturing | Production (Start/Resume) Water Shut-Off Reclamation Well Integrity | | | |
| Subsequent Report | Casing Repair | New Construction Plug and Abandon | Recomplete Other Temporarily Abandon | | | |

L

Water Disposal

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

Plug Back

Convert to Injection

| 14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) | | | | | | | |
|--|--|------|--|--|--|--|--|
| · | Title | | | | | | |
| | | | | | | | |
| Signature | Date | | | | | | |
| THE SPACE FOR FEDE | THE SPACE FOR FEDERAL OR STATE OFICE USE | | | | | | |
| Approved by | | | | | | | |
| | Title | Date | | | | | |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. | | | | | | | |
| Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. | | | | | | | |

(Instructions on page 2)

Released to Imaging: 5/21/2024 11:25:33 AM

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NENE / 475 FNL / 515 FEL / TWSP: 23S / RANGE: 32E / SECTION: 17 / LAT: 32.3105289 / LONG: -103.6898331 (TVD: 0 feet, MD: 0 feet) PPP: NENE / 100 FNL / 1000 FEL / TWSP: 23S / RANGE: 32E / SECTION: 17 / LAT: 32.3115526 / LONG: -103.6914032 (TVD: 11930 feet, MD: 12075 feet) PPP: NESE / 2460 FSL / 1002 FEL / TWSP: 23S / RANGE: 32E / SECTION: 17 / LAT: 32.3040752 / LONG: -103.6913998 (TVD: 12025 feet, MD: 14600 feet) BHL: SESE / 20 FSL / 1000 FEL / TWSP: 23S / RANGE: 32E / SECTION: 20 / LAT: 32.2828505 / LONG: -103.6913903 (TVD: 12045 feet, MD: 22318 feet)

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT

| | | | WELL LC | OCATIO | N AND ACR | REAGE DEDIC | CATION PLA | Т | |
|--|----------------------------|-----------|--|---------|-------------------------|------------------------------|---------------|----------------|--------------------------|
| ¹ API Number ² Pool | | | ² Pool Cod | e | ³ Pool Name | | | | |
| | 982 | | | | | WC-025 G-08 S243217P; UPR WC | | | VC |
| ⁴ Property C | ⁴ Property Code | | | | | ⁵ Property Name | | | ⁶ Well Number |
| | | | | AL | LEY CAT 17 | 20 FED COM | | | 615H |
| ⁷ OGRID N | No. | | ⁸ Operator Name | | | | | | ⁹ Elevation |
| 6137 | | | DEVON ENERGY PRODUCTION COMPANY, L.P. | | | | | | 3644.6 |
| ¹⁰ Surface Location | | | | | | | | | |
| UL or lot no. | Section | Townshi | p Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
| Α | 17 | 23 S | 32 E | | 475 | NORTH | 515 | EAST | LEA |
| " Bottom Hole Location If Different From Surface | | | | | | | | | |
| UL or lot no. | Section | Townshi | p Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
| Р | 20 | 23 S | 32 E | | 20 | SOUTH | 825 | EAST | LEA |
| ² Dedicated Acres | s ¹³ Joint | or Infill | ¹⁴ Consolidation | n Code | ¹⁵ Order No. | | | | |
| 640 | | | | | | | | | |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

| | ALLEY CAT 17 20 FED COM 615H | 17 OPERATOR CERTIFICATION |
|--|---|---|
| (A)N89'25'44"E 2637.38 FT (B) N89'21'37"E 2632.81 FT ℃ | EL. = 3644.6 GEODETIC COORDINATES | I hereby certify that the information contained herein is true and complete |
| | NAD 83 NMSP EAST | to the best of my knowledge and belief, and that this organization either |
| 515' + | _ SURFACE LOCATION N.= 477299.56 | owns a working interest or unleased mineral interest in the land including |
| | E.= 740141.48 LAT. = 32.3105289'N | the proposed bottom hole location or has a right to drill this well at this |
| NMNM 018848 NMNM 062223 | LONG. = 103.6898331'W | location pursuant to a contract with an owner of such a mineral or working |
| +57" | KICK OFF POINT FILL FIRST TAKE POINT (PPP 1) CALLS 57 FNL 826 FEL 100' FNL, 825' FEL | interest, or to a voluntary pooling agreement or a compulsory pooling |
| 200.2 | N.= 477716 E.= 739828 E.= 739829 E.= 739829 | order heretofore entered by the division. |
| SEC. 17 | Lat. = 32.31158429 Long. = -103.690922245 Long. = 103.690922245 | Shauda Amount 5/1/2024 |
| E PPP 2 | | Signature Date |
| | LAST TAKE POINT BOTTOM OF HOLE 100' FSL, 825' FEL 20' FSL, 825' FEL | Shayda Omoumi |
| C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | E.= 739895.14 E.= 739895.62 | Printed Name |
| | LAT. = 32.2830724'N LAT. = 32.2828525'N LONG. = 103.6908241'W LONG. = 103.6908241'W | |
| 20'2 | PPP 2 PPP 3 | shayda.omoumi@dvn.com |
| | 2642' FNL, 825' FEL 0' FSL, 825' FEL N.= 475129.51 N.= 472489.15 | E-mail Address |
| N89'29'46"E N89'23'14"E 2633.83 FT M 2634.84 FT | EAT 52.5045050 N EAT 52.2575112 N | |
| | LONG. = 103.6908338'W LONG. = 103.6908305'W | ¹⁸ SURVEYOR CERTIFICATION |
| 2643.09 | | I hereby certify that the well location shown on this plat |
| | | was plotted from field notes of actual surveys made by |
| ∧ NMNM 0559539 NMNM 086153 √0 - | | me or under my supervision, and that the same is true |
| | CORNER COORDINATES TABLE NAD 83 NMSP EAST A - N.= 477724.51 E.= 735384.50 | and correct to the best of my belief. |
| $\textcircled{0} \cancel{SEC} - 20 \cancel{E}$ |) B - N.= 477750.79 E.= 738021.18 C - N.= 477780.18 E.= 740653.25 | APRIL 19, 2024 |
| | D - N.= 475137.91 E.= 740670.42 E - N.= 472497.97 E.= 740686.53 | Date of Survey |
| 2638.70 2638.62 | F - N.= 469855.52 E.= 740704.48 G - N.= 467217.53 E.= 740720.53 | MEXIX |
| | H - N.= 467190.86 E.= 738084.99 I - N.= 467168.68 E.= 735450.43 | A AN ANTRI |
| LTP | J – N.= 469806.75 E.= 735434.10 K – N.= 472446.64 E.= 735419.26 | 127,927 |
| BOTTOM BOTTOM | L - N.= 475084.23 E.= 735403.66 M - N.= 472469.80 E.= 738052.41 | Signature and Seal of Processional Surveyor: |
| | LEGEND SECTION_LINE | |
| \$89°31'03"₩ 2635.23 FT\$89°25'13"₩ 2636 25 FT | | Certificate Number: Different LABAMILLO, LS 12797 |
| | WELL PATH | TUP SURVEY NO. 9365C |
| | | |

Received by OCD: 5/15/2024 9:54:51 AM

| I | r | ۱ | t | e | r | ۱ | t |
|---|---|---|---|---|---|---|---|
| | | | | | | | |

API #

| Operator Name: | Property Name: | Well Number |
|--|-------------------------|-------------|
| DEVON ENERGY PRODUCTION COMPANY, L.P. | ALLEY CAT 17 20 FED COM | 615H |

Kick Off Point (KOP)

| UL A | Section 17 | Township 23S | Range 32E | Lot | Feet 57 | From N/S NORTH | Feet 826 | From E/W EAST | County LEA |
|----------|---------------|-----------------|--------------|--------------|------------|-------------------|-------------|------------------|---------------|
| Latitude | | | Longitude | | NAD | | | | |
| 32.311 | 32.31158429 | | | -103.6909224 | 5 | 83 | | | |

First Take Point (FTP)

| UL | Section | Township | Range | Lot | Feet | From N/S | Feet | From E/W | County |
|----------------|------------------------|----------|-------|-----|---------------------------|----------|------|----------|-----------|
| A | 17 | 23S | 32E | | 100 | NORTH | 825 | EAST | LEA |
| Latitu 32.3 | ^{de} 11555 | 1 | | | Longitude 103.6908 | 3369 | | | NAD 83 |

Last Take Point (LTP)

| UL | Section | Township | Range | Lot | Feet | From N/S | Feet | From E/W | County |
|----|------------------------|----------|-------|-----|------|-------------------------|------|-----------|--------|
| P | 20 | 23S | 32E | | 100 | SOUTH | 825 | EAST | LEA |
| | Latitude 32.2830724 | | | | | ^{հe} 908241 | | NAD 83 | |

Is this well the defining well for the Horizontal Spacing Unit? N

Is this well an infill well?

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

| API # | | |
|---------------------------------------|-------------------------|-------------|
| Operator Name: | Property Name: | Well Number |
| DEVON ENERGY PRODUCTION COMPANY, L.P. | ALLEY CAT 17-20 FED COM | 714H |

KZ 06/29/2018

1. Geologic Formations

| TVD of target | 12045 | Pilot hole depth | N/A |
|---------------|-------|------------------------------|-----|
| MD at TD: | 22304 | Deepest expected fresh water | |

Basin

| Dusin | | | |
|----------------------|---------|-----------------------|----------|
| | Depth | Water/Mineral | |
| Formation | (TVD) | Bearing/Target | Hazards* |
| | from KB | Zone? | |
| Rustler | 1000 | | |
| Salt | 3000 | | |
| Base of Salt | 4650 | | |
| Delaware | 4690 | | |
| Cherry Canyon | 5840 | | |
| Brushy Canyon | 6800 | | |
| 1st Bone Spring Lime | 8540 | | |
| Bone Spring 1st | 9700 | | |
| Bone Spring 2nd | 10340 | | |
| 3rd Bone Spring Lime | 10790 | | |
| Bone Spring 3rd | 11520 | | |
| Wolfcamp | 11930 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

*H2S, water flows, loss of circulation, abnormal pressures, etc.

| | | Wt | | | Casing | Interval | Casing Interval | |
|-----------|-----------|--------|----------|---------|--------------|----------|-----------------|----------|
| Hole Size | Csg. Size | (PPF) | Grade | Conn | From (MD) | To (MD) | From (TVD) | To (TVD) |
| 14 3/4 | 10 3/4 | 45 1/2 | J-55 | BTC | 0 | 1025 | 0 | 1025 |
| 9 7/8 | 8 5/8 | 32 | P110HSCY | MOFXL | 0 | 11390 | 0 | 11390 |
| 7 7/8 | 5 1/2 | 20 | P110HP | CDC-HTQ | 0 | 22304 | 0 | 12045 |

2. Casing Program (Primary Design)

• All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 IILB.1.h Must have table for contingency casing.

3. Cementing Program (Primary Design)

Assuming no returns are established while drilling, Devon requests to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy canyon to surface.

Devon will report to the BLM the volume of fluid (limited to 1 bbls) used to flush intermediate casing valves following backside cementing procedures.

| Casing | # Sks | тос | Wt. ppg | Yld (ft3/sack) | Slurry Description |
|------------|-------|-------|------------|-------------------|---|
| Surface | 618 | Surf | 13.2 | 1.44 | Lead: Class C Cement + additives |
| Int 1 | 475 | Surf | 13.0 | 2.3 | 2nd State: Bradenhead Squeeze - Lead: Class C Cement + additives |
| Int I | 528 | 6843 | 13.2 | 1.44 | Tail: Class H / C + additives |
| Production | 117 | 9490 | 9 | 3.27 | Lead: Class H /C + additives |
| Froduction | 1431 | 11490 | 13.2 | 1.44 | Tail: Class H / C + additives |

Devon Energy requests to offline cement on intermediate strings that are set in formations shallower than the Wolfcamp. Prior to commencing offline cementing operations, the well will be monitored for any abnormal pressures and confirmed to be static. A dual manifold system (equipped with chokes) for the returns will also be utilized as a redundancy. All equipment used for offline cementing will have a minimum 5M rating to match intermediate sections' 5M BOPE requirements

| Casing String | % Excess |
|----------------|----------|
| Surface | 50% |
| Intermediate 1 | 30% |
| Prod | 10% |

| BOP installed and tested before drilling which hole? | Size? | Min. Required WP | T | уре | ~ | Tested to: | | |
|---|--|------------------------|------------------------|-------------|----------------|--------------------------------|--|--|
| | | | Anı | nular | X | 50% of rated working pressure | | |
| Int 1 | 13-5/8" | 5M | Bline | d Ram | Х | | | |
| | 15-5/8 | 51111 | Pipe | e Ram | | 5M | | |
| | | | Doub | le Ram | Х | JIVI | | |
| | | | Other* | | | | | |
| | 13-5/8" | | Annular (5M) | | X | 100% of rated working pressure | | |
| Production | | 10M | Blind Ram | | Х | | | |
| Floduction | | 10141 | Pipe Ram Double Ram | | | | | |
| | | | | | Х | 10141 | | |
| | | | Other* | | | | | |
| | | | Annul | ar (5M) | | | | |
| | | | Bline | d Ram | | | | |
| | | | Pipe Ram | | | | | |
| | | | Double Ram | | | | | |
| | | | Other* | | | | | |
| N A variance is requested for | the use of a | a diverter or | the surface | casing. See | attached for s | chematic. | | |
| Y A variance is requested to r | A variance is requested to run a 5 M annular on a 10M system | | | | | | | |

5. Mud Program (Three String Design)

| Section | Туре | Weight (ppg) | | |
|--------------|-----------------|-----------------|--|--|
| Surface | FW Gel | 8.5-9 | | |
| Intermediate | DBE / Cut Brine | 10-10.5 | | |
| Production | OBM | 10-10.5 | | |

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

| What will be used to monitor the loss or gain of fluid? | PVT/Pason/Visual Monitoring |
|---|-------------------------------------|
| what will be used to monitor the loss of gain of huid. | i v i/i asoli/ v isuai wioliitoling |

6. Logging and Testing Procedures

| Logging, Co | oring and Testing |
|-------------|---|
| | Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the |
| Х | Completion Rpeort and sbumitted to the BLM. |
| | No logs are planned based on well control or offset log information. |
| | Drill stem test? If yes, explain. |
| | Coring? If yes, explain. |

| Additional | logs planned | Interval |
|------------|--------------|-------------------------|
| | Resistivity | Int. shoe to KOP |
| | Density | Int. shoe to KOP |
| Х | CBL | Production casing |
| Х | Mud log | Intermediate shoe to TD |
| | PEX | |

7. Drilling Conditions

| Condition | Specfiy what type and where? |
|----------------------------|------------------------------|
| BH pressure at deepest TVD | 6576 |
| Abnormal temperature | No |

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

| Hydrogren Sulfide (H2S) monitors will be installed prior to drilling out the surface shoe. If H2S is detected in concentrations | | | | | | |
|---|--|--|--|--|--|--|
| greater than | greater than 100 ppm, the operator will comply with the provisions of Onshore Oil and Gas Order #6. If Hydrogen Sulfide is | | | | | |
| encountered | measured values and formations will be provided to the BLM. | | | | | |
| Ν | H2S is present | | | | | |
| Y | H2S plan attached. | | | | | |

8. Other facets of operation

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
 - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.,
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2, all COAs and NMOCD regulations).

 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.

- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pa.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. A that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
 - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments

X Directional Plan Other, describe




<u>10-3/4"</u> <u>45.50#</u> <u>0.400"</u> <u>J-55</u>

Dimensions (Nominal)

| Outside Diameter Wall Inside Diameter | 10.750 0.400 9.950 | in. in. in. |
|---|--------------------------|-------------------|
| Drift | 9.875 | in. |
| Weight, T&C | 45.500 | lbs/ft |
| Weight, PE | 44.260 | lbs/ft |
| Internal Yield Pressure at Minimum Yield | | |
| Collapse | 2090 | psi |
| Internal Yields Pressure | | |
| PE | 3580 | psi |
| STC | 3580 | psi |
| ВТС | 3580 | psi |
| Yield Strength, Pipe Body | 715 | 1000 lbs |
| Joint Strength, STC | | |
| STC | 493 | 1000 lbs |
| ВТС | 796 | 1000 lbs |

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.



| devon | | Well: County: | | 7-20 Fed Corr | 1 615H | | | | Geodetic System: U | JS State Plane 1983 North American Datum 1927 |
|-------|--------------------|------------------|-------------------|--------------------|------------------|--------------------|--------------------|------------------|--------------------|--|
| | | | Permit Plan | | | | | | Ellipsoid: (| |
| | | | Permit Plan | | | | | | | 8001 - NM East (NAD83) |
| | | | | | | | | | | |
| | MD (ft) | INC (°) | AZI (°) | TVD (ft) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) | Comment | |
| - | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | SHL | |
| | 100.00 | 0.00 | 323.00 | 100.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 200.00 | 0.00 | 323.00 | 200.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 300.00 | 0.00 | 323.00 | 300.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 400.00 500.00 | 0.00 0.00 | 323.00 323.00 | 400.00 500.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | | |
| | 600.00 | 0.00 | 323.00 | 600.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 700.00 | 0.00 | 323.00 | 700.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 800.00 | 0.00 | 323.00 | 800.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 900.00 | 0.00 | 323.00 | 900.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1000.00 1100.00 | 0.00 0.00 | 323.00 323.00 | 1000.00 1100.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | Rustler, | |
| | 1200.00 | 0.00 | 323.00 | 1200.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1300.00 | 0.00 | 323.00 | 1300.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1400.00 | 0.00 | 323.00 | 1400.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1500.00 | 0.00 | 323.00 | 1500.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1600.00 | 0.00 | 323.00 | 1600.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 1700.00 1800.00 | 0.00 0.00 | 323.00 323.00 | 1700.00 1800.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 | | |
| | 1900.00 | 0.00 | 323.00 | 1900.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| | 2000.00 | 0.00 | 323.00 | 2000.00 | 0.00 | 0.00 | 0.00 | 0.00 | Start Tangent | |
| | 2100.00 | 2.00 | 323.00 | 2099.98 | 1.39 | -1.05 | -1.37 | 2.00 | | |
| | 2200.00 | 4.00 | 323.00 | 2199.84 | 5.57 | -4.20 | -5.47 | 2.00 | | |
| | 2300.00 2400.00 | 6.00 8.00 | 323.00 323.00 | 2299.45 2398.70 | 12.53 22.27 | -9.44 -16.78 | -12.30 -21.85 | 2.00 2.00 | | |
| | 2400.00 | 10.00 | 323.00 | 2398.70 | 34.76 | -26.19 | -34.11 | 2.00 | Hold Tangent | |
| | 2600.00 | 10.00 | 323.00 | 2595.95 | 48.63 | -36.64 | -47.72 | 0.00 | ····· | |
| | 2700.00 | 10.00 | 323.00 | 2694.43 | 62.49 | -47.09 | -61.33 | 0.00 | | |
| | 2800.00 | 10.00 | 323.00 | 2792.91 | 76.36 | -57.54 | -74.94 | 0.00 | | |
| | 2900.00 3000.00 | 10.00 10.00 | 323.00 323.00 | 2891.39 2989.87 | 90.23 104.10 | -67.99 -78.44 | -88.54 -102.15 | 0.00 0.00 | | |
| | 3010.29 | 10.00 | 323.00 | 3000.00 | 104.10 | -79.52 | -102.15 | 0.00 | Salt | |
| | 3100.00 | 10.00 | 323.00 | 3088.35 | 117.97 | -88.90 | -115.76 | 0.00 | | |
| | 3200.00 | 10.00 | 323.00 | 3186.83 | 131.84 | -99.35 | -129.37 | 0.00 | | |
| | 3300.00 | 10.00 | 323.00 | 3285.31 | 145.70 | -109.80 | -142.98 | 0.00 | | |
| | 3400.00 3500.00 | 10.00 10.00 | 323.00 323.00 | 3383.79 3482.27 | 159.57 173.44 | -120.25 -130.70 | -156.59 -170.20 | 0.00 0.00 | | |
| | 3600.00 | 10.00 | 323.00 | 3580.75 | 187.31 | -141.15 | -183.81 | 0.00 | | |
| | 3700.00 | 10.00 | 323.00 | 3679.23 | 201.18 | -151.60 | -197.42 | 0.00 | | |
| | 3800.00 | 10.00 | 323.00 | 3777.72 | 215.04 | -162.05 | -211.02 | 0.00 | | |
| | 3900.00 | 10.00 | 323.00 | 3876.20 | 228.91 | -172.50 | -224.63 | 0.00 | | |
| | 4000.00 4100.00 | 10.00 10.00 | 323.00 323.00 | 3974.68 4073.16 | 242.78 256.65 | -182.95 -193.40 | -238.24 -251.85 | 0.00 0.00 | | |
| | 4200.00 | 10.00 | 323.00 | 4073.10 | 270.52 | -203.85 | -265.46 | 0.00 | | |
| | 4300.00 | 10.00 | 323.00 | 4270.12 | 284.38 | -214.30 | -279.07 | 0.00 | | |
| | 4400.00 | 10.00 | 323.00 | 4368.60 | 298.25 | -224.75 | -292.68 | 0.00 | | |
| | 4500.00 | 10.00 | 323.00 | 4467.08 | 312.12 | -235.20 | -306.29 | 0.00 | | |
| | 4600.00 | 10.00 | 323.00 | 4565.56 | 325.99 | -245.65 | -319.90 | 0.00 | Pace of Salt | |
| | 4685.74 4700.00 | 10.00 10.00 | 323.00 323.00 | 4650.00 4664.04 | 337.88 339.86 | -254.61 -256.10 | -331.56 -333.50 | 0.00 0.00 | Base of Salt | |
| | 4726.36 | 10.00 | 323.00 | 4690.00 | 343.51 | -258.86 | -337.09 | 0.00 | Delaware | |
| | 4800.00 | 10.00 | 323.00 | 4762.52 | 353.72 | -266.55 | -347.11 | 0.00 | | |
| | 4900.00 | 10.00 | 323.00 | 4861.00 | 367.59 | -277.00 | -360.72 | 0.00 | | |
| | 4999.37 | 10.00 | 323.00 | 4958.86 | 381.37 | -287.39 | -374.25 -374.33 | 0.00 2.01 | Drop to Vertical | |
| | 5000.00 5100.00 | 9.99 7.99 | 323.00 323.00 | 4959.48 5058.25 | 381.46 393.94 | -287.45 -296.85 | -374.55 | 2.01 | | |
| | 5200.00 | 5.99 | 323.00 | 5157.50 | 403.65 | -304.17 | -396.11 | 2.00 | | |
| | 5300.00 | 3.99 | 323.00 | 5257.12 | 410.60 | -309.41 | -402.92 | 2.00 | | |
| | 5400.00 | 1.99 | 323.00 | 5356.98 | 414.76 | -312.54 | -407.01 | 2.00 | | |
| | 5499.37 | 0.00 | 323.00 | 5456.33 | 416.13 | -313.58 | -408.36 | 2.00 | Hold Vertical | |
| | 5500.00 5600.00 | 0.00 0.00 | 179.63 179.63 | 5456.96 5556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.01 0.00 | | |
| | 5700.00 | 0.00 | 179.63 | 5556.96 5656.96 | 416.13 | -313.58 | -408.36 -408.36 | 0.00 | | |
| | 5800.00 | 0.00 | 179.63 | 5756.96 | 416.13 | -313.58 | -408.36 | 0.00 | | |
| | 5883.04 | 0.00 | 179.63 | 5840.00 | 416.13 | -313.58 | -408.36 | 0.00 | Cherry Canyon | |
| | 5900.00 | 0.00 | 179.63 | 5856.96 | 416.13 | -313.58 | -408.36 | 0.00 | | |
| | 6000.00 6100.00 | 0.00 | 179.63 179.63 | 5956.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 | 0.00 0.00 | | |
| | 6100.00 6200.00 | 0.00 0.00 | 179.63 179.63 | 6056.96 6156.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 | | |
| | 6300.00 | 0.00 | 179.63 | 6256.96 | 416.13 | -313.58 | -408.36 | 0.00 | | |
| | | | | | | | | | | |

| ř | | | | | | | | | |
|-------|----------------------|------------------|------------------|----------------------|------------------|--------------------|--------------------|----------------|--|
| . — | | Malle | Allow Cot 1 | 7-20 Eed Com | 6154 | | | | Geodetic System: US State Plane 1983 |
| devon | | Well: County: | | 7-20 Fed Com | Πεισ | | | | Geodetic System: US State Plane 1983 Datum: North American Datum 1927 |
| | | | Permit Plar | ı | | | | | Ellipsoid: Clarke 1866 |
| | | Design: | Permit Plar | 1 #1 | | | | | Zone: 3001 - NM East (NAD83) |
| | MD | INC | AZI | TVD | NS | EW | vs | DLS | |
| _ | (ft) | (°) | (°) | (ft) | (ft) | (ft) | (ft) | (°/100ft) | Comment |
| | 6400.00 | 0.00 | 179.63 | 6356.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 6500.00 6600.00 | 0.00 0.00 | 179.63 179.63 | 6456.96 6556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 6700.00 | 0.00 | 179.63 | 6656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 6800.00 | 0.00 | 179.63 | 6756.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 6843.04 | 0.00 | 179.63 | 6800.00 | 416.13 | -313.58 | -408.36 | 0.00 | Brushy Canyon |
| | 6900.00 7000.00 | 0.00 0.00 | 179.63 179.63 | 6856.96 6956.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 7000.00 | 0.00 | 179.63 | 7056.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7200.00 | 0.00 | 179.63 | 7156.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7300.00 | 0.00 | 179.63 | 7256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7400.00 | 0.00 | 179.63 | 7356.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7500.00 7600.00 | 0.00 0.00 | 179.63 179.63 | 7456.96 7556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 7700.00 | 0.00 | 179.63 | 7656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7800.00 | 0.00 | 179.63 | 7756.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 7900.00 | 0.00 | 179.63 | 7856.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8000.00 8100.00 | 0.00 0.00 | 179.63 179.63 | 7956.96 8056.96 | 416.13 416.13 | -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 8200.00 | 0.00 | 179.63 | 8156.96 | 416.13 | -313.58 -313.58 | -408.36 | 0.00 | |
| | 8300.00 | 0.00 | 179.63 | 8256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8400.00 | 0.00 | 179.63 | 8356.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8500.00 | 0.00 | 179.63 | 8456.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8583.04 8600.00 | 0.00 0.00 | 179.63 179.63 | 8540.00 8556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | 1st Bone Spring Lime |
| | 8700.00 | 0.00 | 179.63 | 8656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8800.00 | 0.00 | 179.63 | 8756.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 8900.00 | 0.00 | 179.63 | 8856.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9000.00 9100.00 | 0.00 0.00 | 179.63 179.63 | 8956.96 9056.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 9200.00 | 0.00 | 179.63 | 9156.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9300.00 | 0.00 | 179.63 | 9256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9400.00 | 0.00 | 179.63 | 9356.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9500.00 9600.00 | 0.00 0.00 | 179.63 179.63 | 9456.96 9556.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 9700.00 | 0.00 | 179.63 | 9656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9743.04 | 0.00 | 179.63 | 9700.00 | 416.13 | -313.58 | -408.36 | 0.00 | Bone Spring 1st |
| | 9800.00 | 0.00 | 179.63 | 9756.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 9900.00 10000.00 | 0.00 0.00 | 179.63 179.63 | 9856.96 9956.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 10100.00 | 0.00 | 179.63 | 10056.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10200.00 | 0.00 | 179.63 | 10156.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10300.00 | 0.00 | 179.63 | 10256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10383.04 | 0.00 | 179.63 | 10340.00 | 416.13 | -313.58 | -408.36 | 0.00 | Bone Spring 2nd |
| | 10400.00 10500.00 | 0.00 0.00 | 179.63 179.63 | 10356.96 10456.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 10600.00 | 0.00 | 179.63 | 10556.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10700.00 | 0.00 | 179.63 | 10656.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 10800.00 10833.04 | 0.00 0.00 | 179.63 179.63 | 10756.96 10790.00 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | 3rd Bone Spring Lime |
| | 10833.04 | 0.00 | 179.63 | 10790.00 | 416.13 | -313.58 | -408.36 | 0.00 | Sid Bolle Spring Line |
| | 11000.00 | 0.00 | 179.63 | 10956.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 11100.00 | 0.00 | 179.63 | 11056.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 11200.00 11300.00 | 0.00 0.00 | 179.63 179.63 | 11156.96 11256.96 | 416.13 416.13 | -313.58 -313.58 | -408.36 -408.36 | 0.00 0.00 | |
| | 11400.00 | 0.00 | 179.63 | 11256.96 | 416.13 | -313.58 | -408.36 | 0.00 | |
| | 11490.08 | 0.00 | 179.63 | 11447.04 | 416.13 | -313.58 | -408.36 | 0.00 | КОР |
| | 11500.00 | 0.99 | 179.63 | 11456.96 | 416.05 | -313.58 | -408.27 | 10.00 | |
| | 11563.24 | 7.32 | 179.63 | 11520.00 | 411.47 | -313.55 | -403.69 | 10.00 | Bone Spring 3rd |
| | 11600.00 11700.00 | 10.99 20.99 | 179.63 179.63 | 11556.29 11652.30 | 405.62 378.11 | -313.51 -313.33 | -397.85 -370.35 | 10.00 10.00 | |
| | 11800.00 | 30.99 | 179.63 | 11742.07 | 334.34 | -313.05 | -326.60 | 10.00 | |
| | 11900.00 | 40.99 | 179.63 | 11822.87 | 275.65 | -312.67 | -267.94 | 10.00 | |
| | 12000.00 | 50.99 | 179.63 | 11892.26 | 203.82 | -312.21 | -196.14 | 10.00 | |
| | 12064.58 12100.00 | 57.45 60.99 | 179.63 179.63 | 11930.00 11948.12 | 151.46 121.03 | -311.87 -311.67 | -143.80 -113.39 | 10.00 10.00 | Wolfcamp / Point of Penetration |
| | 12200.00 | 70.99 | 179.63 | 11948.76 | 29.80 | -311.07 | -22.20 | 10.00 | |
| | 12300.00 | 80.99 | 179.63 | 12012.93 | -67.10 | -310.46 | 74.66 | 10.00 | |
| | 12388.64 | 89.86 | 179.63 | 12020.00 | -155.37 | -309.89 | 162.89 | 10.00 | Landing Point |
| | 12400.00 | 89.86 | 179.63 | 12020.03 | -166.73 | -309.82 | 174.24 | 0.00 | |
| | | | | | | | | | |

| al anna an | | Well: | : Alley Cat 1 | 7-20 Fed Com | 615H | | | | Geodetic System: US State Plane 1983 |
|------------|----------------------|----------------|--------------------------------|----------------------|----------------------|--------------------|--------------------|-------------------|--|
| devon | | County: | | | | | | | Datum: North American Datum 1927 |
| | | | : Permit Plai : Permit Plai | | | | | | Ellipsoid: Clarke 1866 Zone: 3001 - NM East (NAD83) |
| | | Design. | . remin ria | 1 # 1 | | | | | Zone. Soor - NWI East (NADOS) |
| | MD | INC | AZI | TVD | NS | EW | VS | DLS | Comment |
| - | (ft) 12500.00 | (°) 89.86 | (°) 179.63 | (ft) 12020.28 | (ft) -266.73 | (ft) -309.17 | (ft) 274.19 | (°/100ft) 0.00 | |
| | 12600.00 | 89.86 | 179.63 | 12020.53 | -366.72 | -308.52 | 374.14 | 0.00 | |
| | 12700.00 | 89.86 | 179.63 | 12020.79 | -466.72 | -307.88 | 474.10 | 0.00 | |
| | 12800.00 12900.00 | 89.86 89.86 | 179.63 179.63 | 12021.04 12021.29 | -566.72 -666.72 | -307.23 -306.58 | 574.05 674.00 | 0.00 0.00 | |
| | 13000.00 | 89.86 | 179.63 | 12021.54 | -766.71 | -305.94 | 773.95 | 0.00 | |
| | 13100.00 | 89.86 | 179.63 | 12021.79 | -866.71 | -305.29 | 873.90 | 0.00 | |
| | 13200.00 13300.00 | 89.86 89.86 | 179.63 179.63 | 12022.05 12022.30 | -966.71 -1066.71 | -304.65 -304.00 | 973.86 1073.81 | 0.00 0.00 | |
| | 13400.00 | 89.86 | 179.63 | 12022.50 | -1166.70 | -303.35 | 1173.76 | 0.00 | |
| | 13500.00 | 89.86 | 179.63 | 12022.80 | -1266.70 | -302.71 | 1273.71 | 0.00 | |
| | 13600.00 | 89.86 | 179.63 | 12023.06 | -1366.70 | -302.06 | 1373.66 | 0.00 | |
| | 13700.00 13800.00 | 89.86 89.86 | 179.63 179.63 | 12023.31 12023.56 | -1466.70 -1566.69 | -301.42 -300.77 | 1473.62 1573.57 | 0.00 0.00 | |
| | 13900.00 | 89.86 | 179.63 | | -1666.69 | -300.12 | 1673.52 | 0.00 | |
| | 14000.00 | 89.86 | 179.63 | 12024.07 | -1766.69 | -299.48 | 1773.47 | 0.00 | |
| | 14100.00 14200.00 | 89.86 89.86 | 179.63 179.63 | 12024.32 12024.57 | -1866.69 -1966.68 | -298.83 -298.19 | 1873.43 1973.38 | 0.00 0.00 | |
| | 14200.00 | 89.86 89.86 | 179.63 | 12024.57 | -2066.68 | -298.19 -297.54 | 2073.33 | 0.00 | |
| | 14400.00 | 89.86 | 179.63 | 12025.07 | -2166.68 | -296.89 | 2173.28 | 0.00 | |
| | 14500.00 | 89.86 | 179.63 | 12025.33 | -2266.68 | -296.25 | 2273.23 | 0.00 | |
| | 14600.00 14700.00 | 89.86 89.86 | 179.63 179.63 | 12025.58 12025.83 | -2366.68 -2466.67 | -295.60 -294.96 | 2373.19 2473.14 | 0.00 0.00 | |
| | 14800.00 | 89.86 | 179.63 | 12026.08 | -2566.67 | -294.31 | 2573.09 | 0.00 | |
| | 14900.00 | 89.86 | 179.63 | 12026.34 | -2666.67 | -293.66 | 2673.04 | 0.00 | |
| | 15000.00 15100.00 | 89.86 89.86 | 179.63 179.63 | 12026.59 12026.84 | -2766.67 -2866.66 | -293.02 -292.37 | 2772.99 2872.95 | 0.00 0.00 | |
| | 15200.00 | 89.86 | 179.63 | 12027.09 | -2966.66 | -291.73 | 2972.90 | 0.00 | |
| | 15300.00 | 89.86 | 179.63 | 12027.34 | -3066.66 | -291.08 | 3072.85 | 0.00 | |
| | 15400.00 15500.00 | 89.86 89.86 | 179.63 179.63 | 12027.60 12027.85 | -3166.66 -3266.65 | -290.43 -289.79 | 3172.80 3272.75 | 0.00 0.00 | |
| | 15600.00 | 89.86 | 179.63 | 12027.85 | -3366.65 | -289.14 | 3372.71 | 0.00 | |
| | 15700.00 | 89.86 | 179.63 | 12028.35 | -3466.65 | -288.50 | 3472.66 | 0.00 | |
| | 15800.00 | 89.86 | 179.63 | 12028.61 | -3566.65 | -287.85 | 3572.61 | 0.00 | |
| | 15900.00 16000.00 | 89.86 89.86 | 179.63 179.63 | 12028.86 12029.11 | -3666.64 -3766.64 | -287.20 -286.56 | 3672.56 3772.51 | 0.00 0.00 | |
| | 16100.00 | 89.86 | 179.63 | 12029.36 | -3866.64 | -285.91 | 3872.47 | 0.00 | |
| | 16200.00 | 89.86 | 179.63 | 12029.61 | -3966.64 | -285.27 | 3972.42 | 0.00 | |
| | 16300.00 16400.00 | 89.86 89.86 | 179.63 179.63 | 12029.87 12030.12 | -4066.63 -4166.63 | -284.62 -283.97 | 4072.37 4172.32 | 0.00 0.00 | |
| | 16500.00 | 89.86 | 179.63 | 12030.37 | -4266.63 | -283.33 | 4272.27 | 0.00 | |
| | 16600.00 | 89.86 | 179.63 | 12030.62 | -4366.63 | -282.68 | 4372.23 | 0.00 | |
| | 16700.00 16800.00 | 89.86 89.86 | 179.63 179.63 | 12030.88 12031.13 | -4466.62 -4566.62 | -282.04 -281.39 | 4472.18 4572.13 | 0.00 0.00 | |
| | 16900.00 | 89.86 | 179.63 | 12031.38 | -4666.62 | -280.74 | 4672.08 | 0.00 | |
| | 17000.00 | 89.86 | 179.63 | 12031.63 | -4766.62 | -280.10 | 4772.03 | 0.00 | |
| | 17100.00 17200.00 | 89.86 89.86 | 179.63 179.63 | 12031.89 12032.14 | -4866.62 -4966.61 | -279.45 -278.81 | 4871.99 4971.94 | 0.00 0.00 | |
| | 17200.00 | 89.86 | 179.63 | 12032.14 | -5066.61 | -278.16 | 5071.89 | 0.00 | |
| | 17400.00 | 89.86 | 179.63 | 12032.64 | -5166.61 | -277.51 | 5171.84 | 0.00 | |
| | 17500.00 17600.00 | 89.86 89.86 | 179.63 | 12032.89 | -5266.61 -5366.60 | -276.87 | 5271.79 5371.75 | 0.00 | |
| | 17800.00 | 89.86 | 179.63 179.63 | 12033.15 12033.40 | -5466.60 | -276.22 -275.58 | 5471.70 | 0.00 0.00 | |
| | 17800.00 | 89.86 | 179.63 | 12033.65 | -5566.60 | -274.93 | 5571.65 | 0.00 | |
| | 17900.00 | 89.86 | 179.63 | 12033.90 | -5666.60 | -274.28 | 5671.60 | 0.00 | |
| | 18000.00 18100.00 | 89.86 89.86 | 179.63 179.63 | 12034.16 12034.41 | -5766.59 -5866.59 | -273.64 -272.99 | 5771.55 5871.51 | 0.00 0.00 | |
| | 18200.00 | 89.86 | 179.63 | 12034.66 | -5966.59 | -272.35 | 5971.46 | 0.00 | |
| | 18300.00 | 89.86 | 179.63 | 12034.91 | -6066.59 | -271.70 | 6071.41 | 0.00 | |
| | 18400.00 18500.00 | 89.86 89.86 | 179.63 179.63 | 12035.16 12035.42 | -6166.58 -6266.58 | -271.05 -270.41 | 6171.36 6271.31 | 0.00 0.00 | |
| | 18500.00 | 89.86 89.86 | 179.63 | 12035.42 | -6266.58 | -270.41 | 6371.27 | 0.00 | |
| | 18700.00 | 89.86 | 179.63 | 12035.92 | -6466.58 | -269.12 | 6471.22 | 0.00 | |
| | 18800.00 | 89.86 | 179.63 | 12036.17 | -6566.57 | -268.47 | 6571.17 | 0.00 | |
| | 18900.00 19000.00 | 89.86 89.86 | 179.63 179.63 | 12036.43 12036.68 | -6666.57 -6766.57 | -267.82 -267.18 | 6671.12 6771.07 | 0.00 0.00 | |
| | 19100.00 | 89.86 | 179.63 | 12036.93 | -6866.57 | -266.53 | 6871.03 | 0.00 | |
| | 19200.00 | 89.86 | 179.63 | 12037.18 | -6966.56 | -265.89 | 6970.98 | 0.00 | |
| | 19300.00 19400.00 | 89.86 89.86 | 179.63 179.63 | 12037.44 12037.69 | -7066.56 -7166.56 | -265.24 -264.59 | 7070.93 7170.88 | 0.00 0.00 | |
| | 13-100.00 | 05.00 | 17 9.05 | 12031.03 | 7100.50 | 204.33 | , , , 0.00 | 0.00 | |

| evon | | County: | | 7-20 Fed Con | n 615H | | | | Geodetic System: US State Plane 1983 Datum: North American Datum 192 | |
|------|----------|---------|-------------|--------------|-----------|--|----------|-----------|---|--|
| | | | Permit Plar | | | Ellipsoid: Clarke 1866 Zone: 3001 - NM East (NAD83) | | | | |
| | MD | INC | AZI | TVD | NS | EW | vs | DLS | Comment | |
| | (ft) | (°) | (°) | (ft) | (ft) | (ft) | (ft) | (°/100ft) | Comment | |
| | 19500.00 | 89.86 | 179.63 | 12037.94 | -7266.56 | -263.95 | 7270.84 | 0.00 | | |
| | 19600.00 | 89.86 | 179.63 | 12038.19 | -7366.56 | -263.30 | 7370.79 | 0.00 | | |
| | 19700.00 | 89.86 | 179.63 | 12038.44 | -7466.55 | -262.65 | 7470.74 | 0.00 | | |
| | 19800.00 | 89.86 | 179.63 | 12038.70 | -7566.55 | -262.01 | 7570.69 | 0.00 | | |
| | 19900.00 | 89.86 | 179.63 | 12038.95 | -7666.55 | -261.36 | 7670.64 | 0.00 | | |
| | 20000.00 | 89.86 | 179.63 | 12039.20 | -7766.55 | -260.72 | 7770.60 | 0.00 | | |
| | 20100.00 | 89.86 | 179.63 | 12039.45 | -7866.54 | -260.07 | 7870.55 | 0.00 | | |
| | 20200.00 | 89.86 | 179.63 | 12039.71 | -7966.54 | -259.42 | 7970.50 | 0.00 | | |
| | 20300.00 | 89.86 | 179.63 | 12039.96 | -8066.54 | -258.78 | 8070.45 | 0.00 | | |
| | 20400.00 | 89.86 | 179.63 | 12040.21 | -8166.54 | -258.13 | 8170.40 | 0.00 | | |
| | 20500.00 | 89.86 | 179.63 | 12040.46 | -8266.53 | -257.49 | 8270.36 | 0.00 | | |
| | 20600.00 | 89.86 | 179.63 | 12040.71 | -8366.53 | -256.84 | 8370.31 | 0.00 | | |
| | 20700.00 | 89.86 | 179.63 | 12040.97 | -8466.53 | -256.19 | 8470.26 | 0.00 | | |
| | 20800.00 | 89.86 | 179.63 | 12041.22 | -8566.53 | -255.55 | 8570.21 | 0.00 | | |
| | 20900.00 | 89.86 | 179.63 | 12041.47 | -8666.52 | -254.90 | 8670.16 | 0.00 | | |
| | 21000.00 | 89.86 | 179.63 | 12041.72 | -8766.52 | -254.26 | 8770.12 | 0.00 | | |
| | 21100.00 | 89.86 | 179.63 | 12041.98 | -8866.52 | -253.61 | 8870.07 | 0.00 | | |
| | 21200.00 | 89.86 | 179.63 | 12042.23 | -8966.52 | -252.96 | 8970.02 | 0.00 | | |
| | 21300.00 | 89.86 | 179.63 | 12042.48 | -9066.51 | -252.32 | 9069.97 | 0.00 | | |
| | 21400.00 | 89.86 | 179.63 | 12042.73 | -9166.51 | -251.67 | 9169.92 | 0.00 | | |
| | 21500.00 | 89.86 | 179.63 | 12042.99 | -9266.51 | -251.03 | 9269.88 | 0.00 | | |
| | 21600.00 | 89.86 | 179.63 | 12043.24 | -9366.51 | -250.38 | 9369.83 | 0.00 | | |
| | 21700.00 | 89.86 | 179.63 | 12043.49 | -9466.50 | -249.73 | 9469.78 | 0.00 | | |
| | 21800.00 | 89.86 | 179.63 | 12043.74 | -9566.50 | -249.09 | 9569.73 | 0.00 | | |
| | 21900.00 | 89.86 | 179.63 | 12043.99 | -9666.50 | -248.44 | 9669.68 | 0.00 | | |
| | 22000.00 | 89.86 | 179.63 | 12044.25 | -9766.50 | -247.80 | 9769.64 | 0.00 | | |
| | 22100.00 | 89.86 | 179.63 | 12044.50 | -9866.49 | -247.15 | 9869.59 | 0.00 | | |
| | 22200.00 | 89.86 | 179.63 | 12044.75 | -9966.49 | -246.50 | 9969.54 | 0.00 | | |
| | 22223.90 | 89.86 | 179.63 | 12044.81 | -9990.39 | -246.35 | 9993.43 | 0.00 | exit | |
| | 22300.00 | 89.86 | 179.63 | 12045.00 | -10066.49 | -245.86 | 10069.49 | 0.00 | | |
| | 22303.90 | 89.86 | 179.63 | 12045.00 | -10070.39 | -245.86 | 10073.39 | 0.00 | BHL | |

| MO-FXL Box critical area F d | MO-FXL *1 Pipe Body: Borusan P110HS 95%RBW Special Drif Connection Data Geometry Pipe Body Grade *1 MinYS *1 Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | t 7.875" | CDS# Date I ksi in lb/ft in in in ² in | P110H MinYS1 95%RBW \$ 16-Jar <u>S.I.</u> P110HSCY 125 219.08 47.68 46.34 8.94 | 25ksi SD7.875 n-24 ksi mm kg/m | | | | | |
|---|---|---|--|---|---|--|--|--|--|--|
| MO-FXL Box critical area F d | 95%RBW Special Drif Connection Data Geometry Pipe Body Grade *1 MinYS *1 Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | t 7.875" Sheet Imperia P110HSCY 125 8 5/8 32.00 31.10 0.352 7.921 9.149 | Date L Ksi Ib/ft in in in | 95%RBW 3 16-Jar <u>S.I.</u> P110HSCY 125 219.08 47.68 46.34 | SD7.875 n-24 ksi mm kg/m | | | | | |
| MO-FXL Box critical area F | 95%RBW Special Drif Connection Data Geometry Pipe Body Grade *1 MinYS *1 Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | t 7.875" Sheet Imperia P110HSCY 125 8 5/8 32.00 31.10 0.352 7.921 9.149 | ksi in Ib/ft in in in | 95%RBW 3 16-Jar <u>S.I.</u> P110HSCY 125 219.08 47.68 46.34 | SD7.875 n-24 ksi mm kg/m | | | | | |
| MO-FXL Box critical area F | Geometry Pipe Body Grade *1 MinYS *1 Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | Imperia P110HSCY 125 8 5/8 32.00 31.10 0.352 7.921 9.149 | ksi in Ib/ft in in in | 16-Jar <u>S.I.</u> P110HSCY 125 219.08 47.68 46.34 | ksi kg/m | | | | | |
| MO-FXL Box critical area F | Geometry Pipe Body Grade *1 MinYS *1 Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | Imperia P110HSCY 125 8 5/8 32.00 31.10 0.352 7.921 9.149 | ksi in Ib/ft in in in | P110HSCY 125 219.08 47.68 46.34 | <mark>mm</mark> kg/m | | | | | |
| MO-FXL Box critical area F | Pipe Body Grade *1 MinYS *1 Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 | P110HSCY 125 8 5/8 32.00 31.10 0.352 7.921 9.149 | ksi in lb/ft in in in ² | P110HSCY 125 219.08 47.68 46.34 | <mark>mm</mark> kg/m | | | | | |
| MO-FXL Box critical area F d | Grade *1 MinYS *1 Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | 125 8 5/8 32.00 31.10 0.352 7.921 9.149 | in Ib/ft in in in ² | 125 219.08 47.68 46.34 | <mark>mm</mark> kg/m | | | | | |
| MO-FXL Box critical area F | MinYS *1 Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | 125 8 5/8 32.00 31.10 0.352 7.921 9.149 | in Ib/ft in in in ² | 125 219.08 47.68 46.34 | <mark>mm</mark> kg/m | | | | | |
| MO-FXL | Pipe OD (D) Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | 8 5/8 32.00 31.10 0.352 7.921 9.149 | in Ib/ft in in in ² | 219.08 47.68 46.34 | <mark>mm</mark> kg/m | | | | | |
| MO-FXL | Weight Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | 32.00 31.10 0.352 7.921 9.149 | Ib/ft in in in ² | 47.68 46.34 | kg/m | | | | | |
| Box critical area F | Actual weight Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | 31.10 0.352 7.921 9.149 | in in in ² | 46.34 | , in the second s | | | | | |
| Box critical area F | Wall Thickness (t) Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | 0.352 7.921 9.149 | in in ² | | | | | | | |
| Box critical area F | Pipe ID (d) Pipe body cross section Special Drift Dia. *1 - Connection | 0.352 7.921 9.149 | in in ² | 8.94 | kg/m | | | | | |
| Box critical area F | Pipe body cross section Special Drift Dia. *1 - Connection | 9.149 | in ² | | mm | | | | | |
| Box critical area F | Pipe body cross section Special Drift Dia. *1 - Connection | 9.149 | in ² | 201.19 | mm | | | | | |
| Box critical area F | Special Drift Dia. *1 - Connection | | | 5,902 | mm ² | | | | | |
| Box critical area F | - Connection | - | | 200.03 | mm | | | | | |
| critical area F | | | - | - | - | | | | | |
| critical area F | | | _ | - | | | | | | |
| area F | | | | | | | | | | |
| F ► d E | Box OD (W) | 8.625 | in | 219.08 | mm | | | | | |
| Z ← d E | PIN ID | 7.921 | in | 201.19 | mm | | | | | |
| | Make up Loss | 3.847 | in | 97.71 | mm | | | | | |
| | Box Critical Area | 5.853 | in ² | 3686 | mm ² | | | | | |
| | Joint load efficiency | 69 | % | 69 | % | | | | | |
| | Thread Taper | | | | | | | | | |
| | Thread Taper1 / 10 (1.2" per ft)Number of Threads5 TPI | | | | | | | | | |
| | Performance Properties for Pipe Body | | | | | | | | | |
| | S.M.Y.S. *1 | 1,144 | kips | 5,087 | kN | | | | | |
| | M.I.Y.P. *1 | 9,690 | psi | 66.83 | MPa | | | | | |
| | Collapse Strength *1 | 4,300 | psi | 29.66 | MPa | | | | | |
| ↓ | Note S.M.Y.S.= Specified Minimum YIELD Strength of Pipe body M.I.Y.P. = Minimum Internal Yield Pressure of Pipe body | | | | | | | | | |
| | | | Pressur | e of Pipe body | | | | | | |
| | *1: Borusan: SOP-12-F05 Re | | | | | | | | | |
| | P110HSCY: MinYS125ksi, 95 | | 10 C C | se Strength 4,3 | 00psi | | | | | |
| | Performance Properties | | | | | | | | | |
| | Tensile Yield load | - | | of S.M.Y.S.) | | | | | | |
| | Min. Compression Yield | 789 kips (| | of S.M.Y.S.) | | | | | | |
| | Internal Pressure | 6,780 psi (| 70% | | | | | | | |
| | External Pressure | | | of Collapse St | rength | | | | | |
| <u>N</u> | Max. DLS (deg. /100ft) | | 29 | 9 | | | | | | |
| <u>.</u> | Recommended Torque | | | | | | | | | |
| | Min. | 13,600 | ft-lb | 18,400 | N-m | | | | | |
| | Opti. | 14,900 | ft-lb | 20,200 | N-m | | | | | |
| | Max. | 16,200 | ft-lb | 21,900 | N-m | | | | | |
| | Operational Max. | 28,400 | ft-lb | 38,500 | N-m | | | | | |
| - | Note : Operational Max. to | rque can be applie | d for high | torque applicatior | 1 | | | | | |
| | | | - 0 | | | | | | | |
| al Notice | er/user's risk and no warranty is implied of One") with respect to the use of informatio | | | on or its parents, subsi | diaries or aff | | | | | |

Statements regarding the suitability of products for certain types of applications are based on Metal One's knowledge of typical requirements that are often placed on Metal One products in standard well configurations. Such statements are not binding statements about the suitability of products for a particular placed of Metal One products in standard weil comparations. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application The products described in this Connection Data Sheet are not recommended for use in deep water offshore applications. For more information, please refer to <u>http://www.mtlo.co.jp/mo-con/_images/top/WebsiteTerms_Active_20333287_1.pdf</u> the contents of which are incorporated by reference into this Connection

Data Sheet.

Page 50 of 52

U. S. Steel Tubular Products 5.500" 20.00lb/ft (0.361" Wall) P110 HP USS-CDC HTQ[®]

| | | Y | | |
|-----------------------------------|---------|--------------------------|------------|--|
| MECHANICAL PROPERTIES | Pipe | USS-CDC HTQ [®] | | |
| Minimum Yield Strength | 125,000 | | psi | |
| Maximum Yield Strength | 140,000 | | psi | |
| Minimum Tensile Strength | 130,000 | | psi | |
| DIMENSIONS | Pipe | USS-CDC HTQ [®] | | |
| Outside Diameter | 5.500 | 6.300 | in. | |
| Wall Thickness | 0.361 | | in. | |
| Inside Diameter | 4.778 | 4.778 | in. | |
| Standard Drift | 4.653 | 4.653 | in. | |
| Alternate Drift | | | in. | |
| Nominal Linear Weight, T&C | 20.00 | | lb/ft | |
| Plain End Weight | 19.83 | | lb/ft | |
| SECTION AREA | Pipe | USS-CDC HTQ [®] | | |
| Critical Area | 5.828 | 5.828 | sq. in. | |
| Joint Efficiency | | 97.0 | % | |
| PERFORMANCE | Pipe | USS-CDC HTQ [®] | | |
| Minimum Collapse Pressure | 13,150 | 13,150 | psi | |
| External Pressure Leak Resistance | | 10,520 | psi | |
| Minimum Internal Yield Pressure | 14,360 | 14,360 | psi | |
| Minimum Pipe Body Yield Strength | 729,000 | | lb | |
| Joint Strength | | 707,000 | lb | |
| Compression Rating | | 424,000 | lb | |
| Reference Length | | 23,567 | ft | |
| Maximum Uniaxial Bend Rating | | 60.6 | deg/100 ft | |
| IAKE-UP DATA | Pipe | USS-CDC HTQ [®] | | |
| Make-Up Loss | | 4.63 | in. | |
| Minimum Make-Up Torque | | 14,500 | ft-lb | |
| Maximum Make-Up Torque | | 20,500 | ft-lb | |
| Connection Yield Torque | | 25,300 | ft-lb | |

Notes

1. Other than proprietary collapse and connection values, performance properties have been calculated using standard equations defined by API 5C3 and do not incorporate any additional design or safety factors. Calculations assume nominal pipe OD, nominal wall thickness and Specified Minimum Yield Strength (SMYS).

2. Uniaxial bending rating shown is structural only, and equal to compression efficiency.

3. Torques have been calculated assuming a thread compound friction factor of 1.0 and are recommended only. Field make-up torques may require adjustment based on actual field conditions (e.g. make-up speed, temperature, thread compound, etc.).

4. Reference length is calculated by joint strength divided by nominal threaded and coupled weight with 1.5 safety factor.

5. Connection external pressure leak resistance has been verified to 80% API pipe body collapse pressure following the guidelines of API 5C5 Cal II.

Legal Notice

USS - CDC HTQ[®] (High Torque Casing Drilling Connection) is a trademark of U. S. Steel Corporation. This product is a modified API Buttress threaded and coupled connection designed for drilling with casing applications. All material contained in this publication is for general information only. This material should not therefore be used or relied upon for any specific application without independent competent professional examination and verification of accuracy, suitability and applicability. Anyone making use of this material does so at their own risk and assumes any and all liability resulting from such use. U. S. Steel disclaims any and all expressed or implied warranties of fitness for any general or particular application.

U. S. Steel Tubular Products 460 Wildwood Forest Drive, Suite 300S Spring, Texas 77380 1-877-893-9461 connections@uss.com www.usstubular.com

Alley Cat 17-20 Fed Com 615H

| 103/4 | sui | rface csg in a | 14 3/4 | inch hole. | | Design I | Factors | | | Surface | ; | |
|--|--|---|--|---|---|--|--|---|-----------------|--------------------------|--------------------|--|
| Segment | #/ft | Grade | | Coupling | Body | Collapse | Burst | Length | B@s | a-B | a-C | Weight |
| "A" | 45.50 | | j 55 | btc | 12.94 | 3.68 | 0.58 | 1,215 | 7 | 0.97 | 6.95 | 55,283 |
| "B" | | | , | btc | | | | 0 | - · · · | 0.01 | | 0 |
| | w/8.4# | /g mud, 30min Sfc Csg Test | psig: 1.500 | Tail Cmt | does not | circ to sfc. | Totals: | 1,215 | | | | 55,283 |
| omparison of | | inimum Required Ceme | | | | | rotaioi | .,2.0 | | | | , |
| Hole | Annular | 1 Stage | 1 Stage | Min | 1 Stage | Drilling | Calc | Req'd | | | | Min Dist |
| Size | Volume | Cmt Sx | CuFt Cmt | Cu Ft | % Excess | Mud Wt | MASP | BOPE | | | | Hole-Cpl |
| 14 3/4 | 0.5563 | 618 | 890 | 676 | 32 | 9.00 | 3707 | 5M | | | | 1.50 |
| | | | | | | 0.00 | | | | | | |
| urst Frac Grad | lient(s) for Segm | ent(s) A, B = , b All > 0. | .70, OK. | | Site plat (pip | e racks S or E) | as per 0.0.1. | III.D.4.i. not i | found. | | | |
| 8 5/8 | casi | ng inside the | 10 3/4 | | | Design l | Factors | | ~ | Int 1 | | |
| Segment | #/ft | Grade | / - | Coupling | Joint | Collapse | Burst | Length | B@s | a-B | a-C | Weight |
| "A" | 32.00 | | p 110 | mo-fxl | 2.16 | 0.69 | 0.95 | 11,390 | 1 | 1.59 | 1.16 | |
| "B" | | | | | | | | 0 | | | | 0 |
| | w/8.4# | /g mud, 30min Sfc Csg Test | psig: -595 | | | | Totals: | 11,390 | | | | 364,480 |
| | , | | | ded to achieve a top of | 0 | ft from su | | 1215 | | | | overlap. |
| Hole | Annular | 1 Stage | 1 Stage | Min | 1 Stage | Drilling | Calc | Reg'd | | | | Min Dist |
| Size | Volume | Cmt Sx | CuFt Cmt | Cu Ft | % Excess | Mud Wt | MASP | BOPE | | | | Hole-Cpl |
| 9 7/8 | 0.1261 | 528 | 760 | 1446 | -47 | 10.50 | 3920 | 5M | | | | 0.63 |
| | | | 6800 | | | | sum of sx | Σ CuFt | | | | Σ%exces |
| DVTool(s): | | | | | | | | | | | | |
| by stage % : lass 'C' tail cm | | 31 ent(s): A, B, C, D = 0.55, I | 26 b, c, d <0.70 a Prol | blem!! | | | 1003 | 1853 | | | | 28 |
| Tail cmt | lient(s) for Segme | ent(s): A, B, C, D = 0.55, I | b, c, d <0.70 a Prol | blem!! | | Dosign Ear | | 1853 | - | Drod 1 | | 28 |
| by stage % : class 'C' tail cm Burst Frac Grad Tail cmt 5 1/2 | lient(s) for Segme casi | ent(s): A, B, C, D = 0.55, I ng inside the | | | loint | Design Fac | ctors | | B@s | Prod 1 | | |
| by stage % : lass 'C' tail cm turst Frac Grad Tail cmt 5 1/2 Segment | lient(s) for Segmo casi #/ft | ent(s): A, B, C, D = 0.55, I | b, c, d <0.70 a Prol 8 5/8 | Coupling | Joint | Collapse | <u>ctors</u> Burst | Length | B@s | a-B | a-C | Weight |
| by stage % : lass 'C' tail cm turst Frac Grad Tail cmt 5 1/2 Segment "A" | lient(s) for Segme casi | ent(s): A, B, C, D = 0.55, I ng inside the | b, c, d <0.70 a Prol | | Joint 2.66 | | ctors | Length 22,304 | B@s 2 | | | Weight 446,080 |
| by stage % : Class 'C' tail cm Burst Frac Grad Tail cmt 5 1/2 Segment | lient(s) for Segmo casi #/ft 20.00 | ent(s): A, B, C, D = 0.55, I ng inside the Grade | b, c, d <0.70 a Prol 8 5/8 p 110 | Coupling | | Collapse | c <u>tors</u> Burst 1.92 | Length 22,304 0 | <u> </u> | a-B | a-C | Weight 446,080 |
| by stage % : Class 'C' tail cm Burst Frac Grad Tail cmt 5 1/2 Segment "A" | lient(s) for Segmo casi #/ft 20.00 | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test J | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 | Coupling cdc-htq | 2.66 | Collapse 1.86 | <u>ctors</u> Burst 1.92 Totals: | Length 22,304 0 22,304 | <u> </u> | a-B | a-C | Weight 446,080 0 446,080 |
| by stage % : class 'C' tail cm burst Frac Grad Tail cmt 5 1/2 Segment "A" "B" | dient(s) for Segmu casi #/ft 20.00 w/8.4#, | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test (The cement | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten | Coupling cdc-htq ded to achieve a top of | 2.66 11190 | Collapse 1.86 ft from su | ctors Burst 1.92 Totals: rface or a | Length 22,304 0 22,304 200 | <u> </u> | a-B | a-C | Weight 446,080 0 446,080 overlap. |
| by stage % : class 'C' tail cm Burst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole | dient(s) for Segme casi #/ft 20.00 w/8.4#, Annular | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test (The cement of 1 Stage | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage | Coupling cdc-htq ded to achieve a top of Min | 2.66 11190 1 Stage | Collapse 1.86 ft from su Drilling | ctors Burst 1.92 Totals: rface or a Calc | Length 22,304 0 22,304 200 Req'd | <u> </u> | a-B | a-C | Weight 446,080 0 446,080 overlap. Min Dist |
| by stage % : class 'C' tail cm burst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size | dient(s) for Segme casi #/ft 20.00 w/8.4#, Annular Volume | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test I The cement v 1 Stage Cmt Sx | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt | Coupling cdc-htq ded to achieve a top of Min Cu Ft | 2.66 11190 1 Stage % Excess | Collapse 1.86 ft from su Drilling Mud Wt | ctors Burst 1.92 Totals: rface or a | Length 22,304 0 22,304 200 | <u> </u> | a-B | a-C | Weight 446,080 0 446,080 overlap. Min Dist Hole-Cpl |
| by stage % : class 'C' tail cm Burst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole | dient(s) for Segme casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test (The cement of 1 Stage | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage | Coupling cdc-htq ded to achieve a top of Min | 2.66 11190 1 Stage | Collapse 1.86 ft from su Drilling | ctors Burst 1.92 Totals: rface or a Calc | Length 22,304 0 22,304 200 Req'd | <u> </u> | a-B | a-C | Weight 446,080 0 446,080 |
| by stage % : class 'C' tail cm surst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 class 'C' tail cm | dient(s) for Segme casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test I The cement v 1 Stage Cmt Sx | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt 2443 | Coupling cdc-htq ded to achieve a top of Min Cu Ft | 2.66 11190 1 Stage % Excess | Collapse 1.86 ft from su Drilling Mud Wt 10.50 | Ctors Burst 1.92 Totals: rface or a Calc MASP | Length 22,304 0 22,304 200 Req'd | 2 | a-B 3.22 | a-C 3.11 | Weight 446,080 0 446,080 overlap. Min Dist Hole-Cpl |
| by stage % : class 'C' tail cm burst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 class 'C' tail cm #N/A 0 | dient(s) for Segmo casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 it yld > 1.35 | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test I The cement v 1 Stage Cmt Sx 1548 | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 | 2.66 11190 1 Stage % Excess 27 | Collapse 1.86 ft from su Drilling Mud Wt 10.50 Design I | Ctors Burst 1.92 Totals: rface or a Calc MASP | Length 22,304 0 22,304 200 Req'd BOPE | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weight 446,080 0 446,080 overlap. Min Dist Hole-Cpl 0.79 |
| by stage % : class 'C' tail cm burst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 class 'C' tail cm #N/A 0 Segment | dient(s) for Segme casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test I The cement v 1 Stage Cmt Sx | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt 2443 | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 Coupling | 2.66 11190 1 Stage % Excess | Collapse 1.86 ft from su Drilling Mud Wt 10.50 | Ctors Burst 1.92 Totals: rface or a Calc MASP | Length 22,304 0 22,304 200 Req'd BOPE | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weight 446,080 0 446,080 overlap. Min Dist Hole-Cpl 0.79 Weight |
| yy stage % : lass 'C' tail cm urst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 lass 'C' tail cm #N/A 0 Segment "A" | dient(s) for Segmo casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 it yld > 1.35 | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test I The cement v 1 Stage Cmt Sx 1548 | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt 2443 | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 Coupling 0.00 | 2.66 11190 1 Stage % Excess 27 | Collapse 1.86 ft from su Drilling Mud Wt 10.50 Design I | Ctors Burst 1.92 Totals: rface or a Calc MASP | Length 22,304 0 22,304 200 Req'd BOPE | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weigh 446,080 0 446,080 0 verlap. Min Dist Hole-Cpl 0.79 0.79 |
| by stage % : class 'C' tail cm burst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 class 'C' tail cm #N/A 0 Segment | dient(s) for Segmo casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 tt yld > 1.35 #/ft | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test I The cement of 1 Stage Cmt Sx 1548 Grade | b, c, d <0.70 a Proi 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt 2443 5 1/2 | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 Coupling | 2.66 11190 1 Stage % Excess 27 | Collapse 1.86 ft from su Drilling Mud Wt 10.50 Design I | ctors Burst 1.92 Totals: rface or a Calc MASP | Length 22,304 0 22,304 200 Req'd BOPE | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weight 446,08(0 446,08(0verlap. Min Dist Hole-Cpl 0.79 0.79 |
| by stage % : class 'C' tail cm turst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 class 'C' tail cm #N/A 0 Segment "A" | dient(s) for Segmo casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 tt yld > 1.35 #/ft | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test (The cement to 1 Stage Cmt Sx 1548 Grade /g mud, 30min Sfc Csg Test (| b, c, d <0.70 a Prof 8 5/8 p 110 psig: 2,650 rolume(s) are inten 1 Stage CuFt Cmt 2443 5 1/2 psig: | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 Coupling 0.00 0.00 | 2.66 11190 1 Stage % Excess 27 #N/A | Collapse 1.86 ft from su Drilling Mud Wt 10.50 <u>Design I</u> Collapse | Ctors Burst 1.92 Totals: rface or a Calc MASP Factors Burst | Length 22,304 0 22,304 200 Req'd BOPE Length 0 0 | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weigh 446,080 0 446,080 overlap. Min Dis Hole-Cpl 0.79 Weigh 0 0 0 0 |
| by stage % : class 'C' tail cm trail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 class 'C' tail cm #N/A 0 Segment "A" "B" | dient(s) for Segmu casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 t yld > 1.35 #/ft w/8.4#, | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx 1548 Grade /g mud, 30min Sfc Csg Test I Cmt vol ca | b, c, d <0.70 a Prof 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt 2443 5 1/2 psig: alc below includes | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 Coupling 0.00 0.00 this csg, TOC intended | 2.66 11190 1 Stage % Excess 27 #N/A #N/A | Collapse 1.86 ft from su Drilling Mud Wt 10.50 <u>Design I</u> Collapse ft from su | Ctors Burst 1.92 Totals: rface or a Calc MASP Factors Burst Totals: rface or a | Length 22,304 0 22,304 200 Req'd BOPE | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weigh 446,080 overlap. Min Dis Hole-Cpl 0.79 Weigh 0.79 O 0 0 0 0 0 |
| by stage % : class 'C' tail cm burst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 class 'C' tail cm #N/A 0 Segment "A" "B" Hole | iient(s) for Segmu casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 it yld > 1.35 #/ft w/8.4#, Annular | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx 1548 Grade /g mud, 30min Sfc Csg Test Cmt vol cs 1 Stage | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt 2443 5 1/2 psig: alc below includes 1 Stage | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 Coupling 0.00 0.00 0.00 this csg, TOC intended Min | 2.66 11190 1 Stage % Excess 27 #N/A 1 Stage | Collapse 1.86 ft from su Drilling Mud Wt 10.50 <u>Design I</u> Collapse ft from su Drilling | Ctors Burst 1.92 Totals: rface or a Calc MASP Factors Burst | Length 22,304 0 22,304 200 Req'd BOPE | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weighi 446,080 overlap. Min Dist Hole-Cpl 0.79 Weighi 0 0 0 overlap. Min Dist |
| yy stage % : lass 'C' tail cm urst Frac Grad 5 1/2 Segment "A" "B" Hole Size 7 7/8 lass 'C' tail cm #N/A 0 Segment "A" "B" Hole Size | dient(s) for Segmu casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 t yld > 1.35 #/ft w/8.4#, | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test I The cement v 1 Stage Cmt Sx 1548 Grade /g mud, 30min Sfc Csg Test I Cmt vol ca 1 Stage Cmt Sx | b, c, d <0.70 a Prol 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt 2443 5 1/2 psig: alc below includes 1 Stage CuFt Cmt | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 Coupling 0.00 0.00 this csg, TOC intended Min Cu Ft | 2.66 11190 1 Stage % Excess 27 #N/A #N/A 1 Stage % Excess | Collapse 1.86 ft from su Drilling Mud Wt 10.50 <u>Design I</u> Collapse ft from su | Ctors Burst 1.92 Totals: rface or a Calc MASP Factors Burst Totals: rface or a | Length 22,304 0 22,304 200 Req'd BOPE | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weight 446,080 0 446,080 overlap. Min Dist Hole-Cpl 0.79 Weight 0 0 0 0 0 0 0 0 0 |
| y stage % : lass 'C' tail cm urst Frac Grad Tail cmt 5 1/2 Segment "A" "B" Hole Size 7 7/8 lass 'C' tail cm #N/A 0 Segment "A" "B" Hole | iient(s) for Segmu casi #/ft 20.00 w/8.4#, Annular Volume 0.1733 it yld > 1.35 #/ft w/8.4#, Annular | ent(s): A, B, C, D = 0.55, I ng inside the Grade /g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx 1548 Grade /g mud, 30min Sfc Csg Test Cmt vol cs 1 Stage | b, c, d <0.70 a Prot 8 5/8 p 110 psig: 2,650 volume(s) are inten 1 Stage CuFt Cmt 2443 5 1/2 psig: alc below includes 1 Stage | Coupling cdc-htq ded to achieve a top of Min Cu Ft 1926 Coupling 0.00 0.00 this csg, TOC intended Min Cu Ft 0 | 2.66 11190 1 Stage % Excess 27 #N/A 1 Stage | Collapse 1.86 ft from su Drilling Mud Wt 10.50 <u>Design I</u> Collapse ft from su Drilling | Ctors Burst 1.92 Totals: rface or a Calc MASP Factors Burst | Length 22,304 0 22,304 200 Req'd BOPE | 2 | a-B 3.22 Choose Ca | a-C 3.11 | Weigh 446,08 0 446,08 overlap. Min Dis Hole-Cpl 0.79 Weigh 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |

.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

| Operator: | OGRID: |
|-------------------------------------|--------------------------------------|
| DEVON ENERGY PRODUCTION COMPANY, LP | 6137 |
| 333 West Sheridan Ave. | Action Number: |
| Oklahoma City, OK 73102 | 344622 |
| | Action Type: |
| | [C-103] NOI Change of Plans (C-103A) |

CONDITIONS

| Created By | Condition | Condition Date |
|---------------|--------------------------|-------------------|
| pkautz | ALL PREVIOUS COA'S APPLY | 5/21/2024 |

Action 344622