

Submit Copy To Appropriate District

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well      Gas Well      Other		WELL API NO.  30-025-37016 5. Indicate Type of Lease STATE                      FEE X 6. State Oil & Gas Lease No.
2. Name of Operator J R Oil Ltd. Co.		7. Lease Name or Unit Agreement Name  Hodges B
3. Address of Operator PO Box 2975, Hobbs, NM 88241		8. Well Number 007
4. Well Location Unit Letter ____ L ____ : ____ 1859 ____ feet from the ____ South ____ line and ____ 447 ____ feet from the ____ West ____ line Section                      1                      Township    25S                      Range    37E                      NMPM    Lea                      County		9. OGRID Number 256073
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		10. Pool name or Wildcat Justis; Glorieta(Pro Gas)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>	<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A    XX CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**SEE ATTACHED**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Type or print name \_\_\_\_\_ E-mail address: \_\_\_\_\_ PHONE: \_\_\_\_\_

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

**Plugging Report  
J R Oil Ltd. Co.  
Hodges B #7  
API 30-025-37016**

2/19/2024 Move in and rig up. Unseated the pump and lay down 187 rods. Worked on removing the wellhead bolts.

2/20/2024 Dug out cellar and plumbed in surface head to the pit. Installed BOP and released the anchor. Stood back 64 stands in the derrick and laid 23 bad joints. Made gauge ring run to 4720'. Set 5.5" CIBP at 4710'. RIH with tubing from derrick and 20 joints of workstring. Tagged CIBP and circulated MLF. Tested casing to 500#. Casing Good. Spot 25 sx Class C cement on top of CIBP. POOH and SION.


2/21/2024 Tagged cement at 4590'. POOH with tubing. Topped off casing with brine and ran RCBL. TOC at 65'. Called David Alvarado with NMOCD and reported TOC. RIH with tubing and spot 25 sx cement at 2430'. POOH to 1831' and spot 25 sx cement. POOH to 1082' and spot 25 sx cement. POOH and SION.

2/22/2024 Tagged cement at 846'. Perforated casing at 50' as per NMOCD. Established circulation with the surface head. RIH with tubing to 157' and circulated cement to surface inside the 5.5" casing to surface with 15 sx cement. Closed casing valve and opened the surface head valve. Circulated cement to surface in the 5 1/2" x 8 5/8" with 10 sx. Rigged down and removed the BOP.

2/26/2024 Dug out cellar and removed the wellhead. Topped off cement in both casing strings with less than 1 sack. Installed marker and removed the anchors.

JR Oil Ltd.

Hodges B #7



WELL NAME: Hodges B #7				FORMATION: Glorietta (gas)				KB: 12.0						
API NO: 30-025-37016				FIELD: Justis				PBTD: 4,889						
SPUD DATE: January 25, 2005				COUNTY: Lea				TD: 4,950						
CASING									CEMENT & HOLE DATA					
	joints	OD	lb/ft	grade	ID (in)	drift (in)	top	bottom	bit size	depth	sacks	TOC		
Surface	23	8 5/8	24.00		8.097	7.972	12'	1,026'	12 1/4	1,030'	462	surf. (calc.)		
Production	125	5 1/2	15.50		4.950	4.825	12'	4,949'	7 7/8	4,950'	897	surf. (calc.)		
<b>History:</b> 1/25/2005 Spud by Latigo Petroleum Inc., perf U. Glorietta & Glorietta, sqz U. Glorietta, acidize 3k gal 15% NEFE, foam frac 54k# 16/30 Brady in 12k gal water & 358 bbls CO2, IP 8 BOPD, 45 MCFD, 31 BWPD, API 36.4 2/19/2024 LD rods 2/20/2024 POOH tbg, set CIBP @ 4,710', circ. MLF, spot 25 sx on CIBP 2/21/2024 Tag 4,590', run CBL, TOC 65', spot 25 sx @ 2,430', spot 25 sx @ 1,831', spot 25 sx @ 1,082' 2/22/2024 Tag 846', perf 50', circ. 15 sx inside 4-1/2 from 157', fill 5-1/2 x 8-5/8 annulus w/ 10 sx 2/26/2024 Cut off well head, top off w/ <1 sk, install marker, well P&A'd									PERFORATIONS					
									top	bottom	zone	status	tft shots	date
									4,670'	4,687'	U. Glorietta	plugged	68	01/25/05
									4,760'	4,787'	Glorietta	plugged	108	01/25/05
<b>TUBING (none)</b>									OD (in)	ID (in)	joints	length (ft)	depth (ft)	
<b>RODS (none)</b>									OD (in)	grade	rods	length (ft)	depth (ft)	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

COMMENTS  
  
Action 335890

COMMENTS

Operator: J R OIL, LTD. CO. P.O. Box 53657 Lubbock, TX 79453	OGRID: 256073
	Action Number: 335890
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	5/31/2024

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 335890

CONDITIONS

Operator: J R OIL, LTD. CO. P.O. Box 53657 Lubbock, TX 79453	OGRID: 256073
	Action Number: 335890
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	well head cut off 2/26/24. CBL in well file	5/31/2024