

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: DERRICK FEDERAL Well Location: T16S / R28E / SEC 5 / County or Parish/State: EDDY /

SENE / 32.9592181 / -104.1914541 N

Well Number: 2 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM33277 Unit or CA Name: Unit or CA Number:

US Well Number: 300152316100X1 **Operator:** MACK ENERGY

CORPORATION

Subsequent Report

Sundry ID: 2786399

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/23/2024 Time Sundry Submitted: 02:10

Date Operation Actually Began: 04/05/2024

Actual Procedure: 04/05/24 MIRU plugging equipment. Dug out cellar. Removed wellhead 04/08/24 NU BOP. RU power swivel, could not release packer. 04/09/24 Cut tbg @ 8876'. POH w/ 146 stands of tbg. 04/10/24 RIH w/ guage ring to 8780'. Set 4 1/2" CIBP @ 8774'. Circ'd hole w/ 135 bbls MLF. 04/11/24 Ran a CBL w/ a 3rd party wireline, found TOC at surface. Spotted 50 sx class H cmt @ 8774-8167'. Spotted 25 sx class C cmt @ 6572-6194'. Spotted 25 sx class C cmt @ 5341-4963'. WOC. 04/11/24 Tagged plug @ 4915'. Spotted 65 sx class C cmt @ 3560-3182'. WOC & tagged @ 3210'. Spotted 65 sx class C cmt @ 1964-963'. WOC. 04/16/24 Tagged plug @ 972'. Perf'd @ 391'. Pressured up on perfs to 500 PSI. ND BOP. Spotted 65 sx class C cmt @ 441' to surface. Rigged down & moved off. 04/22/24 Moved in backhoe and welder. Cut off well head & anchors. Janie Fugate w/ BLM verified cmt @ surface via picture text message. Welded on "above ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments

Actual Procedure

Derrick_Federal_2_20240423101339.pdf

Derrick_Federal_2___Plugged_WBD_20240423101339.pdf

Page 1 of 2

eceived by OCD: 5/8/2024 12:33:08 PM Well Name: DERRICK FEDERAL

Well Location: T16S / R28E / SEC 5 /

SENE / 32.9592181 / -104.1914541

County or Parish/State: EDD 1/2

NM

Well Number: 2

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMNM33277

Unit or CA Name:

Unit or CA Number:

US Well Number: 300152316100X1

Operator: MACK ENERGY

CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DELILAH FLORES Signed on: APR 23, 2024 02:10 PM

Name: MACK ENERGY CORPORATION

Title: Regulatory Technician 1

Street Address: 11344 LOVINGTON HWY

City: ARTESIA State: NM

Phone: (575) 748-1288

Email address: DELILAH@MEC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Phone: 5752345927

Disposition: Accepted

Signature: James A Amos

BLM POC Title: Acting Assistant Field Manager


BLM POC Email Address: jamos@blm.gov

Disposition Date: 05/06/2024

Page 2 of 2

Mack Energ	ЭУ	PLUGGED		
Author:	Abby @ BCM			
Well Name	Derrick Federal	Well No.	#2	
Field/Pool	Diamond Mound Morrow	API#:	30-015-23161	
County	Eddy	Location:	Sec 5, T16S, R28E	
State	NM	•	2160 FNL & 660 FEL	
Spud Date	12/19/1980	GL:	3652	
1				

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	48#	341	17 1/2	400	0
Inter Csg	8 5/8	K55	24#	1,896	11	1,025	0
Prod Csg	4 1/2	K55	11.6 & 10.5#	9,320	7 7/8	1,330	172 TS



13 3/8 48# CSG @ 341

7. Perf'd @ 391'. Pressured up on perfs to 500 PSI. ND BOP. Spotted 65 sx class C cmt @ 441' to surface.

Formation Top 1060 Queen GRBG 1450 Glorieta 3160 4508 Tubb Abo 5291 Wolfcamp 6522 Bursum 7337 7516 Cisco Cyn Strawn 8312 8966 A-1 Chester SH 9119 Chester LS 9233

5. Spotted 65 sx class C cmt @ 3560-3182'. WOC & tagged @ 3210'.

6. Spotted 65 sx class C cmt @ 1964-963'. WOC & Tagged plug @ 972'.

24# CSG @ 1,896

4. Spotted 25 sx class C cmt @ 5341-4963'. WOC & Tagged plug @ 4915'.

3. Spotted 25 sx class C cmt @ 6572-6194'.

8 5/8

2. Set 4 1/2" CIBP @ 8774'. Circ'd hole w/ 135 bbls MLF. Spotted 50 sx class H cmt @ 8774-8167'. Perfs @ 8824-9077'

1. Cut tbg @ 8876'. POH w/ 146 stands of tbg.

4 1/2 11.6 & 10.1 CSG @ 9,320

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 342079

CONDITIONS

Operator:	OGRID:
MACK ENERGY CORP	13837
P.O. Box 960	Action Number:
Artesia, NM 882110960	342079
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	well head cut off 4/22/24. CBL in Well File	5/31/2024