

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 6/4/23
⁴ API Number 30-025-46464	⁵ Pool Name RED HILLS; BONE SPRING, NORTH	⁶ Pool Code 96434
⁷ Property Code 316705	⁸ Property Name Blue Krait 23-14 Federal	⁹ Well Number 28H

II. ¹⁰ Surface Location

UL or lot no. N	Section 23	Township 24S	Range 33E	Lot Idn	Feet from the 248	North/South line South	Feet from the 2537	East/West line West	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. B	Section 14	Township 24S	Range 33E	Lot Idn	Feet from the 24	North/South line North	Feet from the 2404	East/West line East	County LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 6/4/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
024650	Targa Permian, LP 1000 Louisiana, Ste 4300 Houston, TX 77002	Gas
174238	Enterprise 201 Park Avenue, Ste 1600 Oklahoma City, OK 73102	Oil

IV. Well Completion Data

²¹ Spud Date 2/3/23	²² Ready Date 6/4/23	²³ TD 20813	²⁴ PBTD 20746	²⁵ Perforations 10932 - 20732	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17.5"		13-3/8"		1337	1040 sx CIC; Circ 577 sx
12.25"		9-5/8"		5338	1050 sx CIC; Circ 39 sx
8.75" & 8.5"		5-1/2"		20799	2330 sx CIH; Circ 0 sx
		Tubing: 2- 7/8"		9944	

V. Well Test Data

³¹ Date New Oil 6/26/23	³² Gas Delivery Date 6/26/23	³³ Test Date 6/26/23	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 1133 psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 987 bbl	³⁹ Water 2393 bbl	⁴⁰ Gas 1405 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Rebecca Deal			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: Rebecca.Deal@dmn.com			Approval Date: 6/4/2024		
Date: 7/6/2023		Phone: 405-228-8429			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46464	Pool Code 96434	Pool Name RED HILLS;BONE SPRING, NORTH
Property Code 316705	Property Name BLUE KRAIT 23-14 FED	Well Number 28H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3557.2'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	23	24-S	33-E		248	SOUTH	2537	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	14	24-S	33-E		24	NORTH	2404	EAST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
320			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N:446417.61 E:783057.75 BLUE KRAIT 23-14 FED 28H EL:3557.2' N:436129.87 E:785674.38 LAT:32.196531 LON:103.543441 KICK OFF POINT 58' FSL 2406' FEL SEC. 23 N:435941.95 E:786008.70 LAT:32.196008 LON:103.542365 FIRST TAKE POINT 661' FSL 2381' FEL SEC. 23 N:436545.58 E:786029.68 LAT:32.197667 LON:103.542282 LAST TAKE POINT 114' FNL 2406' FEL SEC. 14 N:446323.51 E:785927.10 LAT:32.224545 LON:103.542381 BOTTOM OF HOLE N:446413.48 E:785928.13 LAT:32.224792 LON:103.542376 N:438502.91 E:783117.90 SINGLE LEASE NMLC0063798 Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid. N:435863.30 E:783139.18		N:446453.89 E:788331.84 N:443822.72 E:788352.30 N:441161.89 E:785735.92 N:441183.07 E:788373.70 N:438543.41 E:788395.10 N:435901.56 E:788415.20	OPERATOR CERTIFICATION I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Rebecca Deal</i> 6/28/2023 Signature Date Rebecca Deal, Regulatory Analyst Printed Name rebecca.deal@dmv.com E-mail Address SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 02/24/2023 Date of Survey Signature & Seal of Professional Surveyor 06/12/23 Certificate No. 22404 B.L. LAMAN DRAWN BY: CM
--	--	---	---

Intent ☐ As Drilled ☒

API # 30-025-46464		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, LP.	Property Name: BLUE KRAIT 23-14 FED	Well Number 28H

Kick Off Point (KOP)

UL O	Section 23	Township 24-S	Range 33-E	Lot	Feet 58	From N/S SOUTH	Feet 2406	From E/W EAST	County LEA
Latitude 32.196008					Longitude 103.542365			NAD 83	

First Take Point (FTP)

UL O	Section 23	Township 24-S	Range 33-E	Lot	Feet 661	From N/S SOUTH	Feet 2381	From E/W EAST	County LEA
Latitude 32.197667					Longitude 103.542282			NAD 83	

Last Take Point (LTP)

UL B	Section 14	Township 24-S	Range 33-E	Lot	Feet 114	From N/S NORTH	Feet 2406	From E/W EAST	County LEA
Latitude 32.224545					Longitude 103.542381			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐ yIs this well an infill well? ☐ N

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018





Blue Krait 23-14 Fed 28H

WELL DETAILS: Blue Krait 23-14 Fed 28H Wellbore #1


GL Elev (ft).: 3557.20						
+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	
0.00	0.00	436129.87	785674.38	32.1965312	-103.5434409	

ANNOTATIONS

MD	Inc	Azi	TVD	+N/-S	+E/-W	VSect	Departure	Annotation
10262.00	24.34	358.45	10234.65	-145.63	329.19	-137.47	516.89	X FTP @ 10262.00' MD, 100' FSL, 2411' FEL
15558.00	91.06	358.54	10546.17	5033.24	257.07	5038.05	5697.74	X SEC @ 15558.00' MD, 0' FSL, 2442' FEL
20737.00	91.04	0.66	10449.25	10207.62	252.90	10210.75	10873.97	X LTP @ 20737.00' MD, 100' FNL, 2405' FEL
20813.00	90.95	0.64	10447.98	10283.61	253.75	10286.74	10949.96	BHL @ 20813.00' MD, 24' FNL, 2404' FEL



Project: Lea County, NM (NAD83)
Site: Sec 23-T24S-R33E
Well: Blue Krait 23-14 Fed 28H
Wellbore: Wellbore #1
Design: Wellbore #1



Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Blue Krait 23-14 Fed 28H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Site:	Sec 23-T24S-R33E	MD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Well:	Blue Krait 23-14 Fed 28H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site						Sec 23-T24S-R33E								
Site Position:			Northing:			446,417.67 usft			Latitude:			32.2248614		
From:			Easting:			783,057.71 usft			Longitude:			-103.5516575		
Position Uncertainty:			Slot Radius:			13-3/16 "			Grid Convergence:			0.42 °		
Map			0.00 usft											

Well	Blue Krait 23-14 Fed 28H					
Well Position	+N/-S	0.00 usft	Northing:	436,129.87 usft	Latitude:	32.1965313
	+E/-W	0.00 usft	Easting:	785,674.38 usft	Longitude:	-103.5434409
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,557.20 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2023	1/28/2023	6.25	59.73	47,449.30000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	1.41	

Survey Program	Date	3/10/2023			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
173.00	20,813.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	436,129.87	785,674.38	32.1965313	-103.5434409
173.00	0.40	91.70	173.00	-0.02	0.60	436,129.85	785,674.98	32.1965312	-103.5434389
236.00	0.44	109.45	236.00	-0.10	1.05	436,129.76	785,675.43	32.1965309	-103.5434375
329.00	0.44	86.87	328.99	-0.20	1.74	436,129.67	785,676.12	32.1965307	-103.5434352
423.00	0.44	105.94	422.99	-0.28	2.45	436,129.59	785,676.83	32.1965304	-103.5434329
516.00	0.53	103.39	515.99	-0.48	3.21	436,129.39	785,677.59	32.1965299	-103.5434305
610.00	0.75	103.56	609.98	-0.73	4.24	436,129.14	785,678.61	32.1965292	-103.5434272
703.00	0.48	100.84	702.98	-0.94	5.21	436,128.93	785,679.59	32.1965286	-103.5434240
797.00	0.26	111.39	796.97	-1.09	5.79	436,128.78	785,680.17	32.1965281	-103.5434222
890.00	0.31	87.39	889.97	-1.16	6.24	436,128.71	785,680.62	32.1965279	-103.5434207
984.00	0.22	53.99	983.97	-1.04	6.64	436,128.83	785,681.02	32.1965283	-103.5434194
1,078.00	0.26	30.00	1,077.97	-0.75	6.90	436,129.12	785,681.27	32.1965291	-103.5434186

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Blue Krait 23-14 Fed 28H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Site:	Sec 23-T24S-R33E	MD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Well:	Blue Krait 23-14 Fed 28H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,171.00	0.13	9.61	1,170.97	-0.46	7.02	436,129.41	785,681.40	32.1965298	-103.5434182
1,273.00	0.22	91.96	1,272.97	-0.36	7.23	436,129.51	785,681.61	32.1965301	-103.5434175
1,355.00	0.35	145.22	1,354.97	-0.57	7.53	436,129.30	785,681.91	32.1965295	-103.5434165
1,448.00	0.31	130.55	1,447.97	-0.97	7.89	436,128.90	785,682.26	32.1965284	-103.5434154
1,541.00	1.89	135.64	1,540.95	-2.23	9.15	436,127.64	785,683.53	32.1965250	-103.5434113
1,635.00	4.44	130.72	1,634.80	-5.71	12.99	436,124.16	785,687.37	32.1965153	-103.5433990
1,731.00	4.53	145.66	1,730.51	-11.26	17.95	436,118.61	785,692.32	32.1964999	-103.5433831
1,826.00	5.27	143.73	1,825.16	-17.88	22.64	436,111.99	785,697.02	32.1964817	-103.5433681
1,922.00	6.33	136.00	1,920.67	-25.24	28.93	436,104.63	785,703.31	32.1964613	-103.5433479
2,017.00	6.68	121.76	2,015.06	-31.92	37.27	436,097.95	785,711.64	32.1964428	-103.5433212
2,112.00	7.12	115.87	2,109.38	-37.39	47.26	436,092.48	785,721.64	32.1964275	-103.5432890
2,207.00	6.90	116.04	2,203.66	-42.47	57.69	436,087.40	785,732.06	32.1964134	-103.5432554
2,302.00	6.77	115.25	2,297.99	-47.36	67.88	436,082.51	785,742.26	32.1963997	-103.5432226
2,397.00	6.68	115.25	2,392.34	-52.11	77.94	436,077.76	785,752.32	32.1963865	-103.5431901
2,493.00	6.37	114.55	2,487.71	-56.70	87.83	436,073.17	785,762.21	32.1963736	-103.5431583
2,588.00	6.20	113.41	2,582.14	-60.93	97.34	436,068.94	785,771.71	32.1963618	-103.5431277
2,683.00	6.07	112.35	2,676.60	-64.88	106.69	436,064.99	785,781.07	32.1963508	-103.5430975
2,779.00	5.76	113.41	2,772.09	-68.72	115.80	436,061.15	785,790.18	32.1963400	-103.5430681
2,874.00	5.54	113.14	2,866.63	-72.42	124.40	436,057.45	785,798.77	32.1963297	-103.5430405
2,970.00	5.45	112.53	2,962.19	-75.98	132.87	436,053.89	785,807.25	32.1963197	-103.5430132
3,065.00	5.23	112.09	3,056.77	-79.34	141.05	436,050.53	785,815.42	32.1963103	-103.5429868
3,160.00	5.36	114.99	3,151.37	-82.84	149.08	436,047.03	785,823.46	32.1963005	-103.5429609
3,256.00	6.37	118.42	3,246.86	-87.27	157.83	436,042.60	785,832.21	32.1962882	-103.5429327
3,352.00	6.20	117.36	3,342.29	-92.19	167.12	436,037.68	785,841.49	32.1962745	-103.5429028
3,447.00	6.15	117.36	3,436.74	-96.89	176.19	436,032.98	785,850.57	32.1962614	-103.5428736
3,542.00	6.07	117.28	3,531.20	-101.53	185.18	436,028.34	785,859.55	32.1962485	-103.5428447
3,637.00	6.11	116.13	3,625.66	-106.06	194.18	436,023.81	785,868.56	32.1962358	-103.5428157
3,733.00	5.85	115.34	3,721.14	-110.40	203.19	436,019.47	785,877.56	32.1962237	-103.5427867
3,828.00	5.54	117.63	3,815.67	-114.60	211.63	436,015.27	785,886.00	32.1962120	-103.5427595
3,923.00	5.36	121.14	3,910.24	-119.02	219.49	436,010.85	785,893.86	32.1961997	-103.5427342
4,019.00	5.14	120.18	4,005.84	-123.50	227.04	436,006.37	785,901.42	32.1961872	-103.5427099
4,114.00	5.67	122.46	4,100.41	-128.16	234.68	436,001.71	785,909.06	32.1961743	-103.5426853
4,210.00	6.11	124.22	4,195.91	-133.58	242.91	435,996.29	785,917.28	32.1961592	-103.5426588
4,305.00	5.63	122.81	4,290.41	-138.95	251.00	435,990.92	785,925.38	32.1961443	-103.5426328
4,401.00	5.05	121.76	4,385.99	-143.72	258.55	435,986.15	785,932.93	32.1961310	-103.5426085
4,496.00	5.54	119.21	4,480.59	-148.16	266.11	435,981.71	785,940.49	32.1961186	-103.5425842
4,592.00	5.89	119.56	4,576.11	-152.85	274.44	435,977.02	785,948.82	32.1961056	-103.5425574
4,687.00	6.11	118.86	4,670.59	-157.70	283.11	435,972.17	785,957.49	32.1960921	-103.5425294
4,782.00	6.24	119.03	4,765.04	-162.64	292.05	435,967.23	785,966.43	32.1960783	-103.5425007
4,878.00	6.73	120.35	4,860.42	-168.02	301.47	435,961.85	785,975.84	32.1960633	-103.5424703
4,973.00	7.34	122.20	4,954.71	-174.06	311.41	435,955.81	785,985.78	32.1960465	-103.5424384
5,069.00	7.30	119.91	5,049.93	-180.37	321.88	435,949.50	785,996.26	32.1960290	-103.5424047
5,164.00	6.59	120.00	5,144.23	-186.11	331.83	435,943.76	786,006.21	32.1960130	-103.5423726
5,259.00	4.75	118.51	5,238.76	-190.71	340.01	435,939.16	786,014.39	32.1960002	-103.5423463
5,285.00	4.31	117.63	5,264.68	-191.68	341.82	435,938.19	786,016.20	32.1959975	-103.5423405
5,374.00	3.82	117.80	5,353.45	-194.61	347.41	435,935.26	786,021.79	32.1959893	-103.5423225
5,454.00	5.45	109.80	5,433.19	-197.14	353.34	435,932.73	786,027.72	32.1959822	-103.5423034
5,550.00	3.34	98.12	5,528.90	-199.08	360.40	435,930.79	786,034.78	32.1959768	-103.5422806
5,645.00	2.15	69.02	5,623.80	-198.83	364.80	435,931.04	786,039.18	32.1959774	-103.5422663
5,740.00	0.48	3.98	5,718.77	-197.80	366.50	435,932.07	786,040.87	32.1959802	-103.5422608
5,835.00	0.75	300.97	5,813.77	-197.08	365.99	435,932.79	786,040.37	32.1959822	-103.5422625
5,930.00	0.70	307.91	5,908.76	-196.40	365.00	435,933.46	786,039.38	32.1959840	-103.5422657
6,025.00	0.79	319.34	6,003.75	-195.55	364.11	435,934.32	786,038.49	32.1959864	-103.5422685
6,121.00	0.66	306.33	6,099.74	-194.72	363.24	435,935.15	786,037.62	32.1959887	-103.5422713
6,217.00	0.57	306.24	6,195.74	-194.11	362.41	435,935.76	786,036.79	32.1959904	-103.5422740

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Blue Krait 23-14 Fed 28H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Site:	Sec 23-T24S-R33E	MD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Well:	Blue Krait 23-14 Fed 28H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,312.00	0.40	319.86	6,290.74	-193.58	361.81	435,936.29	786,036.19	32.1959919	-103.5422759
6,407.00	0.62	324.61	6,385.73	-192.91	361.30	435,936.96	786,035.68	32.1959937	-103.5422775
6,502.00	0.66	324.43	6,480.73	-192.04	360.69	435,937.83	786,035.06	32.1959961	-103.5422795
6,598.00	0.70	335.24	6,576.72	-191.06	360.12	435,938.81	786,034.50	32.1959988	-103.5422813
6,693.00	0.79	345.62	6,671.71	-189.90	359.71	435,939.97	786,034.09	32.1960020	-103.5422826
6,789.00	0.75	348.78	6,767.70	-188.64	359.43	435,941.23	786,033.80	32.1960055	-103.5422835
6,884.00	0.62	352.29	6,862.70	-187.52	359.24	435,942.35	786,033.61	32.1960086	-103.5422841
6,979.00	0.70	349.66	6,957.69	-186.44	359.06	435,943.43	786,033.44	32.1960115	-103.5422846
7,074.00	0.66	357.04	7,052.68	-185.32	358.93	435,944.54	786,033.31	32.1960146	-103.5422850
7,169.00	0.53	328.39	7,147.68	-184.40	358.67	435,945.47	786,033.05	32.1960171	-103.5422858
7,265.00	0.44	314.50	7,243.67	-183.77	358.18	435,946.10	786,032.55	32.1960189	-103.5422874
7,360.00	0.57	326.89	7,338.67	-183.12	357.66	435,946.75	786,032.04	32.1960207	-103.5422891
7,455.00	0.57	329.44	7,433.67	-182.31	357.16	435,947.56	786,031.54	32.1960229	-103.5422907
7,551.00	0.35	321.01	7,529.66	-181.67	356.73	435,948.20	786,031.11	32.1960247	-103.5422920
7,646.00	0.22	350.54	7,624.66	-181.27	356.52	435,948.60	786,030.90	32.1960258	-103.5422927
7,741.00	0.04	266.60	7,719.66	-181.09	356.46	435,948.78	786,030.83	32.1960263	-103.5422929
7,836.00	0.22	357.22	7,814.66	-180.91	356.41	435,948.96	786,030.79	32.1960268	-103.5422930
7,932.00	0.31	295.78	7,910.66	-180.61	356.17	435,949.26	786,030.55	32.1960276	-103.5422938
8,027.00	0.40	292.62	8,005.66	-180.37	355.63	435,949.50	786,030.01	32.1960283	-103.5422955
8,122.00	0.31	289.28	8,100.66	-180.16	355.09	435,949.71	786,029.46	32.1960289	-103.5422973
8,218.00	0.44	224.33	8,196.65	-180.34	354.58	435,949.53	786,028.96	32.1960284	-103.5422989
8,313.00	0.62	240.67	8,291.65	-180.85	353.88	435,949.02	786,028.26	32.1960270	-103.5423012
8,409.00	0.40	229.51	8,387.65	-181.32	353.17	435,948.54	786,027.55	32.1960257	-103.5423035
8,504.00	0.53	245.51	8,482.64	-181.72	352.52	435,948.15	786,026.90	32.1960246	-103.5423056
8,599.00	0.48	210.44	8,577.64	-182.25	351.92	435,947.62	786,026.30	32.1960232	-103.5423076
8,695.00	0.79	230.92	8,673.63	-183.01	351.20	435,946.86	786,025.58	32.1960211	-103.5423099
8,790.00	0.44	225.56	8,768.63	-183.68	350.43	435,946.19	786,024.81	32.1960193	-103.5423124
8,886.00	0.70	233.64	8,864.62	-184.29	349.70	435,945.58	786,024.07	32.1960177	-103.5423148
8,982.00	0.84	231.62	8,960.62	-185.07	348.67	435,944.80	786,023.05	32.1960155	-103.5423182
9,077.00	0.57	227.67	9,055.61	-185.82	347.78	435,944.05	786,022.16	32.1960135	-103.5423211
9,173.00	0.53	241.46	9,151.60	-186.35	347.03	435,943.52	786,021.41	32.1960120	-103.5423235
9,268.00	0.70	271.96	9,246.60	-186.54	346.07	435,943.33	786,020.45	32.1960115	-103.5423266
9,364.00	0.88	216.68	9,342.59	-187.12	345.04	435,942.75	786,019.42	32.1960100	-103.5423299
9,459.00	0.13	271.26	9,437.59	-187.70	344.50	435,942.17	786,018.88	32.1960084	-103.5423317
9,554.00	0.22	96.18	9,532.59	-187.72	344.57	435,942.15	786,018.95	32.1960083	-103.5423315
9,650.00	1.19	246.56	9,628.58	-188.13	343.84	435,941.74	786,018.22	32.1960072	-103.5423339
9,745.00	2.11	293.14	9,723.54	-187.84	341.33	435,942.03	786,015.71	32.1960081	-103.5423420
9,840.00	1.63	282.07	9,818.49	-186.87	338.40	435,943.00	786,012.78	32.1960108	-103.5423514
9,935.00	1.80	247.44	9,913.45	-187.16	335.70	435,942.71	786,010.08	32.1960100	-103.5423601
9,988.00	1.63	226.08	9,966.43	-188.00	334.39	435,941.87	786,008.76	32.1960078	-103.5423644
10,084.00	3.47	344.56	10,062.37	-186.14	332.63	435,943.72	786,007.01	32.1960129	-103.5423700
10,179.00	13.41	353.88	10,156.23	-172.39	330.68	435,957.48	786,005.06	32.1960507	-103.5423760
10,262.00	24.34	358.45	10,234.65	-145.63	329.19	435,984.24	786,003.57	32.1961243	-103.5423802
X FTP @ 10262.00' MD, 100' FSL, 2411' FEL									
10,274.00	25.93	358.80	10,245.51	-140.54	329.07	435,989.33	786,003.45	32.1961383	-103.5423805
10,369.00	39.52	3.63	10,325.26	-89.36	330.55	436,040.51	786,004.93	32.1962790	-103.5423745
10,465.00	54.77	4.25	10,390.36	-19.36	335.42	436,110.51	786,009.80	32.1964713	-103.5423570
10,560.00	62.77	3.11	10,439.58	61.64	340.60	436,191.51	786,014.98	32.1966938	-103.5423384
10,655.00	68.75	2.49	10,478.56	148.12	344.82	436,277.99	786,019.19	32.1969314	-103.5423227
10,750.00	72.18	2.40	10,510.32	237.56	348.64	436,367.43	786,023.01	32.1971772	-103.5423082
10,846.00	75.87	2.14	10,536.74	329.76	352.29	436,459.63	786,026.67	32.1974305	-103.5422942
10,942.00	79.25	1.87	10,557.42	423.44	355.57	436,553.31	786,029.94	32.1976880	-103.5422814
11,037.00	82.51	1.44	10,572.47	517.19	358.27	436,647.06	786,032.65	32.1979456	-103.5422704
11,132.00	85.36	0.91	10,582.51	611.62	360.21	436,741.49	786,034.59	32.1982051	-103.5422619
11,228.00	89.36	0.56	10,586.93	707.50	361.44	436,837.37	786,035.82	32.1984686	-103.5422557

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Blue Krait 23-14 Fed 28H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Site:	Sec 23-T24S-R33E	MD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Well:	Blue Krait 23-14 Fed 28H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,323.00	90.46	0.29	10,587.08	802.49	362.14	436,932.36	786,036.52	32.1987297	-103.5422511
11,419.00	89.41	0.82	10,587.19	898.48	363.07	437,028.35	786,037.45	32.1989935	-103.5422458
11,506.00	92.53	1.08	10,585.72	985.45	364.51	437,115.32	786,038.89	32.1992326	-103.5422391
11,520.00	93.01	1.26	10,585.04	999.43	364.80	437,129.30	786,039.18	32.1992710	-103.5422379
11,615.00	91.21	359.50	10,581.54	1,094.36	365.43	437,224.23	786,039.81	32.1995319	-103.5422336
11,709.00	90.95	359.41	10,579.77	1,188.34	364.54	437,318.20	786,038.91	32.1997902	-103.5422342
11,805.00	87.38	358.18	10,581.17	1,284.29	362.52	437,414.16	786,036.90	32.2000540	-103.5422385
11,900.00	86.59	357.39	10,586.17	1,379.08	358.85	437,508.95	786,033.23	32.2003146	-103.5422481
11,996.00	87.96	357.31	10,590.73	1,474.87	354.42	437,604.74	786,028.80	32.2005780	-103.5422601
12,091.00	87.30	356.51	10,594.66	1,569.65	349.30	437,699.52	786,023.68	32.2008386	-103.5422744
12,186.00	88.79	358.27	10,597.90	1,664.49	344.98	437,794.36	786,019.36	32.2010994	-103.5422861
12,281.00	90.02	359.41	10,598.89	1,759.46	343.06	437,889.33	786,017.43	32.2013605	-103.5422901
12,376.00	89.10	359.41	10,599.62	1,854.45	342.08	437,984.32	786,016.46	32.2016216	-103.5422910
12,471.00	87.96	358.54	10,602.05	1,949.40	340.38	438,079.27	786,014.76	32.2018826	-103.5422942
12,567.00	90.20	357.83	10,603.59	2,045.34	337.34	438,175.21	786,011.72	32.2021464	-103.5423018
12,662.00	90.46	357.04	10,603.05	2,140.24	333.09	438,270.11	786,007.47	32.2024073	-103.5423132
12,757.00	90.46	356.95	10,602.28	2,235.10	328.11	438,364.97	786,002.49	32.2026682	-103.5423271
12,852.00	91.87	357.83	10,600.35	2,329.98	323.78	438,459.85	785,998.16	32.2029290	-103.5423388
12,948.00	92.35	359.06	10,596.82	2,425.88	321.18	438,555.75	785,995.56	32.2031927	-103.5423449
13,043.00	94.68	359.59	10,590.99	2,520.69	320.06	438,650.56	785,994.44	32.2034533	-103.5423463
13,138.00	91.34	359.77	10,586.01	2,615.54	319.53	438,745.41	785,993.91	32.2037140	-103.5423458
13,233.00	91.65	0.03	10,583.53	2,710.51	319.37	438,840.38	785,993.74	32.2039751	-103.5423440
13,328.00	90.59	359.24	10,581.67	2,805.49	318.76	438,935.36	785,993.14	32.2042361	-103.5423437
13,423.00	91.12	359.41	10,580.25	2,900.47	317.64	439,030.34	785,992.02	32.2044972	-103.5423451
13,518.00	91.12	359.50	10,578.40	2,995.45	316.74	439,125.32	785,991.12	32.2047583	-103.5423457
13,613.00	88.79	0.38	10,578.47	3,090.44	316.64	439,220.31	785,991.02	32.2050194	-103.5423438
13,709.00	88.40	0.38	10,580.82	3,186.41	317.28	439,316.28	785,991.65	32.2052832	-103.5423395
13,804.00	88.40	0.20	10,583.48	3,281.37	317.76	439,411.24	785,992.13	32.2055442	-103.5423357
13,899.00	89.54	359.85	10,585.18	3,376.35	317.80	439,506.22	785,992.17	32.2058053	-103.5423333
13,995.00	89.10	359.06	10,586.32	3,472.34	316.88	439,602.21	785,991.26	32.2060691	-103.5423339
14,090.00	92.48	359.33	10,585.01	3,567.31	315.55	439,697.18	785,989.93	32.2063302	-103.5423360
14,185.00	93.01	359.50	10,580.46	3,662.19	314.58	439,792.06	785,988.96	32.2065910	-103.5423369
14,280.00	92.44	357.83	10,575.95	3,757.06	312.37	439,886.93	785,986.75	32.2068518	-103.5423418
14,376.00	92.13	357.22	10,572.12	3,852.89	308.23	439,982.76	785,982.61	32.2071153	-103.5423529
14,471.00	90.15	356.95	10,570.23	3,947.74	303.40	440,077.61	785,977.78	32.2073761	-103.5423662
14,566.00	92.31	356.95	10,568.19	4,042.58	298.34	440,172.45	785,972.72	32.2076369	-103.5423803
14,662.00	89.98	356.34	10,566.27	4,138.39	292.73	440,268.26	785,967.11	32.2079003	-103.5423962
14,757.00	88.57	356.78	10,567.48	4,233.21	287.03	440,363.08	785,961.41	32.2081611	-103.5424124
14,852.00	90.37	358.45	10,568.35	4,328.12	283.08	440,457.99	785,957.45	32.2084220	-103.5424229
14,947.00	91.52	358.10	10,566.79	4,423.06	280.22	440,552.93	785,954.59	32.2086831	-103.5424299
15,043.00	92.66	357.66	10,563.29	4,518.93	276.67	440,648.80	785,951.04	32.2089466	-103.5424391
15,138.00	92.26	357.57	10,559.21	4,613.76	272.72	440,743.63	785,947.09	32.2092074	-103.5424496
15,233.00	92.22	358.18	10,555.50	4,708.62	269.20	440,838.49	785,943.58	32.2094682	-103.5424587
15,329.00	92.22	358.18	10,551.78	4,804.50	266.15	440,934.37	785,940.53	32.2097318	-103.5424663
15,424.00	91.08	357.57	10,549.04	4,899.39	262.63	441,029.26	785,937.01	32.2099927	-103.5424754
15,519.00	91.38	357.39	10,547.00	4,994.28	258.45	441,124.15	785,932.83	32.2102536	-103.5424866
15,558.00	91.06	358.54	10,546.17	5,033.24	257.07	441,163.11	785,931.45	32.2103607	-103.5424902
X SEC @ 15558.00' MD, 0' FSL, 2442' FEL									
15,614.00	90.59	0.20	10,545.37	5,089.23	256.46	441,219.10	785,930.83	32.2105146	-103.5424908
15,710.00	90.68	1.08	10,544.30	5,185.22	257.53	441,315.09	785,931.91	32.2107784	-103.5424851
15,805.00	89.41	1.08	10,544.23	5,280.20	259.32	441,410.07	785,933.70	32.2110395	-103.5424770
15,900.00	88.62	1.35	10,545.86	5,375.17	261.33	441,505.03	785,935.71	32.2113004	-103.5424683
15,995.00	90.95	1.96	10,546.22	5,470.12	264.08	441,599.99	785,938.45	32.2115614	-103.5424571
16,091.00	92.40	1.96	10,543.41	5,566.02	267.36	441,695.89	785,941.74	32.2118249	-103.5424442
16,186.00	91.21	2.31	10,540.42	5,660.90	270.90	441,790.77	785,945.27	32.2120856	-103.5424305

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Blue Krait 23-14 Fed 28H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Site:	Sec 23-T24S-R33E	MD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Well:	Blue Krait 23-14 Fed 28H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,281.00	90.99	2.05	10,538.60	5,755.82	274.51	441,885.69	785,948.89	32.2123465	-103.5424166
16,377.00	90.95	1.87	10,536.97	5,851.75	277.79	441,981.62	785,952.17	32.2126101	-103.5424037
16,473.00	88.75	2.05	10,537.22	5,947.68	281.08	442,077.55	785,955.45	32.2128737	-103.5423908
16,568.00	89.45	3.28	10,538.72	6,042.57	285.49	442,172.44	785,959.87	32.2131344	-103.5423743
16,664.00	92.75	2.05	10,536.87	6,138.43	289.95	442,268.30	785,964.33	32.2133978	-103.5423576
16,759.00	93.45	1.17	10,531.74	6,233.25	292.62	442,363.12	785,967.00	32.2136584	-103.5423467
16,855.00	93.98	1.08	10,525.52	6,329.03	294.50	442,458.90	785,968.88	32.2139216	-103.5423383
16,950.00	95.56	1.26	10,517.62	6,423.68	296.43	442,553.55	785,970.81	32.2141817	-103.5423298
17,045.00	92.31	0.47	10,511.10	6,518.43	297.86	442,648.30	785,972.24	32.2144421	-103.5423230
17,141.00	89.54	359.94	10,509.55	6,614.41	298.21	442,744.28	785,972.58	32.2147059	-103.5423196
17,236.00	88.75	359.77	10,510.97	6,709.40	297.97	442,839.27	785,972.34	32.2149670	-103.5423181
17,332.00	88.62	358.98	10,513.17	6,805.37	296.92	442,935.24	785,971.30	32.2152308	-103.5423192
17,427.00	91.30	0.38	10,513.23	6,900.35	296.39	443,030.22	785,970.77	32.2154919	-103.5423186
17,522.00	93.45	0.91	10,509.30	6,995.26	297.46	443,125.13	785,971.83	32.2157528	-103.5423129
17,618.00	90.95	0.03	10,505.61	7,091.18	298.24	443,221.05	785,972.62	32.2160164	-103.5423081
17,713.00	90.07	358.71	10,504.77	7,186.16	297.20	443,316.03	785,971.58	32.2162775	-103.5423092
17,809.00	90.64	358.01	10,504.17	7,282.12	294.45	443,411.99	785,968.83	32.2165413	-103.5423158
17,904.00	89.54	357.74	10,504.02	7,377.06	290.93	443,506.93	785,965.31	32.2168023	-103.5423249
17,999.00	90.11	358.18	10,504.31	7,471.99	287.55	443,601.86	785,961.92	32.2170634	-103.5423336
18,095.00	88.22	357.74	10,505.71	7,567.92	284.13	443,697.79	785,958.51	32.2173271	-103.5423424
18,190.00	87.38	357.92	10,509.36	7,662.78	280.54	443,792.65	785,954.91	32.2175879	-103.5423517
18,285.00	90.29	359.94	10,511.29	7,757.73	278.76	443,887.60	785,953.14	32.2178489	-103.5423552
18,381.00	91.30	359.33	10,509.96	7,853.72	278.15	443,983.59	785,952.53	32.2181128	-103.5423549
18,476.00	91.65	358.89	10,507.51	7,948.67	276.68	444,078.54	785,951.05	32.2183738	-103.5423574
18,571.00	92.00	358.62	10,504.49	8,043.60	274.61	444,173.47	785,948.99	32.2186348	-103.5423618
18,667.00	92.31	358.18	10,500.88	8,139.50	271.94	444,269.37	785,946.31	32.2188984	-103.5423682
18,762.00	92.13	357.57	10,497.20	8,234.36	268.42	444,364.23	785,942.79	32.2191592	-103.5423773
18,857.00	92.00	358.10	10,493.77	8,329.23	264.83	444,459.10	785,939.21	32.2194201	-103.5423867
18,953.00	91.74	358.01	10,490.64	8,425.12	261.57	444,554.99	785,935.95	32.2196837	-103.5423949
19,048.00	91.38	357.48	10,488.06	8,520.01	257.84	444,649.88	785,932.21	32.2199446	-103.5424047
19,143.00	91.21	357.48	10,485.91	8,614.90	253.66	444,744.77	785,928.04	32.2202055	-103.5424160
19,238.00	91.78	357.83	10,483.43	8,709.78	249.77	444,839.65	785,924.15	32.2204664	-103.5424263
19,333.00	91.82	356.69	10,480.45	8,804.63	245.23	444,934.50	785,919.61	32.2207272	-103.5424387
19,428.00	89.27	358.45	10,479.54	8,899.53	241.21	445,029.40	785,915.59	32.2209881	-103.5424495
19,524.00	88.26	359.94	10,481.61	8,995.49	239.86	445,125.36	785,914.24	32.2212519	-103.5424515
19,619.00	88.09	0.03	10,484.64	9,090.44	239.83	445,220.31	785,914.21	32.2215129	-103.5424494
19,715.00	91.74	0.47	10,484.78	9,186.43	240.25	445,316.29	785,914.63	32.2217767	-103.5424457
19,810.00	92.79	0.47	10,481.03	9,281.35	241.03	445,411.22	785,915.41	32.2220376	-103.5424410
19,906.00	92.53	0.73	10,476.57	9,377.24	242.04	445,507.11	785,916.41	32.2223011	-103.5424354
20,001.00	92.53	0.82	10,472.38	9,472.14	243.32	445,602.01	785,917.70	32.2225619	-103.5424290
20,097.00	92.48	1.00	10,468.18	9,568.03	244.84	445,697.90	785,919.22	32.2228255	-103.5424218
20,192.00	92.62	0.20	10,463.95	9,662.93	245.84	445,792.80	785,920.21	32.2230863	-103.5424163
20,287.00	93.36	0.38	10,459.00	9,757.80	246.32	445,887.67	785,920.69	32.2233471	-103.5424125
20,383.00	90.55	0.91	10,455.72	9,853.73	247.40	445,983.60	785,921.77	32.2236107	-103.5424067
20,478.00	90.86	1.08	10,454.56	9,948.71	249.05	446,078.58	785,923.42	32.2238717	-103.5423992
20,574.00	91.16	0.91	10,452.86	10,044.68	250.71	446,174.55	785,925.09	32.2241355	-103.5423915
20,669.00	91.43	0.73	10,450.72	10,139.64	252.07	446,269.51	785,926.45	32.2243965	-103.5423848
20,737.00	91.04	0.66	10,449.25	10,207.62	252.90	446,337.49	785,927.27	32.2245833	-103.5423805
X LTP @ 20737.00' MD, 100' FNL, 2405' FEL									
20,753.00	90.95	0.64	10,448.97	10,223.62	253.08	446,353.49	785,927.45	32.2246273	-103.5423796
20,813.00	90.95	0.64	10,447.98	10,283.61	253.75	446,413.48	785,928.12	32.2247922	-103.5423760
BHL @ 20813.00' MD, 24' FNL, 2404' FEL									

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Blue Krait 23-14 Fed 28H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Site:	Sec 23-T24S-R33E	MD Reference:	GE 3557.2' + KB 25' @ 3582.20usft
Well:	Blue Krait 23-14 Fed 28H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment	
		+N/-S (usft)	+E/-W (usft)		
10,262.00	10,234.65	-145.63	329.19	X FTP @ 10262.00' MD, 100' FSL, 2411' FEL	
15,558.00	10,546.17	5,033.24	257.07	X SEC @ 15558.00' MD, 0' FSL, 2442' FEL	
20,737.00	10,449.25	10,207.62	252.90	X LTP @ 20737.00' MD, 100' FNL, 2405' FEL	
20,813.00	10,447.98	10,283.61	253.75	BHL @ 20813.00' MD, 24' FNL, 2404' FEL	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO. 30-025-46464	
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Blue Krait 23-14 Federal	
8. Well Number 28H	
9. OGRID Number 6137	
10. Pool name or Wildcat RED HILLS; BONE SPRING, NORTH	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>N</u> : <u>248</u> feet from the <u>South</u> line and <u>2537</u> feet from the <u>West</u> line Section <u>23</u> Township <u>24S</u> Range <u>33E</u> NMPM County <u>LEA</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3557.2	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ OTHER: ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

4/30/2023 - 6/4/2023: MIRU WL & PT. TIH & ran CBL, found TOC @ 4184'. PT csg to 1500 psi for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 10,932' - 20,732', total 1174 holes. Frac totals 19,962,933# proppant, 902 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD @ 20,746'. CHC, FWB, ND BOP. RIH w/ 300 jts 2 7/8" L-80 tbg, set @9944'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Analyst DATE 7/6/2023

Type or print name Rebecca Deal E-mail address: Rebecca.Deal@dmn.com PHONE: 405-228-8429

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505				State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011			
				1. WELL API NO. 30-025-46464							
				2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN							
				3. State Oil & Gas Lease No.							
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Blue Krait 23-14 Federal			
								6. Well Number: 28H			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator Devon Energy Production Company, L.P.								9. OGRID 6137			
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102								11. Pool name or Wildcat RED HILLS; BONE SPRING, NORTH			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	N	23	24S	33E		248	South	2537	West	LEA	
BH:	B	14	24S	33E		24	North	2404	East	LEA	
13. Date Spudded 2/3/23	14. Date T.D. Reached 3/2/23		15. Date Rig Released 3/5/23			16. Date Completed (Ready to Produce) 6/4/23			17. Elevations (DF and RKB, RT, GR, etc.) 3557.2 GL		
18. Total Measured Depth of Well 20813 MD, 10448 TVD			19. Plug Back Measured Depth 20746			20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10932-20732, BONE SPRING, NORTH											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13-3/8"		54.5		1337		17.5"		1040 sx ClC; circ 577 sx			
9-5/8"		40		5338		12.25"		1050 sx ClC; circ 39 sx			
5-1/2"		20		20799		8.75" & 8.5"		2330 sx ClH; circ 0 sx		TOC @ 4184	
24. LINER RECORD											
SIZE	TOP		BOTTOM		SACKS CEMENT		SCREEN				
25. TUBING RECORD											
SIZE	TOP		BOTTOM		SACKS CEMENT		SCREEN		SIZE	DEPTH SET	PACKER SET
									2- 7/8" L-80	9944	
26. Perforation record (interval, size, and number)											
10932 - 20732, total 1174 holes											
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.											
DEPTH INTERVAL						AMOUNT AND KIND MATERIAL USED					
10932-20732						Acidize and frac in 40 stages. See detailed summary attached.					
28. PRODUCTION											
Date First Production 6/4/23			Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing					Well Status (<i>Prod. or Shut-in</i>) Producing			
Date of Test 6/26/23	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 987	Gas - MCF 1405	Water - Bbl. 2393	Gas - Oil Ratio				
Flow Tubing Press. 1133 psi	Casing Pressure psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)					
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By			
31. List Attachments Directional Survey, Logs											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.											
33. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD 1927 1983			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature 			Printed Name Rebecca Deal			Title Regulatory Analyst			Date 7/6/2023		
E-mail Address Rebecca.Deal@dmn.com											

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from..... N/A..... to..... N/A..... No. 3, from..... N/A..... to..... N/A.....
No. 2, from..... N/A..... to..... N/A..... No. 4, from..... N/A..... to..... N/A.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 236815

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 236815
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 236815

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 236815
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	6/4/2024
plmartinez	Submit CBL to OCD Permitting as [UF-WL] EP Well Log Submission.	6/4/2024