

Submit a Copy To Appropriate District

Office

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-49700
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Florence 2314 State
8. Well Number 123
9. OGRID Number 228937
10. Pool name or Wildcat ANTELOPE RIDGE; BONE SPRING, WEST

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Matador Production Company	
3. Address of Operator 5400 LBJ Freeway Ste 1500 Dallas, TX 75240	
4. Well Location Unit Letter <u>O</u> : <u>210</u> feet from the <u>SOUTH</u> line and <u>1456</u> feet from the <u>EAST</u> line Section <u>23</u> Township <u>23S</u> Range <u>34E</u> NMPM County <u>LEA</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3381 GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☒
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached PROD casing and cementing actuals and INT temp log.

Spud Date:

02/01/2022

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE

Regulatory Analyst

DATE

03/09/2022

Type or print name Brett Jennings

E-mail address:

Brett.Jennings@matadorresources.com

PHONE:

972-629-2160

For State Use Only


APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

TEMPERATURE
SURVEY



Company MATADOR
Well FLORENCE 2314 sSTATE 123H
Field JAL
County LEA
State N.M.

Location: API # :
SEC TWP RGE
Permanent Datum GL
Log Measured From KB
Drilling Measured From KB
Other Services
Elevation
K.B.
D.F.
G.L.

Date	2-11-2022
Run Number	ONE
Depth Driller	4,550'
Depth Logger	4,550'
Bottom Logged Interval	4,550'
Top Log Interval	SURFACE
Open Hole Size	
Type Fluid	
Density / Viscosity	
M. Recorded Temp.	
Estimated Cement Top	500'
Time Well Ready	08:30
Time Logger on Bottom	09:40
Equipment Number	WL1
Location	MIDLAND
Recorded By	D.WHITLEY
Witnessed By	



Borehole Record				Casing Record			
Run Number	Bit	From	To	Size	Weight	From	To
				7.625"		SURFACE	TD


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
GCT_HV	5.38					









72 6
72 6
73 2
73 4
73 4
73 4
73 5
73 4
73 4
73 6
73 9
74 1
73 7
73 9
73 9
74 0
74 1
74 2
74 3
74 3
74 3
74 3
74 4
74 6
74 7
74 9
74 8
74 9
75 0
75 0
75 1
75 1
75 1
75 2
75 2
75 3
75 4
75 4
75 4
75 4
75 5
75 5
75 6
75 6
75 7
75 7
75 8
75 8
75 9
75 9
76 0
76 1
76 1
76 2
76 2
76 2
76 2
76 3
76 3
76 4
76 5
76 6
76 6
76 6
76 6
76 7
76 8
76 8
76 8
76 9
77 0
77 0
77 1
77 1
77 2
77 2
77 3
77 3
77 4
77 4
77 5
77 5
77 6
77 6
77 7
77 7
77 8
77 8
77 9
77 9
77 9
78 0
78 1
78 2
78 2
78 3
78 5
78 6
78 7
78 8
78 8
78 8
78 8

DGCT_TEMP







Company

Well

Field

County

State

MATADOR

FLORENCE 2314 sTATE 123H

JAL

LEA

N.M.

Country

Production Casing Sundry

Florence State #1239																										
*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE (psi)	WT/LB/FT (deciml)	GRADE	CONN	HOLE SIZE (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBLS (bbls)	CLASS	TOP OF CMT (feet)	METHOD USED (psi)	BBLS TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1' RAN (if bopped out)	
2/2/2022	SURF	Fresh Water	54.50	J-55	Buttress	17-3/8"	13-3/8"	1031	1016	14.5	1500	1		640	1.74	340	1.33	880	247.872	C	0	Circ	305	426	0	
2/10/2022	INT 1	Chem Brine Emulsion	29.70	L-80	Buttress	9-7/8"	7-5/8"	9190	8976	10.0	1500	1	4947	455	3.14	305	1.36	760	328.317	C	0	Circ	0	-	0	
2/27/2022	PROD	Oil-Based Mud	20.00	P-110	TLW-SC	6-3/4"	5-1/2"	20480	20465		*1500	*2050	1		355	2.05	1675	1.73	2180	499.341	C	500	*Temp Log	0	-	0
														180	2.63	760	1.44	940	278.575	C	2356	*Log Attached	0	-		
KOP: 1695' MD / 9638' TVD																										
TD: 20,487' MD / 10,243' TVD																										
Top of Prod Casing Float Collar (feet): 20,370'																										

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 88835

CONDITIONS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 88835
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
kelly.roberts	Report pressure test for production casing next sundry.	6/4/2024