

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC P.O. BOX 4294 HOUSTON, TX 77210		² OGRID Number 16696
		³ Reason for Filing Code/ Effective Date – NW (1/27/2024)
⁴ API Number 30-025-50300	⁵ Pool Name WC-025 G-08 S223227D; UPPER WOLFCAMP	⁶ Pool Code 98286
⁷ Property Code: 332823	⁸ Property Name: LLAMA MALL 26-35 FEDERAL COM	⁹ Well Number: 312H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	23	22S	32E		971'	SOUTH	1390'	EAST	LEA

¹¹ Bottom Hole Location FTP: 527' FNL 2523' FWL LTP- 194' FSL 2526' FWL (NSL-8554)

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	35	22S	32E		55'	SOUTH	2508	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 01/26/2024		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 7/14/2023	²² Ready Date 1/27/2024	²³ TD 12172'V/ 22439'MD	²⁴ PBTB 12170'V/ 22395'M	²⁵ Perforations 12424 ' -22299'MD	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
17-1/2"		13-3/8"		1009'	
12-1/4"		9-5/8"		7297'	
8-3/4"		7-5/8"		11546'	
6-3/4"		5-1/2"		22419'	
				³⁰ Sacks Cement	
				1275sx – SURF	
				1733sx - SURF	
				817sx – TOC ~20'	
				855sx-TOC ~10450'	

V. Well Test Data

³¹ Date New Oil 01/28/2024	³² Gas Delivery Date 01/28/2024	³³ Test Date 02/14/2024	³⁴ Test Length 24 HOURS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1879
³⁷ Choke Size	³⁸ Oil 4521	³⁹ Water 5136	⁴⁰ Gas 4824		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Leslie T. Reeves*Printed name:
LESLIE REEVESTitle:
REGULATORY MANAGERE-mail Address:
LESLIE_REEVES@oxy.com

Date: 04/12/2024 Phone: 713-497-2492

OIL CONSERVATION DIVISION

Approved by: *PATRICIA MARTINEZ*Title: *PETROLEUM SPECIALIST*Approval Date: *7/3/2024*

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-50300	² Pool Code 98286	³ Pool Name WC-025 G-08 S223227D; UPPER WOLFCAMP
⁴ Property Code	⁵ Property Name LLAMA MALL 26_35 FED	⁶ Well Number 312H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3720'


¹⁰ Surface Location

UL or lot no. O	Section 23	Township 22S	Range 32E	Lot Idn	Feet from the 971	North/South line SOUTH	Feet from the 1390	East/West line EAST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. N	Section 35	Township 22S	Range 32E	Lot Idn	Feet from the 55	North/South line SOUTH	Feet from the 2508	East/West line WEST	County LEA
¹² Dedicated Acres 640.00	¹³ Joint or Infill INFILL	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8554						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.






OXY



Borehole:	Well:	Field:	Structure:
Llama Mall 26-35 Com 312H	Llama Mall 26-35 Fed Com 312H	NM Lea County (NAD 83)	Oxy Llama Mall 26 35 Fed Com Pad Section 26 Lot O

Gravity & Magnetic Parameters	Surface Location	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Miscellaneous
Model: IFR1 Dip: 59.946° Date: 18-Nov-2023	Lat: N 32 22 21.67 Northing: 500005.611105 Grid Conv: 0.3705°	Slot: Llama Mall 26-35 Fed Com 312H TVD Ref: RKB (3744.000 ft above MSL)	Plan: Oxy Llama Mall 26-35 Fed Com 312H Rev1 kFc 30Aug23
MagDec: 6.389° FS: 47651.5nT Gravity FS: 998.448mgn (9.80665 Based)	Lon: W 103 38 29.07 Easting: 754955.791105 Scale Fact: 0.99996135		

Critical Points								
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD DLS(°/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,744.00
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-3,720.00
First Gyro Survey	65.61	0.36	132.40	65.61	0.08	-0.09	0.10	-3,678.39
Last Gyro Survey	963.86	0.76	285.12	963.81	4.03	-4.19	1.32	-2,780.19
First SLB Survey	1,046.00	0.77	306.52	1,045.94	3.66	-3.72	0.35	-2,698.06
Actual KOP	11,566.00	0.61	23.48	11,315.92	1,174.34	-1,037.13	-1,348.48	7,571.92
Wolfcamp Y Intersection	12,483.67	73.04	176.75	11,981.00	1,701.85	-1,567.30	-1,351.70	8,237.00
Enter lateral window	12,609.00	82.09	179.31	12,005.88	1,823.11	-1,689.85	-1,346.01	8,261.88
Exit lateral window	12,621.00	82.62	179.80	12,007.47	1,834.93	-1,701.74	-1,345.92	8,263.47
Enter lateral window	15,368.50	88.42	176.81	12,070.31	4,557.23	-4,441.48	-1,327.31	8,326.31
Section 26-35 Line Cross	17,194.40	90.49	179.84	12,087.62	6,367.71	-6,266.48	-1,287.56	8,343.62
Exit lateral window	21,402.40	90.56	175.23	12,173.30	10,533.01	-10,463.56	-1,211.25	8,429.30
Enter lateral window	21,671.50	91.83	184.19	12,163.65	10,799.94	-10,732.20	-1,209.46	8,419.65
Exit lateral window	22,272.00	87.58	186.77	12,165.26	11,400.00	-11,328.09	-1,280.43	8,421.26
Final Survey	22,401.00	87.52	187.03	12,170.77	11,528.87	-11,456.04	-1,295.91	8,426.77
Projection to Total Depth	22,439.00	87.52	187.03	12,172.41	11,566.83	-11,493.72	-1,300.56	8,428.41





Oxy Llama Mall 26-35 Fed Com 312H Gyro+IFR1 Surveys to 22439ft

Survey Geodetic Report

DefinitiveSurvey



Report Date: December 04, 2023 - 11:18 PM (UTC 0)
Client: OXY
Field: NM Lea County (NAD 83)
Structure / Slot: Oxy Llama Mall 26 35 Fed Com Pad Section 26 Lot O / Llama Mall 26-35 Fed Com 312H
Well: Llama Mall 26-35 Fed Com 312H
Borehole: Llama Mall 26-35 Fed Com 312H
UBH/ API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Llama Mall 26-35 Fed Com 312H Gyro+IFR1 Surveys to 22439ft / 2
Survey Date: December 04, 2023
Tort / AHD / DDI / ERD Ratio: 362.207 ° / 1231.742 ft / 6.912 / 1.005
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°22'21.610" S, W 103°38'29.07363"
Location Grid N/E Y/X: N 500005.610 RUS , E 754955.790 RUS
Grid Scale Factor: 0.99996135
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 186.090 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3744.000 ft above MSL
Seabed / Ground Elevation: 3720.000 ft above MSL
Magnetic Declination: 6.389°
Total Gravity Field Strength: 998.447mgm (9.80655 Bases)
Gravity Model: GARM
Total Magnetic Field Strength: 47651.5 nT
Magnetic Dip Angle: 59.946°
Declination Date: November 18, 2023
Magnetic Declination Model: IFR1
North Reference: Grid
Total Corr Mag: 6.019°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (ft/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.744.00		500.005.61	754.955.79	N 32°22'21.67"	W 103°38'29.07"		
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-3.720.00	0.00	500.005.61	754.955.79	N 32°22'21.67"	W 103°38'29.07"	0.00	0.00
First Gyro Survey	65.61	0.36	132.40	65.61	0.08	-0.09	0.10	-3.678.39	0.87	500.005.52	754.955.89	N 32°22'21.67"	W 103°38'29.07"	0.13	132.40
	125.00	0.36	125.88	125.00	0.28	-0.32	0.39	-3.619.00	0.07	500.005.29	754.956.18	N 32°22'21.67"	W 103°38'29.07"	0.50	129.99
	210.74	0.70	123.18	210.73	0.65	-0.77	1.04	-3.533.27	0.40	500.004.84	754.956.83	N 32°22'21.66"	W 103°38'29.06"	1.29	126.38
	303.69	0.94	110.08	303.68	1.10	-1.34	2.23	-3.440.32	0.33	500.004.27	754.958.02	N 32°22'21.66"	W 103°38'29.05"	2.60	120.97
	398.05	0.65	115.35	398.03	1.46	-1.84	3.44	-3.345.97	0.32	500.003.77	754.959.23	N 32°22'21.65"	W 103°38'29.03"	3.90	118.05
	492.33	0.40	129.80	492.30	1.82	-2.27	4.18	-3.251.70	0.30	500.003.34	754.959.97	N 32°22'21.65"	W 103°38'29.03"	4.76	118.55
	586.64	0.46	180.48	586.61	2.38	-2.86	4.43	-3.157.39	0.39	500.002.75	754.960.22	N 32°22'21.64"	W 103°38'29.02"	5.28	122.88
	680.85	0.48	212.79	680.82	3.11	-3.57	4.21	-3.063.18	0.28	500.002.04	754.960.00	N 32°22'21.64"	W 103°38'29.02"	5.52	130.31
	775.17	0.57	246.16	775.13	3.69	-4.10	3.57	-2.968.87	0.33	500.001.51	754.959.36	N 32°22'21.63"	W 103°38'29.03"	5.43	138.92
	869.51	0.74	266.81	869.47	4.03	-4.32	2.53	-2.874.53	0.31	500.001.29	754.958.32	N 32°22'21.63"	W 103°38'29.04"	5.01	149.62
Last Gyro Survey	963.86	0.76	285.12	963.81	4.03	-4.19	1.32	-2.780.19	0.25	500.001.42	754.957.11	N 32°22'21.63"	W 103°38'29.06"	4.39	162.51
	1,046.00	0.77	306.52	1,045.94	3.66	-3.72	1.35	-2.698.06	0.35	500.001.89	754.956.14	N 32°22'21.63"	W 103°38'29.07"	3.74	174.62
	1,141.00	0.71	302.40	1,140.93	3.08	-3.02	0.66	-2.603.07	0.08	500.002.59	754.955.13	N 32°22'21.64"	W 103°38'29.08"	3.10	192.30
	1,235.00	0.57	297.18	1,234.93	2.65	-2.50	-1.57	-2.509.07	0.16	500.003.11	754.954.22	N 32°22'21.65"	W 103°38'29.09"	2.95	212.09
	1,329.00	0.53	301.14	1,328.92	2.30	-2.06	-2.36	-2.415.08	0.06	500.003.55	754.953.44	N 32°22'21.65"	W 103°38'29.10"	3.13	228.82
	1,422.00	0.65	306.91	1,421.92	1.85	-1.52	-3.15	-2.322.08	0.14	500.004.09	754.952.65	N 32°22'21.66"	W 103°38'29.11"	3.49	244.19
	1,517.00	0.66	305.44	1,516.91	1.30	-0.88	-4.02	-2.227.09	0.02	500.004.73	754.951.77	N 32°22'21.66"	W 103°38'29.12"	4.12	257.66
	1,611.00	0.73	308.26	1,610.91	0.72	-0.20	-4.93	-2.133.09	0.08	500.005.41	754.950.86	N 32°22'21.67"	W 103°38'29.13"	4.94	267.73
	1,706.00	0.64	314.20	1,705.90	0.07	0.55	-5.79	-2.038.10	0.12	500.006.16	754.950.00	N 32°22'21.68"	W 103°38'29.14"	5.81	275.42
	1,800.00	0.67	305.97	1,799.89	-0.53	1.24	-6.61	-1.944.11	0.10	500.006.85	754.949.18	N 32°22'21.68"	W 103°38'29.15"	6.72	280.61
First SLB Survey	1,895.00	0.58	314.45	1,894.89	-1.11	1.90	-7.40	-1.849.11	0.14	500.007.51	754.948.39	N 32°22'21.69"	W 103°38'29.16"	7.64	284.40
	1,989.00	0.43	303.28	1,988.88	-1.56	2.43	-8.04	-1.755.12	0.19	500.008.04	754.947.75	N 32°22'21.70"	W 103°38'29.17"	8.40	286.81
	2,083.00	1.37	219.40	2,082.87	-0.78	1.75	-9.05	-1.661.13	1.48	500.007.36	754.946.75	N 32°22'21.69"	W 103°38'29.18"	9.21	289.97
	2,178.00	4.03	212.13	2,177.76	3.17	-1.95	-11.54	-1.566.24	2.82	500.003.66	754.944.25	N 32°22'21.65"	W 103°38'29.21"	11.71	260.40
	2,273.00	6.65	215.07	2,272.34	10.98	-9.28	-16.48	-1.471.66	2.77	499.996.33	754.939.31	N 32°22'21.58"	W 103°38'29.27"	18.91	240.61
	2,367.00	8.95	219.87	2,365.46	21.82	-19.35	-24.29	-1.378.54	2.54	499.986.26	754.931.50	N 32°22'21.48"	W 103°38'29.36"	31.06	231.46
	2,462.00	11.70	222.82	2,458.92	35.68	-32.09	-35.58	-1.285.08	2.95	499.973.52	754.920.21	N 32°22'21.36"	W 103°38'29.49"	47.91	227.95
	2,557.00	14.47	226.62	2,551.44	52.43	-47.31	-50.76	-1.192.56	3.05	499.958.30	754.905.03	N 32°22'21.21"	W 103°38'29.67"	69.39	227.01
	2,651.00	17.08	230.80	2,641.90	71.17	-64.10	-69.99	-1.102.10	3.03	499.941.51	754.885.80	N 32°22'21.04"	W 103°38'29.89"	94.91	227.52
	2,745.00	19.59	233.33	2,731.12	91.68	-82.24	-93.34	-1.012.88	2.80	499.923.37	754.862.46	N 32°22'20.86"	W 103°38'30.17"	124.40	228.61
	2,839.00	20.32	234.08	2,819.48	113.30	-101.23	-119.19	-924.52	0.82	499.904.38	754.836.60	N 32°22'20.68"	W 103°38'30.47"	156.38	229.66
	2,933.00	20.72	233.81	2,907.51	135.41	-120.62	-145.83	-836.49	0.44	499.884.99	754.809.96	N 32°22'20.49"	W 103°38'30.78"	189.25	230.40
	3,028.00	20.68	232.91	2,996.32	158.11	-140.54	-173.06	-747.68	0.17	499.865.07	754.782.74	N 32°22'20.29"	W 103°38'31.10"	222.94	230.92
	3,122.00	19.82	234.66	3,084.45	179.93	-159.65	-199.58	-659.55	1.17	499.845.96	754.756.22	N 32°22'20.10"	W 103°38'31.41"	255.58	231.34
	3,217.00	19.01	235.30	3,174.05	200.69	-177.78	-225.44	-569.95	0.88	499.827.84	754.730.36	N 32°22'19.93"	W 103°38'31.72"	287.10	231.74
	3,311.00	18.59	235.56	3,263.03	220.43	-194.97	-250.38	-480.97	0.46	499.810.65	754.705.42	N 32°22'19.76"	W 103°38'32.01"	317.34	232.09
	3,405.00	19.42	235.70	3,351.91	240.29	-212.25	-275.65	-392.09	0.88	499.793.37	754.680.15	N 32°22'19.59"	W 103°38'32.30"	347.89	232.40
	3,499.00	19.62	236.03	3,440.51	260.58	-229.87	-301.65	-303.49	0.24	499.775.75	754.654.16	N 32°22'19.42"	W 103°38'32.61"	379.25	232.69
	3,594.00	19.89	235.57	3,529.92	281.34	-247.92	-328.20	-214.08	0.33	499.757.70	754.627.60	N 32°22'19.24"	W 103°38'32.92"	411.32	232.93
	3,688.00	19.57	235.20	3,618.40	302.03	-265.95	-354.32	-125.60	0.37	499.739.68	754.601.49	N 32°22'19.06"	W 103°38'33.22"	443.02	233.11
	3,783.00	19.47	235.65	3,707.94	322.72	-283.96	-380.46	-36.06	0.19	499.721.66	754.575.35	N 32°22'18.89"	W 103°38'33.53"	474.74	233.26
	3,877.00	17.04	238.68	3,797.20	341.25	-299.96	-405.16	53.20	2.77	499.705.66	754.550.65	N 32°22'18.73"	W 103°38'33.82"	504.11	233.49
	3,972.00	16.59	240.81	3,886.14	357.54	-313.81	-428.99	144.14	0.80	499.691.81	754.526.92	N 32°22'18.59"	W 103°38'34.10"	531.44	233.81
	4,066.00	16.12	242.60	3,978.34	372.49	-326.36	-452.19	234.34	0.73	499.679.26	754.503.62	N 32°22'18.47"	W 103°38'34.37"	557.66	234.18
	4,160.00	14.66	241.39	4,068.96	386.47	-338.06	-474.22	324.96	1.59	499.667.56	754.481.59	N 32°22'18.36"	W 103°38'34.63"	582.38	234.52
	4,255.00	15.29	234.62	4,160.74	401.61	-351.07	-494.99	416.74	1.96	499.654.55	754.460.82	N 32°22'18.23"	W 103°38'34.87"	606.85	234.65
	4,349.00	15.74	229.59	4,251.32	419.06	-366.52	-514.80	507.32	1.51	499.639.11	754.441.01	N 32°22'18.08"	W 103°38'35.10"	631.95	234.55
	4,444.00	17.08	225.96	4,342.45	439.12	-384.57	-534.64	598.45	1.78	499.621.06	754.421.17	N 32°22'17.90"	W 103°38'35.34"	658.59	234.27
	4,539.00	18.83	224.20	4,432.82	461.89	-405.26	-555.36	688.82	1.93	499.600.37	754.400.45	N 32°22'17.70"	W 103°38'35.58"	687.51	233.88
	4,633.00	19.72	223.39	4,521.55	486.44	-427.66	-576.83	777.55	0.99	499.577.97	754.378.98	N 32°22'17.48"	W 103°38'35.83"	718.07	233.45
	4,727.00	19.66	223.35	4,610.06	511.64	-450.68	-598.58	866.06	0.07	499.554.95	754.357.23	N 32°22'17.25"	W 103°38'36.09"	749.28	233.02
	4,822.00	18.44	227.71	4,699.86	535.60	-472.42	-620.67	955.86	1.97	499.533.21	754.335.15	N 32°22'17.04"	W 103°38'36.35"	780.00	232.72
	4,917.00	18.30	228.95	4,790.92	557.94	-492.51	-642.66	1,046.02	0.17	499.513.12	754.312.66	N 32°22'16.84"	W 103°38'36.61"	809.64	232.54
	5,011.00	18.08	227.83	4,879.32	579.81	-512.19	-664.63	1,135.32	0.24	499.493.44	754.291.19	N 32°22'16.65"	W 103°38'36.85"	839.09	232.38
	5,105.00	18.59	228.06	4,968.55	601.84	-532.00	-686.58	1,224.55	0.55	499.473.63	754.269.23	N 32°22'16.45"	W 103°38'37.12"	868.57	232.23
	5,200.00	17.97	228.56	5,058.75	623.90	-551.82	-708.83	1,314.75	0.67	499.453.82	754.246.98	N 32°22'16.26"	W 103°38'37.38"	898.30	232.10
	5,294.00	17.61	229.51	5,148.26	644.96	-570.68	-730.49	1,404.26	0.45	499.434.95	754.225.33	N 32°22'16.07"	W 103°38'37.63"	926.98	232.00
	5,389.00	16.45	229.31	5,239.09	665.20	-588.79	-751.61	1,495.09	1.22	499.416.85	754.204.21	N 32°22'15.89"	W 103°38'37.88"	954.77	231.93
	5,484.00	16.08	230.45	5,330.15	684.78	-606.270									

	9.00300	0.21	354.01	8,753.09	1,177.91	-1,041.94	-1,337.04	5,009.09	0.07	498,963.71	753,618.81	N 32°22'11.45"	W 103°38'44.74"	1,695.09	232.07
	9.09700	0.07	326.69	8,847.09	1,177.70	-1,041.72	-1,337.09	5,103.09	0.16	498,963.93	753,618.76	N 32°22'11.45"	W 103°38'44.74"	1,694.99	232.08
	9.19200	0.94	144.40	8,942.09	1,178.24	-1,042.31	-1,336.67	5,198.09	1.06	498,963.34	753,619.18	N 32°22'11.44"	W 103°38'44.74"	1,695.02	232.05
	9.29600	0.80	150.56	9,036.08	1,179.21	-1,043.37	-1,335.98	5,292.08	0.37	498,962.28	753,619.87	N 32°22'11.43"	W 103°38'44.73"	1,695.12	232.01
	9.39100	0.28	151.07	9,131.08	1,179.55	-1,043.75	-1,335.50	5,387.08	0.61	498,961.90	753,620.34	N 32°22'11.43"	W 103°38'44.72"	1,694.99	231.99
	9.47600	0.40	251.89	9,226.08	1,179.62	-1,043.81	-1,335.59	5,482.08	0.71	498,961.84	753,620.25	N 32°22'11.43"	W 103°38'44.72"	1,695.10	231.99
	9.57000	0.36	270.17	9,320.07	1,179.78	-1,043.91	-1,336.20	5,576.07	0.14	498,961.74	753,619.65	N 32°22'11.43"	W 103°38'44.73"	1,695.64	232.00
	9.66500	0.51	286.88	9,415.07	1,179.73	-1,043.79	-1,336.90	5,671.07	0.21	498,961.86	753,618.94	N 32°22'11.43"	W 103°38'44.74"	1,696.11	232.02
	9.76000	0.96	335.17	9,510.06	1,178.97	-1,042.95	-1,337.64	5,766.06	0.77	498,962.71	753,618.20	N 32°22'11.44"	W 103°38'44.75"	1,696.18	232.06
	9.85400	0.79	325.39	9,604.05	1,177.80	-1,041.70	-1,338.34	5,860.05	0.24	498,963.95	753,617.51	N 32°22'11.45"	W 103°38'44.76"	1,696.96	232.10
	9.94900	1.01	299.08	9,699.04	1,176.98	-1,040.75	-1,339.44	5,955.04	0.49	498,964.90	753,616.40	N 32°22'11.46"	W 103°38'44.77"	1,696.25	232.15
	10.04400	1.04	287.86	9,794.03	1,176.48	-1,040.08	-1,340.99	6,050.03	0.21	498,965.57	753,614.85	N 32°22'11.47"	W 103°38'44.79"	1,697.07	232.20
	10.13800	1.29	290.53	9,888.01	1,176.05	-1,039.46	-1,342.77	6,144.01	0.23	498,966.19	753,613.08	N 32°22'11.47"	W 103°38'44.81"	1,698.09	232.26
	10.23300	1.45	283.90	9,982.98	1,175.62	-1,038.80	-1,344.94	6,238.98	0.30	498,966.85	753,610.91	N 32°22'11.48"	W 103°38'44.83"	1,699.40	232.32
	10.32700	1.29	299.53	10,078.95	1,175.03	-1,037.98	-1,347.04	6,332.95	0.45	498,967.67	753,608.80	N 32°22'11.49"	W 103°38'44.86"	1,700.57	232.38
	10.42200	0.99	305.90	10,171.93	1,174.20	-1,036.98	-1,348.64	6,427.93	0.34	498,968.68	753,607.21	N 32°22'11.50"	W 103°38'44.88"	1,701.22	232.44
	10.51600	0.22	51.19	10,265.93	1,173.67	-1,036.39	-1,349.16	6,521.93	1.14	498,969.27	753,606.69	N 32°22'11.50"	W 103°38'44.88"	1,701.27	232.47
	10.61100	0.24	79.28	10,360.93	1,173.48	-1,036.24	-1,348.82	6,616.93	0.12	498,969.42	753,607.03	N 32°22'11.50"	W 103°38'44.88"	1,700.91	232.47
	10.70600	0.10	347.17	10,455.93	1,173.35	-1,036.12	-1,348.64	6,711.93	0.28	498,969.53	753,607.20	N 32°22'11.51"	W 103°38'44.88"	1,700.70	232.47
	10.80000	0.14	35.85	10,549.93	1,173.17	-1,035.94	-1,348.59	6,805.93	0.11	498,969.71	753,607.25	N 32°22'11.51"	W 103°38'44.88"	1,700.55	232.47
	10.89500	0.06	148.11	10,644.93	1,173.11	-1,035.89	-1,348.50	6,900.93	0.18	498,969.76	753,607.35	N 32°22'11.51"	W 103°38'44.87"	1,700.45	232.47
	10.99000	0.11	256.85	10,739.93	1,173.18	-1,035.96	-1,348.56	6,995.93	0.15	498,969.70	753,607.28	N 32°22'11.51"	W 103°38'44.87"	1,700.53	232.47
	11.08400	0.15	179.30	10,833.93	1,173.33	-1,036.10	-1,348.65	7,089.93	0.18	498,969.55	753,607.20	N 32°22'11.51"	W 103°38'44.88"	1,700.69	232.47
	11.17900	0.21	145.68	10,928.93	1,173.59	-1,036.37	-1,348.55	7,184.93	0.13	498,969.28	753,607.30	N 32°22'11.50"	W 103°38'44.87"	1,700.78	232.46
	11.27300	0.56	185.17	11,022.92	1,173.71	-1,036.47	-1,348.69	7,279.92	0.45	498,969.69	753,607.35	N 32°22'11.50"	W 103°38'44.87"	1,701.10	232.44
	11.36800	0.18	293.73	11,117.92	1,174.60	-1,037.37	-1,348.67	7,373.92	0.67	498,968.28	753,607.18	N 32°22'11.49"	W 103°38'44.88"	1,701.48	232.43
	11.46200	0.12	189.08	11,211.92	1,174.65	-1,037.41	-1,348.82	7,467.92	0.26	498,968.25	753,607.02	N 32°22'11.49"	W 103°38'44.88"	1,701.63	232.44
	11.53400	0.38	56.33	11,283.92	1,174.57	-1,037.35	-1,348.63	7,539.92	0.65	498,968.30	753,607.21	N 32°22'11.49"	W 103°38'44.88"	1,701.44	232.43
	11.56600	0.61	23.48	11,315.92	1,174.34	-1,037.13	-1,348.48	7,571.92	1.12	498,968.52	753,607.37	N 32°22'11.50"	W 103°38'44.87"	1,701.19	232.44
	11.59600	0.91	11.22	11,345.92	1,173.95	-1,036.75	-1,348.37	7,601.92	1.12	498,968.90	753,607.48	N 32°22'11.50"	W 103°38'44.87"	1,700.87	232.44
	11.69000	2.07	203.35	11,439.90	1,174.83	-1,037.58	-1,348.89	7,695.90	3.16	498,968.07	753,606.95	N 32°22'11.49"	W 103°38'44.88"	1,701.79	232.43
	11.78500	21.25	193.77	11,532.51	1,193.71	-1,056.05	-1,353.72	7,788.51	20.22	498,949.60	753,602.13	N 32°22'11.31"	W 103°38'44.94"	1,716.91	232.04
	11.88000	34.40	190.12	11,616.35	1,237.73	-1,099.38	-1,362.57	7,872.35	13.95	498,906.27	753,593.28	N 32°22'10.88"	W 103°38'45.04"	1,750.78	231.10
	11.97400	41.78	180.54	11,699.35	1,295.52	-1,156.97	-1,367.54	7,946.35	10.04	498,848.69	753,588.30	N 32°22'10.31"	W 103°38'45.11"	1,791.30	229.77
	12.06900	44.17	179.25	11,759.85	1,359.89	-1,221.72	-1,367.11	8,019.35	2.68	498,783.94	753,588.94	N 32°22'9.67"	W 103°38'45.11"	1,835.68	228.22
	12.16300	49.49	176.77	11,824.14	1,427.72	-1,290.20	-1,364.96	8,080.14	5.98	498,715.47	753,590.88	N 32°22'8.99"	W 103°38'45.08"	1,878.22	226.61
	12.25800	56.84	175.33	11,881.06	1,502.53	-1,356.99	-1,359.68	8,137.06	7.83	498,639.67	753,596.16	N 32°22'8.24"	W 103°38'45.03"	1,927.35	224.87
	12.35300	61.39	179.71	11,929.83	1,583.11	-1,447.39	-1,356.23	8,185.83	6.21	498,558.27	753,599.61	N 32°22'7.44"	W 103°38'44.99"	1,983.51	223.14
	12.44700	69.16	176.88	11,969.12	1,667.62	-1,532.66	-1,353.63	8,225.12	8.71	498,473.01	753,602.22	N 32°22'6.59"	W 103°38'44.97"	2,044.84	221.45
	12.48367	73.04	176.75	11,981.00	1,701.85	-1,567.30	-1,351.70	8,237.00	10.57	498,438.38	753,604.15	N 32°22'6.25"	W 103°38'44.95"	2,069.66	220.78
	12.54200	79.20	176.55	11,994.99	1,757.68	-1,623.79	-1,348.39	8,250.99	10.57	498,381.88	753,607.45	N 32°22'5.69"	W 103°38'44.92"	2,110.66	219.71
	12.60900	82.09	179.31	12,005.88	1,823.11	-1,689.85	-1,346.01	8,261.88	5.93	498,315.83	753,609.84	N 32°22'5.04"	W 103°38'44.89"	2,160.40	218.54
	12.62100	82.62	179.80	12,007.47	1,834.93	-1,701.74	-1,345.92	8,263.47	5.93	498,303.94	753,609.93	N 32°22'4.92"	W 103°38'44.89"	2,169.66	218.34
	12.63737	83.31	180.45	12,009.43	1,850.72	-1,715.52	-1,345.95	8,265.43	5.93	498,288.06	753,609.89	N 32°22'4.76"	W 103°38'44.90"	2,182.16	218.08
	12.73200	85.26	181.21	12,021.41	1,944.56	-1,817.47	-1,347.32	8,277.41	1.41	498,194.53	753,607.83	N 32°22'3.83"	W 103°38'45.26"	2,257.69	216.69
	12.82600	92.59	182.40	12,025.68	2,038.07	-1,905.59	-1,350.27	8,281.68	11.13	498,100.11	753,605.57	N 32°22'2.90"	W 103°38'45.48"	2,335.48	215.32
	12.99100	95.31	184.26	12,014.31	2,202.47	-2,069.88	-1,359.83	8,270.31	2.00	497,935.81	753,596.02	N 32°22'1.28"	W 103°38'45.08"	2,476.60	213.30
	13.08600	96.61	186.68	12,007.75	2,297.22	-2,164.21	-1,368.87	8,263.75	3.81	497,841.49	753,586.98	N 32°22'0.34"	W 103°38'45.20"	2,560.78	212.31
	13.18100	92.10	185.72	12,003.85	2,392.14	-2,258.57	-1,379.12	8,259.85	1.14	497,747.13	753,576.73	N 32°21'59.41"	W 103°38'45.32"	2,646.34	211.41
	13.27500	89.95	185.98	12,002.17	2,486.11	-2,352.06	-1,388.70	8,258.17	2.30	497,653.64	753,567.15	N 32°21'58.49"	W 103°38'45.44"	2,731.42	210.56
	13.37000	89.30	184.28	12,002.79	2,581.10	-2,446.67	-1,397.19	8,258.79	1.92	497,559.03	753,558.66	N 32°21'57.55"	W 103°38'45.55"	2,817.51	209.73
	13.46400	87.40	181.41	12,005.50	2,674.89	-2,540.51	-1,401.85	8,261.50	3.66	497,465.21	753,553.99	N 32°21'56.62"	W 103°38'45.61"	2,901.61	208.89
	13.55900	85.50	180.94	12,011.38	2,769.36	-2,635.30	-1,403.80	8,267.38	2.06	497,370.42	753,552.05	N 32°21'55.69"	W 103°38'45.64"	2,985.87	208.04
	13.65300	85.24	179.64	12,016.97	2,862.57	-2,728.99	-1,404.27	8,274.97	1.41	497,276.73	753,551.57	N 32°21'54.76"	W 103°38'45.65"	3,069.10	207.23
	13.74800	85.39	177.73	12,025.73	2,956.46	-2,823.64	-1,402.10	8,282.73	2.01	497,182.08	753,542.90	N 32°21'53.82"	W 103°38'45.67"	3,152.59	206.41
	13.84300	87.36	177.88	12,032.73	3,050.27	-2,918.38	-1,398.47	8,288.73	2.08	497,087.35	753,557.38	N 32°21'52.88"	W 103°38'45.68"	3,236.15	205.60
	13.93700	87.77	177.33	12,036.73	3,143.16	-3,012.21	-1,394.54	8,292.73	0.73	496,993.52	753,561.30	N 32°21'51.96"	W 103°38'45.55"	3,319.36	204.84
	14.03200	87.19	177.89	12,040.90	3,237.03	-3,107.04	-1,390.59	8,296.90	0.85	496,898.70	753,565.26	N 32°21'51.02"	W 103°38'45.52"	3,404.03	204.11
	14.12700	89.06	177.45	12,044.01	3,330.95	-3,201.90	-1,386.73	8,300.01	2.02	496,803.84	753,569.12	N 32°21'50.08"	W 103°38'45.48"	3,489.30	203.42
	14.22200	89.48	177.54	12,045.22	3,424.88	-3,296.80	-1,382.57	8,301.22	0.45	496					

	20,653.00	88.46	181.00	12,152.62	9,800.65	-9,720.36	-1,273.79	8,408.62	0.40	490,285.64	753,682.05	N 32°20'45.57"	W 103°38'44.65"	9,803.47	187.47
	20,748.00	88.38	181.29	12,155.23	9,895.26	-9,815.31	-1,275.69	8,411.23	0.32	490,190.70	753,680.15	N 32°20'44.63"	W 103°38'44.68"	9,897.86	187.41
	20,843.00	87.69	179.79	12,158.49	9,989.75	-9,910.25	-1,276.59	8,414.49	1.74	490,095.77	753,679.25	N 32°20'43.69"	W 103°38'44.70"	9,992.13	187.34
	20,937.00	88.03	179.23	12,162.00	10,083.07	-10,004.18	-1,275.78	8,418.00	0.70	490,001.84	753,680.06	N 32°20'42.76"	W 103°38'44.70"	10,085.20	187.27
	21,032.00	88.77	177.07	12,164.66	10,177.11	-10,099.08	-1,272.72	8,420.66	2.40	489,906.94	753,683.12	N 32°20'41.82"	W 103°38'44.67"	10,178.96	187.18
	21,127.00	88.71	170.45	12,166.75	10,269.85	-10,193.45	-1,262.40	8,422.75	6.97	489,812.58	753,693.44	N 32°20'40.89"	W 103°38'44.55"	10,271.32	187.06
	21,221.00	87.56	164.51	12,169.81	10,358.84	-10,285.12	-1,242.05	8,425.81	6.43	489,720.91	753,713.80	N 32°20'39.98"	W 103°38'44.33"	10,359.84	186.89
Exit lateral window	21,315.00	88.79	170.74	12,172.80	10,447.91	-10,376.84	-1,221.92	8,428.80	6.75	489,629.19	753,733.92	N 32°20'39.07"	W 103°38'44.10"	10,448.54	186.72
	21,402.40	90.56	175.23	12,173.30	10,533.01	-10,463.56	-1,211.25	8,429.30	5.52	489,542.47	753,744.59	N 32°20'38.21"	W 103°38'43.98"	10,533.43	186.60
	21,410.00	90.71	175.62	12,173.22	10,540.48	-10,471.14	-1,210.65	8,429.22	5.52	489,534.90	753,745.19	N 32°20'38.14"	W 103°38'43.97"	10,540.89	186.60
Enter lateral window	21,505.00	93.13	178.43	12,170.04	10,634.22	-10,565.94	-1,205.72	8,426.04	3.90	489,440.10	753,750.12	N 32°20'37.20"	W 103°38'43.92"	10,634.51	186.51
	21,599.00	91.83	181.64	12,165.97	10,727.60	-10,659.84	-1,205.78	8,421.97	3.68	489,346.21	753,750.06	N 32°20'36.27"	W 103°38'43.93"	10,727.81	186.45
	21,671.50	91.83	184.19	12,163.65	10,799.94	-10,732.20	-1,209.46	8,419.65	3.51	489,273.85	753,746.38	N 32°20'35.56"	W 103°38'43.98"	10,800.13	186.43
	21,694.00	91.83	184.98	12,162.93	10,822.42	-10,754.62	-1,211.26	8,418.93	3.51	489,251.43	753,744.58	N 32°20'35.33"	W 103°38'44.00"	10,822.61	186.43
	21,788.00	91.74	186.84	12,160.01	10,916.37	-10,848.07	-1,220.93	8,416.01	1.98	489,157.98	753,734.91	N 32°20'34.41"	W 103°38'44.12"	10,916.56	186.42
	21,863.00	92.01	187.78	12,156.90	11,011.30	-10,942.24	-1,233.01	8,412.90	1.03	489,063.81	753,722.83	N 32°20'33.48"	W 103°38'44.27"	11,011.49	186.43
	21,977.00	90.57	186.93	12,154.78	11,105.25	-11,035.44	-1,245.04	8,410.78	1.78	488,970.62	753,710.80	N 32°20'32.56"	W 103°38'44.42"	11,105.45	186.44
	22,072.00	87.47	186.74	12,156.41	11,200.22	-11,129.74	-1,256.34	8,412.41	3.27	488,876.32	753,699.50	N 32°20'31.63"	W 103°38'44.56"	11,200.43	186.44
	22,166.00	87.38	187.12	12,160.63	11,294.11	-11,222.96	-1,267.67	8,416.63	0.42	488,783.11	753,688.17	N 32°20'30.70"	W 103°38'44.69"	11,294.33	186.44
	22,261.00	87.59	186.75	12,164.80	11,389.01	-11,317.17	-1,279.13	8,420.80	0.45	488,688.90	753,676.71	N 32°20'29.77"	W 103°38'44.84"	11,389.23	186.45
Exit lateral window	22,272.00	87.58	186.77	12,165.26	11,400.00	-11,328.09	-1,280.43	8,421.26	0.21	488,677.98	753,675.41	N 32°20'29.66"	W 103°38'44.85"	11,400.22	186.45
Final Survey	22,401.00	87.52	187.03	12,170.77	11,528.87	-11,456.04	-1,295.91	8,426.77	0.21	488,550.04	753,659.93	N 32°20'28.40"	W 103°38'45.04"	11,529.10	186.45
Projection to Total Depth	22,439.00	87.52	187.03	12,172.41	11,566.63	-11,493.72	-1,300.56	8,428.41	0.00	488,512.36	753,655.28	N 32°20'28.03"	W 103°38'45.10"	11,567.06	186.46

Survey Type: DefinitiveSurvey

Survey Error Model: ISOWSA0 2.795 sigma

Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Vendor / Tool	Borehole / Survey
	1	0.000	963.860	Act Stns		GYD_GC+DROP+OH		Llama Mall 26-35 Com 312H / Oxy Llama Mall 26-35 Fed Com 312H Gyro+IFR1 Surveys to 22439ft
	1	963.860	22,439.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS		Llama Mall 26-35 Com 312H / Oxy Llama Mall 26-35 Fed Com 312H Gyro+IFR1 Surveys to 22439ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
22,439.000	26.400	26.400	

Well Name: LLAMA MALL 26-35 FEDERAL COM	Well Location: T22S / R32E / SEC 23 / SWSE / 32.3726865 / -103.6414094	County or Parish/State: LEA / NM
Well Number: 312H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM2379	Unit or CA Name:	Unit or CA Number:
US Well Number: 300255030000S1	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2779206

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 03/12/2024	Time Sundry Submitted: 07:51
Date Operation Actually Began: 01/01/2024	

Actual Procedure: RUPU 01/01/24, RIH & clean out to PBTD @ 22395'M/12170'V, pressure test casing to 6000# for 30 min, good test. RIH & perf @ 12424'-22299', Total 1188 holes. Frac in 36 stages w/ 353793bbbs Produced Water + 465bbbs Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 24811226lbs sand, RD Frac, RU CT 1/21/24. Well ready to produce 01/27/24. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 04/15/2024.

Received by OCD: 4/12/2024 8:50:31 AM

Well Name: LLAMA MALL 26-35
FEDERAL COM

Well Location: T22S / R32E / SEC 23 /
SWSE / 32.3726865 / -103.6414094

County or Parish/State: LEA /
NM

Well Number: 312H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM2379

Unit or CA Name:

Unit or CA Number:

US Well Number: 300255030000S1

Well Status: Producing Oil Well

Operator: OXY USA
INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES

Signed on: MAR 12, 2024 07:04 AM

Name: OXY USA INCORPORATED

Title: Advisor Regulatory

Street Address: 5 GREENWAY PLAZA, SUITE 110

City: HOUSTON

State: TX

Phone: (713) 497-2492

Email address: LESLIE_REEVES@OXY.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-025-50300										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name LLAMA MALL 26-35 FEDERAL				
						6. Well Number: #312H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator OXY USA INC.						9. OGRID 16696				
10. Address of Operator 5 GREENWAY PLAZA, SUITE 110, HOUSTON TX 77046						11. Pool name or Wildcat WC-025 G-08 S223227D;UPPERWOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	23	22S	32E		971	FSL	1390	FEL	LEA
BH:	N	35	22S	32E		55	FSL	2508	FWL	LEA
13. Date Spudded 7/14/2023	14. Date T.D. Reached 12/1/2023		15. Date Rig Released 12/4/2023			16. Date Completed (Ready to Produce) 1/27/2024		17. Elevations (DF and RKB, RT, GR, etc.) 3720'GL		
18. Total Measured Depth of Well 22439'M			19. Plug Back Measured Depth 22395'M			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GR, CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12424'-22299'; WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5# J-55 BTC		1009'		17-1/2"		1275sx-SURF		
9-5/8"		40# L-80		7297'		12-1/4"		1733sx-SURF		
7-5/8"		26.4# L-80		11546'		8-3/4"		817sx-TOC ~20'		
5-1/2"		20# P-110		22419'		6-3/4"		855sx--TOC 10450'		
24. LINER RECORD										25. TUBING RECORD
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET		PACKER SET		
26. Perforation record (interval, size, and number) 12424'-22299'; 0.42, 1188 TOTAL HOLES.					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					12424'-22299'		353793bbbls Produced Water + 465bbbls			
							Brackish Water w/ 24811226lbs sand.			
28. PRODUCTION										
Date First Production 01/28/2024		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PROD				
Date of Test 02/14/2024	Hours Tested 24 HOURS	Choke Size	Prod'n For Test Period	Oil - Bbl 4521	Gas - MCF 4824	Water - Bbl. 5136		Gas - Oil Ratio		
Flow Tubing Press.	Casing Pressure 1879	Calculated 24-Hour Rate	Oil - Bbl. 4521	Gas - MCF 4824	Water - Bbl. 4136		Oil Gravity - API - (Corr.)			
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments GR, DIRECTIONAL PLAN, AS-DRILLED PLAT										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Leslie T. Reeves</i>		Printed Name		Title		REGULATORY MANAGER		Date 3/12/2024		
E-mail Address LESLIE_REEVES@OXY.COM										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 967'MD	T. Bell Canyon 4873'MD	T. Ojo Alamo	T. Penn A"
T. Salado 1553'MD	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3327'MD	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4807'MD	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5700'MD	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 7003'MD	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8635'MD	T. Todilto	
T. Abo	T. 1 st Bone Springs 9745'MD	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 10434'MD	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11544'MD	T. Chinle	
T. Cisco (Bough C)	T. Wolfcamp 11910'MD	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
LLAMA MALL 26-35 FEDERAL COM 312H
API No. 30-025-50300



Perfs @ 12424-22299' TD- 22439'M 12172'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 322474

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 322474
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 322474

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 322474
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	7/3/2024