

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Name: HUERFANITO UNIT	Well Location: T26N / R9W / SEC 10 / SWNE / 36.5055073 / -107.7725583	County or Parish/State: SAN JUAN / NM
Well Number: 70R	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078135	Unit or CA Name: HUERFANITO UNIT--PC	Unit or CA Number: NMNM78394A
US Well Number: 3004529436	Operator: HILCORP ENERGY COMPANY	

Subsequent Report

Sundry ID: 2798673

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/02/2024

Time Sundry Submitted: 02:09

Date Operation Actually Began: 06/28/2024

Actual Procedure: Hilcorp Energy Company has plugged and abandoned the subject well on 7/1/2024 per the attached report.

SR Attachments

Actual Procedure

HUERFANITO_UNIT_70R_P_A_SR_BLM_Submitted_20240702140746.pdf

Well Name: HUERFANITO UNIT

Well Location: T26N / R9W / SEC 10 /
SWNE / 36.5055073 / -107.7725583County or Parish/State: SAN
JUAN / NM

Well Number: 70R

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMSF078135

Unit or CA Name: HUERFANITO UNIT--
PCUnit or CA Number:
NMNM78394A

US Well Number: 3004529436

Operator: HILCORP ENERGY
COMPANY**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: PRISCILLA SHORTY

Signed on: JUL 02, 2024 02:08 PM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Technician

Street Address: 382 ROAD 3100

City: AZTEC

State: NM

Phone: (505) 324-5188

Email address: PSHORTY@HILCORP.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 07/02/2024

Signature: Matthew Kade

HUERFANITO UNIT 70R

30.045.29436

PLUG AND ABANDONMENT

6/28/2024 - MIRU. CHECK PSI ON WELL SITP 0#, SICP 0#, SIICP N/A, BH 0#, BDW 0 MINS. ND WH, NU BOP, PRESSURE TEST & FUNCTION TEST BOP & RU RIG FLOOR. START CUTTING & LD 2,049' OF 1-1/4" COIL TBG ONTO TRAILER. SDFN.

7/1/2024 - CHECK PSI ON WELL SITP 0#, SICP 0#, SIICP N/A, BH 0#, BDW 0 MINS. MU 2-7/8" STRING MILL & BIT. PU 61 JTS OF 1.66" TBG. TALLY, STRAP & RABBIT TBG TO 1,994'. LD 1 JT & TOO. LD 2-7/8" BIT & STRING MILL. RU WIRELINE, MU 2.94" CIBP & RIH TO 1,957'. SET CIBP @ 1,957'. POOH & RD WIRELINE. TIH TO 1,957'. RU CEMENTERS. PT PUMP & LINES. LW W/17BBLS & PUMP 20 BBLS TOTAL. PT TO 580 PSI & PASSED. (**ASHLEY SCHNEIDER, BLM REP, GOOD W/TEST**) TOO 30 STDS OF 1.66" TBG. RU WIRELINE, RUN CBL FROM 1,957' TO SURFACE. POOH & R/D WIRELINE. TIH 30 STDS OF 1.66" TBG TO 1,957'. **PUMP CEMENT PLUG #1 (PC PERFS, PC & FRD TOPS) 11 SXS 2.2 BBLS, 1.15 Y, 15.8# & 5 GAL/SX. BOC @ 1,957'. LD 8 JTS. TOO & WOC. TIH & TAG #1 PLUG @ 1,701'. LD 11 JTS TO 1,362'. PUMP CEMENT PLUG #2 (KRD & OJO TOPS) 21 SXS 4.1 BBLS, 1.15 Y, 15.8# & 5 GAL/SX. TOC @ 880', BOC @ 1,362'. LD 28 JTS. PUMP CEMENT PLUG #3 (NAC TOP & SURFACE) 35 SXS 7.1 BBLS, 1.15 Y, 15.8# & 5 GAL/SX. TOC @ 0', BOC @ 452'. LD 13 JTS. RD RIG FLOOR. ND BOP & PREP TO CUT OFF WH. CUT OFF WH. (TOC IN 3.5" CAS. 0' & 8-5/8" SURFACE CAS. 78') WELD ON P&A MARKER. RU 1" POLY LINE & RUN DOWN 8-5/8" CASING TO 78'. FILL CASING AND CELLAR WITH 46 SXS OF CEMENT. RD RR.**

WELL WAS PLUGGED AND ABANDONED ON 7/1/2024.




Current Schematic - Version 3

Well Name: HUERFANITO UNIT #70R

API / UWI 3004529436	Surface Legal Location 010-026N-009W-G	Field Name BALLARD PICTURED CLIFFS #0060	Route 0608	State/Province NEW MEXICO	Well Configuration Type VERTICAL
Ground Elevation (ft) 6,293.00	Original KB/RT Elevation (ft) 6,307.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 14.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)

Original Hole [VERTICAL]



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 360623

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 360623
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 7/1/24	7/5/2024