Sundry Print Reports 06/25/2024

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: CHACON AMIGOS Well Location: T22N / R3W / SEC 11 /

NWSE / 36.149479 / -107.1241

County or Parish/State:

SANDOVAL / NM

Well Number: 18 Type of Well: OIL WELL

Allottee or Tribe Name: JICARILLA APACHE

Lease Number: JIC360 Unit or CA Name: Unit or CA Number:

Subsequent Report

Sundry ID: 2796193

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 06/19/2024 Time Sundry Submitted: 02:36

Date Operation Actually Began: 06/05/2024

Actual Procedure: The subject well was Plugged & Abandoned on 06/10/2024 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOW_Summary_and_Marker_Chacon_Amigos_18_20240619143557.pdf

Page 1 of 2

eceived by OCD: 6/25/2024 7:38:05 AM
Well Name: CHACON AMIGOS

Well Location: T22N / R3W / SEC 11 /

NWSE / 36.149479 / -107.1241

County or Parish/State: SANDOVAL / NM

Page 2 o

Type of Well: OIL WELL

Allottee or Tribe Name:

JICARILLA APACHE

Lease Number: JIC360

Well Number: 18

Unit or CA Name:

Unit or CA Number:

Zip:

US Well Number: 3004321186

Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: JUN 19, 2024 02:36 PM Operator Electronic Signature: SHAW-MARIE FORD

Name: DJR OPERATING LLC Title: Regulatory Specialist

Street Address: 1 ROAD 3263

City: AZTEC State: NM

Phone: (505) 632-3476

Email address: SFORD@ENDURINGRESOURCES.COM

Field

Representative Name:

Street Address:

City: State:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted Disposition Date: 06/21/2024

Signature: Matthew Kade

Page 2 of 2

DJR Operating, LLC P&A End of Well Report Chacon Amigos #018 API No: 30-043-21186 NWSE J-11-22N-03W Sandoval County, NM

Spud Date: 12/21/2014 Plug Date: 06/10/2024

06/05/2024

MIRU rig AWS 880 and equipment. SICP- 0. SIBHP- 0.

TIH to 2990'. Rig repair. SDFN.

06/06/2024

TIH. Tag CIBP at 7122'.

Pump Dakota Plug #1 from 7122' to 6972' with Type G, 3.4 bbls (17sx), 15.8 ppg. SDFN.

6/7 to 6/9/2024

SITP- 0 psi. SICP- 0 psi. SIBHP- 0 psi. Open well RIH tag Dakota CIBP cement top off plug at 6974'. 148' above CIBP at 7122'. 199' above Dakota formation top at 7173'. Laid down 2.375" tubing to 5901' (189 jts + 8' sub). Load hole and PT 5.5" casing at 575 psi, good test.

Pump Dakota Plug #2 from 5901 to 5751' with Type G, 3.4 bbls (17sx), 1.15 yield, 15.8ppg. Laid down 2.375" tubing to 5165' (165 jts + 22' subs)

Pump Mancos plug #3 from 5165' to 5015' with Type G, 3.4 bbls (17sx), 1.15 yield, 15.8 ppg. Laid down 2.375" tubing to 4419' (141 jts + 20' sub).

Pump Mesa Verde Plug #4 from 4419' to 4269' with Type G, 3.4 bbls (17sx), 1.15 yield, 15.8 ppg. Laid down 2.375" tubing to 3233' (103 jts + 18' subs).

Pump Chacra Plug #5 from 3233' to 3083' cement with Type G, 3.4 bbls (17sx), 1.15 yield, 15.8 ppg. Laid down 2.375" tubing to 2766' (88 jts +20' subs).

Pump PC, Fruitland, Kirtland & Ojo Alamo Plug #6 from 2766' to 2219' with Type G, 12.7 bbls (62sx), 1.15 yield, 15.8 ppg. Laid down 2.375" tubing to 1142' (36 jts + 6' sub).

Pump Nacimiento Plug #7 from 1142' to 992' with Type G, 3.4 bbls (17sx), 1.15 yield, 15.8 ppg. Laid down 2.375" tubing to 590'.

Pump Surface Plug #8 from 590' to surface with 15.3 bbls, (75sx), 15.8 ppg. Circulate 2 bbls good cement to surface. Laid down 2.375" tubing to surface. Joint count was off by one. Plug's #2 through #7 were 31' + - higher than approved plug depth on P&A procedure. Call to BLM, Kenneth Rennick. NDBOP. NUWH. SDFN.

6/10/2024

Wait on BLM to continue P&A operations (approved). Cut off Wellhead. Install P&A marker. Top off 8.625" surface casing, 5.5" production casing and cellar with Type G, 3.6 bbls (18sx), 15.8 ppg. RDMO AWS 880.

GPS Coordinates: Lat 36.1504402°N Long -107.1239853°W

DJR Operating, LLC P&A Marker Chacon Amigos #018 API No: 30-043-21186 NWSE J-11-22N-03W Sandoval County, NM





As Plugged - Wellbore Schematic DJR Operating, LLC

Chacon Amigos 18 API # 30-043-21186

SHL: NW/SE, Unit J, Sec 11, T22N, R3W BHL: SE/SW, Unit N, Sec 11, T22N, R3W Sandoval County, NM

> GL 7196' KB 7212' Spud Date 12/21/2014

SURF CSG Hole size: Csg Size: Wt: Grade: ID: Depth: Csg cap ft ³ : TOC:	12.25" 8.625" 24# J-55 8.097" 570' 0.3576 Surf	FORMATION TO San Jose Nacimiento Ojo Alamo Kirtland Fruitland Pictured Cliffs Lewis Chacra Mesa Verde Mancos Gallup Dakota	Surface 1121' 2357' 2460' 2602' 2747' 2842' 3214' 4400' 5145' 5881' 7173'			Plug 8: Surface casing shoe to surface: Balanced plug from 590' to surface. Plug 7: Nacimiento: Balanced plug from 1142' to 992' Plug 6: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Balanced plug from 2766' to 2219'
PROD CSG Hole size: Csg Size: Wt: Grade: ID: Depth: Csg cap ft ³ : Csg/Csg Ann ft ³ : Csg/OH cap ft ³ : TOC: Stg 1 TOC: Stg 2	7.875" 5.5" 17# J-55 4.892" 7827' 0.1305 0.1926 0.1733 Circ cmt to s Circ cmt to s		DV Tool at 5195 TOC at DV Tool		\times	Plug 5: Chacra: Balanced plug from 3233' to 3083' Plug 4: Mesa Verde: Balanced plug from 4419' to 4269' Plug 3: Mancos: Balanced plug from 5165' to 5015'.
	C	SIBP @ 7122' MD T Perfs TVE PBTD (MD MC	7178-98' 7270-82' 0 7428') 7783')		Plug 2: Gallup: Balanced plug from 5901' to 5751' Plug 1: Dakota: Balanced plug from 7122' - 6974'



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS Jicarilla Agency P.O. Box 167

Dulce, New Mexico 87528

November 15, 2019

Memorandum

To:

Robert Switzer, Environmental Protection Specialist

Bureau of Land Management, Farmington Field Office

From:

Kurt Sandoval, Realty Officer

Bureau of Indian Affairs, Jicarilla Agency

Subject:

BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.

Realty Officer

cc:

Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 357141

CONDITIONS

Operator:	OGRID:
DJR OPERATING, LLC	371838
200 Energy Court	Action Number:
Farmington, NM 87401	357141
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	approved for record - well plugged 6/10/24	7/5/2024