

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 200 Energy Court Farmington, NM 87401		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date RT	
⁴ API Number 30-043-21509	⁵ Pool Name Alamito N; Mancos (O)		⁶ Pool Code 98174
⁷ Property Code 325267	⁸ Property Name North Alamito Unit		⁹ Well Number 320H

II. ¹⁰ Surface Location

UL or lot no. D	Section 29	Township 23N	Range 7W	Lot Idn	Feet from the 1161'	North/South Line North	Feet from the 800'	East/West line West	County Sandoval
--------------------	---------------	-----------------	-------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. I	Section 29	Township 23N	Range 7W	Lot Idn	Feet from the 1380'	North/South line South	Feet from the 127'	East/West line East	County Sandoval
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date TBD	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP	O
	15 Smith Road, Suite 1000, Midland, TX 79705	
151618	Enterprise Field Services, LLC	G
	Post Office Box 4324, Houston, TX 77210	

IV. Well Completion Data

²¹ Spud Date 01/11/2023	²² Ready Date 07/14/2024	²³ TD 10,424' MD 5,158' TVD	²⁴ PBTD 10,407' MD 5,158' TVD	²⁵ Perforations 5,483' – 10,351' MD 5,151' – 5,170' TVD Frac Sleeve @ 10,370'	²⁶ DHC, MC	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
12.25		9.625" 36# J55		403'		125
8.75		7" 26# J55		5,475'		600
6.125		4.5" 11.6# P110		TOL: 5,234' BOL: 10,420'		448

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i> Printed name: Shaw-Marie Ford Title: Regulatory Specialist E-mail Address: sford@enduringresources.com Date: 06/11/2024		OIL CONSERVATION DIVISION	
		Approved by: <i>PATRICIA MARTINEZ</i>	
		Title: <i>PETROLEUM SPECIALIST</i>	
		Approval Date: <i>7/11/2024</i>	
		<i>RT EXPIRES 10/11/2024</i>	

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-043-21509	² Pool Code 98174	³ Pool Name NORTH ALAMITO UNIT MANCOS OIL POOL
⁴ Property Code 325267	⁵ Property Name NORTH ALAMITO UNIT	⁶ Well Number 320H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6902'


¹⁰ Surface Location									
UL or lot no. D	Section 29	Township 23N	Range 7W	Lot Idn	Feet from the 1161'	North/South line NORTH	Feet from the 800'	East/West line WEST	County SANDOVAL

¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. I	Section 29	Township 23N	Range 7W	Lot Idn	Feet from the 1380'	North/South line SOUTH	Feet from the 127'	East/West line EAST	County SANDOVAL

¹² Dedicated Acres SEC 29: NW/NW, NE/NW, SE/NW, SW/NE, SE/NE, NW/SE, NE/SE & SE/SE (320 AC.); SEC 28: NW/SW (40 AC.) = 360 ACRES	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14081 R-14081A
--	-------------------------------	----------------------------------	---

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



Certificate Number 11393



DJR
North Alamito
D29 2307
320H

End of Well Report



www.scientificdrilling.com





Company Name: DJR Operating
 Project: North Alamito Unit
 Site: D29 2307 Pad
 Well: # 320H
 Wellbore: Original Drilling



WELL DETAILS: # 320H

+N/-S	+E/-W	North	East	Latitude	Longitude
0	0	1892903.76	2790800.90	36.20199500	-107.60383500

2



Design: Original Drilling (# 320H/Original Drilling)

Created By: Janie Collins Date: 17:22, February 15 2023

PROJECT DETAILS: North Alamito Unit

Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: New Mexico Western Zone

System Datum: Mean Sea Level
 Local North: True



DJR Operating

North Alamito Unit

D29 2307 Pad

320H - Slot 2

Original Drilling

Design: Original Drilling

Standard Survey Report

15 February, 2023



www.scientificdrilling.com





Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 320H - Slot 2
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 320H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	North Alamito Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site		D29 2307 Pad			
Site Position:		Northing:	1,892,894.34 usft	Latitude:	36.20196900
From:	Lat/Long	Easting:	2,790,818.63 usft	Longitude:	-107.60377500
Position Uncertainty:	0 ft	Slot Radius:	13.20 in	Grid Convergence:	0.14 °

Well	# 320H - Slot 2					
Well Position	+N/-S	0 ft	Northing:	1,892,903.76 usft	Latitude:	36.20199500
	+E/-W	0 ft	Easting:	2,790,800.90 usft	Longitude:	-107.60383500
Position Uncertainty		0 ft	Wellhead Elevation:	ft	Ground Level:	6902 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2023	2/8/2023	8.42	62.65	48,995.80000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0	123.28	

Survey Program	Date	2/15/2023			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
436	4815	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
4910	5426	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
5527	10,424	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
436	0.10	230.27	436	0	0	0	0.02	0.02	0.00	
526	3.52	42.14	526	2	2	0	4.02	3.80	190.97	
616	5.09	29.79	616	7	5	0	2.02	1.74	-13.72	
708	5.89	19.02	707	15	9	-1	1.41	0.87	-11.71	
799	8.00	18.30	798	26	12	-4	2.32	2.32	-0.79	
890	10.01	16.92	887	39	17	-8	2.22	2.21	-1.52	
981	10.20	8.51	977	55	20	-13	1.63	0.21	-9.24	
1072	11.61	3.92	1066	72	22	-21	1.82	1.55	-5.04	



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 320H - Slot 2
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 320H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1163	11.30	2.38	1156	90	23	-30	0.48	-0.34	-1.69	
1253	10.78	0.58	1244	107	23	-39	0.69	-0.58	-2.00	
1343	10.74	6.12	1332	124	24	-48	1.15	-0.04	6.16	
1435	9.97	2.74	1423	140	26	-56	1.07	-0.84	-3.67	
1526	9.02	359.12	1513	155	26	-64	1.23	-1.04	-3.98	
1617	10.50	7.38	1602	171	27	-71	2.24	1.63	9.08	
1706	9.99	4.25	1690	187	29	-78	0.85	-0.57	-3.52	
1796	8.66	358.84	1779	201	29	-86	1.77	-1.48	-6.01	
1887	9.27	8.00	1869	215	30	-93	1.70	0.67	10.07	
1982	9.45	14.04	1962	230	33	-99	1.05	0.19	6.36	
2077	8.96	12.43	2056	245	36	-104	0.58	-0.52	-1.69	
2172	10.23	14.86	2150	261	40	-109	1.40	1.34	2.56	
2267	8.74	14.83	2243	276	44	-114	1.57	-1.57	-0.03	
2362	9.79	12.13	2337	291	48	-120	1.20	1.11	-2.84	
2457	9.75	11.72	2431	306	51	-125	0.08	-0.04	-0.43	
2551	10.17	10.18	2523	322	54	-132	0.53	0.45	-1.64	
2646	9.95	8.97	2617	339	57	-138	0.32	-0.23	-1.27	
2741	7.57	7.31	2711	353	59	-144	2.52	-2.51	-1.75	
2835	10.38	4.15	2804	368	60	-151	3.03	2.99	-3.36	
2931	8.90	2.62	2898	384	61	-159	1.56	-1.54	-1.59	
3025	10.21	4.53	2991	399	62	-167	1.43	1.39	2.03	
3120	9.21	2.54	3085	415	63	-175	1.11	-1.05	-2.09	
3215	10.16	6.03	3178	431	64	-183	1.18	1.00	3.67	
3310	8.93	5.85	3272	447	66	-190	1.30	-1.29	-0.19	
3405	11.32	9.66	3366	463	68	-197	2.61	2.52	4.01	
3499	10.75	9.83	3458	481	71	-204	0.61	-0.61	0.18	
3595	9.26	8.71	3552	497	74	-211	1.57	-1.55	-1.17	
3690	10.86	8.61	3646	514	77	-218	1.68	1.68	-0.11	
3785	9.16	6.28	3739	530	79	-225	1.84	-1.79	-2.45	
3880	10.65	5.34	3833	546	80	-233	1.58	1.57	-0.99	
3975	9.22	1.80	3927	563	82	-241	1.64	-1.51	-3.73	
4069	11.79	2.34	4019	580	82	-250	2.74	2.73	0.57	
4164	9.37	359.50	4112	597	82	-259	2.61	-2.55	-2.99	
4259	10.59	3.26	4206	614	83	-267	1.46	1.28	3.96	
4354	7.06	359.59	4300	628	83	-275	3.76	-3.72	-3.86	
4449	8.60	3.01	4394	641	84	-282	1.69	1.62	3.60	
4544	8.23	15.35	4488	655	86	-288	1.94	-0.39	12.99	
4626	7.89	31.86	4569	665	90	-290	2.84	-0.41	20.13	
4721	18.68	76.71	4662	674	109	-279	14.93	11.36	47.21	
4815	17.60	99.61	4751	676	137	-256	7.62	-1.15	24.36	
4910	21.86	118.84	4841	665	167	-225	8.12	4.48	20.24	
5005	31.41	128.48	4925	641	202	-183	11.00	10.05	10.15	
5100	42.68	124.63	5001	607	248	-126	12.11	11.86	-4.05	



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 320H - Slot 2
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 320H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5195	57.29	125.51	5062	565	307	-53	15.40	15.38	0.93
5290	66.49	130.84	5107	513	373	30	10.87	9.68	5.61
5384	74.41	133.63	5138	454	439	118	8.88	8.43	2.97
5426	81.77	132.39	5147	426	469	158	17.76	17.52	-2.95
5527	87.49	131.30	5156	359	544	258	5.76	5.66	-1.08
5618	87.68	130.72	5160	299	612	348	0.67	0.21	-0.64
5708	87.55	130.98	5164	240	680	437	0.32	-0.14	0.29
5799	88.32	130.78	5167	181	749	527	0.87	0.85	-0.22
5890	90.27	131.41	5168	121	818	617	2.25	2.14	0.69
5981	91.71	131.40	5167	61	886	707	1.58	1.58	-0.01
6072	91.41	133.94	5164	-1	953	797	2.81	-0.33	2.79
6162	91.21	134.37	5162	-64	1017	885	0.53	-0.22	0.48
6253	88.56	133.95	5162	-127	1082	975	2.95	-2.91	-0.46
6344	88.52	132.35	5165	-189	1149	1064	1.76	-0.04	-1.76
6434	87.79	130.25	5168	-249	1216	1153	2.47	-0.81	-2.33
6525	89.46	129.55	5170	-307	1286	1244	1.99	1.84	-0.77
6616	89.93	129.82	5170	-365	1356	1334	0.60	0.52	0.30
6708	90.54	130.82	5170	-425	1426	1425	1.27	0.66	1.09
6798	90.34	130.14	5169	-483	1495	1515	0.79	-0.22	-0.76
6888	90.00	129.60	5169	-541	1564	1604	0.71	-0.38	-0.60
6979	90.10	129.31	5169	-599	1634	1695	0.34	0.11	-0.32
7070	90.00	129.24	5169	-656	1705	1785	0.13	-0.11	-0.08
7162	90.10	129.03	5169	-714	1776	1877	0.25	0.11	-0.23
7252	90.13	129.03	5168	-771	1846	1966	0.03	0.03	0.00
7341	90.34	128.57	5168	-827	1915	2055	0.57	0.24	-0.52
7431	90.10	127.90	5168	-882	1986	2144	0.79	-0.27	-0.74
7521	90.17	127.45	5168	-937	2057	2234	0.51	0.08	-0.50
7611	91.28	129.20	5166	-993	2128	2324	2.30	1.23	1.94
7701	90.91	129.42	5165	-1050	2197	2413	0.48	-0.41	0.24
7791	89.73	129.58	5164	-1107	2267	2503	1.32	-1.31	0.18
7882	89.09	129.16	5165	-1165	2337	2593	0.84	-0.70	-0.46
7974	90.47	130.22	5165	-1224	2408	2685	1.89	1.50	1.15
8065	90.91	130.91	5164	-1283	2477	2775	0.90	0.48	0.76
8154	89.73	130.34	5164	-1341	2545	2863	1.47	-1.33	-0.64
8245	88.89	130.15	5165	-1400	2614	2954	0.95	-0.92	-0.21
8336	89.70	129.52	5166	-1458	2684	3044	1.13	0.89	-0.69
8427	90.94	130.92	5166	-1517	2753	3134	2.06	1.36	1.54
8519	90.27	130.13	5165	-1577	2823	3225	1.13	-0.73	-0.86
8610	90.81	129.24	5164	-1635	2893	3316	1.14	0.59	-0.98
8701	91.64	129.29	5162	-1692	2964	3406	0.91	0.91	0.05
8792	91.58	129.17	5159	-1750	3034	3497	0.15	-0.07	-0.13
8881	91.51	129.23	5157	-1806	3103	3585	0.10	-0.08	0.07
8973	90.81	130.42	5155	-1865	3174	3677	1.50	-0.76	1.29



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 320H - Slot 2
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 320H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9064	90.30	130.27	5154	-1924	3243	3767	0.58	-0.56	-0.16
9154	89.23	129.01	5155	-1981	3313	3856	1.84	-1.19	-1.40
9245	90.23	128.71	5155	-2038	3383	3947	1.15	1.10	-0.33
9336	90.44	130.82	5154	-2097	3453	4037	2.33	0.23	2.32
9429	88.99	129.90	5155	-2157	3524	4130	1.85	-1.56	-0.99
9520	88.99	129.64	5156	-2215	3594	4220	0.29	0.00	-0.29
9611	89.03	129.42	5158	-2273	3664	4311	0.25	0.04	-0.24
9705	88.69	128.74	5160	-2332	3737	4404	0.81	-0.36	-0.72
9799	89.97	129.35	5161	-2391	3810	4498	1.51	1.36	0.65
9893	91.07	130.42	5160	-2452	3882	4591	1.63	1.17	1.14
9988	90.97	130.07	5158	-2513	3955	4685	0.38	-0.11	-0.37
10,081	90.44	129.32	5157	-2572	4026	4778	0.99	-0.57	-0.81
10,174	89.83	127.92	5157	-2630	4099	4870	1.64	-0.66	-1.51
10,269	89.56	127.19	5158	-2688	4174	4965	0.82	-0.28	-0.77
10,359	89.73	127.12	5158	-2743	4246	5055	0.20	0.19	-0.08
10,424	89.73	127.12	5158	-2782	4298	5120	0.00	0.00	0.00

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
320H 85° Casing	0.00	0.00	5160	400	500	1,893,304.91	2,791,299.63	36.20309373	-107.60214136
- hit/miss target									
- Shape									
- actual wellpath misses target center by 8ft at 5467ft MD (5152 TVD, 398 N, 499 E)									
- Point									
320H Heel Rev 1	0.00	0.00	5175	257	678	1,893,162.34	2,791,478.51	36.20270090	-107.60153620
- actual wellpath misses target center by 16ft at 5696ft MD (5163 TVD, 248 N, 671 E)									
- Circle (radius 50)									
320H Toe Rev 1	0.00	0.00	5180	-2797	4262	1,890,117.06	2,795,069.20	36.19431110	-107.58939160
- actual wellpath misses target center by 40ft at 10404ft MD (5158 TVD, -2770 N, 4282 E)									
- Circle (radius 100)									

Design Annotations				
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
436	436	0	0	First Surface MWD Survey
4815	4751	676	137	Last Surface MWD Survey
4910	4841	665	167	First Curve MWD Survey
5426	5147	426	469	Last Curve MWD Survey
5527	5156	359	544	First Lateral MWD Survey
10,359	5158	-2743	4246	Last Lateral MWD Survey
10,424	5158	-2782	4298	Projection to TD



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 320H - Slot 2
Project:	North Alamo Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 320H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Checked By: _____ Approved By: _____ Date: _____


Scientific Drilling

Directional Survey Certification

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Operating
Well Name & No.	North Alamito D29 2307 320H
County & State	San Juan, NM
SDI Job No.	OP.038151
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby
certify that the attached directional survey run from a measured depth of 436 feet to a
measured depth of 10,424 feet is true and correct as determined from all available records.



Signature

15-Feb-23

Date

Janie Collins
Colorado District Well Planner
Scientific Drilling International

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 352851

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 200 Energy Court Farmington, NM 87401	OGRID: 371838
	Action Number: 352851
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 352851

CONDITIONS

Operator: DJR OPERATING, LLC 200 Energy Court Farmington, NM 87401	OGRID: 371838
	Action Number: 352851
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	RT EXPIRES 10/11/2024.	7/11/2024