

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT**Well Name:** BRAELYNN FEDERAL
COM**Well Location:** T15S / R29E / SEC 33 /
LOT 3 / 32.9659154 / -104.0324765**County or Parish/State:**
CHAVES / NM**Well Number:** 1H**Type of Well:** OIL WELL**Allottee or Tribe Name:****Lease Number:** NMNM129260**Unit or CA Name:****Unit or CA Number:****US Well Number:** 3000564386**Well Status:** Drilling Well**Operator:** BAM PERMIAN
OPERATING LLC**Subsequent Report****Sundry ID:** 2768107**Type of Submission:** Subsequent Report**Type of Action:** Drilling Operations**Date Sundry Submitted:** 01/04/2024**Time Sundry Submitted:** 08:12**Date Operation Actually Began:** 12/19/2023

Actual Procedure: Spud well at 6:00 AM MST on 12/19/2023. Drill 17-1/2" hole to 325'. Run 8 jts. 13-3/8" 48# H-40 casing to 321', FS-321', FC-279'. Cement 13-3/8" casing w/ 350 sx RFC 14.4# Class C (Yield-1.6) + 12% Gypsum + 2% CaCl + 3 pps Kol-Seal+ 0.4 pps defoamer, 200 sx 13.5# Class C (1.76 yield) + 4% Bentonite + 2% CaCl + 3 pps Kol-Seal + 0.4 pps defoamer + 0.125 pps Cellophane and 400 sx 14.8# Class C (Yield-1.34) + 2% CaCl. Did not circulate to surface. Test casing to 1,000 psi for 30 min. WOC 6 hours. Run Temp survey w/ est. TOC at 206'. RIH w/ 1" and tag cement at 200'. Cement w/ additional 230 sx 14.8 (1.34 yield) Class C + 3% CaCl down 1" and circulate 40 sx (10 bbl) to surface. Drill 12-1/4" hole to 1526'. Run 37 jts. 9-5/8" 36# J-55 casing to 1526', FS-1526', FC-1484'. Cement 9-5/8" w/ 500 sx 13.5# Class C (Yield-1.72) + 4% Bentonite + 0.4 pps defoamer + 0.125 pps cellophane & 250 sx 14.8# Class C (Yield-1.34) + 2% CaCl, circulated 398 sx (122 bbl) cement to surface. Test casing to 1500 psi for 30 min. Drill 8-3/4" hole to 7,947'. Run 105 jts. (4475') 5-1/2" 20# HCP-110 BTC & 89 jts. 7" 26# HCP-110 BTC (3452'), casing set at 7,927', FS-7,927', FC-7,881', Toe Sleeve-7,834'. Cement 5-1/2" & 7" casing with 450 sx 12.9# 35:65 POZ Class C + 6% Bentonite + 5% Salt + 0.2% Retarder + 3 pps Kol-Seal + 0.4 pps defoamer + 0.125 pps Cellophane and 1300 sx 13.0# 50/50 POZ Class C + 15% Pumice + 5% Salt + 5% Strength Enhancer + 4% Bentonite + 3% Expansion Agent + 0.5% Fluid Loss agent + 0.05% Retarder + 0.05% Anti-settling agent + 3 pps Kol-Seal + 0.4 pps defoamer. Circulate 740 sx (240 bbl) to surface. Test casing to 1500 psi for 30 min. Release rig at 4:00 PM MST on 12/28/2023.

Well Name: BRAELYN FEDERAL
COM**Well Location:** T15S / R29E / SEC 33 /
LOT 3 / 32.9659154 / -104.0324765**County or Parish/State:**
CHAVES / NM**Well Number:** 1H**Type of Well:** OIL WELL**Allottee or Tribe Name:****Lease Number:** NMNM129260**Unit or CA Name:****Unit or CA Number:****US Well Number:** 3000564386**Well Status:** Drilling Well**Operator:** BAM PERMIAN
OPERATING LLC**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: BRIAN WOOD**Signed on:** JAN 04, 2024 08:10 AM**Name:** BAM PERMIAN OPERATING LLC**Title:** President**Street Address:** 37 VERANO LOOP**City:** SANTA FE**State:** NM**Phone:** (505) 466-8120**Email address:** AFMSS@PERMITSWEST.COM**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:****BLM Point of Contact****BLM POC Name:** JENNIFER SANCHEZ**BLM POC Title:** Petroleum Engineer**BLM POC Phone:** 5756270237**BLM POC Email Address:** j1sanchez@blm.gov**Disposition:** Accepted**Disposition Date:** 01/17/2024**Signature:** Jennifer Sanchez

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 304565

CONDITIONS

Operator: BAM Permian Operating, LLC 4416 Briarwood Ave Midland, TX 79707	OGRID: 328565
	Action Number: 304565
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	7/26/2024