

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|   |
|---|
| WELL API NO.<br>30-025-01833  |
| 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No.  |
| 7. Lease Name or Unit Agreement Name<br>South Four Lakes Unit                                       |
| 8. Well Number<br>5   |
| 9. OGRID Number   |
| 10. Pool name or Wildcat  |

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒

2. Name of Operator  
Pride Energy Company

3. Address of Operator  
PO Box 701950, Tulsa, OK 74170

4. Well Location

Unit Letter C : 660 feet from the North line and 1,980 feet from the West line  
Section 2 Township 12S Range 34E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
4,150' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐ Drilling ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Plan to mobilize a workover rig to pull the packer and TBG. Will then wireline set a CIBP at 9,886' (50' above top perf) and dump 2 sx cement on top. Then plan to load the hole and test the CIBP and CSG to 500 PSI.

Run TA status MIT/BHT test

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE John Pride TITLE Gen. of Pride Oil & Gas Co. Inc., GP of DATE 7/26/24

Type or print name John Pride E-mail address: JohnP@pride-energy.com Telephone No. 918-524-9200  
For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/29/24

Conditions of Approval (if any):

**Well:**           **South Four Lakes Unit #5 SWD**

**Location:**     660' FNL & 1,980' FWL, Unit C, Sec. 2-12S-34E, Lea Co., NM

Field:

Plan to mobilize a workover rig to pull the packer and TBG. Will then wireline set a CIBP at 9,886' (50' above top perf) and dump 2 sx cement on top. Then plan to load the hole and test the CIBP and CSG to 500 PSI.

**Current Completion**

KB: 4161.0'  
 DF: 4160.0'  
 GL: 4150.0'  
 Datum: 11.0' above GL

**South Four Lakes Unit #5**

Steve Gillett 7/29/05

API # 30-025-01833

660' FNL & 1,980' FWL  
 Unit C, Sec 2-T12S-R34E  
 Lea Co, NM

TOC @ surface  
 13<sup>3</sup>/<sub>8</sub>" @ 415' w/ 400 sx

TOC @ surface  
 9<sup>5</sup>/<sub>8</sub>" 36# J-55 @ 4215'  
 w/ 2500 sx in 12<sup>1</sup>/<sub>4</sub>" hole

5<sup>1</sup>/<sub>2</sub>" 15.5# J-55 from O/S to surf


7<sup>5</sup>/<sub>8</sub>" Bowen lead seal O/S @ 5125'

TOC @ 8205'

Penn "A" perfs: 9936'-45', 2 spf  
 2 spf, 19 holes **SQZ'D** w/ 100 sx  
 re-perfed: 9936'-45', 4 spf, 36 holes

Penn "C" perfs: 10284'-315'  
 4 spf, 124 holes

PBTD = 10,420'  
 5<sup>1</sup>/<sub>2</sub>" @ 10,456' w/ 350 sx in 8<sup>3</sup>/<sub>4</sub>" hole



2<sup>7</sup>/<sub>8</sub>" 6.5# N-80 8R EUE IPC tbg


SN above pkr  
 Arrowset pkr @ 9875'±

Baker "D" pkr pushed to 10,422

110 sx plug 10,456' - 10,600

80 sx plug 11,400' - 11,600'

100 sx plug 12,760' - 13,010'



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 367485

CONDITIONS

|   |  |
|---|--|
| Operator:<br>PRIDE ENERGY COMPANY<br>P.O. Box 701950<br>Tulsa, OK 741701950 | OGRID:<br>151323   |
|   | Action Number:<br>367485                                   |
|   | Action Type:<br>[C-103] NOI Temporary Abandonment (C-103I) |

CONDITIONS

| Created By | Condition                  | Condition Date |
|------------|----------------------------|----------------|
| kfortner   | Run TA status MIT/BHT test | 7/29/2024      |