

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-36528
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name South Four Lakes Unit
8. Well Number 13
9. OGRID Number
10. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒

2. Name of Operator
Pride Energy Company

3. Address of Operator
PO Box 701950, Tulsa, OK 74170

4. Well Location
Unit Letter _____: _____ 1,830 _____ feet from the _____ South _____ line and _____ 735 _____ feet from the _____ West _____ line
Section 1 Township 12N Range 34W NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4,142' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Drilling ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Mobilize workover rig to pull one jt of TBG. Will then wireline set a CIBP at 10,300' (50' above top perf) and dump 2 sx cement on top. Then plan to load the hole and test the CIBP and CSG to 500 PSI.

Run TA status MIT/BHT test

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE John Pride TITLE Pres. of Pride Oil & Gas Co., Inc., GP of Pride Energy Company DATE 7/26/24

Type or print name John Pride E-mail address: JohnP@pride-energy.com Telephone No. 918-524-9200

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/29/24

Conditions of Approval (if any):

Well: **South Four Lakes Unit #13 SWD**

Location: 1,830' FSL & 735' FEL, Sec 1-T12N-R34W, Lea Co, New Mexico

Field:

Mobilize workover rig to pull one jt of TBG. Will then wireline set a CIBP at 10,300' (50' above top perf) and dump 2 sx cement on top. Then plan to load the hole and test the CIBP and CSG to 500 PSI.

Current Completion

KB: 4157.5'
 DF: 4156.5'
 GL: 4142.0'
 Datum: 15.5' above GL

S. 4 Lakes Unit #13

John Pride 9/8/16

API # 30-025-36528
 1830' FSL & 735' FWL
 Sec 1-T12N-R34W
 Lea Co, NM

13 $\frac{3}{8}$ " 48# H-40 340'
 w/ 300 sx in 17 $\frac{1}{2}$ " hole
 TOC @ surface

9 $\frac{5}{8}$ " 36# & 40# J-55 LTC 4156'
 w/ 450 sx in 12 $\frac{1}{4}$ " hole
 TOC @ surface

S. 4 Lakes Unit # 13 SWD

(Only has 1 jt. of tubing in wellbore)

PENN "C" perfs @ 10,350'-58' = 8'
 3 spf = 24 holes


Penn Dolomite/Shale perfs @

10,384-94 = 10', 1 spf
 10,424-26 = 2', 1 spf
 10,432-34 = 2', 1 spf
 10,454-58 = 4', 1 spf
 10,464-66 = 2', 1 spf
 10,468-70 = 2', 1 spf
 10,476-86 = 10', 1 spf
 10,496-505 = 9', 1 spf
 10,516-33 = 17', 1 spf
 10,542-44 = 2', 1 spf
 60' = 60 holes

CIBP @ 10,600' capped

w/20' sand
 Canyon "B" perfs 10,680'-92', = 8'

5 $\frac{1}{2}$ " 17# P-110 LTC @ 10792'
 w/ 1,955 sx, TOC @ 4,090' by CBL
 8 $\frac{3}{4}$ " hole to 8,869'
 7 $\frac{7}{8}$ " hole 8,869' to T.D.



Proposed T&A

KB: 4157.5'
 DF: 4156.5'
 GL: 4142.0'
 Datum: 15.5' above GL

S. 4 Lakes Unit #13

API # 30-025-36528
 1830' FSL & 735' FWL
 Sec 1-T12N-R34W
 Lea Co, NM

13³/₈" 48# H-40 340'
 w/ 300 sx in 17¹/₂" hole
 TOC @ surface

9⁵/₈" 36# & 40# J-55 LTC 4156'
 w/ 450 sx in 12¹/₄" hole
 TOC @ surface

S. 4 Lakes Unit #13 SWD

PENN "C" perfs @ 10,350'-58' = 8'
 3 spf = 24 holes


Penn Dolomite/Shale perfs @

10,384-94 = 10', 1 spf
 10,424-26 = 2', 1 spf
 10,432-34 = 2', 1 spf
 10,454-58 = 4', 1 spf
 10,464-66 = 2', 1 spf
 10,468-70 = 2', 1 spf
 10,476-86 = 10', 1 spf
 10,496-505 = 9', 1 spf
 10,516-33 = 17', 1 spf
 10,542-44 = 2', 1 spf
 60' = 60 holes

CIBP @ 10,600' capped

w/20' sand
 Canyon "B" perfs 10,680'-92', = 8'

5¹/₂" 17# P-110 LTC @ 10792'
 w/ 1,955 sx, TOC @ 4,090' by CBL
 8 3/4" hole to 8,869'
 7 7/8" hole 8,869' to T.D.



Set CIBP @ 10,300' w/ 2 sx cmt on top

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 367481

CONDITIONS

Operator: PRIDE ENERGY COMPANY P.O. Box 701950 Tulsa, OK 741701950	OGRID: 151323
	Action Number: 367481
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA status MIT/BHT test	7/29/2024