

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural
Resources

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

Oil Conservation Division
1220 South St. Francis Dr.

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		² OGRID Number 7377	
		³ Reason for Filing Code/ Effective Date NW 02/12/2022	
⁴ API Number 30 - 025-46783	⁵ Pool Name TRISTE DRAW; BONE SPRING, EAST		⁶ Pool Code 96682
⁷ Property Code 317562	⁸ Property Name FRAZIER 27 STATE COM		⁹ Well Number 209H

II. ¹⁰ Surface Location

UL or lot no. C	Section 27	Township 24S	Range 33E	Lot Idn	Feet from the 549	North/South Line NORTH	Feet from the 1374	East/West line WEST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. M	Section 34	Township 24S	Range 33E	Lot Idn	Feet from the 121	North/South line SOUTH	Feet from the 980	East/West line WEST	County LEA
¹² Lse Code	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 09/19/2021	²² Ready Date 02/12/2022	²³ TD 20,017'	²⁴ PBTD 19,992'	²⁵ Perforations 9908 - 19,992'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17 1/2"		13 3/8"	1339'		1345 SXS CL C/CIRC
12 1/4"		9 5/8"	5130'		1480 SXS CL C/CIRC
8 1/2"		5 1/2"	20,000'		3155 SXS CL H TOC 3438' CBL

V. Well Test Data

³¹ Date New Oil 02/12/2022	³² Gas Delivery Date 02/12/2022	³³ Test Date 02/23/2022	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 582
³⁷ Choke Size 128	³⁸ Oil 3208	³⁹ Water 4257	⁴⁰ Gas 5048		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Kay Maddox			OIL CONSERVATION DIVISION		
Printed name: Kay Maddox			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: SENIOR REGULATORY SPECIALIST			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: kay_maddox@eogresources.com			Approval Date: <i>7/31/2024</i>		
Date: 02/24/2022		Phone: 432-638-8475			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025- 46783	² Pool Code 96682	³ Pool Name TRISTE DRAW; BONE SPRING, EAST
⁴ Property Code 317562	⁵ Property Name FRAZIER 27 STATE COM	⁶ Well Number 209H
⁷ OGRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.	⁹ Elevation 3517'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	27	24-S	33-E	-	549'	NORTH	1374'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	34	24-S	33-E	-	121'	SOUTH	980'	WEST	LEA

¹² Dedicated Acres 640.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Kay Maddox 02/24/2022
Signature Date

KAY MADDOX

Printed Name

KAY.MADDOX@EOGRESOURCES.COM


E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

09/14/2021


Date of Survey
Signature and Seal of Professional Surveyor



Certificate Number



LEASE NAME & WELL NO.: FRAZIER 27 STATE COM 209H
SECTION 27 TWP. 24-S RGE 33-E SURVEY N.M.P.M.
COUNTY LEA STATE NM ELEVATION 3517'
DESCRIPTION 549' FNL & 1374' FWL



Ramon A. Dominguez, P.S. No. 24508
February 10, 2022



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM



FRAZIER 27 STATE COM 209H AS-DRILLED		REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY EOG RESOURCES, INC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
DATE:	02/10/22			
FILE:	AD_FRAZIER_27_STATE_COM_209H			
DRAWN BY:	SAR			
SHEET :	2 OF 2			



Midland

Lea County, NM (NAD 83 NME)
Frazier 27 State Com
#209H
OH

Design: OH

Midland PVA

29 November, 2021



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Frazier 27 State Com		
Site Position:		Northing:	434,765.00 usft
From:	Map	Easting:	782,361.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 11' 34.246 N
		Longitude:	103° 33' 15.061 W
		Grid Convergence:	0.42 °

Well	#209H		
Well Position	+N/-S	0.0 usft	Northing:
	+E/-W	0.0 usft	Easting:
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 11' 39.644 N
		Longitude:	103° 33' 51.393 W
		Ground Level:	3,517.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	10/11/2021	6.50	59.86	47,442.98079102

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	181.80

Survey Program	Date	11/18/2021		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
195.0	20,017.0	Total MWD (OH)	EOG MWD+IFR1	MWD + IFR1



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0	
195.0	1.05	281.09	195.0	0.3	-1.8	0.54	0.54	0.00	-1.8	0.0	
312.0	0.92	276.17	312.0	0.7	-3.7	0.13	-0.11	-4.21	-3.8	-0.2	
399.0	0.92	311.94	399.0	1.2	-5.0	0.65	0.00	41.11	-4.5	2.4	
485.0	0.88	299.63	485.0	2.0	-6.0	0.23	-0.05	-14.31	-6.2	1.3	
572.0	0.92	320.38	571.9	2.8	-7.1	0.38	0.05	23.85	-6.7	3.6	
659.0	1.01	320.55	658.9	4.0	-8.0	0.10	0.10	0.20	-8.2	3.6	
758.0	0.97	310.36	757.9	5.2	-9.2	0.18	-0.04	-10.29	-10.4	2.0	
853.0	0.92	316.60	852.9	6.3	-10.3	0.12	-0.05	6.57	-11.7	3.2	
948.0	1.32	324.07	947.9	7.7	-11.5	0.45	0.42	7.86	-13.0	4.8	
1,043.0	1.41	307.72	1,042.9	9.3	-13.1	0.42	0.09	-17.21	-16.0	0.6	
1,138.0	1.10	322.40	1,137.8	10.7	-14.5	0.47	-0.33	15.45	-17.4	5.0	
1,233.0	1.14	305.52	1,232.8	12.0	-15.9	0.35	0.04	-17.77	-19.9	-0.6	
1,291.0	1.19	321.26	1,290.8	12.8	-16.7	0.56	0.09	27.14	-20.5	5.0	
1,404.0	1.10	317.13	1,403.8	14.5	-18.2	0.11	-0.08	-3.65	-23.0	3.4	
1,499.0	2.59	328.82	1,498.7	17.0	-19.9	1.61	1.57	12.31	-23.2	8.0	
1,594.0	4.83	336.12	1,593.5	22.5	-22.6	2.41	2.36	7.68	-23.4	10.0	
1,689.0	5.23	339.37	1,688.2	30.2	-25.8	0.52	0.42	3.42	-23.4	9.1	
1,784.0	6.46	334.89	1,782.7	39.1	-29.6	1.38	1.29	-4.72	-23.9	4.7	
1,879.0	7.03	334.19	1,877.0	49.2	-34.4	0.61	0.60	-0.74	-25.3	2.3	
1,974.0	8.35	329.70	1,971.1	60.4	-40.4	1.53	1.39	-4.73	-28.2	-1.5	
2,069.0	8.35	327.77	2,065.1	72.2	-47.6	0.30	0.00	-2.03	-31.9	-3.6	
2,164.0	7.87	329.53	2,159.2	83.6	-54.5	0.57	-0.51	1.85	-35.5	-3.7	
2,259.0	7.38	328.82	2,253.4	94.5	-61.0	0.53	-0.52	-0.75	-38.0	-5.4	
2,354.0	7.60	316.78	2,347.5	104.3	-68.5	1.67	0.23	-12.67	-38.3	-13.5	
2,449.0	7.29	316.69	2,441.7	113.2	-76.9	0.33	-0.33	-0.09	-40.6	-12.6	
2,544.0	6.90	319.16	2,536.0	121.9	-84.8	0.52	-0.41	2.60	-42.8	-10.1	



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
2,639.0	6.50	319.33	2,630.4	130.3	-92.0	0.42	-0.42	0.18	-43.9	-9.5	
2,734.0	6.15	320.30	2,724.8	138.3	-98.7	0.39	-0.37	1.02	-44.5	-8.3	
2,829.0	5.89	323.90	2,819.3	146.2	-104.9	0.48	-0.27	3.79	-44.8	-5.5	
2,923.0	5.62	324.96	2,912.8	153.8	-110.4	0.31	-0.29	1.13	-44.4	-5.1	
3,018.0	5.27	327.24	3,007.4	161.3	-115.4	0.43	-0.37	2.40	-43.6	-4.0	
3,113.0	4.97	330.93	3,102.0	168.6	-119.7	0.47	-0.32	3.88	-42.3	-2.5	
3,208.0	6.77	326.36	3,196.5	176.8	-124.8	1.96	1.89	-4.81	-41.6	-6.9	
3,303.0	6.99	329.53	3,290.8	186.5	-130.9	0.46	0.23	3.34	-43.3	-5.5	
3,397.0	6.33	334.01	3,384.2	196.1	-136.1	0.89	-0.70	4.77	-44.8	-3.7	
3,492.0	6.81	319.60	3,478.5	205.1	-142.0	1.80	0.51	-15.17	-43.1	-15.6	
3,587.0	6.64	322.76	3,572.9	213.7	-149.0	0.43	-0.18	3.33	-45.0	-13.0	
3,682.0	5.93	325.13	3,667.3	222.1	-155.1	0.80	-0.75	2.49	-45.8	-11.4	
3,777.0	5.80	316.96	3,761.8	229.7	-161.2	0.89	-0.14	-8.60	-43.4	-17.6	
3,872.0	5.89	312.04	3,856.3	236.4	-168.1	0.54	0.09	-5.18	-41.5	-19.8	
3,967.0	4.97	313.00	3,950.9	242.5	-174.7	0.97	-0.97	1.01	-40.9	-17.5	
4,062.0	5.49	317.31	4,045.5	248.6	-180.8	0.69	0.55	4.54	-40.7	-13.2	
4,157.0	6.28	324.52	4,140.0	256.2	-186.9	1.14	0.83	7.59	-41.7	-7.9	
4,252.0	5.32	324.78	4,234.5	264.0	-192.5	1.01	-1.01	0.27	-41.3	-8.1	
4,347.0	6.11	323.64	4,329.1	271.7	-198.0	0.84	0.83	-1.20	-40.5	-9.3	
4,442.0	6.33	331.02	4,423.5	280.4	-203.5	0.87	0.23	7.77	-41.7	-4.9	
4,537.0	5.19	330.14	4,518.0	288.7	-208.2	1.20	-1.20	-0.93	-41.2	-7.0	
4,632.0	6.20	321.70	4,612.5	296.4	-213.5	1.38	1.06	-8.88	-39.0	-13.5	
4,727.0	4.92	324.34	4,707.1	303.8	-219.1	1.37	-1.35	2.78	-38.8	-11.9	
4,822.0	5.01	313.00	4,801.7	309.9	-224.5	1.04	0.09	-11.94	-33.9	-18.4	
4,917.0	5.14	309.75	4,896.4	315.5	-230.8	0.33	0.14	-3.42	-31.4	-18.4	
5,012.0	5.58	315.38	4,991.0	321.5	-237.3	0.72	0.46	5.93	-31.9	-13.6	
5,082.0	6.37	316.96	5,060.6	326.7	-242.3	1.15	1.13	2.26	-32.2	-12.0	



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
5,222.0	5.36	314.32	5,199.8	337.0	-252.3	0.75	-0.72	-1.89	-31.2	-11.8
5,317.0	5.98	315.90	5,294.4	343.6	-258.9	0.67	0.65	1.66	-30.9	-9.7
5,412.0	6.50	314.24	5,388.8	350.9	-266.2	0.58	0.55	-1.75	-31.0	-9.3
5,507.0	6.33	315.99	5,483.2	358.4	-273.7	0.27	-0.18	1.84	-31.9	-7.1
5,601.0	6.33	314.32	5,576.6	365.8	-281.0	0.20	0.00	-1.78	-32.1	-6.8
5,696.0	6.33	313.53	5,671.1	373.1	-288.6	0.09	0.00	-0.83	-32.6	-5.8
5,792.0	6.59	313.18	5,766.5	380.5	-296.4	0.27	0.27	-0.36	-33.3	-4.5
5,887.0	6.50	310.28	5,860.8	387.7	-304.5	0.36	-0.09	-3.05	-34.0	-4.4
5,981.0	6.59	309.23	5,954.2	394.5	-312.8	0.16	0.10	-1.12	-35.0	-2.9
6,076.0	6.15	308.35	6,048.6	401.1	-321.0	0.47	-0.46	-0.93	-35.7	-1.1
6,171.0	6.06	305.36	6,143.1	407.2	-329.0	0.35	-0.09	-3.15	-36.1	-0.3
6,266.0	6.33	328.82	6,237.6	414.6	-335.8	2.66	0.28	24.69	-33.1	14.9
6,361.0	6.42	328.56	6,332.0	423.6	-341.3	0.10	0.09	-0.27	-33.7	13.6
6,456.0	6.11	327.24	6,426.4	432.4	-346.8	0.36	-0.33	-1.39	-34.4	11.8
6,551.0	6.28	327.42	6,520.8	441.0	-352.4	0.18	0.18	0.19	-34.6	11.0
6,646.0	6.28	329.26	6,615.3	449.9	-357.8	0.21	0.00	1.94	-34.6	11.0
6,740.0	6.46	327.51	6,708.7	458.7	-363.3	0.28	0.19	-1.86	-35.5	8.9
6,835.0	6.24	326.36	6,803.1	467.5	-369.0	0.27	-0.23	-1.21	-36.1	7.3
6,930.0	6.11	326.28	6,897.6	476.0	-374.7	0.14	-0.14	-0.08	-36.3	6.5
7,025.0	5.67	325.22	6,992.1	484.1	-380.2	0.48	-0.46	-1.12	-36.1	5.2
7,120.0	5.71	324.78	7,086.6	491.8	-385.6	0.06	0.04	-0.46	-35.5	4.5
7,215.0	5.49	320.39	7,181.1	499.2	-391.2	0.51	-0.23	-4.62	-35.0	1.7
7,310.0	3.56	329.35	7,275.8	505.2	-395.6	2.16	-2.03	9.43	-31.8	6.5
7,405.0	0.92	330.93	7,370.8	508.4	-397.5	2.78	-2.78	1.66	-25.9	6.1
7,500.0	1.32	320.83	7,465.7	509.9	-398.5	0.47	0.42	-10.63	-21.9	1.5
7,595.0	0.88	265.02	7,560.7	510.7	-400.0	1.16	-0.46	-58.75	-13.0	-15.3
7,690.0	2.55	184.33	7,655.7	508.6	-400.8	2.69	1.76	-84.94	10.4	-15.7



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
7,784.0	2.20	180.55	7,749.6	504.7	-401.0	0.41	-0.37	-4.02	7.5	-15.1	
7,879.0	0.48	152.52	7,844.6	502.5	-400.8	1.88	-1.81	-29.51	11.7	-10.6	
7,974.0	0.40	174.84	7,939.6	501.8	-400.6	0.20	-0.08	23.49	6.1	-14.1	
8,069.0	0.13	358.27	8,034.6	501.6	-400.6	0.56	-0.28	-185.86	-5.0	14.5	
8,163.0	0.18	84.31	8,128.6	501.7	-400.5	0.23	0.05	91.53	13.9	6.1	
8,258.0	0.40	255.96	8,223.6	501.6	-400.6	0.61	0.23	180.68	-13.1	-8.0	
8,353.0	0.62	225.47	8,318.6	501.2	-401.3	0.36	0.23	-32.09	-8.0	-13.7	
8,448.0	0.97	248.49	8,413.6	500.5	-402.4	0.49	0.37	24.23	-14.0	-9.3	
8,543.0	0.88	224.76	8,508.6	499.7	-403.7	0.41	-0.09	-24.98	-10.5	-14.5	
8,637.0	1.19	229.86	8,602.5	498.6	-405.0	0.34	0.33	5.43	-13.5	-13.4	
8,732.0	1.14	228.28	8,697.5	497.3	-406.4	0.06	-0.05	-1.66	-15.0	-13.8	
8,827.0	1.32	218.87	8,792.5	495.8	-407.8	0.28	0.19	-9.91	-14.6	-16.3	
8,922.0	1.36	210.08	8,887.5	494.0	-409.1	0.22	0.04	-9.25	-14.1	-18.5	
9,017.0	1.14	222.30	8,982.4	492.3	-410.3	0.36	-0.23	12.86	-19.8	-14.8	
9,112.0	0.97	209.21	9,077.4	490.9	-411.3	0.31	-0.18	-13.78	-17.6	-19.1	
9,242.0	0.97	236.36	9,207.4	489.4	-412.7	0.35	0.00	20.88	-26.5	-8.5	
9,305.0	3.94	166.45	9,270.4	487.0	-412.7	5.90	4.71	-110.96	-3.1	-28.2	
KOP, MD:9305.0', TVD:9270.4',N/S:487.0', E/W:-412.7', INC:3.94											
9,347.0	6.37	160.97	9,312.2	483.4	-411.6	5.90	5.79	-13.06	-1.1	-27.5	
9,442.0	14.67	172.72	9,405.5	466.4	-408.3	8.98	8.74	12.37	-5.4	-23.3	
9,509.2	19.79	164.49	9,469.7	447.0	-404.2	8.42	7.62	-12.25	-0.1	-19.2	
FTP Crossing, MD:9509.2', TVD:9469.7',N/S:447.0', E/W:-404.2', INC:19.79											
9,537.0	21.98	162.19	9,495.7	437.5	-401.4	8.42	7.89	-8.27	1.7	-15.9	
9,632.0	28.94	170.50	9,581.4	397.9	-392.1	8.22	7.33	8.75	7.3	-5.9	
9,726.0	40.09	172.62	9,658.7	345.2	-384.4	11.93	11.86	2.26	15.3	1.8	
9,821.0	44.16	175.56	9,729.2	281.9	-378.0	4.76	4.28	3.09	26.3	7.7	
9,916.0	61.56	176.18	9,786.3	206.6	-372.6	18.32	18.32	0.65	34.7	12.3	



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
9,972.0	74.40	179.71	9,807.3	154.9	-370.8	23.66	22.93	6.30	32.0	12.8
10,011.0	83.23	180.20	9,814.8	116.6	-370.8	22.67	22.64	1.26	25.6	12.6
10,106.0	87.67	180.73	9,822.4	22.0	-371.5	4.71	4.67	0.56	9.7	11.1
10,201.0	89.30	181.08	9,824.9	-73.0	-373.0	1.75	1.72	0.37	3.9	8.9
10,296.0	89.08	180.38	9,826.2	-168.0	-374.2	0.77	-0.23	-0.74	4.4	7.0
10,390.0	88.42	180.47	9,828.3	-261.9	-374.9	0.71	-0.70	0.10	5.6	5.6
10,485.0	90.53	180.29	9,829.2	-356.9	-375.6	2.23	2.22	-0.19	5.7	4.3
10,580.0	91.19	180.47	9,827.7	-451.9	-376.2	0.72	0.69	0.19	3.4	3.0
10,675.0	91.49	180.64	9,825.5	-546.9	-377.1	0.36	0.32	0.18	0.3	1.4
10,770.0	91.93	180.20	9,822.7	-641.8	-377.8	0.65	0.46	-0.46	-3.4	0.0
10,865.0	89.65	180.20	9,821.4	-736.8	-378.1	2.40	-2.40	0.00	-5.5	-1.0
10,959.0	89.30	180.03	9,822.2	-830.8	-378.3	0.41	-0.37	-0.18	-5.5	-1.9
11,054.0	89.65	179.50	9,823.1	-925.8	-377.9	0.67	0.37	-0.56	-5.5	-2.2
11,149.0	89.82	179.32	9,823.5	-1,020.8	-377.0	0.26	0.18	-0.19	-5.9	-1.9
11,244.0	89.87	179.41	9,823.8	-1,115.8	-375.9	0.11	0.05	0.09	-6.5	-1.5
11,339.0	87.85	179.94	9,825.7	-1,210.8	-375.4	2.20	-2.13	0.56	-5.5	-1.7
11,434.0	87.89	179.50	9,829.2	-1,305.7	-374.9	0.46	0.04	-0.46	-2.8	-1.9
11,529.0	87.89	179.24	9,832.7	-1,400.6	-373.9	0.27	0.00	-0.27	-0.1	-1.6
11,624.0	90.57	180.29	9,834.0	-1,495.6	-373.5	3.03	2.82	1.11	0.3	-1.9
11,718.0	92.07	180.29	9,831.8	-1,589.6	-373.9	1.60	1.60	0.00	-2.7	-3.0
11,813.0	92.11	179.85	9,828.4	-1,684.5	-374.1	0.46	0.04	-0.46	-7.0	-3.8
11,908.0	89.03	182.13	9,827.4	-1,779.5	-375.7	4.03	-3.24	2.40	-8.8	-6.1
12,003.0	91.36	183.10	9,827.1	-1,874.4	-380.0	2.66	2.45	1.02	-10.0	-11.2
12,098.0	88.95	183.45	9,826.8	-1,969.2	-385.5	2.56	-2.54	0.37	-11.1	-17.2
12,193.0	87.71	179.94	9,829.6	-2,064.1	-388.3	3.92	-1.31	-3.69	-9.2	-20.8
12,288.0	89.78	180.03	9,831.7	-2,159.1	-388.3	2.18	2.18	0.09	-8.0	-21.4
12,383.0	91.14	179.85	9,830.9	-2,254.1	-388.2	1.44	1.43	-0.19	-9.6	-22.0



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
12,478.0	90.48	178.53	9,829.6	-2,349.1	-386.8	1.55	-0.69	-1.39	-11.8	-21.3
12,573.0	89.91	178.88	9,829.3	-2,444.0	-384.7	0.70	-0.60	0.37	-12.9	-19.9
12,667.0	89.69	178.97	9,829.6	-2,538.0	-382.9	0.25	-0.23	0.10	-13.4	-18.8
12,762.0	90.09	178.80	9,829.8	-2,633.0	-381.1	0.46	0.42	-0.18	-14.1	-17.6
12,857.0	89.38	178.09	9,830.2	-2,728.0	-378.5	1.06	-0.75	-0.75	-14.5	-15.7
12,952.0	87.80	176.60	9,832.5	-2,822.8	-374.1	2.29	-1.66	-1.57	-13.0	-12.0
13,047.0	89.43	177.56	9,834.8	-2,917.7	-369.2	1.99	1.72	1.01	-11.6	-7.9
13,142.0	89.43	177.83	9,835.8	-3,012.6	-365.4	0.28	0.00	0.28	-11.5	-4.7
13,237.0	90.26	177.39	9,836.0	-3,107.5	-361.5	0.99	0.87	-0.46	-12.1	-1.5
13,332.0	91.67	177.48	9,834.4	-3,202.4	-357.2	1.49	1.48	0.09	-14.5	2.1
13,427.0	91.19	177.56	9,832.1	-3,297.3	-353.1	0.51	-0.51	0.08	-17.8	5.5
13,543.0	90.22	179.32	9,830.6	-3,413.2	-349.9	1.73	-0.84	1.52	-20.2	7.8
13,638.0	89.52	180.38	9,830.9	-3,508.2	-349.7	1.34	-0.74	1.12	-20.9	7.4
13,733.0	88.15	180.38	9,832.8	-3,603.2	-350.3	1.44	-1.44	0.00	-19.8	6.1
13,827.0	88.59	180.29	9,835.5	-3,697.2	-350.9	0.48	0.47	-0.10	-17.9	4.9
13,922.0	89.78	180.11	9,836.8	-3,792.1	-351.2	1.27	1.25	-0.19	-17.4	3.9
14,017.0	88.78	178.62	9,838.0	-3,887.1	-350.1	1.89	-1.05	-1.57	-17.1	4.2
14,112.0	89.25	178.88	9,839.6	-3,982.1	-348.1	0.57	0.49	0.27	-16.3	5.6
14,207.0	90.70	179.32	9,839.7	-4,077.1	-346.6	1.60	1.53	0.46	-17.1	6.4
14,303.0	88.29	179.24	9,840.5	-4,173.1	-345.4	2.51	-2.51	-0.08	-17.1	6.9
14,397.0	88.86	179.15	9,842.9	-4,267.0	-344.1	0.61	0.61	-0.10	-15.6	7.6
14,492.0	88.73	179.41	9,844.9	-4,362.0	-342.9	0.31	-0.14	0.27	-14.5	8.1
14,587.0	89.38	179.85	9,846.4	-4,457.0	-342.2	0.83	0.68	0.46	-13.8	8.0
14,682.0	89.56	180.38	9,847.3	-4,552.0	-342.4	0.59	0.19	0.56	-13.8	7.1
14,777.0	89.30	180.64	9,848.3	-4,647.0	-343.3	0.39	-0.27	0.27	-13.7	5.6
14,872.0	88.90	181.17	9,849.7	-4,741.9	-344.8	0.70	-0.42	0.56	-13.0	3.4
14,967.0	88.64	181.34	9,851.8	-4,836.9	-346.9	0.33	-0.27	0.18	-11.8	0.6



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
15,062.0	89.60	180.73	9,853.2	-4,931.9	-348.6	1.20	1.01	-0.64	-11.2	-1.8	
15,157.0	90.48	180.99	9,853.2	-5,026.9	-350.0	0.97	0.93	0.27	-12.2	-3.9	
15,252.0	91.10	180.73	9,851.9	-5,121.8	-351.4	0.71	0.65	-0.27	-14.4	-6.0	
15,347.0	92.50	180.38	9,848.9	-5,216.8	-352.4	1.52	1.47	-0.37	-18.4	-7.6	
15,442.0	90.26	178.53	9,846.6	-5,311.7	-351.4	3.06	-2.36	-1.95	-21.6	-7.4	
15,537.0	88.86	178.36	9,847.3	-5,406.7	-348.9	1.48	-1.47	-0.18	-21.8	-5.5	
15,632.0	88.51	178.00	9,849.5	-5,501.6	-345.9	0.53	-0.37	-0.38	-20.6	-3.1	
15,727.0	88.33	178.44	9,852.1	-5,596.5	-342.9	0.50	-0.19	0.46	-18.9	-0.9	
15,821.0	87.71	178.27	9,855.4	-5,690.4	-340.2	0.68	-0.66	-0.18	-16.6	1.1	
15,916.0	88.64	177.30	9,858.4	-5,785.3	-336.5	1.41	0.98	-1.02	-14.5	4.1	
16,011.0	88.37	176.86	9,860.9	-5,880.2	-331.7	0.54	-0.28	-0.46	-13.0	8.3	
16,105.0	89.69	178.53	9,862.5	-5,974.1	-327.9	2.26	1.40	1.78	-12.3	11.4	
16,201.0	90.66	178.53	9,862.2	-6,070.0	-325.5	1.01	1.01	0.00	-13.6	13.2	
16,296.0	90.92	178.44	9,860.9	-6,165.0	-322.9	0.29	0.27	-0.09	-15.9	15.0	
16,390.0	90.75	178.36	9,859.5	-6,259.0	-320.3	0.20	-0.18	-0.09	-18.2	16.9	
16,485.0	89.65	181.17	9,859.2	-6,353.9	-319.9	3.18	-1.16	2.96	-19.4	16.6	
16,580.0	90.62	181.43	9,858.9	-6,448.9	-322.1	1.06	1.02	0.27	-20.6	13.8	
16,675.0	89.43	180.03	9,858.9	-6,543.9	-323.3	1.93	-1.25	-1.47	-21.6	11.9	
16,770.0	89.69	179.85	9,859.6	-6,638.9	-323.2	0.33	0.27	-0.19	-21.8	11.3	
16,865.0	87.32	179.24	9,862.1	-6,733.9	-322.4	2.58	-2.49	-0.64	-20.3	11.4	
16,960.0	87.71	178.53	9,866.2	-6,828.7	-320.6	0.85	0.41	-0.75	-17.1	12.5	
17,055.0	87.80	178.27	9,869.9	-6,923.6	-317.9	0.29	0.09	-0.27	-14.4	14.5	
17,150.0	88.07	178.27	9,873.4	-7,018.5	-315.1	0.28	0.28	0.00	-11.9	16.7	
17,245.0	89.43	177.30	9,875.4	-7,113.4	-311.4	1.76	1.43	-1.02	-10.8	19.7	
17,340.0	91.01	179.41	9,875.1	-7,208.4	-308.7	2.77	1.66	2.22	-12.1	21.7	
17,435.0	91.01	179.76	9,873.4	-7,303.4	-308.0	0.37	0.00	0.37	-14.7	21.7	
17,530.0	91.76	180.03	9,871.1	-7,398.3	-307.8	0.84	0.79	0.28	-17.9	21.2	



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #209H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3542.0usft
Site:	Frazier 27 State Com	MD Reference:	KB = 25 @ 3542.0usft
Well:	#209H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
17,625.0	90.22	179.67	9,869.5	-7,493.3	-307.6	1.66	-1.62	-0.38	-20.5	20.8
17,720.0	88.55	176.42	9,870.5	-7,588.2	-304.3	3.85	-1.76	-3.42	-20.0	23.3
17,814.0	89.12	178.88	9,872.4	-7,682.1	-300.5	2.69	0.61	2.62	-18.4	26.5
17,909.0	89.38	181.17	9,873.6	-7,777.1	-300.5	2.43	0.27	2.41	-17.6	25.8
18,005.0	90.26	180.90	9,873.9	-7,873.1	-302.3	0.96	0.92	-0.28	-17.7	23.3
18,100.0	90.66	181.26	9,873.2	-7,968.1	-304.0	0.57	0.42	0.38	-18.8	20.9
18,195.0	88.55	181.43	9,873.8	-8,063.1	-306.3	2.23	-2.22	0.18	-18.6	18.0
18,289.0	89.96	182.40	9,875.1	-8,157.0	-309.4	1.82	1.50	1.03	-17.7	14.1
18,384.0	89.69	180.29	9,875.3	-8,252.0	-311.6	2.24	-0.28	-2.22	-17.8	11.2
18,479.0	87.32	180.47	9,877.8	-8,346.9	-312.3	2.50	-2.49	0.19	-15.8	9.9
18,574.0	86.00	180.20	9,883.4	-8,441.8	-312.8	1.42	-1.39	-0.28	-10.6	8.7
18,669.0	88.95	180.99	9,887.5	-8,536.6	-313.8	3.21	3.11	0.83	-6.8	7.0
18,764.0	89.03	181.08	9,889.2	-8,631.6	-315.5	0.13	0.08	0.09	-5.5	4.6
18,859.0	88.86	181.52	9,891.0	-8,726.6	-317.7	0.50	-0.18	0.46	-4.2	1.8
18,954.0	88.73	181.17	9,893.0	-8,821.5	-319.9	0.39	-0.14	-0.37	-2.6	-1.2
19,049.0	89.25	182.22	9,894.6	-8,916.5	-322.7	1.23	0.55	1.11	-1.3	-4.7
19,144.0	91.71	179.23	9,893.8	-9,011.4	-323.9	4.08	2.59	-3.15	-2.5	-6.5
19,238.0	92.46	179.32	9,890.4	-9,105.4	-322.7	0.80	0.80	0.10	-6.3	-6.0
19,333.0	91.45	178.88	9,887.2	-9,200.3	-321.2	1.16	-1.06	-0.46	-9.9	-5.2
19,428.0	89.91	179.50	9,886.1	-9,295.3	-319.9	1.75	-1.62	0.65	-11.5	-4.6
19,523.0	86.92	179.15	9,888.7	-9,390.2	-318.8	3.17	-3.15	-0.37	-9.2	-4.1
19,618.0	86.44	179.67	9,894.2	-9,485.1	-317.8	0.74	-0.51	0.55	-4.1	-3.8
19,713.0	86.57	180.64	9,900.0	-9,579.9	-318.1	1.03	0.14	1.02	1.3	-4.8
19,808.0	86.48	180.38	9,905.7	-9,674.7	-318.9	0.29	-0.09	-0.27	6.6	-6.3
19,902.0	85.96	180.38	9,911.9	-9,768.5	-319.5	0.55	-0.55	0.00	12.5	-7.6
Last MWD Survey (MD=19902.0')										



EOG Resources

Midland PVA

Company: Midland
Project: Lea County, NM (NAD 83 NME)
Site: Frazier 27 State Com
Well: #209H
Wellbore: OH
Design: OH

Local Co-ordinate Reference: Well #209H
TVD Reference: KB = 25 @ 3542.0usft
MD Reference: KB = 25 @ 3542.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
20,017.0	85.96	180.38	9,920.0	-9,883.2	-320.3	0.00	0.00	0.00	20.1	-9.2
Projection to Bit (MD=20017.0')										

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
9,305.0	9,270.4	487.0	-412.7	KOP, MD:9305.0', TVD:9270.4',N/S:487.0', E/W:-412.7', INC:3.94
9,509.2	9,469.7	447.0	-404.2	FTP Crossing, MD:9509.2', TVD:9469.7',N/S:447.0', E/W:-404.2', INC:19.79
19,902.0	9,911.9	-9,768.5	-319.5	Last MWD Survey (MD=19902.0')
20,017.0	9,920.0	-9,883.2	-320.3	Projection to Bit (MD=20017.0')

Checked By: _____ Approved By: _____ Date: _____

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE
KAY MADDOX 02/24/2022

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name		
								FRAZIER 27 STATE COM		
								6. Well Number:		
								209H		
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator						9. OGRID				
EOG RESOURCES INC						7377				
10. Address of Operator						11. Pool name or Wildcat				
PO BOX 2267 MIDLAND, TEXAS 79702						TRISTE DRAW; BONE SPRING, EAST				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	27	24S	33E		549'	NORTH	1374'	WEST	LEA
BH:	M	34	24S	33E		121'	SOUTH	980'	WEST	LEA
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released			16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		
09/19/2021	11/18/2021		11/21/2021			02/12/2022		3517' GL		
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
MD 20,017' TVD 9920'			MD 19,992' TVD 9920'			YES		None		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
BONE SPRING 9908 - 19,992'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.5# J-55		1339'		17 1/2"		1345 CL C/CIRC		
9 5/8"		40# J-55		5130'		12 1/4"		1480 CL C/CIRC		
5 1/2"		20# ICYP 110		20,000'		8 1/2"		3155 CL H/TOC 3438		CBL
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
9908 - 19,992 3 1/8", 2070 holes						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						9908 - 19,992		FRAC W/24,511,143 lbs proppant, 474,847 bbls load fld		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
02/12/2022		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
02/23/2022	24	128		3208	5048	4257	1574			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	582					45				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)								30. Test Witnessed By		
SOLD										
31. List Attachments										
C-102, C-104, C-103, Directional Survey, H spacing										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Name			Title			Date	
Kay Maddox			Kay Maddox			Senior Regulatory Specialist			02/24/2022	
E-mail Address kay_maddox@eogresources.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico			Northwestern New Mexico	
T. Anhy	Rustler	1167'	T. Canyon	Brushy 7409'
T. Salt		1744'	T. Strawn	
B. Salt		4899'	T. Atoka	
T. Yates			T. Miss	
T. 7 Rivers			T. Devonian	
T. Queen			T. Silurian	
T. Grayburg			T. Montoya	
T. San Andres			T. Simpson	
T. Glorieta			T. McKee	
T. Paddock			T. Ellenburger	
T. Blinebry			T. Gr. Wash	
T. Tubb			T. Delaware Sand	
T. Drinkard			T. Bone Springs	
T. Abo			T. 1st BS Sand	10,104'
T. Wolfcamp			T.	
T. Penn			T.	
T. Cisco (Bough C)			T.	
			T. Ojo Alamo	
			T. Kirtland	
			T. Fruitland	
			T. Pictured Cliffs	
			T. Cliff House	
			T. Menefee	
			T. Point Lookout	
			T. Mancos	
			T. Gallup	
			Base Greenhorn	
			T. Dakota	
			T. Morrison	
			T. Todilto	
			T. Entrada	
			T. Wingate	
			T. Chinle	
			T. Permian	
			T. Penn A"	
			T. Penn. "B"	
			T. Penn. "C"	
			T. Penn. "D"	
			T. Leadville	
			T. Madison	
			T. Elbert	
			T. McCracken	
			T. Ignacio Otzte	
			T. Granite	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOG OF THE CORE (Attach additional sheet if necessary)							
From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 84330

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 84330
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 84330

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 84330
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	7/31/2024