

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District I

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 12/11/2023
⁴ API Number 30 – 015-54032	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 323066	⁸ Property Name: TIME CC 6-7 FEDERAL COM	⁹ Well Number: 72H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
3	6	24S	29E		450	NORTH	2300	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 523' FNL 2043' FWL LTP- 186' FSL 2056' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	7	24S	29E		44	SOUTH	2061	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 12/21/23		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 08/10/23	²² Ready Date 12/11/2023	²³ TD 19380'M 9077'V	²⁴ PBTD 19332'M 9076'V	²⁵ Perforations 9262-19238'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		468'	645
9-7/8"		7-5/8"		8860'	1736
6-3/4"		5-1/2"		19358'	811
		2-3/8" tbg		8800'	na

V. Well Test Data

³¹ Date New Oil 12/21/23	³² Gas Delivery Date 12/21/23	³³ Test Date 12/26/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 871
³⁷ Choke Size 60	³⁸ Oil 3486	³⁹ Water 2163	⁴⁰ Gas 5629		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.comDate: 02/15/2024
Phone: 432-695-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 8/6/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACERAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-54032	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 323066	⁵ Property Name TIME CC 6_7 FEDERAL COM	⁶ Well Number 72H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2960'


¹⁰ Surface Location

UL or lot no. L 3	Section 6	Township 24S	Range 29E	Lot Idn	Feet from the 450	North/South line NORTH	Feet from the 2300	East/West line WEST	County EDDY
----------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. N	Section 7	Township 24S	Range 29E	Lot Idn	Feet from the 44	North/South line SOUTH	Feet from the 2061	East/West line WEST	County EDDY
¹² Dedicated Acres 637.33		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.






OXY



Borehole:	Well:	Field:	Structure:
Time CC 6-7 Fed Com 72H	Time CC 6-7 Fed Com 72H	NM Eddy County (NAD 83)	Oxy Time CC 6-7 Fed Com Pad Section 6 Lot 3

Gravity & Magnetic Parameters				Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous	
Model: IFR1	Dip: 59.906°	Date: 03-Sep-2023		Lat: N 32 15 10.88	Northings: 455919.681US	Grid Conv: 0.1646°		Slot: Time CC 6-7 Fed Com 72H	TVD Ref: RKB (2983.700 ft above MSL)
MagDec: 6.725°	FS: 47432.4nT	Gravity FS: 998.471mgn (9.80665 Based)		Lon: W 104 1 29.66	Easting: 636683.251US	Scale Fact: 0.9999195		Plan: Oxy Time CC 6-7 Fed Com 72H Rev1 AR 31Aug23	

Comments	Critical Points							
	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD DLS(°/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2,983.70
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-2,959.70
First Gyro Survey	33.85	0.28	2.96	33.85	-0.02	0.02	0.00	-2,949.85
Last Gyro Survey	446.19	0.99	289.09	446.16	-2.65	2.71	-3.30	-2,537.54
First SLB Survey	590.00	1.23	307.44	589.94	-3.95	4.05	-5.70	-2,393.76
Actual KOP	8,192.00	1.06	140.12	8,159.45	-363.90	368.91	-269.37	5,175.75
FTP / 100ft FNL Cross	8,376.00	9.52	168.52	8,342.40	-346.49	351.41	-264.61	5,358.70
3rd BS Limestone Intersection	8,659.62	21.44	177.53	8,618.00	-282.67	287.42	-256.03	5,634.30
Exit Lateral Window	10,911.00	88.48	173.83	9,086.74	1,713.06	-1,709.84	-191.06	6,103.04
Enter Lateral Window	11,594.00	89.90	184.94	9,085.89	2,394.41	-2,391.37	-187.48	6,102.19
Exit Lateral Window	12,680.00	85.54	185.40	9,104.58	3,477.62	-3,473.19	-273.13	6,120.88
Enter Lateral Window	13,516.00	95.10	175.57	9,091.73	4,308.85	-4,304.48	-277.82	6,108.03
Section 6-7 Line Cross	14,089.00	97.08	177.62	9,041.70	4,876.99	-4,873.42	-238.84	6,058.00
Exit Lateral Window	14,672.00	86.07	184.81	9,064.51	5,457.86	-5,453.80	-271.57	6,080.81
Enter Lateral Window	15,188.00	87.40	175.35	9,080.61	5,972.75	-5,968.82	-268.86	6,096.91
LTP / 100 ft FSL Cross	19,324.50	88.62	177.31	9,076.16	10,097.45	-10,095.69	-188.77	6,092.46
Final Survey	19,346.00	88.64	177.67	9,076.67	10,118.91	-10,117.16	-187.83	6,092.97
Projection to Total Depth	19,380.00	88.64	177.67	9,077.48	10,152.84	-10,151.13	-186.44	6,093.78





Oxy Time CC 6-7 Fed Com 72H - Gyro+IFR1 Surveys to 19380ft Survey
Geodetic Report
DefinitiveSurvey

Report Date:	October 10, 2023 - 09:13 PM (UTC 0)	Survey / DLS Computation:	Minimum Curvature / Lubinski
Client:	OXY	Vertical Section Azimuth:	181.052 °(Grid North)
Field:	NM Eddy County (NAD 83)	Vertical Section Origin:	0.000 ft, 0.000 ft
Structure / Slot:	Oxy Time CC 6-7 Fed Com Pad Section 6 Lot 3 / Time CC 6-7 Fed Com 72H	TVD Reference Datum:	RKB
Well:	Time CC 6-7 Fed Com 72H	TVD Reference Elevation:	2983.700 ft above MSL
Borehole:	Time CC 6-7 Fed Com 72H	Seabed / Ground Elevation:	2959.700 ft above MSL
UBHI / API / JobNumber:	Unknown / Unknown / Unknown	Magnetic Declination:	6.725°
Survey Name / Version:	Oxy Time CC 6-7 Fed Com 72H - Gyro+IFR1 Surveys to 19380ft / 2	Total Gravity Field Strength:	998.4715mgn (9.80665 Based)
Survey Date:	October 10, 2023	Gravity Model:	GARM
Tort / AHD / DDI / ERD Ratio:	357.196 ° / 11041.980 ft / 6.923 / 1.209	Total Magnetic Field Strength:	47432.4 nT
Coordinate Reference System:	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Magnetic Dip Angle:	59.906°
Location Lat / Long:	N 32°15'10.87932" , W 104°1'29.65873"	Declination Date:	September 03, 2023
Location Grid N/E Y/X:	N 455919.660 ftUS , E 636683.250 ftUS	Magnetic Declination Model:	IFR1
CRS Grid Convergence Angle:	0.165°	North Reference:	Grid
Grid Scale Factor:	0.9999195	Total Gravity May	6.56°
Engine Version:	2023.1.0.1	Local Coord Referenced To:	Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2,983.70		455,919.66	636,683.25	N 32°15'10.88"	W 104°1'29.66"		
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-2,959.70	0.00	455,919.66	636,683.25	N 32°15'10.88"	W 104°1'29.66"	0.00	0.00
First Gyro Survey	33.85	0.28	2.96	33.85	-0.02	0.02	0.00	-2,949.85	2.84	455,919.68	636,683.25	N 32°15'10.88"	W 104°1'29.66"	0.02	2.96
	93.06	0.54	355.36	93.06	-0.45	0.45	-0.01	-2,890.64	0.45	455,920.11	636,683.24	N 32°15'10.88"	W 104°1'29.66"	0.45	358.22
	183.38	0.48	325.10	183.37	-1.18	1.18	-0.26	-2,800.33	0.30	455,920.84	636,682.99	N 32°15'10.89"	W 104°1'29.66"	1.21	347.37
	282.61	0.68	305.54	282.60	-1.85	1.86	-0.98	-2,701.10	0.28	455,921.52	636,682.27	N 32°15'10.90"	W 104°1'29.67"	2.11	332.23
	368.41	0.92	284.38	368.39	-2.29	2.33	-2.06	-2,615.31	0.44	455,921.99	636,681.19	N 32°15'10.90"	W 104°1'29.68"	3.11	318.49
Last Gyro Survey	446.19	0.99	289.09	446.16	-2.65	2.71	-3.30	-2,537.54	0.14	455,922.37	636,679.95	N 32°15'10.91"	W 104°1'29.70"	4.27	309.33
First SLB Survey	590.00	1.23	307.44	589.94	-3.95	4.05	-5.70	-2,393.76	0.30	455,923.71	636,677.55	N 32°15'10.92"	W 104°1'29.72"	6.99	305.39
	685.00	1.92	296.83	684.91	-5.24	5.39	-7.93	-2,298.79	0.79	455,925.05	636,675.32	N 32°15'10.93"	W 104°1'29.75"	9.59	304.19
	779.00	2.03	286.08	778.85	-6.36	6.56	-10.94	-2,204.85	0.41	455,926.22	636,672.31	N 32°15'10.94"	W 104°1'29.79"	12.75	300.96
	873.00	2.62	290.42	872.77	-7.50	7.77	-14.55	-2,110.93	0.65	455,927.43	636,668.70	N 32°15'10.96"	W 104°1'29.83"	16.50	298.11
	968.00	3.17	290.72	967.65	-9.11	9.46	-19.04	-2,016.05	0.58	455,929.12	636,664.21	N 32°15'10.97"	W 104°1'29.88"	21.26	296.41
	1,062.00	4.05	298.88	1,061.47	-11.53	11.98	-24.38	-1,922.23	1.08	455,931.64	636,658.87	N 32°15'11.00"	W 104°1'29.94"	27.16	296.17
	1,156.00	3.89	307.94	1,155.24	-15.00	15.55	-29.80	-1,828.46	0.69	455,935.20	636,653.45	N 32°15'11.03"	W 104°1'30.01"	33.61	297.55
	1,249.00	4.06	314.96	1,248.02	-19.17	19.81	-34.62	-1,735.68	0.55	455,939.47	636,648.63	N 32°15'11.08"	W 104°1'30.06"	39.89	299.78
	1,343.00	4.22	327.05	1,341.77	-24.35	25.06	-38.85	-1,641.93	0.94	455,944.72	636,644.40	N 32°15'11.13"	W 104°1'30.11"	46.24	302.83
	1,436.00	3.76	341.13	1,434.55	-30.05	30.82	-41.70	-1,549.15	1.16	455,950.48	636,641.55	N 32°15'11.19"	W 104°1'30.14"	51.86	306.47
	1,530.00	3.87	347.67	1,528.34	-36.03	36.84	-43.38	-1,455.36	0.48	455,956.49	636,639.88	N 32°15'11.25"	W 104°1'30.16"	56.91	310.34
	1,624.00	3.92	354.47	1,622.13	-42.31	43.13	-44.36	-1,361.57	0.49	455,962.79	636,638.89	N 32°15'11.31"	W 104°1'30.17"	61.88	314.20
	1,719.00	0.71	25.41	1,717.04	-46.08	46.90	-44.42	-1,266.66	3.51	455,966.56	636,638.83	N 32°15'11.34"	W 104°1'30.17"	64.60	316.55
	1,814.00	0.22	294.34	1,812.04	-46.68	47.51	-44.34	-1,171.66	0.79	455,967.16	636,638.92	N 32°15'11.35"	W 104°1'30.17"	64.98	316.98
	1,909.00	0.20	172.57	1,907.04	-46.59	47.42	-44.48	-1,076.66	0.39	455,967.07	636,638.77	N 32°15'11.35"	W 104°1'30.18"	65.02	316.83
	2,003.00	0.15	327.75	2,001.04	-46.53	47.36	-44.53	-982.66	0.36	455,967.01	636,638.73	N 32°15'11.35"	W 104°1'30.18"	65.00	316.77
	2,098.00	0.17	338.30	2,096.04	-46.77	47.59	-44.65	-887.66	0.04	455,967.25	636,638.61	N 32°15'11.35"	W 104°1'30.18"	65.26	316.83
	2,193.00	0.06	2.03	2,191.04	-46.95	47.77	-44.70	-792.66	0.12	455,967.43	636,638.56	N 32°15'11.35"	W 104°1'30.18"	65.42	316.91
	2,287.00	0.29	141.08	2,285.03	-46.81	47.64	-44.54	-698.67	0.36	455,967.30	636,638.71	N 32°15'11.35"	W 104°1'30.18"	65.22	316.92
	2,382.00	0.18	74.99	2,380.03	-46.67	47.49	-44.25	-603.67	0.29	455,967.15	636,639.00	N 32°15'11.35"	W 104°1'30.17"	64.91	317.02
	2,476.00	0.27	161.81	2,474.03	-46.50	47.32	-44.04	-509.67	0.34	455,966.97	636,639.22	N 32°15'11.35"	W 104°1'30.17"	64.64	317.06
	2,572.00	0.44	213.50	2,570.03	-45.98	46.80	-44.17	-413.67	0.36	455,966.45	636,639.08	N 32°15'11.34"	W 104°1'30.17"	64.35	316.65
	2,666.00	1.11	229.84	2,664.02	-45.07	45.91	-45.07	-319.68	0.74	455,965.56	636,638.19	N 32°15'11.33"	W 104°1'30.18"	64.33	315.53
	2,761.00	0.15	253.59	2,759.02	-44.43	45.28	-45.89	-224.68	1.03	455,964.94	636,637.37	N 32°15'11.33"	W 104°1'30.19"	64.47	314.62
	2,856.00	0.09	37.65	2,854.02	-44.45	45.30	-45.96	-129.68	0.24	455,964.96	636,637.29	N 32°15'11.33"	W 104°1'30.19"	64.54	314.59
	2,950.00	0.10	57.05	2,948.02	-44.56	45.41	-45.85	-35.68	0.04	455,965.06	636,637.41	N 32°15'11.33"	W 104°1'30.19"	64.53	314.72
	3,045.00	0.11	197.26	3,043.02	-44.52	45.36	-45.80	59.32	0.21	455,965.02	636,637.45	N 32°15'11.33"	W 104°1'30.19"	64.47	314.72
	3,140.00	0.09	50.51	3,138.02	-44.48	45.32	-45.77	154.32	0.20	455,964.98	636,637.48	N 32°15'11.33"	W 104°1'30.19"	64.42	314.72
	3,234.00	0.09	77.74	3,232.02	-44.54	45.39	-45.65	248.32	0.05	455,965.04	636,637.61	N 32°15'11.33"	W 104°1'30.19"	64.37	314.84
	3,329.00	0.12	315.16	3,327.02	-44.63	45.47	-45.64	343.32	0.19	455,965.13	636,637.61	N 32°15'11.33"	W 104°1'30.19"	64.43	314.89
	3,424.00	0.08	13.87	3,422.02	-44.76	45.61	-45.70	438.32	0.11	455,965.27	636,637.56	N 32°15'11.33"	W 104°1'30.19"	64.56	314.94
	3,518.00	0.09	200.17	3,516.02	-44.76	45.60	-45.71	532.32	0.18	455,965.26	636,637.55	N 32°15'11.33"	W 104°1'30.19"	64.57	314.94
	3,613.00	1.39	311.59	3,611.01	-45.43	46.30	-46.59	627.31	1.50	455,965.95	636,636.66	N 32°15'11.34"	W 104°1'30.20"	65.68	314.82
	3,708.00	2.85	320.43	3,705.94	-47.98	48.88	-48.96	722.24	1.57	455,968.54	636,634.29	N 32°15'11.36"	W 104°1'30.23"	69.19	314.95
	3,802.00	4.34	324.28	3,799.75	-52.60	53.57	-52.53	816.05	1.60	455,973.23	636,630.73	N 32°15'11.41"	W 104°1'30.27"	75.03	315.57
	3,897.00	5.80	324.95	3,894.38	-59.36	60.42	-57.38	910.68	1.54	455,980.08	636,625.87	N 32°15'11.48"	W 104°1'30.32"	83.33	316.48
	3,992.00	7.05	322.63	3,988.78	-67.80	68.98	-63.68	1,005.08	1.34	455,988.64	636,619.58	N 32°15'11.56"	W 104°1'30.40"	93.88	317.29
	4,086.00	8.49	321.13	4,081.91	-77.65	78.97	-71.53	1,098.21	1.55	455,998.63	636,611.72	N 32°15'11.66"	W 104°1'30.49"	106.55	317.83
	4,180.00	9.58	321.65	4,174.75	-89.01	90.51	-80.74	1,191.05	1.16	456,010.16	636,602.52	N 32°15'11.78"	W 104°1'30.60"	121.29	318.26
	4,275.00	10.10	324.77	4,268.35	-101.83	103.51	-90.45	1,284.65	0.78	456,023.16	636,592.81	N 32°15'11.91"	W 104°1'30.71"	137.46	318.85
	4,370.00	10.38	326.22	4,361.84	-115.57	117.43	-100.02	1,378.14	0.40	456,037.08	636,583.24	N 32°15'12.04"	W 104°1'30.82"	154.25	319.58
	4,464.00	11.36	325.87	4,454.15	-130.09	132.13	-109.92	1,470.45	1.04	456,051.78	636,573.34	N 32°15'12.19"	W 104°1'30.93"	171.88	320.24
	4,559.00	10.69	326.58	4,547.39	-145.00	147.23	-120.02	1,563.69	0.72	456,066.88	636,563.24	N 32°15'12.34"	W 104°1'31.05"	189.95	320.81
	4,654.00	10.59	326.16	4,640.76	-159.43	161.84	-129.73	1,657.06	0.13	456,081.48	636,553.53	N 32°15'12.48"	W 104°1'31.16"	207.42	321.28
	4,749.00	10.69	327.44	4,734.13	-173.93	176.51	-139.34	1,750.43	0.27	456,096.16	636,543.92	N 32°15'12.63"	W 104°1'31.28"	224.88	321.71
	4,844.00	10.70	329.96	4,827.48	-188.82	191.57	-148.49	1,843.78	0.49	456,111.22	636,534.77	N 32°15'12.78"	W 104°1'31.38"	242.39	322.22
	4,938.00	10.13	329.62	4,919.93	-203.34	206.26	-157.04	1,936.23	0.61	456,125.90	636,526.22	N 32°15'12.92"	W 104°1'31.48"	259.24	322.71
	5,033.00	10.52	331.01	5,013.39	-217.98	221.05	-165.47	2,029.69	0.49	456,140.70	636,517.79	N 32°15'13.07"	W 104°1'31.58"	276.13	323.18
	5,128.00	10.00	332.07	5,106.87	-232.70	235.93	-173.54	2,123.17	0.58	456,155.57	636,509.73	N 32°15'13.22"	W 104°1'31.67"	292.88	323.66
	5,222.00	9.91	327.83	5,199.46	-246.61	249.99	-181.67	2,215.76	0.79	456,169.62	636,501.60	N 32°15'13.36"	W 104°1'31.77"	309.02	323.99

FTP / 100ft FNL Cross	8,227.00	3.79	158.03	8,194.41	-362.67	367.66	-268.75	5,210.71	8.87	456,287.29	636,414.53	N 32°15'14.52"	W 104°1'32.78"	455.41	323.83
	8,291.00	5.89	165.31	8,258.18	-357.56	362.52	-267.12	5,274.48	3.41	456,282.15	636,416.15	N 32°15'14.47"	W 104°1'32.76"	450.31	323.62
	8,376.00	9.52	168.52	8,342.40	-346.49	351.41	-264.61	5,358.70	4.30	456,271.04	636,418.66	N 32°15'14.36"	W 104°1'32.73"	439.90	323.02
	8,385.00	9.91	168.72	8,351.27	-345.01	349.92	-264.31	5,367.57	4.30	456,269.55	636,418.96	N 32°15'14.35"	W 104°1'32.72"	438.53	322.93
	8,480.00	10.24	167.90	8,444.81	-328.80	333.65	-260.95	5,461.11	0.38	456,253.28	636,422.33	N 32°15'14.19"	W 104°1'32.69"	423.57	321.97
	8,574.00	14.52	173.67	8,536.60	-308.97	313.76	-257.89	5,552.90	4.73	456,233.39	636,425.38	N 32°15'13.99"	W 104°1'32.65"	406.14	320.58
	8,659.62	21.44	177.53	8,618.00	-282.67	287.42	-256.03	5,634.30	8.20	456,207.06	636,427.24	N 32°15'13.73"	W 104°1'32.63"	384.92	318.31
	8,669.00	22.20	177.81	8,626.70	-279.19	283.94	-255.89	5,643.00	8.20	456,203.58	636,427.38	N 32°15'13.70"	W 104°1'32.63"	382.23	317.97
	8,763.00	26.83	176.31	8,712.21	-240.30	245.00	-253.85	5,728.51	4.97	456,164.64	636,429.42	N 32°15'13.31"	W 104°1'32.61"	352.80	313.98
	8,824.00	29.71	178.31	8,765.93	-211.48	216.15	-252.51	5,782.23	4.97	456,135.79	636,430.76	N 32°15'13.03"	W 104°1'32.59"	332.39	310.56
3rd BS Limestone Intersection	8,969.00	31.91	181.21	8,890.46	-137.25	141.91	-252.26	5,906.76	1.83	456,061.55	636,431.01	N 32°15'12.29"	W 104°1'32.59"	289.44	299.36
	9,032.00	37.31	182.90	8,942.30	-101.49	106.16	-253.58	5,958.60	8.71	456,025.81	636,429.69	N 32°15'11.94"	W 104°1'32.61"	274.91	292.72
	9,126.00	48.55	183.02	9,011.01	-37.60	42.33	-256.89	6,027.31	11.96	455,961.98	636,426.38	N 32°15'11.31"	W 104°1'32.65"	260.35	279.36
	9,221.00	59.33	178.52	9,066.87	39.05	-34.32	-257.71	6,083.17	11.97	455,885.34	636,425.56	N 32°15'10.55"	W 104°1'32.66"	259.99	262.41
	9,316.00	76.04	176.70	9,102.81	126.45	-121.81	-253.98	6,119.11	17.68	455,797.86	636,429.29	N 32°15'9.68"	W 104°1'32.62"	281.68	244.38
	9,410.00	85.43	174.77	9,117.93	218.72	-214.22	-247.07	6,134.23	10.19	455,705.46	636,436.20	N 32°15'8.77"	W 104°1'32.54"	327.00	229.07
	9,505.00	91.69	175.37	9,120.32	313.12	-308.79	-238.91	6,136.62	6.62	455,610.90	636,444.36	N 32°15'7.83"	W 104°1'32.45"	390.42	217.73
	9,570.00	88.72	170.96	9,120.09	377.48	-373.30	-231.18	6,136.39	8.18	455,546.39	636,452.09	N 32°15'7.19"	W 104°1'32.36"	439.09	211.77
	9,664.00	91.08	173.87	9,120.25	470.40	-466.46	-218.77	6,136.55	3.99	455,453.24	636,464.50	N 32°15'6.27"	W 104°1'32.22"	515.22	205.13
	9,759.00	93.36	174.67	9,116.57	564.66	-560.91	-209.29	6,132.87	2.54	455,358.80	636,473.97	N 32°15'5.34"	W 104°1'32.11"	598.69	200.46
Exit Lateral Window	9,853.00	93.75	175.83	9,110.74	658.00	-654.41	-201.52	6,127.04	1.30	455,265.31	636,481.74	N 32°15'4.41"	W 104°1'32.03"	684.73	197.12
	9,948.00	93.41	178.22	9,104.81	752.57	-749.09	-196.60	6,121.11	2.54	455,170.64	636,486.66	N 32°15'3.47"	W 104°1'31.97"	774.46	194.71
	10,043.00	93.58	182.07	9,099.01	847.36	-843.89	-196.84	6,115.31	4.05	455,075.84	636,486.42	N 32°15'2.53"	W 104°1'31.98"	866.54	193.13
	10,137.00	93.56	184.56	9,093.16	941.10	-937.54	-202.27	6,109.46	2.64	454,982.19	636,481.00	N 32°15'1.61"	W 104°1'32.05"	959.11	192.17
	10,232.00	92.44	183.67	9,088.19	1,035.83	-1,032.17	-209.07	6,104.49	1.51	454,887.58	636,474.19	N 32°15'0.67"	W 104°1'32.13"	1,053.13	191.45
	10,327.00	89.67	182.89	9,086.44	1,130.73	-1,126.98	-214.51	6,102.74	3.03	454,792.77	636,468.76	N 32°14'59.73"	W 104°1'32.19"	1,147.22	190.78
	10,421.00	89.00	182.34	9,087.53	1,224.69	-1,220.88	-218.80	6,103.83	0.92	454,698.88	636,464.47	N 32°14'58.80"	W 104°1'32.25"	1,240.33	190.16
	10,516.00	90.89	176.20	9,087.62	1,319.60	-1,315.82	-217.59	6,103.92	6.76	454,603.95	636,465.68	N 32°14'57.87"	W 104°1'32.24"	1,333.69	189.39
	10,611.00	90.57	177.22	9,086.41	1,414.31	-1,410.66	-212.14	6,102.71	1.13	454,509.12	636,471.13	N 32°14'56.93"	W 104°1'32.18"	1,426.52	188.55
	10,705.00	90.51	176.74	9,085.53	1,508.07	-1,504.52	-207.18	6,101.83	0.51	454,415.26	636,476.08	N 32°14'56.00"	W 104°1'32.12"	1,518.72	187.84
Enter Lateral Window	10,800.00	89.94	176.04	9,085.15	1,602.76	-1,599.33	-201.20	6,101.45	0.95	454,320.46	636,482.06	N 32°14'55.06"	W 104°1'32.05"	1,611.94	187.17
	10,894.00	88.65	173.81	9,086.31	1,696.20	-1,692.95	-192.89	6,102.61	2.74	454,226.85	636,490.38	N 32°14'54.13"	W 104°1'31.96"	1,703.90	186.50
	10,911.00	88.48	173.83	9,086.74	1,713.06	-1,709.84	-191.06	6,103.04	1.03	454,209.96	636,492.21	N 32°14'53.97"	W 104°1'31.94"	1,720.49	186.38
	10,985.00	87.72	173.94	9,089.19	1,786.44	-1,783.38	-183.18	6,105.49	1.03	454,136.43	636,500.08	N 32°14'53.24"	W 104°1'31.85"	1,792.77	185.86
	11,079.00	90.85	175.84	9,090.36	1,879.88	-1,876.98	-174.81	6,106.66	3.90	454,042.83	636,508.45	N 32°14'52.31"	W 104°1'31.76"	1,885.11	185.32
	11,174.00	90.57	179.16	9,089.19	1,974.68	-1,971.87	-170.67	6,105.49	3.51	453,947.95	636,512.59	N 32°14'51.37"	W 104°1'31.71"	1,979.25	184.95
	11,268.00	90.22	181.67	9,088.54	2,068.66	-2,065.86	-171.35	6,104.84	2.70	453,853.97	636,511.91	N 32°14'50.44"	W 104°1'31.72"	2,072.96	184.74
	11,363.00	91.01	181.26	9,087.52	2,163.65	-2,160.82	-173.78	6,103.82	0.94	453,759.01	636,509.48	N 32°14'49.50"	W 104°1'31.75"	2,167.80	184.60
	11,457.00	90.34	183.29	9,086.41	2,257.62	-2,254.74	-177.51	6,102.71	2.27	453,665.11	636,505.75	N 32°14'48.57"	W 104°1'31.80"	2,261.71	184.50
	11,550.00	90.24	184.53	9,085.94	2,350.50	-2,347.52	-183.85	6,102.24	1.34	453,572.34	636,499.41	N 32°14'47.66"	W 104°1'31.88"	2,354.71	184.48
Exit Lateral Window	11,594.00	89.90	184.94	9,085.89	2,394.41	-2,391.37	-187.48	6,102.19	1.20	453,528.49	636,495.78	N 32°14'47.22"	W 104°1'31.92		

	18,752.00	89.07	177.04	9,066.63	9,527.26	-9,524.71	-226.15	6,082.93	1.44	446,395.73	636,457.12	N 32°13'36.64"	W 104°1'32.61"	9,527.40	181.36
	18,847.00	88.61	173.92	9,068.56	9,621.78	-9,619.39	-218.66	6,084.86	3.32	446,301.07	636,464.60	N 32°13'35.70"	W 104°1'32.53"	9,621.87	181.30
	18,941.00	89.29	174.13	9,070.28	9,715.06	-9,712.86	-208.88	6,086.58	0.76	446,207.60	636,474.39	N 32°13'34.78"	W 104°1'32.41"	9,715.11	181.23
	19,036.00	89.40	176.03	9,071.36	9,809.53	-9,807.50	-200.73	6,087.66	2.00	446,112.97	636,482.53	N 32°13'33.84"	W 104°1'32.32"	9,809.55	181.17
	19,130.00	89.11	177.74	9,072.59	9,903.27	-9,901.35	-195.63	6,088.89	1.84	446,019.13	636,487.64	N 32°13'32.91"	W 104°1'32.27"	9,903.28	181.13
	19,224.00	89.05	178.52	9,074.10	9,997.14	-9,995.29	-192.56	6,090.40	0.83	445,925.20	636,490.71	N 32°13'31.98"	W 104°1'32.23"	9,997.14	181.10
	19,319.00	88.62	177.22	9,076.03	10,091.97	-10,090.20	-189.03	6,092.33	1.44	445,830.29	636,494.24	N 32°13'31.04"	W 104°1'32.20"	10,091.97	181.07
LTP / 100 ft FSL Cross	19,324.50	88.62	177.31	9,076.16	10,097.45	-10,095.69	-188.77	6,092.46	1.67	445,824.80	636,494.50	N 32°13'30.99"	W 104°1'32.19"	10,097.46	181.07
Final Survey	19,346.00	88.64	177.67	9,076.67	10,118.91	-10,117.16	-187.83	6,092.97	1.67	445,803.33	636,495.44	N 32°13'30.77"	W 104°1'32.18"	10,118.91	181.06
Projection to Total Depth	19,380.00	88.64	177.67	9,077.48	10,152.84	-10,151.13	-186.44	6,093.78	0.00	445,769.37	636,496.82	N 32°13'30.44"	W 104°1'32.17"	10,152.84	181.05

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 2.795 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Vendor / Tool	Borehole / Survey
	1	0.000	446.190	Act Stns		GXD_GC+DROP+OH		Time CC 6-7 Fed Com 72H / Oxy Time CC 6-7 Fed Com 72H - Gyro+IFR1 Surveys to 19380ft
	1	446.190	8,824.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS		Time CC 6-7 Fed Com 72H / Oxy Time CC 6-7 Fed Com 72H - Gyro+IFR1 Surveys to 19380ft
	1	8,824.000	9,032.000	Act Stns		A005Mb_MWD+IFR1		Time CC 6-7 Fed Com 72H / Oxy Time CC 6-7 Fed Com 72H - Gyro+IFR1 Surveys to 19380ft
	1	9,032.000	13,541.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS		Time CC 6-7 Fed Com 72H / Oxy Time CC 6-7 Fed Com 72H - Gyro+IFR1 Surveys to 19380ft
	1	13,541.000	15,488.000	Act Stns		A005Mb_MWD+IFR1		Time CC 6-7 Fed Com 72H / Oxy Time CC 6-7 Fed Com 72H - Gyro+IFR1 Surveys to 19380ft
	1	15,488.000	19,380.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS		Time CC 6-7 Fed Com 72H / Oxy Time CC 6-7 Fed Com 72H - Gyro+IFR1 Surveys to 19380ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
19,380.000	26.400	26.400	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: TIME CC 6-7 FEDERAL COM	Well Location: T24S / R29E / SEC 6 / LOT 3 / 32.253022 / -104.0249052	County or Parish/State: EDDY / NM
Well Number: 72H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM13996	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001554032	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2773446

Type of Submission: Subsequent Report

Date Sundry Submitted: 02/05/2024

Date Operation Actually Began: 11/09/2023

Type of Action: Workover Operations

Time Sundry Submitted: 01:33

Actual Procedure: RUPU 11/09/23, RIH & clean out to PBTD @ 19332', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 9262-19238' Total 1830 holes. Frac in 41 stages w/ 452623BBL Produced Water + 2493BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 24466130# sand, RD Liberty 12/04/23. Well ready to produce 12/11/23. 01/31/24 RIH with 2-3/8" L80 tbg & gas lift set @ 8800', RD 01/31/24.

Received by OCD: 2/15/2024 3:48:57 PM

Page 9 of 15

Well Name: TIME CC 6-7 FEDERAL COM	Well Location: T24S / R29E / SEC 6 / LOT 3 / 32.253022 / -104.0249052	County or Parish/State: EDDY / NM
Well Number: 72H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM13996	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001554032	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: FEB 05, 2024 01:32 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 02/07/2024
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017 1. WELL API NO. 30-015-54032 2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN 3. State Oil & Gas Lease No.					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name TIME CC 6-7 FEDERAL COM 6. Well Number: 72H					
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator: OXY USA INC.						9. OGRID: 16696					
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PIERCE CROSSING; BONE SPRING					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	C	6	24S	29E	3	450	NORTH	2300	WEST	EDDY	
BH:	N	7	24S	29E		44	SOUTH	2061	WEST	EDDY	
13. Date Spudded 08/10/23		14. Date T.D. Reached 10/06/2023		15. Date Rig Released 10/08/2023		16. Date Completed (Ready to Produce) 12/11/2023		17. Elevations (DF and RKB, RT, GR, etc.) 2960' GL			
18. Total Measured Depth of Well 19380'M 9077'V				19. Plug Back Measured Depth 19332'M 9076'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 9262-19238' 2 ND BONE SPRING											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
10.75" J55		45.5		468'		14.75"		645sx-surf circ			
7.625" L80		26.4		8860'		9.875"		1736sx-surf			
5.5" P110 ICY		20		19358'		6.75"		811sx-TOC@7549'			
24. LINER RECORD											
SIZE	TOP		BOTTOM		SACKS CEMENT		SCREEN		25. TUBING RECORD		
									SIZE		
									DEPTH SET		
									PACKER SET		
26. Perforation record (interval, size, and number) 9262-19238' Total 1830 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
						9262-19238'		452623BBL Produced Water + 2493BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 24466130# sand			
28. PRODUCTION											
Date First Production 12/21/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) GAS LIFT					Well Status (Prod. or Shut-in) Prod.				
Date of Test 12/26/2023	Hours Tested 24 hrs.	Choke Size 60	Prod'n For Test Period	Oil - Bbl 3486	Gas - MCF 5629	Water - Bbl. 2163	Gas - Oil Ratio 1615				
Flow Tubing Press.	Casing Pressure 871	Calculated 24- Hour Rate	Oil - Bbl. 3486	Gas - MCF 5629	Water - Bbl. 2163	Oil Gravity - API - (Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By				
31. List Attachments WBD, C-104, As-Drilled C-102, Kickoff Points Form, Final Directional Survey, Completion Sundry C-103											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:				
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude _____ Longitude _____ NAD83											
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Printed											
Signature: <u>Jana Mendiola</u> Name: <u>Jana Mendiola</u> Title: <u>Sr. Regulatory Analyst</u> Date: <u>02/15/2024</u>											
E-mail Address: <u>janalyn_mendiola@oxy.com</u>											

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 95'	T. Bell Canyon 2806'	T. Ojo Alamo	T. Penn A"
T. Salado 585'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1258'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2767'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3681'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5061'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6545'	T. Todilto	
T. Abo	T. 1st Bone Spring 7520'	T. Entrada	
T. Wolfcamp	T. 2nd Bone Spring 8252'	T. Wingate	
T. Penn	T. 3 rd Bone Spring	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
TIME CC 6-7 FEDERAL COM 72H
API No. 30-015-54032



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 315008

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 315008
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 315008

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 315008
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	8/6/2024