

Office
District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-015-23375
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	B-2613
7. Lease Name or Unit Agreement Name	State BGK
8. Well Number	#4
9. OGRID Number	371484
10. Pool name or Wildcat	GRAYBURG JACKSON; SR-Q-G-SA

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Rover Operating, LLC

3. Address of Operator

1255 W 15th St., Ste 700 Plano, TX 75075

4. Well Location

Unit Letter P : 990 feet from the South line and 330 feet from the East line

Section: 2 Township: 17S Range: 31E NMPM County: Eddy

11. Elevation (*Show whether DR, RKB, RT, GR, etc.*)
3986' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

DOWNHOLE COMMINGLE ☐

CLOSED-LOOP SYSTEM ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☒

CASING/CEMENT JOB ☐ PNR

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. 4/24/2024 – MIRU
2. 4/25/2024 – POOH prod equip. Set 5.5" CIBP @ 3420'. Circ P&A mud press to 500psi. SWI
3. 4/26/2024 – Run CBL. Spot 45sx on CIBP @ 3420'. SWI. WOC.
4. 4/29/2024 – Tag TOC @ 3055'. Spot 15sx cmt @ 3055'. WOC & tag @ 2890'. Spot 60sx cmt @ 2369'. WOC & tag @ 1800'. SWI.
5. 4/30/2024 – Perf 1800'. Press up 1000#. Spot 25sx cmt. WOC & tag @ 1685'. Perf 859'. Sqz 45sx cmt. WOC & tag 708'. SWI.
6. 5/1/2024 – Perf 200'. Sqz 55sx cmt to surf. WOC. ND BOP. CO WH. Verify cmt. RD MO. Install DHM.

P&A mud between all plugs. Closed loop all fluid to license facility.

CBL is on file

Spud Date:

8/5/1980

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Brooks Terrell TITLE Geologist DATE 5/29/2024

Type or print name Brooks Terrell E-mail address: bterrell@roverpetro.com PHONE: 214-234-9115

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 8/12/24
Conditions of Approval (if any): _____

State BGK #4 Plugging Report

4/24/2024 – MIRU

4/25/2024 – POOH prod equip. Set 5.5" CIBP @ 3420'. Circ P&A mud press to 500psi. SWI

4/26/2024 – Run CBL. Spot 45sx on CIBP @ 3420'. SWI. WOC.

4/29/2024 – Tag TOC @ 3055'. Spot 15sx cmt @ 3055'. WOC & tag @ 2890'. Spot 60sx cmt @ 2369'. WOC & tag @ 1800'. SWI.

4/30/2024 – Perf 1800'. Press up 1000#. Spot 25sx cmt. WOC & tag @ 1685'. Perf 859'. Sqz 45sx cmt. WOC & tag @ 708'. SWI.

5/1/2024 – Perf 200'. Sqz 55sx cmt to surf. WOC. ND BOP. CO WH. Verify cmt. RD MO. Install DHM.

P&A mud between all plugs. Closed loop all fluid to license facility.

ROVER OPERATING, LLC
WELLBORE DIAGRAM

Lease/Well No.
Location

LEASE NO
API No.

State BGK #4 P&A

990' FSL & 330' FEL
P, SEC 2, T17S, R31E
EDDY CO, NM

B-2613

30-015-23375

ELEVATION, GL: 3986'

FIELD: GRAYBURG JACKSON; SR-Q-G-SA

Spudded: 8/5/1980
Completed: 9/24/1980
LAT: 32.8590965
LONG: -103.8328781


11" HOLE

Surface Csg:
8-5/8" 23#
Csg set @ 782'
CSG W/ 250SX
TOC @ surface

7-7/8" HOLE

Production Csg:
5-1/2" 15.5#
Csg Set @ 3874'
CSGW/350SX
TOC @ 1961'

3874' TD



P.S. 55sx cmt @ 200'
Circ to surf.

P.S. 45sx cmt @ 859'
Tag TOC @ 708'

P.S. 25sx cmt @ 1800'
Tag TOC @ 1685'

Spot 60sx cmt @ 2369'
Tag TOC @ 1800'

Spot 15sx cmt @ 3055'
Tag TOC @ 2890'

CIBP @ 3420'
Spot 45sx cmt
Tag TOC @ 3055'

PERFS:
3469'-3570'
3652'-3677'
3799'-3821'

<u>TOPS</u>	<u>DEPTH, ft</u>
T. SALT	809'
B. SALT	2122'
YATES	2319'
SVN RIVERS	2430'
QUEEN	2971'
GRAYBURG	2465'
SAN ANDRES	3684'

<u>Zone</u>	<u>Date</u>
Grayburg	9/24/1980
Premier Sand	9/24/1980
San Andres	9/24/1980

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 348741

CONDITIONS

Operator: ROVER OPERATING, LLC 2024 W. 15th St. Plano, TX 75075	OGRID: 371484
	Action Number: 348741
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	C103Q and marker photo needed to release CBL is on file	8/12/2024