

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-25749
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator SILVERBACK OPERATING II, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 19707 West IH 10, Suite 201 San Antonio, TX 78257		7. Lease Name or Unit Agreement Name INEX
4. Well Location Unit Letter B: 1980 feet from the North line and 660 feet from the East line Section 26 Township 18S Range 26E NMPM County Eddy		8. Well Number 4
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3306' GR		9. OGRID Number 330968
10. Pool name or Wildcat ATOKA; GLORIETA-YESO		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> PNR OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Silverback Operating II, LLC has plugged and abandon this well as follows:
Please see attached plugging report and wellbore schematics.

CBL is on file

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Heather Treffert*

TITLE Field Operations Analyst

DATE 05/21/2024

Type or print name Heather Treffert

E-mail address: hltreffert@silverbackexp.com

PHONE: 575-689-5332

For State Use Only

APPROVED BY: *Kerry Fortner*

TITLE Compliance Officer A

DATE 8/12/24

Conditions of Approval (if any):



Silverback Exploration II, LLC.

Well Chronology - Regulatory

Well/Facility Name: INEX #4

Report Type:
Report For:
Report No.

API: 3001525749

API/UWI 3001525749		Surface Legal Location B-26-18S-26E, 660 FNL, 1980 FEL					State/Province NM	
Orig KB Elev (ft) 3,313.00	KB-Grd (ft) 7.00	KB-TH (ft)	Spud Date 5/12/1987 07:15	Rig Release Date 5/19/1987 23:00	PBTD (All)	Total Depth (ftKB) 3,750.0	Total Depth All (TVD)	

Jobs				
Job Category P&A	Primary Job Type Plug and Abandon	Start Date 10/30/2023 06:00	End Date 11/3/2023 23:00	Spud Date

Job Time Log		
Start Date	End Date	Com
10/30/2023 06:00	10/30/2023 19:00	MIRU P&A rig. NU BOP, released Arrow set pkr. Pumped 25 bbls SW down casing and 10 bbls down tbq. POOH with 14 jts. Well started to flow gas up tbq. SWI and SDFN.
11/1/2023 06:00	11/1/2023 18:30	Pumped 15 bbls of mud down tbq and 60 bbls down csg. Started POOH. Csg started to gas. Pumped load of FW mud down tubing and killed well. Finished POOH. RIH with CIBP and tubing and set @ 2,750'. Circulate well with FW mud. Tested csg to 500 psi. Had small leak at surface. RU WL, ran CBL. Had bond to surface. RD WL and SDFN.
11/2/2023 06:00	11/2/2023 18:30	RIH with tbq and spotted 25 sk plug from 2750-2498. Tagged plug at 2490'. PU and spotted 25 sk plug from 1039-787. WOC tagged plug at 795. POOH and SDFN.
11/3/2023 06:00	11/3/2023 23:00	RU WL. Perfed @410'. RIH with pkr. Attempted pump. Couldn't establish inj. POOH with tbq. Spotted 25 sks cmt. Plug from 460' to 208'. Tagged plug at 205'. RU WL and perfed at 200'. RIH with packer and inject into perfs. Pumped 50 sks into perfs. Circulated between 5-1/2 and 9 5/8 annulus. POOH filled 5-1/2" casing with cmt to surface. Pressure tested cmt. SDFN.




Silverback Exploration II, LLC.

Downhole Well Profile - Report with WBD

Well Name: INEX #4

API: 3001525749

API/UWI 3001525749	Surface Legal Location B-26-18S-26E, 660 FNL, 1980 FEL	Spud Date 5/12/1987 07:15	Rig Release Date 5/19/1987 23:00	County EDDY	State/Province NM
Orig KB Elev (ft) 3,313.00	Ground Elevation (ft) 3,306.00	KB-Grd (ft) 7.00	KB-TH (ft)	Total Depth (All) Original Hole - 3,750.0	Total Depth All (TVD)



Wellhead Sections							
Des		Make		WP (psi)	WP Top (psi)		
Wellbore Sections							
Section Des		Size (in)	Top Depth (ftKB)		Btm Depth (ftKB)		
Surface		10 3/4	7.0		939.0		
Production		7 7/8	939.0		3,750.0		
Casing Strings							
Csg Des	Tapered String OD	Tapered String Dim			Set Depth (ftKB)		
Surface	8 5/8in	8 5/8in 24.00lb/ft J-55			939.0		
Production	5 1/2in	5 1/2in 15.50lb/ft J-55			3,551.0		
Cement							
End Date	Des	Top (ftKB)	Btm (ftKB)	Amount (sacks)	Vol Pumped (bbl)	Eval Method	
5/13/1987	Surface Casing Cement	7.0	939.0	600	0.0	Returns to Surface	
5/19/1987	Production Casing Cement	300.0	3,551.0	600	0.0	Returns to Surface	
11/2/2023	Cement Plug	2,490.0	2,570.0	25	0.0	Tagged	
11/2/2023	Cement Plug	795.0	1,039.0	25	0.0	Tagged	
11/3/2023	Cement Plug	205.0	460.0	25	0.0	Tagged	
11/3/2023	Cement Squeeze	7.0	201.0	50	0.0	Returns to Surface	
11/3/2023	Cement Plug	7.0	205.0	25	0.0	Returns to Surface	
Tubing Strings							
Tubing Description			Run Date	String Length (ft)	Set Depth (ftKB)		
Comment							
Item #	OD (in)	Item Des	Wt (lb/ft)	Grade	Top (ftKB)	Len (ft)	
Rod Strings							
Rod Description			Run Date	String Length (ft)	Set Depth (ftKB)		
Comment							
Item #	OD (in)	Item Des	Wt (lb/ft)	Grade	Top (ftKB)	Len (ft)	
Plugs / Other In Hole							
Run Date	Description	OD (in)	Top Depth (ftKB)	Btm (ftKB)	Length (ft)		
11/1/2023	CIBP	4 3/4	2,570.0	2,572.0	2.00		
Stim/Frac Summary							
Start Date	Type	Int #	Vol Clean Total (bbl)	Vol Slurry Total (bbl)	Proppant Total (lb)		
Perforations							
Date	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Total Shots OR	Nom Hole Dia (in)	Phasing (°)	Linked Zone
11/3/2023	200.0	201.0		2			
11/3/2023	410.0	411.0		2			
5/22/1987	2,803.0	3,113.0		23	0.430		
5/22/1987	3,313.0	3,468.0		20	0.430		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 348769

CONDITIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 348769
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release CBL is on file	8/12/2024