Received by OCD: 6/4/2024 3:08:30 F	M State of New Mexico	Form C ^{Page 1 of 4}
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.
$\frac{\text{District II}}{811 \text{ S. First St., Artesia, NM 88210}}$	OIL CONSERVATION DIVISION	30-015-28543 5. Indicate Type of Lease
<u>District III</u> - (505) 334-6178	1220 South St. Francis Dr.	STATE \square FEE \square
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
	CES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLIC		MARSHALL APH
	Gas Well 🗍 Other	8. Well Number 001
		9. OGRID Number
SILVERBA		330968
District I - (575) 393-6161 Energy, Minerals and Natural Resources 1625 N. French Dr., Hobbs, NM 88240 District II - (575) 748-1283 811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVISION District II - (505) 334-6178 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 District II - (505) 746-3460 District IV - (505) 476-3460 Santa Fe, NM 87505 1220 S. St. Francis Dr., Santa Fe, NM Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS Son NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other Cl. Name of Operator SILVERBACK OPERATING II, LLC San Antonio, TX 78257 4. Well Location Unit Letter F: 1980 feet from the North line and 1980 feet from the West line Section 9 Township 19S Range 25E NMPM 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3527' GR 12. Check Appropriate Box to Indicate Nature of Notice, 1 NOTICE OF INTENTION TO: SUBS PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON □ REMEDIAL WORK		10. Pool name or Wildcat
San Anto	nio, TX 78257	PENASCO DRAW; SA-YESO (ASSOC)
4. Well Location		
Unit Letter F: 1980 feet fro	om the North line and 1980 feet from the West line	
Section 9 Towns	ship 19S Range 25E NMPN	M County Eddy
		<i>c</i> .)
	3527' GR	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or completion or records of starting any proposed wo proposed completion or records of starting II, LLC has plue to the second starting to the second starting II, LLC has plue to the second starting to the second starting II, LLC has plue to the second starting to the second st	TENTION TO: SU PLUG AND ABANDON REMEDIAL WO CHANGE PLANS COMMENCE DI MULTIPLE COMPL CASING/CEME OTHER: OTHER: leted operations. (Clearly state all pertinent details, a rk). SEE RULE 19.15.7.14 NMAC. For Multiple C	BSEQUENT REPORT OF: PRK ALTERING CASING RILLING OPNS. PANDA M NT JOB PANDA M And give pertinent dates, including estimated date completions: Attach wellbore diagram of
		
Spud Date:	Rig Release Date: CPL is a	n filo
I hereby certify that the information a	above is true and complete to the best of my knowled	lge and belief
Thereby certary that the information (
signature Heather I	Treffert TITLE Field Operations Analyst	DATE 4-3-2024
Type or print name Heather Treffe For State Use Only	ert E-mail address: <u>hltreffert@silverbackexp.com</u>	PHONE: 575-689-5332
APPROVED BY:		0/40/04
	TITI F Compliance Officer	$A = \frac{13}{13}$
Conditions of Approval (if any	TITLE Compliance Officer	A8/13/24

•

Marshall APH #1 30-015-28543

Silverback Operating II, LLC plans to plug and abandon this well as follows:

6/14/2023

- 1. MIRU Totem pulling unit. RU BOP and scan out tbg.
- 2. Ran guage ring and junk basket to 2200', hole is clear.
- 3. MU CIBP and set @ 2150'.
- 4. Loaded w/ 40bbls and tested to 800psi. CIBP held good.
- 5. RU cmt bailer and made 2 runs to place 35' cmt plug over CIBP.
- 6. RIH w/ 58bts tbg open ended to 1850' and circulated hole clean.
- 7. Pressured up casing to 500psi, csg held good.
- 8. Flanged up wellhead and NU 3000psi valve to tbg. RDMO

10/23/2023

- 1. MIRU workover rig. Load tbg and csg with water as needed. POOH with rods and pump.
- 2. ND pumping tee. NU BOP. POOH with 2 7/8" tbg
- 3. Tagged cmt plug @ 2100'.
- 4. Perf at 1,165' & Sqz 25 sk cmt plug from 1,040'-1,189'
- 5. PU and spot 25 sk cmt plug from 0-149'
- 6. Cut off wellhead and install dry hole marker. Clean location as regulated.



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
Silverback Operating II, LLC	330968
1001 W. Wilshire Blvd	Action Number:
Oklahoma City, OK 73112	350816
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created Bv		Condition Date
kfortner		8/13/2024

CONDITIONS

Page 4 of 4

Action 350816